

AR T.S.

CONSTRUCTION OF SPECIFIED ROADS

Table of Contents

Schedule of Items	11 pages
Specification List	6 pages
Special Project Specifications	37 pages
Drawings (under separate cover)	13 pages

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration
Road Name N/A

Road No. 3100300
Length (Miles) 5.66

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
15101	Mobilization	AQ	LS	1.00	\$ 3,737.75		1.17	\$ 3,194.66	\$ 3,194.66
20104	Clearing and grubbing, disposal of top and limbs f, logs f & stumps f	CQ	Acre	0.71	\$ 1,019.64		1.08	\$ 944.11	\$ 670.32
30103	Aggregate base course, grading C, Compaction method B	CQ	C.Y.	286.00	\$ 49.97		1.08	\$ 46.27	\$ 13,233.22
30304	Road reconditioning, ditch	CQ	Mile	0.60	\$ 400.03		1.14	\$ 350.90	\$ 210.54
60201	18 inch pipe culvert	AQ	Foot	80.00	\$ 45.64		1.10	\$ 41.49	\$ 3,319.20
60710	Reconditioning drainage structures, Culverts Catch Basins	AQ	Each	17.00	\$ 183.21		1.14	\$ 160.71	\$ 2,732.07

SUB-TOTAL: \$ 23,360.01

TOTAL ALL ROADS: \$ 78,573.93

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration

Road No. 3100310

Road Name N/A

Length (Miles) 1.54

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
15101	Mobilization	AQ	LS	1.00	\$ 1,393.01		1.17	\$ 1,190.61	\$ 1,190.61
20104	Clearing and grubbing, disposal of top and limbs f, logs f & stumps f	CQ	Acre	0.30	\$ 1,136.17		1.08	\$ 1,052.01	\$ 315.60
30304	Road reconditioning, ditch	CQ	Mile	0.83	\$ 400.03		1.14	\$ 350.90	\$ 291.25
30318	Road reconditioning, roadbed, compaction method d	CQ	Mile	1.54	\$ 864.80		1.14	\$ 758.60	\$ 1,168.24
60202	64 inch span, 43 inch rise Culvert	AQ	Foot	48.00	\$ 85.49		1.10	\$ 77.72	\$ 3,730.56
60710	Reconditioning drainage structures, Culverts Catch Basins	AQ	Each	6.00	\$ 183.21		1.14	\$ 160.71	\$ 964.26

SUB-TOTAL: \$ 7,660.52

TOTAL ALL ROADS: \$ 78,573.93

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration

Road No. 3100315

Road Name N/A

Length (Miles) 1.2

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
30304	Road reconditioning, ditch	CQ	Mile	1.00	\$ 400.03		1.14	\$ 350.90	\$ 350.90
30318	Road reconditioning, roadbed, compaction method d	CQ	Mile	1.20	\$ 1,313.88		1.14	\$ 1,152.53	\$ 1,383.04
60710	Reconditioning drainage structures, Culverts Catch Basins	AQ	Each	9.00	\$ 183.21		1.14	\$ 160.71	\$ 1,446.39

SUB-TOTAL: \$ 3,180.33

TOTAL ALL ROADS: \$ 78,573.93

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration

Road No. 3100320

Road Name N/A

Length (Miles) 0.93

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
15101	Mobilization	AQ	LS	1.00	\$ 503.19		1.17	\$ 430.08	\$ 430.08
20104	Clearing and grubbing, disposal of top and limbs f, logs f & stumps f	CQ	Acre	0.06	\$ 1,077.90		1.08	\$ 998.06	\$ 59.88
30318	Road reconditioning, roadbed, compaction method d	CQ	Mile	0.92	\$ 1,313.88		1.14	\$ 1,152.53	\$ 1,060.33

SUB-TOTAL: \$ 1,550.29

TOTAL ALL ROADS: \$ 78,573.93

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration

Road No. 3100325

Road Name N/A

Length (Miles) 1.34

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
15101	Mobilization	AQ	LS	1.00	\$ 518.45		1.17	\$ 443.12	\$ 443.12
20104	Clearing and grubbing, disposal for tops & limbs f, logs f & stumps f	CQ	Acre	2.12	\$ 2,330.60		1.08	\$ 2,157.96	\$ 4,574.88
20420	Drainage Excavation, type Drain Dip	AQ	Each	10.00	\$ 242.99		1.08	\$ 224.99	\$ 2,249.90
30318	Road reconditioning, roadbed, compaction method d	CQ	Mile	1.34	\$ 1,313.88		1.14	\$ 1,152.53	\$ 1,544.39

SUB-TOTAL: \$ 8,812.29

TOTAL ALL ROADS: \$ 78,673.93

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration

Road No. 3100340

Road Name N/A

Length (Miles) 0.9

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
15101	Mobilization	AQ	LS	1.00	\$ 1,073.73		1.17	\$ 917.72	\$ 917.72
20104	Clearing and grubbing, disposal for tops & limbs f, logs f & stumps f	CQ	Acre	0.46	\$ 1,602.29		1.08	\$ 1,483.60	\$ 682.46
20420	Drainage Excavation, type Drain Dip	AQ	Each	4.00	\$ 183.21		1.14	\$ 160.71	\$ 642.84
30103	Aggregate base course, grading C, Compaction method B	CQ	C.Y.	18.00	\$ 60.63		1.08	\$ 56.14	\$ 1,010.52
30304	Road reconditioning, ditch	CQ	Mile	0.05	\$ 400.03		1.14	\$ 350.90	\$ 17.55
30318	Road reconditioning, roadbed, compaction method d	CQ	Mile	0.90	\$ 864.80		1.14	\$ 758.60	\$ 682.74
60710	Reconditioning drainage structures, Culverts Catch Basins	AQ	Each	4.00	\$ 242.99		1.08	\$ 224.99	\$ 899.96

SUB-TOTAL: \$ 4,853.79

TOTAL ALL ROADS: \$ 78,573.93

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration

Road No. 3100350

Road Name N/A

Length (Miles) 0.51

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
20420	Drainage Excavation, type Drain Dip	AQ	Each	1.00	\$ 1,700.91		1.08	\$ 1,574.92	\$ 1,574.92
25101	Placed Riprap, Class IV	CQ	C.Y.	44.00	\$ 95.69		1.10	\$ 86.99	\$ 3,827.56
30318	Road reconditioning, roadbed, compaction method d	CQ	Mile	0.51	\$ 1,313.88		1.14	\$ 1,152.53	\$ 587.79
60710	Reconditioning drainage structures, Culverts Catch Basins	AQ	Each	1.00	\$ 160.71		1.14	\$ 160.71	\$ 160.71

SUB-TOTAL: \$ 6,150.98

TOTAL ALL ROADS: \$ 78,573.93

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration

Road No. 3100359

Road Name N/A

Length (Miles) 0.59

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
20104	Clearing and grubbing, disposal for tops & limbs f, logs f & stumps f	CQ	Acre	1.15	\$ 1,238.13		1.08	\$ 1,146.42	\$ 1,318.38
20420	Drainage Excavation, type Drain Dip	AQ	Each	7.00	\$ 638.75		1.08	\$ 591.44	\$ 4,140.08
30304	Road reconditioning, ditch	CQ	Mile	0.37	\$ 400.03		1.14	\$ 350.90	\$ 129.83
30318	Road reconditioning, roadbed, compaction method d	CQ	Mile	0.59	\$ 1,313.88		1.14	\$ 1,152.53	\$ 679.99
60710	Reconditioning drainage structures, Culverts Catch Basins	AQ	Each	6.00	\$ 183.21		1.14	\$ 160.71	\$ 964.26

SUB-TOTAL: \$ 7,232.54

TOTAL ALL ROADS: \$ 78,573.93

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration

Road No. 3100360

Road Name N/A

Length (Miles) 0.7

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
20104	Clearing and grubbing, disposal for tops & limbs f, logs f & stumps f	CQ	Acre	1.18	\$ 1,747.95		1.08	\$ 1,618.47	\$ 1,909.79
20420	Drainage Excavation, type Drain Dip	AQ	Each	1.00	\$ 728.96		1.08	\$ 674.96	\$ 674.96
30103	Aggregate base course, grading C, Compaction method B	CQ	C.Y.	34.00	\$ 52.39		1.08	\$ 48.51	\$ 1,649.34
30318	Road reconditioning, roadbed, compaction method d	CQ	Mile	0.70	\$ 1,313.88		1.14	\$ 1,152.53	\$ 806.77

SUB-TOTAL: \$ 5,040.86

TOTAL ALL ROADS: \$ 78,573.93

SCHEDULE OF ITEMS
(Timber Sale)

Timber Sale Anne Restoration

Road No. 3100365

Road Name N/A

Length (Miles) 0.17

Item Number	Description	Method of Meas.	Unit	Quantity	Unit Price	Percent Labor (%)	Labor Factor	S.R.C Unit Price	Total
30318	Road reconditioning, roadbed, compaction method d	CQ	Mile	0.17	\$ 1,313.88		1.14	\$ 1,152.53	\$ 195.93

SUB-TOTAL: \$ 195.93

TOTAL ALL ROADS: \$ 78,573.93

FOREST SERVICE SUPPLEMENTAL SPECIFICATIONS LIST

ART S.	SECTION NO. & TITLE	REV DATE	ROAD NUMBER					
			3100 300	3100 310	3100 315	3100 320	3100 325	3100 340
	101 - Terms, Format, and Definitions	2005						
	101 00 FLH FP-03 Corrections	7/25/2005	X	X	X	X	X	X
	101 01 Meaning of Terms	1/22/2009	X	X	X	X	X	X
	101 03 Abbreviations and Symbols	6/16/2006	X	X	X	X	X	X
	101 04 Symbols	3/29/2007	X	X	X	X	X	X
	101 04 Definitions	11/6/2007	X	X	X	X	X	X
	102 - Bid, Award, and Execution of Contract	2005						
	102 00 Delete 102 in its entirety	2/16/2005	X	X	X	X	X	X
	103 - Scope of Work	2005						
	103 00 Intent of Contract	2/16/2005	X	X	X	X	X	X
	104 - Control of Work	2005						
	104 00 Deletions to 104	6/16/2006	X	X	X	X	X	X
	104 03 Specifications and Drawings	2/22/2005	X	X	X	X	X	X
	104 03 Specifications and Drawings.	1/22/2009	X	X	X	X	X	X
	104 03 Specifications and Drawings	2/22/2005	X	X	X	X	X	X
	104 06 Use of Roads by Contractor	2/17/2005	X	X	X	X	X	X
	104 07 Other Contracts	2/17/2005	X	X	X	X	X	X
	105 - Control of Material	2005						
	105 02 Material Sources	2/17/2005	X	X	X	X	X	X
	105 02 Material Sources	1/18/2007	X	X	X	X	X	X
	Use of Material Found in the 105 05 Work	5/12/2004	X	X	X	X	X	X
	106 - Acceptance of Work	2005						
	Conformity with Contract 106 01 Requirements	7/31/2007	X	X	X	X	X	X
	106 07 Partial and Final Acceptance	5/11/2004	X	X	X	X	X	X
	107 - Legal Relations and Responsibility to the Public	2005						
	Responsibility for Damage 107 05 Claims	5/11/2004	X	X	X	X	X	X
	Contractor Responsibility for 107 06 Work	6/16/2006	X	X	X	X	X	X
	107 08 Sanitation, Health & Safety	3/29/2005	X	X	X	X	X	X
	107 09 Legal Relationship of the Parties	6/16/2006	X	X	X	X	X	X
	Protection of Forests, Parks, 107 11 and Public Lands	2/17/2005	X	X	X	X	X	X
	108 - Prosecution and Progress							
	108 00 Delete Section 108 in entirety	2/16/2005	X	X	X	X	X	X
	109 - Measurement and Payment							
	109 00 Deletions	2/17/2005	X	X	X	X	X	X
	Measurement Terms and 109 02 Definitions	6/16/2006	X	X	X	X	X	X
	151 - Mobilization	2005	X	X		X	X	X
	155 - Schedules for Construction Contracts	2005						
	Contractor Quality Control Plan, 155 00 Records	5/11/2004	X	X	X	X	X	X
	201 - Clearing and Grubbing	2005	X	X		X	X	X

FOREST SERVICE SUPPLEMENTAL SPECIFICATIONS LIST

ART S.	SECTION NO. & TITLE	REV DATE	ROAD NUMBER					
			3100 300	3100 310	3100 315	3100 320	3100 325	3100 340
	201 01 Description	2/18/2005	X	X		X	X	X
	201 04 Clearing	2/22/2005	X	X		X	X	X
	201 04 Clearing	3/3/2005	X	X		X	X	X
	201 06 Disposal	2/18/2005	X	X		X	X	X
	201 06 Disposal	11/9/2005	X	X		X	X	X
	203 - Removal of Structures and Obstructions	2005		X				
	203 01 Description	2/25/2005		X				
	203 05 Disposing of Material	2/24/2005		X				
	203 05 Disposing of Material	2/18/2005		X				
	203 05 Disposing of Material	2/18/2005		X				
	203 08 Payment	2/24/2005		X				
	204 - Excavation and Embankment	2005					X	X
	204 00 Complete Specification	3/26/2009					X	X
	204 06 Roadway Excavation	3/2/2005					X	X
	204 06 Roadway Excavation	3/2/2005					X	X
	204 09 Preparing Foundation for Embankment Construction	3/2/2005					X	X
	204 10 Embankment Construction	3/2/2005					X	X
	204 11 Compaction	4/11/2005					X	X
	204 13 Sloping, Shaping, and Finishing	3/2/2005					X	X
	204 13 Sloping, Shaping, and Finishing	3/2/2005					X	X
	204 14 Disposal of Unsuitable or Excess Material	3/2/2005					X	X
	204 15 Acceptance	2/7/2007					X	X
	209 - Structure Excavation and Backfill	2005	X	-	-	-	-	-
	209 10 Backfill	10/23/2007	X	-	-	-	-	-
	209 11 Compacting	2/24/2005	X	-	-	-	-	-
	251 - Riprap	2005		X				
	301-Untreated Aggregate Course	2005	X					X
	301 00 Title Change	3/3/2005	X					X
	301 01 Work	3/3/2005	X					X
	301 02 Material	5/16/2005	X					X
	301 03 General	2/28/2013	X					X
	301 04 Mixing and Spreading	3/3/2005	X					X
	301 05 Compacting	5/17/2005	X					X
	301 06 Surface Tolerance	3/3/2005	X					X
	301 08 Acceptance	3/30/2005	X					X
	301 08 Acceptance	3/3/2005	X					X
	301 08 Acceptance	10/14/2011	X					X
	301 10 Payment	3/3/2005	X					X
	303 - Road Reconditioning	2005	X	X	X	X	X	X
	303 01 Description	3/2/2005	X	X	X	X	X	X
	303 06 Aggregate & Asphalt Surface Reconditioning	8/5/2008	X	X	X	X	X	X
	303 07 Roadway Reconditioning	3/2/2005	X	X	X	X	X	X
	303 11 Measurement	3/29/2005	X	X	X	X	X	X
	602 - Culverts and Drains	2005	X					

FOREST SERVICE SUPPLEMENTAL SPECIFICATIONS LIST

ART.S.		ROAD NUMBER					
		3100 300	3100 310	3100 315	3100 320	3100 325	3100 340
SECTION NO. & TITLE	REV DATE						
607 - Cleaning, Reconditioning, and Repairing Existing Drainage Structures	2005	X	X	X			X
607 04 Cleaning Culverts in Place	3/2/2005	X	X	X			X
635 - Temporary Traffic Control	2005						
635 03 General	5/13/2004	X	X	X	X	X	X
705 - Rock	2005						
705 02 Riprap Rock	8/5/2009						
718 - Traffic Signing and Marking Material	2005						
718 05 Aluminum Panels	8/5/2009	X	X	X	X	X	X

FOREST SERVICE SUPPLEMENTAL SPECIFICATIONS LIST

ART.S.	SECTION NO. & TITLE	REV DATE	ROAD NUMBER					
			3100 345	3100 350	3100 359	3100 360	3100 365	
	101 - Terms, Format, and Definitions	2005						
	101 00 FLH FP-03 Corrections	7/25/2005	X	X	X	X	X	
	101 01 Meaning of Terms	1/22/2009	X	X	X	X	X	
	101 03 Abbreviations and Symbols	6/16/2006	X	X	X	X	X	
	101 04 Symbols	3/29/2007	X	X	X	X	X	
	101 04 Definitions	11/6/2007	X	X	X	X	X	
	102 - Bid, Award, and Execution of Contract	2005						
	102 00 Delete 102 in its entirety	2/16/2005	X	X	X	X	X	
	103 - Scope of Work	2005						
	103 00 Intent of Contract	2/16/2005	X	X	X	X	X	
	104 - Control of Work	2005						
	104 00 Deletions to 104	6/16/2006	X	X	X	X	X	
	104 03 Specifications and Drawings	2/22/2005	X	X	X	X	X	
	104 03 Specifications and Drawings.	1/22/2009	X	X	X	X	X	
	104 03 Specifications and Drawings	2/22/2005	X	X	X	X	X	
	104 06 Use of Roads by Contractor	2/17/2005	X	X	X	X	X	
	104 07 Other Contracts	2/17/2005	X	X	X	X	X	
	105 - Control of Material	2005						
	105 02 Material Sources	2/17/2005	X	X	X	X	X	
	105 02 Material Sources	1/18/2007	X	X	X	X	X	
	105 05 Use of Material Found in the Work	5/12/2004	X	X	X	X	X	
	106 - Acceptance of Work	2005						
	106 01 Conformity with Contract Requirements	7/31/2007	X	X	X	X	X	
	106 07 Partial and Final Acceptance	5/11/2004	X	X	X	X	X	
	107 - Legal Relations and Responsibility to the Public	2005						
	107 05 Responsibility for Damage Claims	5/11/2004	X	X	X	X	X	
	107 06 Contractor Responsibility for Work	6/16/2006	X	X	X	X	X	
	107 08 Sanitation, Health & Safety	3/29/2005	X	X	X	X	X	
	107 09 Legal Relationship of the Parties	6/16/2006	X	X	X	X	X	
	107 11 Protection of Forests, Parks, and Public Lands	2/17/2005	X	X	X	X	X	
	108 - Prosecution and Progress							
	108 00 Delete Section 108 in entirety	2/16/2005	X	X	X	X	X	
	109 - Measurement and Payment							
	109 00 Deletions	2/17/2005	X	X	X	X	X	
	109 02 Measurement Terms and Definitions	6/16/2006	X	X	X	X	X	
	151 - Mobilization	2005						
	155 - Schedules for Construction Contracts	2005						
	155 00 Contractor Quality Control Plan, Records	5/11/2004	X	X	X	X	X	
	201 - Clearing and Grubbing	2005	X		X	X		

FOREST SERVICE SUPPLEMENTAL SPECIFICATIONS LIST

ART.S.	SECTION NO. & TITLE	REV DATE	ROAD NUMBER				
			3100 345	3100 350	3100 359	3100 360	3100 365
	201 01 Description	2/18/2005	X		X	X	
	201 04 Clearing	2/22/2005	X		X	X	
	201 04 Clearing	3/3/2005	X		X	X	
	201 06 Disposal	2/18/2005	X		X	X	
	201 06 Disposal	11/9/2005	X		X	X	
	203 - Removal of Structures and Obstructions	2005					
	203 01 Description	2/25/2005					
	203 05 Disposing of Material	2/24/2005					
	203 05 Disposing of Material	2/18/2005					
	203 05 Disposing of Material	2/18/2005					
	203 08 Payment	2/24/2005					
	204 - Excavation and Embankment	2005	X	X	X	X	
	204 00 Complete Specification	3/26/2009	X	X	X	X	
	204 06 Roadway Excavation	3/2/2005	X	X	X	X	
	204 06 Roadway Excavation	3/2/2005	X	X	X	X	
	204 09 Preparing Foundation for Embankment Construction	3/2/2005	X	X	X	X	
	204 10 Embankment Construction	3/2/2005	X	X	X	X	
	204 11 Compaction	4/11/2005	X	X	X	X	
	204 13 Sloping, Shaping, and Finishing	3/2/2005	X	X	X	X	
	204 13 Sloping, Shaping, and Finishing	3/2/2005	X	X	X	X	
	204 14 Disposal of Unsuitable or Excess Material	3/2/2005	X	X	X	X	
	204 15 Acceptance	2/7/2007	X	X	X	X	-
	209 - Structure Excavation and Backfill	2005	X	-	-	-	-
	209 10 Backfill	10/23/2007	X	-	-	-	-
	209 11 Compacting	2/24/2005	X	-	-	-	-
	251 - Riprap	2005		X			
	301-Untreated Aggregate Course	2005	X				
	301 00 Title Change	3/3/2005	X				
	301 01 Work	3/3/2005	X				
	301 02 Material	5/16/2005	X				
	301 03 General	2/28/2013	X				
	301 04 Mixing and Spreading	3/3/2005	X				
	301 05 Compacting	5/17/2005	X				
	301 06 Surface Tolerance	3/3/2005	X				
	301 08 Acceptance	3/30/2005	X				
	301 08 Acceptance	3/3/2005	X				
	301 08 Acceptance	10/14/2011	X				
	301 10 Payment	3/3/2005	X				
	303 - Road Reconditioning	2005	X	X	X	X	X
	303 01 Description	3/2/2005	X	X	X	X	X
	303 06 Aggregate & Asphalt Surface Reconditioning	8/5/2008	X	X	X	X	X
	303 07 Roadway Reconditioning	3/2/2005	X	X	X	X	X
	303 11 Measurement	3/29/2005	X	X	X	X	X
	602 - Culverts and Drains	2005	X				

FOREST SERVICE SUPPLEMENTAL SPECIFICATIONS LIST

ART.S.		ROAD NUMBER					
		3100 345	3100 350	3100 359	3100 360	3100 365	
SECTION NO. & TITLE	REV DATE						
607 - Cleaning, Reconditioning, and Repairing Existing Drainage Structures	2005	X	X	X			
607 04 Cleaning Culverts in Place	3/2/2005	X	X	X			
635 - Temporary Traffic Control	2005						
635 03 General	5/13/2004	X	X	X	X	X	
705 - Rock	2005						
705 02 Riprap Rock	8/5/2009		X				
718 - Traffic Signing and Marking Material	2005						
718 05 Aluminum Panels	8/5/2009	X	X	X	X	X	

Table of Contents Annie Restoration

Table of Contents Annie Restoration.....	1
Preface.....	4
101 - Terms, Format, and Definitions.....	5
101.01 Meaning of Terms.....	5
101.01 Meaning of Terms.....	5
101.03 Abbreviations.....	5
101.04 Definitions.....	5
102 - Bid, Award, and Execution of Contract	8
102 Bid, Award, and Execution of Contract.....	8
103 - Scope of Work.....	8
Deletions	8
104 - Control of Work.....	8
Deletions	8
104.03.....	8
104.06 Use of Roads by Contractor.....	9
105 - Control of Material	9
105.02 Material Sources.	9
105.02(a) Government-provided sources.....	9
105.02 Material Sources.	9
105.02(a) Contractor-provided sources.	9
105.05 Use of Material Found in the Work.....	10
106 - Acceptance of Work.....	10
106.01 Conformity with Contract Requirements.....	10
106.07 Delete	12
107 - Legal Relations and Responsibility to the Public.....	12
107.05 Responsibility for Damage Claims.	12
107.06 Contractor's Responsibility for Work.....	12
107.08 Sanitation, Health, and Safety.....	12
107.09 Legal Relationship of the Parties.	13

107.10 Environmental Protection	13
108 - Prosecution and Progress.....	14
108 Delete.....	14
109 - Measurement and Payment.....	14
109 Deletions	14
109.02 Measurement Terms and Definitions.....	14
155 - Schedules for Construction Contracts	15
155 Delete.....	15
201 - Clearing and Grubbing	15
201.01 Description.....	15
201.01 Description.....	15
201.04 Clearing.....	15
201.04 Clearing. (c)	16
201.04 Clearing. (c)	16
201.06 Disposal.....	17
201.06 Disposal.....	17
204 - Excavation and Embankment	18
204.06 Roadway Excavation.....	18
204.09 Preparing Foundation for Embankment Construction.....	18
204.10 Embankment Construction.....	18
204.11 Compaction.....	19
204.13 Sloping, Shaping, and Finishing	19
Table 204-2 Construction tolerances.....	20
204.13 Sloping, Shaping, and Finishing	20
204.14 Disposal of Unsuitable or Excess Material.....	20
204.15 Acceptance.....	21
Table 204-1 Sampling and Testing Requirements.....	21
301 - Untreated Aggregate Courses.....	21
301 Title Change.....	21
301.01 Work.....	21
301.02 Material.....	21

301.03 General.....	22
301.04 Mixing and Spreading.....	22
301.05 Compacting.....	23
301.06 Surface Tolerance.....	23
301.08(b) Plasticity Index.....	24
Table 301-1 Field Density Requirements.....	25
Table 301-1—Acceptance Sampling and Testing Requirements.....	26
301.09 Measurement.....	27
303 - Road Reconditioning.....	27
303.01 Work.....	27
303.06 Aggregate Surface Reconditioning.....	27
303.06 Asphalt and Aggregate Surface Reconditioning.....	27
303.07 Roadway Reconditioning.....	29
602 - Culverts and Drains.....	29
602.03 General.....	29
602.03 General.....	30
607 - Cleaning, Reconditioning, and Repairing Existing Drainage Structures.....	30
607.04 Cleaning Culverts in Place.....	30
703 - Aggregate.....	30
703.05 Subbase, Base, Surface Course, and Screened Aggregate.....	30
Table 703-2 Correction.....	35
Table 703-2 Correction.....	36
Table 703-7 Target Value Ranges.....	36
703.10(e) Flakiness Index.....	36
703.10(i) Adherent Coating.....	37
718 - Traffic Signing and Marking Material.....	37
718.05 Aluminum Panels.....	37

Preface

Preface_wo_03_15_2004_m

Delete all but the first paragraph and add the following:

The Forest Service, US Department of Agriculture has adopted FP-03 for construction of National Forest System Roads.

101 - Terms, Format, and Definitions

101.00_nat_us_07_25_2005

101.01_nat_us_01_22_2009

101.01 Meaning of Terms

Delete all references to the TAR (Transportation Acquisition Regulations) in the specifications.

101.01_nat_us_01_22_2009

101.01 Meaning of Terms

Delete all references to the FAR (Federal Acquisition Regulations) in the specifications.

101.03_nat_us_06_16_2006

101.03 Abbreviations.

Add the following to (a) Acronyms:

AFPA	American Forest and Paper Association
MSHA	Mine Safety and Health Administration
NIST	<u>National Institute of Standards and Technology</u>
NESC	National Electrical Safety Code
WCLIB	West Coast Lumber Inspection Bureau

Add the following to (b) SI symbols:

mp	Milepost
ppm	Part Per Million

101.04_nat_us_03_29_2007

101.04 Definitions.

Delete the following definitions and substitute the following:

Bid Schedule--The Schedule of Items.

Bridge--No definition.

Contractor--The individual or legal entity contracting with the Government for performance of prescribed work. In a timber sale contract, the contractor is the “purchaser”.

Culvert--No definition.

Right-of-Way--A general term denoting (1) the privilege to pass over land in some particular line (including easement, lease, permit, or license to occupy, use, or traverse public or private lands), or (2) Real property necessary for the project, including roadway, buffer areas, access, and drainage areas.

Add the following:

Adjustment in Contract Price--“Equitable adjustment,” as used in the Federal Acquisition Regulations, or “construction cost adjustment,” as used in the Timber Sale Contract, as applicable.

Change--“Change” means “change order” as used in the Federal Acquisition Regulations, or “design change” as used in the Timber Sale Contract.

Design Quantity--“Design quantity” is a Forest Service method of measurement from the FS-96 *Forest Service Specifications for the Construction of Roads and Bridges*. Under these FP specifications this term is replaced by the term “Contract Quantities”.

Forest Service--The United States of America, acting through the Forest Service, U.S. Department of Agriculture.

Neat Line--A line defining the proposed or specified limits of an excavation or structure.

Pioneer Road--Temporary construction access built along the route of the project.

Purchaser--The individual, partnership, joint venture, or corporation contracting with the Government under the terms of a Timber Sale Contract and acting independently or through agents, employees, or subcontractors.

Protected Streamcourse--A drainage shown on the plans or timber sale area map that requires designated mitigation measures.


Road Order--An order affecting and controlling traffic on roads under Forest Service jurisdiction. Road Orders are issued by a designated Forest Officer under the authorities of 36 CFR, part 260.

Schedule of Items--A schedule in the contract that contains a listing and description of construction items, quantities, units of measure, unit price, and amount.

Utilization Standards--The minimum size and percent soundness of trees described in the specifications to determine merchantable timber.

Add Figure 101-1—Illustration of road structure terms:

Figure 101-1—Illustration of road structure terms.



102 - Bid, Award, and Execution of Contract

102.00_nat_us_02_16_2005

102 Bid, Award, and Execution of Contract

Delete Section 102 in its entirety.

103 - Scope of Work

103.00_nat_us_02_16_2005

Deletions

Delete all but subsection 103.01 Intent of Contract.

104 - Control of Work

104.00_nat_us_06_16_2006

Deletions

Delete Sections 104.01, 104.02, and 104.04.

104.03_nat_us_02_22_2005

104.03 Drawings and Specifications

Delete subsection 104.03

104.03_nat_us_01_22_2009

104.03 Specifications and Drawings.

Delete 104.03.

104.06_nat_us_02_17_2005

Add the following subsection:

104.06 Use of Roads by Contractor

The Contractor is authorized to use roads under the jurisdiction of the Forest Service for all activities necessary to complete this contract, subject to the limitations and authorizations designated in the Road Order(s) or described in the contract, when such use will not damage the roads or national forest resources, and when traffic can be accommodated safely.

105 - Control of Material

105.02_nat_us_01_18_2007

105.02 Material Sources.

105.02(a) Government-provided sources.

Add the following:

Comply with the requirements of 30 CFR 56, subparts B and H. Use all suitable material for aggregate regardless of size unless otherwise designated. When required, re-establish vegetation in disturbed areas according to section 625.

105.02_nat_us_03_08_2007

105.02 Material Sources.

105.02(a) Contractor-provided sources.

Add the following:

All material (e.g., soil, gravel, sand, borrow, aggregate, etc.) transported onto National Forest System land or incorporated into the work will be weed-free. The Contracting Officer may request written documentation of methods used to determine the weed-free status of any and all materials furnished by the contractor. Contractor-provided expertise and methods to establish weed-free status must be appropriate for the weeds of concern in the local area. The following applies to this contract:

A Forest Service weed specialist will inspect proposed sources to determine weed-free status. Provide the Contracting Officer written notification of proposed material sources days prior to use. Written approval of the specific source will be provided to the contractor. If weed species are present in the proposed source, appropriate mitigation measures may allow conditional use of the source as required by the Contracting Officer.

105.05 Use of Material Found in the Work.

Delete 105.05 (a) and (b) and the last sentence of the second paragraph and substitute the following:

Materials produced or processed from Government lands in excess of the quantities required for performance of this contract are the property of the Government. The Government is not obligated to make reimbursement for the cost of producing these materials.

106 - Acceptance of Work

106.01 Conformity with Contract Requirements.

Delete Subsection 106.01 and substitute the following:

References to standard test methods of AASHTO, ASTM, GSA, and other recognized standard authorities refer to the methods in effect on the date of solicitation for bids.

Perform all work to the lines, grades, cross-sections, dimensions, and processes or material requirements shown on the plans or specified in the contract.

Incorporate manufactured materials into the work according to the manufacturer's recommendations or to these specifications, whichever is more strict.

Plan dimensions and contract specification values are the values to be strived for and complied with as the design values from which any deviations are allowed. Perform work and provide material that is uniform in character and reasonably close to the prescribed value or within the specified tolerance range. The purpose of a tolerance range is to accommodate occasional minor variations from the median zone that are unavoidable for practical reasons.

When standard manufactured items are specified (such as fence, wire, plates, rolled shapes, pipe conduits, etc., that are identified by gauge, unit mass, section dimensions, etc.), the identification will be considered to be nominal masses or dimensions. Unless specific contract tolerances are noted, established manufacturing tolerances will be accepted.

The Government may inspect, sample, or test all work at any time before final acceptance of the project. When the Government tests work, copies of test reports are furnished to the Contractor upon request. Government tests may or may not be performed at the work site. If Contractor testing and inspection is verified by the Government, the Contractor's results may be used by the Government to evaluate work for acceptance. Do not rely on the availability of Government test results for process control.

Acceptable work conforming to the contract will be paid for at the contract unit bid price. Four methods of determining conformity and accepting work are described in Subsections 106.02 to 106.05 inclusive. The primary method of acceptance is specified in each Section of work. However, work may be rejected at any time it is found by any of the methods not to comply with the contract.

Remove and replace work that does not conform to the contract, or to prevailing industry standards where no specific contract requirements are noted, at no cost to the Government.

(a) Disputing Government test results. **If the accuracy of Government test results is disputed, promptly inform the CO. If the dispute is unresolved after reasonable steps are taken to resolve the dispute, further evaluation may be obtained by written request. Include a narrative describing the dispute and a proposed resolution protocol that addresses the following:**

- (1) Sampling method;
- (2) Number of samples;
- (3) Sample transport;
- (4) Test procedures;
- (5) Testing laboratories;
- (6) Reporting;
- (7) Estimated time and costs; and
- (8) Validation process.

If the evaluation requires additional sampling or testing be performed, mutually agree with the Government on witnessing procedures and on sampling and testing by a third party laboratory. Use a third party laboratory accredited by the AASHTO accreditation program. Provide proof of the laboratory's accreditation for the test procedures to be used. Do not use the same laboratory that produced the disputed Government test results or that produced the test results used as a basis for the dispute.

The CO will review the proposed resolution protocol and may modify it before final approval and execution.

The Government will use the approved resolution protocol test results to determine the validity of the disputed testing. If the Government test results are validated, the Contractor will be responsible for all costs associated with developing and performing the resolution protocol. If the Government test results are not validated, the Government will be responsible for all costs associated with developing and performing the resolution protocol. If the validity of the Government test results cannot be determined, the Contractor and Government will equally share all costs associated with developing and carrying out the resolution protocol.

(b) Alternatives to removing and replacing non-conforming work. As an alternative to removal and replacement, the Contractor may submit a written request to:

- (1) Have the work accepted at a reduced price; or
- (2) Be given permission to perform corrective measures to bring the work into conformity.

The request must contain supporting rationale and documentation. Include references or data justifying the proposal based on an evaluation of test results, effect on service life, value of material or work, quality, aesthetics, and other tangible engineering basis. The CO will determine disposition of the nonconforming work.

106.07_nat_us_05_11_2004

106.07 Delete

Delete subsection 106.07.

107 - Legal Relations and Responsibility to the Public

107.05_nat_us_05_11_2004

107.05 Responsibility for Damage Claims.

Delete the entire subsection.

107.06_nat_us_06_16_2006

107.06 Contractor's Responsibility for Work.

Delete the following from the first paragraph.

“except as provided in Subsection 106.07”.

107.08_nat_us_03_29_2005

107.08 Sanitation, Health, and Safety

Delete the entire subsection.

107.09 Legal Relationship of the Parties.

Delete the entire subsection.

107.10 Environmental Protection.

Add the following:

Design and locate equipment repair shops, stationary refueling sites, or other facilities to minimize the potential and impacts of hazardous material spills on Government land.

Before beginning any work, submit a Hazardous Spill Plan. List actions to be taken in the event of a spill. Incorporate preventive measures to be taken, such as the location of mobile refueling facilities, storage and handling of hazardous materials, and similar information. Immediately notify the CO of all hazardous material spills. Provide a written narrative report form no later than 24 hours after the initial report and include the following:

- Description of the item spilled (including identity, quantity, manifest number, and other identifying information).
- Whether amount spilled is EPA or state reportable, and if so whether it was reported, and to whom.
- Exact time and location of spill including a description of the area involved.
- Containment procedures.
- Summary of any communications the Contractor had with news media, Federal, state and local regulatory agencies and officials, or Forest Service officials.
- Description of clean-up procedures employed or to be employed at the site including final disposition and disposal location of spill residue.

When available provide copies of all spill related clean up and closure documentation and correspondence from regulatory agencies.

The Contractor is solely responsible for all spills or leaks that occur during the performance of this contract. Clean up spills or leaks to the satisfaction of the CO and in a manner that complies with Federal, state, and local laws and regulations.

108 - Prosecution and Progress

108.00_nat_us_02_16_2005

108 Delete.

Delete Section 108 in its entirety.

109 - Measurement and Payment

109.02_nat_us_02_17_2005

109 Deletions

Delete the following entire subsections:

109.06 Pricing of Adjustments.

109.07 Eliminated Work.

109.08 Progress Payments.

109.09 Final Payment.

109.02_nat_us_06_16_2006

109.02 Measurement Terms and Definitions.

(b) Contract quantity.

Add the following:

Contract quantities will be adjusted only when there are errors in the original design of 15% or more.

Change the following:

“(b) Cubic yard” to “(c) Cubic yard”.

Add the following definition:

(p) Thousand Board Feet (Mbf). 1,000 board feet based on nominal widths, thickness, and extreme usable length of each piece of lumber or timber actually incorporated in the job. For glued laminated timber, 1,000 board feet based on actual width, thickness, and length of each piece actually incorporated in the job.

155 - Schedules for Construction Contracts

155.00_nat_us_05_11_2004

155 Delete.

Delete Section 155 in its entirety.

201 - Clearing and Grubbing

201.01_nat_us_02_18_2005

201.01 Description

Replace with the following

This work consists of clearing and grubbing within clearing limits and other designated areas.

201.01_nat_us_02_18_2005

201.01 Description

Replace with the following

This work consists of clearing and grubbing within clearing limits and other designated areas.

201.04_nat_us_03_03_2005

Construction Requirements

201.04 Clearing.

Add the following:

Utilization standards for merchantable timber are listed below. Fall and buck merchantable material into lengths not to exceed _____ feet. Pieces (logs) meet utilization standards when such pieces would have met Utilization Standards if bucking lengths were varied to include such material.

Minimum Utilization Standards

Length	Diameter (Inside Bark) at Small End	% Net Scale in % of Gross Scale
_____ feet	_____ inches	

201.04_nat_us_02_22_2005

201.04 Clearing. (c)

Delete paragraph (c) and replace with the following:

(c) In areas outside the excavation, embankment, and slope rounding limits, cut stumps to within 12 inches or one-third of the stump diameter of the ground, whichever is higher, measured on the side adjacent to the highest ground. For timber sales, stump heights will meet the requirements of the Timber Sale contract.

201.04 Clearing.

Delete subsection (d) and replace with the following:

(d) Do not cut vegetation less than 3 feet tall and less than 3 inches in diameter, that is within the clearing limits but beyond the roadway and not in a decking area, and that does not interfere with sight distance along the road.

Add the following:

(e) Trim branches of remaining trees or shrubs to give a clear height of 14 feet above the roadbed unless otherwise indicated. Trim tree limbs as near flush with the trunk as practicable.

(f) Remove brush from log decks. Deck logs so that logs are piled parallel to one another; can be removed by standard log loading equipment; will not damage standing trees; will not interfere with drainage, and will not roll. Keep logs in log decks free of brush and soil.

201.04_nat_us_02_22_2005

201.04 Clearing. (c)

Delete paragraph (c) and replace with the following:

(c) In areas outside the excavation, embankment, and slope rounding limits, cut stumps to within 12 inches or one-third of the stump diameter of the ground, whichever is higher, measured on the side adjacent to the highest ground. For timber sales, stump heights will meet the requirements of the Timber Sale contract.

201.04 Clearing.

Delete subsection (d) and replace with the following:

(d) Do not cut vegetation less than 3 feet tall and less than 3 inches in diameter, that is within the clearing limits but beyond the roadway and not in a decking area, and that does not interfere with sight distance along the road.

Add the following:

(e) Trim branches of remaining trees or shrubs to give a clear height of 14 feet above the roadbed unless otherwise indicated. Trim tree limbs as near flush with the trunk as practicable.

(f) Remove brush from log decks. Deck logs so that logs are piled parallel to one another; can be removed by standard log loading equipment; will not damage standing trees; will not interfere with drainage, and will not roll. Keep logs in log decks free of brush and soil.

201.06_nat_us_02_18_2005

201.06 Disposal.

Delete the first sentence of this subsection and substitute the following:

Dispose of merchantable timber designated for removal according to the provisions of the timber sale contract.

201.06_nat_us_11_09_2005

201.06 Disposal

Delete the first sentence of this paragraph and substitute the following:

Limb and deck logs that meet utilization standards at locations approved by the CO or otherwise designated. Deck logs according to 201.04 (f).

201.06_nat_us_02_18_2005

201.06 Disposal.

Delete the first sentence of this subsection and substitute the following:

Dispose of merchantable timber designated for removal according to the provisions of the timber sale contract.

204 - Excavation and Embankment

204.06_nat_us_03_02_2005

204.06 Roadway Excavation.

Add the following:

d) Pioneer Roads. Road pioneering, slash disposal, and grubbing of stumps may proceed concurrently with excavation. Conduct excavation and placement operations so material to be treated under Section 201 will not be incorporated into the roadway unless specified in the slash treatment method. Maintain drainage during pioneering operations.

Remove snow and ice in advance of the work and deposit beyond the roadway limits in a manner that will not waste material or generate sediment. Do not incorporate snow and ice into embankments. Place snow or ice in a manner to prevent resource damage.

204.06_nat_us_03_02_2005

204.06 Roadway Excavation

(a) General.

Add the following:

Retrieve material deposited outside of the clearing limits as directed by the CO. Place unsuitable material in designated areas.

204.09_nat_us_03_02_2005

204.09 Preparing Foundation for Embankment Construction.

Delete subsection (a) and replace it with the following:

(a) Embankment less than 4 feet high over natural ground. When designated, remove topsoil and break up the ground surface to a minimum depth of 6 inches by plowing or scarifying. Compact the ground surface according to Subsection 204.11.

204.10_nat_us_03_02_2005

204.10 Embankment Construction.

Add the following:

Obtain written approval before beginning construction of embankments over 6 feet high at subgrade centerline.

(a) General.

Delete the third paragraph and add the following:

Compact embankment side slopes flatter than 1V:1.75H with a tamping type roller or by walking with a dozer. For slopes 1V:1.75H or steeper, compact the slopes as construction of the embankment progresses.

204.11_nat_us_04_11_2005

204.11 Compaction.

Delete the first paragraph and replace it with the following:

For compaction according to method (a), (b), or (c), use AASHTO T 27 to determine the amount of material retained on a Number. 4 sieve. For compaction methods (d) or (e) no sieve test is required.

Add the following compaction methods:

(d) Layer Placement Method (Hauling and Spreading Equipment). Place material by end dumping to the minimum depth needed for operation of spreading equipment. Level and smooth each embankment layer before placing the next layers. Operate hauling and spreading equipment uniformly over the full width of each layer. Construct a solid embankment with adequate compaction by working smaller rock and fines in with the larger rocks to fill the voids, and by operating hauling and spreading equipment uniformly over the full width of each layer as the embankment is constructed.

(e) Layer Placement (Roller Compaction) Method. Place material by end dumping to the minimum depth needed for operation of spreading equipment. Adjust the moisture content of the material to obtain a mass that will not visibly deflect under the load of the hauling and spreading equipment. Operate compaction equipment over the full width of each layer until visible deformation of the layer ceases or, in when a sheepsfoot roller is used, the roller “walks out” of the layer. Make at least three complete passes.

204.13_nat_us_03_02_2005

204.13 Sloping, Shaping, and Finishing.

Delete section (d) and add the following:

(d) Finishing. For surfaced roads, remove all material larger than 6 inches from the top 6 inches of the roadbed. For all roads, finish the roadbed to be smooth and uniform, and shaped to conform to the typical sections. Remove unsuitable material from the roadbed and replace it with suitable material. Finish roadbeds to the tolerance class shown in table 204-2.

Ensure that the subgrade for both surfaced and unsurfaced roads is visibly moist during shaping and dressing. Scarify to 6 inches below the bottom of low sections, holes, cracks, or depressions and bring back to grade with suitable material. Maintain proper ditch drainage.

For unsurfaced roads, use one of the following methods to finish the roadbed:

- (1) Method A. Remove all material larger than 6 inches from the top 6 inches of the roadbed and replace with suitable material.
- (2) Method B. Use a vibratory grid roller or approved equal with a minimum weight of 10 tons. Roll at least 5 full-width passes or until visible displacement ceases.
- (3) Method C. For roads designated as Construction Tolerance Class K, L, or M, finish the roadbed by spreading the excavation. Eliminate rock berms.

Add Table 204-2—Construction Tolerances:

Table 204-2 Construction tolerances.

	Tolerance Class ^(a)												
	A	B	C	D	E	F	G	H	I	J	K	L	M
Roadbed width (ft)	+0.5	+0.5	+1.0	+1.0	+1.0	+1.0	+1.5	+1.0	+2.0	+2.0	+2.0	+2.0	+2.0
Subgrade elevation (ft)	±0.1	±0.2	±0.2	±0.5	+0.5	±1.0	±1.0	±1.5	±2.0	±3.0	±2.0	±3.0	(c)
Centerline alignment (ft)	±0.2	±0.2	±0.5	±0.5	±1.0	±1.0	±1.5	±1.5	±2.0	±3.0	±3.0	±5.0	(c)
Slopes, excavation, and embankment (% slope ^(b))	±3	±5	±5	±5	±5	±5	±10	±10	±10	±10	±20	±20	±20

a. Maximum allowable deviation from construction stakes and drawings.

b. Maximum allowable deviation from staked slope measured from slope stakes or hinge points.

c. Unless otherwise shown the centerline alignment and subgrade elevation, as built, have no horizontal curves with a radius of less than 80 feet, and no vertical curves with a curve length of less than 80 feet when the algebraic difference in the grade change is less than 10 percent, or a curve length of less than 100 feet when the algebraic difference of the grade change is greater than or equal to 10 percent. The centerline grade is not to exceed 20 percent in 100 feet of length.

204.13_nat_us_03_02_2005

204.13 Sloping, Shaping, and Finishing.

(a) Sloping.

Add the following:

Slope rounding is not required on tolerance class D through M roads.

204.14_nat_us_03_02_2005

204.14 Disposal of Unsuitable or Excess Material.

Delete the text of the first paragraph and substitute the following:

Dispose of unsuitable or excess material at designated sites or legally off of the project.

204.15_nat_us_02_07_2007

204.15 Acceptance

Table 204-1 Sampling and Testing Requirements.

Add the following note to the table:

(2) When compaction methods (d) or (e) are used AASHTO M 145, T 99, T 180, and T 310 are not required for earth embankment test methods.

301 - Untreated Aggregate Courses

301.00_nat_us_03_03_2005

301 Title Change.

Change the title to: **Section 301 Aggregate Courses**

301.01_nat_us_03_03_2005

301.01 Work.

Add the following:

Work includes producing aggregate by pit-run, grid rolling, screening, or crushing methods, or placing Government-furnished aggregate. Work may include additive mineral filler, or binder.

301.02_nat_us_05_16_2005

301.02 Material.

Add the following:

Bentonite	725.30
Calcium Chloride Flake	725.02
Lignon Sulfonate	725.20
Magnesium Chloride Brine or Calcium Chloride Liquid	725.02

301.03 General.

Add the following:

Written approval of the roadbed is required before placing aggregate.

For pit run or grid-rolled material, furnish material smaller than the maximum size. No gradation other than maximum size will be required for pit-run or grid-rolled material. For grid rolling, use all suitable material that can be reduced to maximum size. After processing on the road, remove all oversize material from the road and dispose of it as directed by the CO.

Provide additives or binder, if required, at the proportions specified.

Develop and use Government furnished sources according to Section 105.

If the aggregate is produced and stockpiled before placement, handle and stockpiled according to Section 320. Establish stockpile sites at locations approved. Clear and grub stockpile sites according to Section 201.

301.04_nat_us_03_03_2005

301.04 Mixing and Spreading.

Delete the first sentence of the first paragraph and add the following:

Ensure that aggregate and any required additives, water, mineral filler, and binder are mixed by the specified method except, if crushed aggregate products are being produced and mineral filler, binder, or additives are required, uniformly blend following crushing. Control additive proportions to 0.5 percent dry weight.

(a) Stationary Plant Method. Mix the aggregate with other required materials in an approved mixer. Add water during the mixing operation in the amount necessary to provide the moisture content for compacting to the specified density. After mixing, transport the aggregate to the jobsite while it contains the proper moisture content, and place it on the roadbed or base course using an aggregate spreader.

(b) Travel Plant Method. After placing the aggregate for each layer with an aggregate spreader or windrow-sizing device, uniformly mix it with other required materials using a traveling mixing plant. During mixing, add water to provide the necessary moisture content for compacting.

(c) Road Mix Method. After placing the aggregate for each layer, mix it with other required materials at the required moisture content until the mixture is uniform throughout. Mix aggregate, water, and all other materials until a uniform distribution is obtained.

Spread the aggregate in a uniform layer, with no segregation of size, and to a loose depth that will provide the required compacted thickness.

When placing aggregate over geotextile, place aggregate in a single lift to the full depth specified.

Route and distribute hauling and leveling equipment over the width and length of each layer.

301.05 Compacting

Delete and replace with the following:

Compact each layer full width. Roll from the sides to the center, parallel to the centerline of the road. Along curbs, headers, walls, and all places not accessible to the roller, compact the material with approved tampers or compactors.

Compact the aggregate using one of the following methods as specified:

Compaction A. Operating spreading and hauling equipment over the full width of the travelway.

Compaction B. Operate rollers and compact as specified in Subsection 204.11(a)(1).

Compaction C. Moisten or dry the aggregate to a uniform moisture content between 5 and 7 percent based on total dry weight of the mixture. Operate rollers and compact as specified in Subsection 204.11(a)(1).

Compaction D. Compact to a density of at least 95 percent of the maximum density, as determined by AASHTO T 99, method C or D.

Compaction E. Compact to a density of at least 96 percent of the maximum density, as determined by the Modified Marshall Hammer Compaction Method (available upon request from USDA Forest Service, Regional Materials Engineering Center, P.O. Box 7669, Missoula, MT 59807).

Compaction F. Compact to a density of at least 95 per-cent of the maximum density, as determined by AASHTO T 180, method C or D.

Compaction G. Compact to a density of at least 100 percent of the maximum density as determined by the Modified Marshall Hammer Compaction Method (available upon request from USDA Forest Service, Regional Materials Engineering Center, P.O. Box 7669, Missoula, MT 59807).

For all compaction methods, blade the surface of each layer during the compaction operations to remove irregularities and produce a smooth, even surface. When a density requirement is specified, determine the in place density and moisture content according to AASHTO T 310 or other approved test procedures.

301.06 Surface Tolerance.

Add the following:

Thickness and Width requirements:

The maximum variation from the compacted specified thickness is $\frac{1}{2}$ inch. The compacted thickness is not consistently above or below the specified thickness and the average thickness of 4 random measurements for any $\frac{1}{2}$ mile of road segment is within $+\frac{1}{4}$ inch of the specified thickness.

The maximum variation from the specified width will not exceed +12 inches at any point. The compacted width is not consistently above the specified width and the average of any four random measurements along any $\frac{1}{2}$ mile of road segment is within +4 inches of the specified width.

301.08_nat_us_03_30_2005

301.08(b) Plasticity Index.

Add the following to the first sentence:

“and under 703.05(c)(1)”.

Table 301-1 Field Density Requirements.

Table 301-1: Delete laboratory and field density requirements for base, subbase, and surfacing and replace with the following:

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Test Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time
Base and Subbase	Measured and tested conformance (Subsection 106.04)	Moisture Density Method C	---	AASHTO T 99	1 per type and source of material	Source of material	Yes	Before using in work
			---		"	"	"	"
		Method D	---	AASHTO T 180	"	"	"	"
		Compaction	---		"	"	"	"
		Method C, D	---	AASHTO T 310 or other approved procedures	1 per 500 t	In-place	---	Before placing the next layer
Surfacing	Measured and tested conformance (Subsection 106.04)	Moisture Density	---		"	"	"	Before using in work
			---		"	"	"	"
		Method D	---	AASHTO T 180	"	"	"	"
		Compaction	---		"	"	"	"
		Method C, D	---	AASHTO T 310 or other approved procedures	1 per 500 t	In-place	---	Before placing the next layer

Table 301-1: Add the following:

Table 301-1—Acceptance Sampling and Testing Requirements.

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Test Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time
Subbase & Base Courses L, M, N, O, P, Q, R	Measured and tested conformance (Subsection 106.04)	Plastic Limit	-	AASHTO T 90	1 per each 1,000 T	From the windrow or roadbed after processing	Yes	4 Hours

Table 301-1—Acceptance Sampling and Testing Requirements.

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Test Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time
Aggregate Width	Measured and tested conformance (Subsection 106.04)	Width	-	-	4 per each 0.5 mi	Roadbed after processing	-	4 Hours
Aggregate Thickness	Measured and tested conformance (Subsection 106.04)	Thickness	-	-	4 per each 0.5 mi	Roadbed after processing	-	4 Hours
Additive	Measured and tested conformance (Subsection 106.04)	Amount of Additive	-	-	1 per each 1,000 T	From the windrow or roadbed after processing	No	4 Hours

301.09 Measurement.

Replace the second paragraph with the following:

Measure aggregate by cubic yard compacted in place when payment is by contract quantities.

301.10 Payment

Delete the following:

adjusted according to Subsection 106.05

303 - Road Reconditioning

303.01 Work.

Delete and add the following:

This work consists of reconditioning ditches, shoulders, roadbeds, cattleguards, asphalt surfaces, and aggregate surfaces.

303.06 Aggregate Surface Reconditioning.

Delete and replace with the following:

303.06 Asphalt and Aggregate Surface Reconditioning.

Repair soft and unstable areas to the full depth of the aggregate surface and according to Subsection 204.07. Scarify to the depth of the aggregate surface or to a depth of 6 inches, whichever is less, and remove surface irregularities. Reshape, finish, and compact the entire aggregate surface according to Subsection 301.05, Subsection 321.05, or Subsection 322.05 as applicable.

For asphalt surfaces, clean the existing surface of all loose material, dirt, or other deleterious substances by approved methods. Remove and dispose of unsuitable material that shows evidence of distress, excess asphalt material, or settlement in the roadbed. Patch the areas with

approved material that conforms to and is compatible with the adjacent pavement structure. Perform the patch work according to Section 301, 404, 430, or other sections as applicable for the layer or courses being repaired. Clean and seal cracks in the existing asphalt surface according to Subsection 414.05. Correct surface irregularities exceeding 6 inches in depth with a specified aggregate. Place and compact the aggregate according to Subsections 301.04 and 301.05. Prelevel other dips, depressions, sags, excessive or nonexistent crown, or other surface irregularities with asphalt concrete according to Section 404. Spread and compact the asphalt concrete in layers parallel to the grade line not to exceed 2 inches in compacted depth.

Delete Table 303-1 and replace with the following:

**Table 303-1
Sampling and Testing Requirements**

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Test Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time	
Existing Roadway	Measured and tested for conformance (106.04)	Moisture-density Method D	—	AASHTO T 99 (1)	1 per each mixture or change in material	Processed material before incorporating in work	Yes, when requested	Before using in work	
		Moisture-density Method E	—	R-1 Marshall	“	“	“	“	
		Moisture-density Method F	—	AASHTO T 180(1)	“	“	“	“	“
		Moisture-density Method G	—	R-1 Marshall	“	“	“	“	“
		In-place density & moisture content	—	AASHTO T 310 or other approved procedures	1 per 3000 yd ²	In-place	—	Before placing next layer	

(1) Minimum of 5 points per proctor.

303.07_nat_us_03_02_2005

303.07 Roadway Reconditioning.

Add the following:

Remove cattleguard decks. Clean the deck and the area beneath the cattleguard of soil and other material to the bottom of the original foundation over the entire width of the installation.
Reinstall the cattleguard deck.

602 - Culverts and Drains

602.03_nat_us_09_06_2005

602.03 General.

Add the following:

Ensure that the final installed alignment of all pipe allows no reverse grades, and does not permit horizontal and vertical alignments to vary from a straight line drawn from center of inlet to center of outlet by more than 2 percent of pipe center length or 1.0 feet, whichever is less.

602.03_nat_us_09_06_2005

602.03 General.

Add the following:

Ensure that the final installed alignment of all pipe allows no reverse grades, and does not permit horizontal and vertical alignments to vary from a straight line drawn from center of inlet to center of outlet by more than 2 percent of pipe center length or 1.0 feet, whichever is less.

607 - Cleaning, Reconditioning, and Repairing Existing Drainage Structures

607.04_nat_us_05_01_2013

607.04 Cleaning Culverts in Place.

Add the following:

If approved by the CO, all or part of the pipe designated to be cleaned in-place may be removed, cleaned, and re-laid in accordance with Section 602. In these cases, furnish all material required to replace damaged pipe and joints and relay the pipe.

703 - Aggregate

703.05_nat_us_08_14_2009

Delete 703.05 and replace with the following:

703.05 Subbase, Base, Surface Course, and Screened Aggregate.

(a) Subbase or base aggregate. Furnish hard, durable particles or fragments of crushed stone, crushed slag, or crushed gravel conforming the following:

(1) Gradation	Table 703-2
(2) Liquid limit, AASHTO T 89	25 max.
(3) Plastic limit, AASHTO T 90	Nonplastic
(4) Los Angeles abrasion, AASHTO T 96	40% max.
(5) Sodium sulfate soundness loss (5 cycles), AASHTO T 104	12% max.
(6) Durability index (coarse), AASHTO T 210	35 min.
(7) Durability index (fine), AASHTO T 210	35 min.
(8) Fractured faces, ASTM D 5821	50% min.
(9) Free from organic matter and lumps or balls of clay	

Do not use material that breaks up when alternately frozen and thawed or wetted and dried.

Obtain the aggregate gradation by crushing, screening, and blending processes as necessary. Fine aggregate, material passing the No. 4 sieve, shall consist of natural or crushed sand and fine mineral particles.

(b) Surface course aggregate. Furnish hard, durable particles or fragments of crushed stone, crushed slag, or crushed gravel conforming the following:

(1) Gradation	Table 703-3
(2) Liquid limit, AASHTO T 89	35 max.
(3) Plastic Index, AASHTO T 90	
a) If the percent passing the No. 200 sieve is less than 12%	2 to 9
b) If the percent passing the No. 200 sieve is greater than 12%	Less than 2
(4) Los Angeles abrasion, AASHTO T 96	40% max.
(5) Sodium sulfate soundness loss (5 cycles), AASHTO T 104	12% max.
(6) Durability index (coarse), AASHTO T 210	35 min.
(7) Durability index (fine), AASHTO T 210	35 min.
(8) Fractured faces, ASTM D 5821	75% min.
(9) Free from organic matter and lumps or balls of clay	

Do not use material that breaks up when alternately frozen and thawed or wetted and dried.

Do not furnish material that contains asbestos fibers.

Obtain the aggregate gradation by crushing, screening, and blending processes as necessary. Fine aggregate, material passing the No. 4 sieve, shall consist of natural or crushed sand and fine mineral particles.

(c) **Screened aggregate** – Furnish hard, durable particles or fragments of stone, slag, or gravel conforming the following:

(1) Gradation	Table 703-16
(2) Plastic Index, AASHTO T 90	Less than 9
(3) Los Angeles abrasion, AASHTO T 96	55% max.
(4) Free from organic matter and lumps or balls of clay.	

Do not use material that breaks up when alternately frozen and thawed or wetted and dried.

Obtain the aggregate gradation by crushing, screening, and blending processes as necessary.

Delete Table 703-2 and replace with the following:

Table 703-2
Target Value Ranges for Subbase and Base Gradation
Percent by Mass Passing Designated Sieve (AASHTO T 27 and T 11)

Sieve Size	Grading Designation				
	A (Subbase)	B (Subbase)	C (Base)	D (Base)	E (Base)
2½ inch	100				
2 inch	97 – 100	100	100		
1½ inch		97 – 100			
1 inch	65 – 79 (6)		80 – 100 (6)	100	
¾ inch			64 – 94 (6)	86 – 100 (6)	100
½ inch	45 – 59 (7)				
⅜ inch			40 – 69 (6)	51 – 82 (6)	62 – 90 (6)
No. 4	28 – 42 (6)	40 – 60 (8)	31 – 54 (6)	36 – 64 (6)	36 – 74 (6)
No. 40	9 – 17 (4)			12 – 26 (4)	12 – 26 (4)
No. 200	4.0 – 8.0 (3)	4.0 – 12.0 (4)	4.0 – 7.0 (3)	4.0 – 7.0 (3)	4.0 – 7.0 (3)

() The value in the parentheses is the allowable deviation (±) from the target values..

Delete Table 703-3 and replace with the following:

**Table 703-3
Target Value Ranges for Surface Gradation
Percent by Mass Passing Designated Sieve (AASHTO T 27 and T 11)**

Sieve Size	Grading Designation							
	F	G	H	S	T	U		
1 1/2 inch	100			100				
1 inch	97-100	100		72 - 92 (6)	100			
3/4 inch	76-89 (6)	97 - 100	97 - 100				100	
1/2 inch					71 - 91 (6)			
3/8 inch	56-68 (6)	70 - 80 (6)	80 - 92 (6)	51 - 71 (6)			71 - 90 (6)	
No. 4	43-53 (7)	51 - 63 (7)	58 - 70 (7)	36 - 53 (7)	43 - 60 (7)		50 - 68 (7)	
No. 8				26 - 40 (6)	30 - 46 (6)		34 - 51 (6)	
No. 16	23-32 (6)	28 - 39 (6)	28 - 40 (6)					
No. 40	15-23 (5)	19 - 27 (5)	16 - 26 (5)	14 - 25 (5)	16 - 28 (5)		19 - 30 (5)	
No. 200	10.0-16.0 (4)	10.0 - 16.0 (4)	9.0 - 14.0 (4)	8.0 - 15.0 (4)	8.0 - 15.0 (4)		8.0 - 15.0 (4)	

() The value in the parentheses is the allowable deviation (\pm) from the target values.
If the plasticity index (PI) is greater than 0, the TV range for the No. 200 sieve size is 8-12 (4).

Add Table 703-16:

Table 703-16

Gradation Requirements for Screened Aggregate

Sieve Size	Percent by Mass Passing Designated Sieve (AASHTO T 27 and T 11)						
	Grading Designation						
	L	M	N	O	P	Q	R
6 inch	100	100					
4 inch			100	100			
3 inch					100	100	
2 inch							100
No. 4		15-45		15-45		15-45	

703.07_nat_us_03_02_2005

Table 703-2 Correction

Include the following substitution

In Table 703-2, delete the “436 – 74 (6)” percent by mass passing for grading E (base) No. 4 sieve size and substitute “36 – 74 (6).”

Table 703-2 Correction

Include the following substitution

In Table 703-2, delete the “436 – 74 (6)” percent by mass passing for grading E (base) No. 4 sieve size and substitute “36 – 74 (6).”

703.10_nat_us_03_02_2005

Delete Table 703-7 and substitute the following:

Table 703-7 Target Value Ranges

**Table 703-7
Target Value Ranges for
Single and Multiple Course Surface Treatment Aggregate Gradation**

Sieve Size	Percent by Mass Passing Designated Sieve (AASHTO T 27 & T 11)					
	Grading Designation					
	A	B	C	D	E	F
1½ inch	100 ⁽¹⁾					
1 inch	90-100(3)	100 ⁽¹⁾				
¾ inch	0-35(5)	90-100(3)	100 ⁽¹⁾			
½ inch	0-8(3)	0-35(5)	90-100(3)	100 ⁽¹⁾		
⅜ inch	—	0-12(3)	0-35(5)	85-100(3)	100 ⁽¹⁾	100 ⁽¹⁾
No. 4	—	—	0-12(3)	0-35(5)	85-100(3)	85-100 ⁽¹⁾
No. 8	—	—	—	0-8(3)	0-23(4)	—
No. 200	0-1(1)	0-1(1)	0-1(1)	0-1(1)	0-1(1)	0-10 ⁽¹⁾

(1) Statistical procedures do not apply.

() The value in the parentheses is the allowable deviation (±) from the target values.

703.10_nat_us_04_11_2011

703.10(e) Flakiness Index.

Delete and replace with the following:

Flakiness Index, FLH T 508 30% max.

703.10(i) Adherent Coating.

Add the following:

Adherent coating on the aggregate, FLH T 512

0.5% max.

718 - Traffic Signing and Marking Material

718.05_nat_us_08_05_2009

718.05 Aluminum Panels

Delete the third paragraph and replace with the following:

Clean, degrease and properly prepare the panels according to methods recommended by the sheeting manufacturer. Conversion coatings will conform to ASTM B-921 or ASTM B-449.