

DURATION: This amendment is effective until superseded or removed.

**FSM 2600 – WILDLIFE, FISH AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 70 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01

Regional Forester's Sensitive Species
Rocky Mountain Region

ANIMALS

AMPHIBIANS

<i>Anaxyrus boreas</i>	western (boreal) toad
<i>Lithobates blairi</i>	plains leopard frog
<i>Lithobates pipiens</i>	northern leopard frog
<i>Lithobates sylvaticus</i>	wood frog
<i>Rana luteiventris</i>	Columbia spotted frog

BIRDS

<i>Accipiter gentilis</i>	northern goshawk
<i>Aegolius funereus</i>	boreal owl
<i>Ammodramus savannarum</i>	grasshopper sparrow
<i>Artemisiospiza nevadensis</i>	sagebrush sparrow
<i>Asio flammeus</i>	short-eared owl
<i>Athene cunicularia</i>	burrowing owl
<i>Buteo regalis</i>	ferruginous hawk
<i>Calamospiza melanocorys</i>	lark bunting
<i>Calcarius ornatus</i>	chestnut-collared longspur
<i>Centrocercus urophasianus</i>	greater sage-grouse
<i>Charadrius montanus</i>	mountain plover
<i>Chlidonias niger</i>	black tern
<i>Circus cyaneus</i>	northern harrier
<i>Contopus cooperi</i>	olive-sided flycatcher
<i>Cygnus buccinator</i>	trumpeter swan
<i>Cypseloides niger</i>	black swift

DURATION: This amendment is effective until superseded or removed.

**FSM 2600 – WILDLIFE, FISH AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 70 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

<i>Gymnorhinus cyanocephalus</i>	pinyon jay
<i>Lagopus leucura</i>	white-tailed ptarmigan
<i>Lanius ludovicianus</i>	loggerhead shrike
<i>Leiothlypis virginiae</i>	Virginia's warbler
<i>Melanerpes lewis</i>	Lewis's woodpecker
<i>Numenius americanus</i>	long-billed curlew
<i>Peucaea cassinii</i>	Cassin's sparrow
<i>Picoides arcticus</i>	black-backed woodpecker
<i>Progne subis</i>	purple martin
<i>Psiloscops flammeolus</i>	flammulated owl
<i>Rhynchophanes mccownii</i>	thick-billed longspur
<i>Setophaga graciae</i>	Grace's warbler
<i>Spizella breweri</i>	Brewer's sparrow
<i>Tympanuchus cupido</i>	greater prairie-chicken
<i>Tympanuchus phasianellus columbianus</i>	Columbian sharp-tailed grouse

FISH

<i>Catostomus latipinnis</i>	flannelmouth sucker
<i>Chrosomus eos</i>	northern redbelly dace
<i>Chrosomus erythrogaster</i>	southern redbelly dace
<i>Chrosomus neogaeus</i>	finescale dace
<i>Couesius plumbeus</i>	lake chub
<i>Fundulus sciadicus</i>	plains topminnow
<i>Gila pandora</i>	Rio Grande chub
<i>Gila robusta</i>	roundtail chub
<i>Hybognathus placitus</i>	plains minnow
<i>Macrhybopsis gelida</i>	sturgeon chub
<i>Margariscus nachtriebi</i>	northern pearl dace

DURATION: This amendment is effective until superseded or removed.

**FSM 2600 – WILDLIFE, FISH AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 70 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

<i>Nocomis biguttatus</i>	hornyhead chub
<i>Oncorhynchus clarkii bouvieri</i>	Yellowstone cutthroat trout
<i>Oncorhynchus clarkii pleuriticus</i>	Colorado River cutthroat trout
<i>Oncorhynchus clarkii virginalis</i>	Rio Grande cutthroat trout
<i>Pantosteus discobolus</i>	bluehead sucker
<i>Pantosteus platyrhynchus</i>	mountain sucker
<i>Pantosteus plebeius</i>	Rio Grande sucker
<i>Platygobio gracilis</i>	flathead chub

INSECTS

<i>Atrytone arogos</i>	arogos skipper
<i>Bombus occidentalis</i>	western bumble bee
<i>Danaus plexippus</i>	monarch
<i>Hesperia ottoe</i>	Ottoe skipper
<i>Ochrotrichia susanae</i>	Susan's purse-making caddisfly
<i>Somatochlora hudsonica</i>	hudsonian emerald
<i>Speyeria idalia</i>	regal fritillary

MAMMALS

<i>Conepatus leuconotus</i>	American hog-nosed skunk
<i>Corynorhinus townsendii</i>	Townsend's big-eared bat
<i>Cynomys gunnisoni</i>	Gunnison's prairie dog
<i>Cynomys leucurus</i>	white-tailed prairie dog
<i>Cynomys ludovicianus</i>	black-tailed prairie Dog
<i>Euderma maculatum</i>	spotted bat
<i>Lasiurus cinereus</i>	hoary bat
<i>Lontra canadensis</i>	river otter
<i>Martes caurina</i>	Pacific marten
<i>Microtus richardsoni</i>	water vole

DURATION: This amendment is effective until superseded or removed.

**FSM 2600 – WILDLIFE, FISH AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 70 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

<i>Myotis thysanodes</i>	fringed myotis
<i>Ovis canadensis canadensis</i>	Rocky Mountain bighorn sheep
<i>Ovis canadensis nelsoni</i>	desert bighorn sheep
<i>Sorex hoyi</i>	pygmy shrew
<i>Thomomys clusius</i>	Wyoming pocket gopher
<i>Vulpes macrotis</i>	kit fox
<i>Vulpes velox</i>	swift fox

MOLLUSCS

<i>Acroloxus coloradensis</i>	Rocky Mountain capshell
<i>Oreohelix pygmaea</i>	pygmy mountain snail
<i>Oreohelix strigosa cooperi</i>	Cooper's Rocky Mountain snail, Black Hills mountainsnail

REPTILES

<i>Storeria occipitomaculata pahasapae</i>	Black Hills redbelly snake
--	----------------------------

PLANTS

NON-VASCULAR

<i>Sphagnum angustifolium</i>	sphagnum
<i>Sphagnum balticum</i>	Baltic sphagnum

FERNS & ALLIES

<i>Botrychium ascendens</i>	trianglelobe moonwort
<i>Botrychium campestre</i>	Iowa moonwort
<i>Botrychium paradoxum</i>	peculiar moonwort
<i>Lycopodium complanatum</i>	ground cedar
<i>Selaginella selaginoides</i>	club spikemoss

DURATION: This amendment is effective until superseded or removed.

**FSM 2600 – WILDLIFE, FISH AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 70 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

ANGIOSPERM - MONOCOT

<i>Calochortus flexuosus</i>	winding mariposa lily
<i>Carex alopecoidea</i>	foxtail sedge
<i>Carex diandra</i>	lesser paniced sedge
<i>Carex livida</i>	livid sedge
<i>Cypripedium montanum</i>	mountain lady's slipper
<i>Cypripedium parviflorum</i>	lesser yellow lady's slipper
<i>Eleocharis elliptica</i>	elliptic spikerush
<i>Epipactis gigantea</i>	stream orchid
<i>Eriophorum chamissonis</i>	Chamisso's cottongrass
<i>Eriophorum gracile</i>	slender cottongrass
<i>Festuca hallii</i>	plains rough fescue
<i>Amerorchis rotundifolia</i>	roundleaf orchid
<i>Kobresia simpliciuscula</i>	simple bog sedge
<i>Liparis loeselii</i>	yellow widelip orchid
<i>Malaxis monophyllos</i> var. <i>brachypoda</i>	white adder's-mouth orchid
<i>Platanthera orbiculata</i>	lesser roundleaved orchid
<i>Ptilagrostis porteri</i>	Porter's false needlegrass
<i>Schoenoplectus hallii</i>	Hall's bulrush
<i>Triteleia grandiflora</i>	largeflower triteleia

ANGIOSPERM - DICOT

<i>Aliciella sedifolia</i>	stonecrop gilia
<i>Aquilegia chrysantha</i> var. <i>rydbergii</i>	Rydberg's golden columbine
<i>Aquilegia laramiensis</i>	Laramie columbine
<i>Armeria maritima</i> ssp. <i>sibirica</i>	Siberian sea thrift
<i>Asclepias uncialis</i>	wheel milkweed
<i>Astragalus barrii</i>	Barr's milkvetch
<i>Astragalus iodopetalus</i>	violet milkvetch

DURATION: This amendment is effective until superseded or removed.

**FSM 2600 – WILDLIFE, FISH AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 70 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

<i>Astragalus leptaleus</i>	park milkvetch
<i>Astragalus missouriensis</i> var. <i>humistratus</i>	Missouri milkvetch
<i>Astragalus proximus</i>	Aztec milkvetch
<i>Astragalus ripleyi</i>	Ripley's milkvetch
<i>Braya glabella</i>	smooth northern-rockcress
<i>Chenopodium cycloides</i>	sandhill goosefoot
<i>Cuscuta plattensis</i>	prairie dodder
<i>Descurainia torulosa</i>	mountain tansymustard
<i>Draba exunguiculata</i>	clawless draba
<i>Draba grayana</i>	Gray's draba
<i>Draba smithii</i>	Smith's draba
<i>Drosera anglica</i>	English sundew
<i>Drosera rotundifolia</i>	roundleaf sundew
<i>Eriogonum brandegeei</i>	Brandege's buckwheat
<i>Eriogonum exilifolium</i>	dropleaf buckwheat
<i>Eriogonum visheri</i>	Visher's buckwheat
<i>Gutierrezia elegans</i>	Lone Mesa snakeweed
<i>Ipomopsis aggregata</i> ssp. <i>weberi</i>	scarlet gilia
<i>Lesquerella fremontii</i>	Fremont's bladderpod
<i>Lesquerella pruinosa</i>	Pagosa Springs bladderpod
<i>Mimulus gemmiparus</i>	Rocky Mountain monkeyflower
<i>Oenothera coloradensis</i> ssp. <i>coloradensis</i>	Colorado butterfly plant
<i>Neoparrya lithophila</i>	Bill's neoparrya
<i>Oreoxis humilis</i>	Rocky Mountain alpineparsley
<i>Packera mancosana</i>	Mancos Shale packera
<i>Parnassia kotzebuei</i>	Kotzebue's grass of Parnassus
<i>Penstemon absarokensis</i>	Absaroka Range beardtongue

DURATION: This amendment is effective until superseded or removed.

**FSM 2600 – WILDLIFE, FISH AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 70 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

<i>Penstemon caryi</i>	Cary's beardtongue
<i>Penstemon degeneri</i>	Degener's beardtongue
<i>Penstemon harringtonii</i>	Harrington's beardtongue
<i>Physaria didymocarpa</i> ssp. <i>lanata</i>	common twinpod
<i>Physaria pulvinata</i>	cushion bladderpod
<i>Physaria scrotiformis</i>	silver twinpod
<i>Potentilla rupincola</i>	rock cinquefoil
<i>Primula egaliksensis</i>	Greenland primrose
<i>Pyrrocoma carthamoides</i> var. <i>subsquarrosa</i>	largeflower goldenweed
<i>Pyrrocoma clementis</i> var. <i>villosa</i>	tranquil goldenweed
<i>Pyrrocoma integrifolia</i>	many-stemmed goldenweed
<i>Ranunculus grayi</i>	ice cold buttercup
<i>Rubus arcticus</i> ssp. <i>acaulis</i>	dwarf raspberry
<i>Salix arizonica</i>	Arizona willow
<i>Salix barrattiana</i>	Barratt's willow
<i>Salix candida</i>	sageleaf willow
<i>Salix myrtillifolia</i>	blueberry willow
<i>Salix serissima</i>	autumn willow
<i>Sanguinaria canadensis</i>	bloodroot
<i>Shoshonea pulvinata</i>	Shoshone carrot
<i>Thalictrum heliophilum</i>	Cathedral Bluff meadow-rue
<i>Townsendia condensata</i>	cushion townsend daisy
<i>Utricularia minor</i>	lesser bladderwort
<i>Viburnum opulus</i> var. <i>americanum</i>	American cranberrybush
<i>Viola selkirkii</i>	Selkirk's violet
<i>Xanthisma coloradoense</i>	Colorado tansyaster