

RARE NORTH DAKOTA ANIMALS - 1998
North Dakota Natural Heritage Inventory

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<u>VERTEBRATES:</u>						
BIRDS:						
Accipiter cooperii	Cooper's hawk	G4 SU	-	-	W	Brushy, deciduous woodlands, adjoining wood margins along major streams, ravines and escarpments. Bill, McHe, Burk
Accipiter gentilis	Northern goshawk	G5 S?	-	-	-	Coniferous dominated hardwoods.
Ammodramus bairdii	Baird's sparrow	G3 SU	-	S	W	Upland prairies of mixed grass prairie or tall grass habitat types. McLe, Kidd, Stut, Role, Pier, McHe, Burk, Moun, Bowm, Divi, Will, Gfor
Ammodramus caudacutus	Sharp-tailed sparrow	G5 SU	-	-	-	Freshwater prairie marshes and meadows. McLe, Kidd, Pier
Ammodramus henslowii	Henslow's sparrow	G3G4 S?	-	-	-	Uncultivated grasslands, wet meadows and overgrown fields.
Ammodramus leconteii	Le Conte's sparrow	G4? SU	-	-	-	Fens, lowland tracts of tall grass prairie and wet meadows. Stuts, Kidd, McHe
Anas cyanoptera	Cinnamon teal	G5 S3	-	-	P	Freshwater lakes and marshes in open country. Trai, Cava, Bott, Renv, Ward, Burk, McHe, McLe, Gold, Wells, Burl, Kidd, Stut
Anthus spragueii	Sprague's pipit	G4 S3	-	-	-	Mixed grass prairie on uplands. Bens, Bill, Bowm, Gold, McKen, Mort, Slop, Star, McLe, Stut, Kidd, Pier, Burk, Moun, Dive, McHe, Oliv, Gfor

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Aquila chrysaetos</i>	Golden eagle	G5 S3	-	-	W	Badland buttes and adjoining native prairie. Bill, Slop, McKe, Gold, Will, Dunn
<i>Asio otus</i>	Long-eared owl	G5 SU	-	-	-	Dense vegetation adjacent to grasslands or shrublands; also open forests. Mort, Stut, Burk
<i>Bartramia longicauda</i>	Upland sandpiper	G5 S?	-	-	-	Grasslands, especially large blocks
<i>Bubulcus ibis</i>	Cattle egret	G5 S4	-	-	P	Along streams, ponds and marshes. Pierce, Sarg, Burl, McHe
<i>Bucephala albeola</i>	Bufflehead	G5 S4	-	-	P	Freshwater, permanent ponds with no outlet or only seasonal flow, and small lakes.
<i>Bucephala clangula</i>	Common golden-eye	G5 S3	-	-	P	Wetlands, lakes, and river bordered by forests mature enough to provide suitable tree cavities. Bott, Role, Rams, McHe, Grig, Nels, Bens, Wals

Buteo regalis	Ferruginous hawk	G4 SU	-	S	-	Flat and rolling prairie, grasslands, sagebrush county. Burk, Moun, Ward, Pier, McLe, Sher, Burl, Kidd, Stuts, Loga, McIn, Bill, Slop, Bowm, Wals
Buteo swainsoni	Swainson's hawk	G4 SU	-	-	-	Native prairie or cropland that include thickets of natural tree growth or brush margins of native forested tracts. Moun, McKen, Bill, Ward, Mort, McHen, Kidd, Town, Bens, McIn, Rams, Dick, Sarg, Stut, Barn, Nels, Walsh

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Butorides virescens</i>	Green heron	G5 S3	-	-	W	In or near woodland borders of streams, oxbows, ponds, and lakes. Stut, Barn, Rich, Sarg, Rams, Bens, McHe, Gfor, Bott
<i>Calcarius mccownii</i>	Mccown's longspur	G5 S2	-	-	T	Short grass prairie and heavily grazed, dry mixed grass prairie or rangeland. Gold, Bowm
<i>Caprimulgus vociferus</i>	Whip-poor-will	G5 SH	-	-	-	Woods, especially near fields. Pemb, Gfor, Cass, Wals
<i>Cardinalis cardinalis</i>	Northern cardinal	G5 S4	-	-	-	Shrubs and small trees along wood margins or in forest openings. Cass
<i>Cathartes aura</i>	Turkey vulture	G5 S4	-	-	-	Habitat complexes that include brushy woodlands intermingled with or adjoining open expanses of prairie. Stut, Kidd, Bens, Mort, Burl, Role, Dunn, Will, Oliv
<i>Catoptrophorus semipalmatus</i>	Willet	G5 SU	-	-	-	Semipermanent ponds and lakes, seasonal ponds and lakes, permanent ponds and lakes, alkali ponds and lakes, intermittent streams. McLe, Sarg
<i>Centrocercus urophasianus</i>	Sage grouse	G5 SU	-	S	P	Scrub prairie dominated by a semiopen growth of sage. Bowm, Slop, Bill

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
Charadrius melodus	Piping plover	G3 S1S2	LELT	T	T	Barren sand and gravel shores of rivers and lakes, sparsely vegetated shorelines. Sher, Kidd, McLe, Nels, Bens, Rams, McHe, Renv, Burk Moun, Merc, Oliv, Burl, Pier, Loga, McIn, Eddy, Divi, Will, Role, Ward, Emmo, Mort
Charadrius montanus	Mountain plover	G2 SX	C1	S	-	Dry short grass prairie and sage brush. Bill, Rich
Chlidonias niger	Black tern	G4 S?	-	-	-	Shallow freshwater marshes with emergent vegetation, including prairie slough, lake margins and occasionally river or island edges.
Coccyzus americanu	Yellow-billed cuckoo	G5 SU	-	-	-	Second growth, thicketed streamsides. Mort, Stuts, Cass, Rich, Star, McKe, Burl, Dick, Bowm
Contopus borealis	Olive-sided fly-catcher	G5 S?	-	-	-	Forest and woodlands, especially in burned-over areas with standing dead trees in mixed coniferous-deciduous forest.
Contopus sordidulus	Western wood-pewee	G5 S4	-	-	-	Stands or groves of mature cottonwoods, usually with partially open canopy. Slop, Rans, Oliv
Corvus corax	Common raven	G5 SX	-	-	-	Along rivers and streams. Will, Mort
Coturnicops noveboracensis	Yellow rail	G4 S2	-	-	T	Sedge meadows and grassy marshes. Bens, Sher, Stut, McHe, Moun, Gfor

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Cygnus buccinator</i>	Trumpeter swan	G4 SX	-	P	EXT	Small ponds and lakes or bays with extensive beds of cattails, bulrush, sedges and/or horsetail. Kidd, Stee
<i>Dendroica cerulea</i>	Cerulean warbler	G4 S?	-	-	-	Mature deciduous forest, particularly in floodplains.
<i>Dendroica coronata auduboni</i>	Audubon's warbler	G5T5 S3	-	-	P	coniferous forests-limited to ponderosa pines in North Dakota. Slop
<i>Dendroica pensylvanica</i>	Chestnut-sided warbler	G5 S3	-	-	P	Fairly dense upland thickets of young or second-growth deciduous forest composed of small trees and tall shrubs. Role, Cava
<i>Dryocopus pileatus</i>	Pileated woodpecker	G5 S3	-	-	P	Late successional stages of coniferous or deciduous forest, also younger forests that have scattered, large, dead trees. Pemb, Cava, Wals, Gfor, Cass, Rans, Rich
<i>Ectopistes migratorius</i>	Passenger pigeon	G5 SX	-	-	-	Eastern deciduous forests.
<i>Empidonax alnorum</i>	Alder flycatcher	G5 SU	-	-	-	Low bushes in wet areas, swamps, around marshes, streamsides, near woods. Cava
<i>Falco columbarius</i>	Merlin	G5 S2	-	-	E	Natural groves of trees, including adjoining wood margins, and nearby tracts of brushland, grassland, and fields. Bill, McKe, Slop, Bowm

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Falco mexicanus</i>	Prairie falcon	G4G5 S3	-	-	W	Expanses of native prairie and cropland that include badlands and high cliffs along stream valleys or scattered isolated buttes on the high plains. Bill, McKe, Dunn, Gold, Merc
<i>Falco peregrinus anatum</i>	Amer. peregrine falcon	G4T3 S1	LE	E	E	Cliff ledges, mostly along rivers or lakes. Dunn, Cass
<i>Gavia immer</i>	Common loon	G5 S4	-	S	P	Freshwater lakes and rivers. Role, Bott, Bens, Rams, Rich, Nels, Stut, Gfor
<i>Grus americana</i>	Whooping crane	G1 SX	LE	E	EXT	Extensive marshes with numerous shallow ponds dominated by bulrush, cattails, sedges and other aquatic plants. Burk, Burl, Moun, Stut, McHe, McKe, Ward, McLe, Will, Dunn, Divi, Emmo, Kidd
<i>Grus canadensis</i>	Sandhill crane	G5 SU	-	-	-	Extensive, shallow wetlands. Moun, Burk, Merc, McLe, Mort, McHe, Pier, Role, Town, Pemb, Bens, Nels, Stut
<i>Guiraca caerulea</i>	Blue grosbeak	G5 SU	-	-	-	Deciduous woodlands, scattered shrubs in dry fields, thickets near water, farms, old fields, forest edge. Cass, McLe, Stut, Bowm, Emmo, Burl
<i>Haliaeetus leucocephalus</i>	Bald eagle	G4 S1	LTNL	E	E	Lakes and rivers in forested areas. McLe, Oliv, Slop, Dunn, Merc, Burl, Mort, Bill

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Hylocichla mustelina</i>	Wood thrush	G5 SU	-	-	-	Interior and edges of deciduous and mixed forests. Cass, Pemb, Rich

<i>Icteria virens</i>	Yellow-breasted chat	G5 SU	-	-	-	Fairly dense thickets of small trees and tall shrubs on north facing slopes. Merc, McLe, Bill, McKe, Oliv, Ward
<i>Lanius ludovicianus</i>	Loggerhead shrike	G4G5 SU	-	S	-	Open country and dry upland prairie where shrubs and small trees occur. Slop, Bill, Dunn, Mort, McLe, Stut, Rich, Bens, Ward, Renv, Burk, Wals
<i>Limosa fedoa</i>	Marbled godwit	G5 SU	-	-	-	Wetlands include intermittent streams and various types of ponds and lakes. McLe, Sarg
<i>Lophodytes cucullatus</i>	Hooded merganser	G5 S3	-	-	-	Wood bordered rivers and large creeks, and adjoining oxbows, with large populations of small fish. Ward, McHe, Role, Bott
<i>Melanerpes carolinus</i>	Red-bellied woodpecker	G5 SU	-	-	-	Woods, edges, farms, swamps. Mort, Stut, Dick
<i>Melanitta fusca</i>	White-winged scoter	G5 SX	-	-	E	Dense underbrush around ponds, lakes and oxbows, and on islands. Nels, Role, Bott, Burk, Ward
<i>Melospiza georgiana</i>	Swamp sparrow	G5 S3	-	-	-	Fens, particularly those that contain stands of cattail or phragmites and scattered shrubs. Bott, Bens, Kidd, LaMo, Dick, Sarg
<i>Mergus merganser</i>	Common merganser	G5 SH	-	-	E	Freshwater lakes and flowing rivers. Rams, Bott

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
Mimus polyglottos	Northern mockingbird	G5 SU	-	-	-	Parklands, cultivated lands, and second growth habitats. Star, Town, Ward, Burl, Cass, Grig, Rich, Bowm, Stut, Dick
Numenius americanus		G5 S2	-	-	P	Short grass prairie and heavily grazed, dry, mixed grass prairie or rangeland. Bill, Bowm, Gold, Siou, Slop, Star
Oporornis philadelphia	Mourning warbler	G5 S4	-	-	P	Disturbed second growth, prefers clearings, mixed-woods forests, and stands of aspen-birch. Pemb, Gfor, Cava, Wals, Role, Bott
Pandion haliaetus	Osprey	G5 SU	-	-	P	Habitat associated with lakes and large rivers.
Perisoreus canadensis	Gray jay	G5 SR	-	-	-	Coniferous and mixed coniferous-deciduous forest. Role
Phalaenoptilus nuttallii	Common poorwill	G5 S4	-	-	P	Slopes and gulches of the badlands that contain thickets of trees. Dunn, Slop, Gold, McKe, Bill
Piranga ludoviciana	Western tanager	G5 SU	-	-	-	Open pine and mixed forests and wooded edges. Slop, Bill, Dunn, Ward, Star
Piranga olivacea	Scarlet tanager	G5 SU	-	-	-	Rich, mature deciduous forests that occur on slopes of prominent hills and valley bluffs, and on well-drained floodplains of large streams. Fost, Burl, Wals, Rans

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Plegadis chihi</i>	White-faced ibis	G5 SU	-	-	-	Shallow marshes with islands of emergent vegetation. Burl, Sarg
<i>Podiceps grisegena</i>	Red-necked grebe	G5 SU	-	-	W	Freshwater or slightly brackish, permanent ponds and lakes. Bott, Ward, Stut, Burk, McHe, Role, Rams, Bens, Kidd, Mcln
<i>Scolopax minor</i>	American woodcock	G5 SU	-	-	-	Forest with openings. Young forest and abandoned farmland mixed with forest. Rans
<i>Seiurus noveboracensis</i>	Northern water-thrush	G5 S4	-	-	P	Brushy bogs, shrub swamps, second-growth swamp forests, and wood borders of ponds, lakes, and streams. Role, Cava, Bott, Gfor, Bens, Rams, Pemb

<i>Sialia sialis</i>	Eastern bluebird	G5 SU	-	-	-	Forest edge, open woodland interspersed with or adjacent to grazed or mowed grasslands. Margins of floodplain and upland deciduous forest. Hett, Dunn, Mort, Ward, Renv, Bott, Grig, Cass, Rans, Stut, Barn, Rans
<i>Sitta canadensis</i>	Red-breasted nuthatch	G5 S4	-	-	-	Coniferous and deciduous forest. Slop, Gfor
<i>Speotyto cunicularia</i> (Am. Ornithol.Union 1991)	Burrowing owl	G4 SU	-	-	-	Dry, open, shortgrass prairie, often associated with burrowing mammals. McHe, Bott, Bill, Dunn, Merc
<i>Spizella breweri</i>	Brewer's sparrow	G5 S3	-	-	P	Scrub and sage prairie. Oliv, McLe, Bowm, Bill, Gold, Slop

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Sterna antillarum</i>	Least tern	G4 S1	LE	E	T	Sparsely vegetated sandbars of the Missouri and Yellowstone Rivers. Merc, McLe, Oliv, Burl, Mort, Emmo, Kidd
<i>Sterna forsteri</i>	Forster's tern	G5 SU	-	-	-	Large marshes with extensive areas of emergent vegetation. Bott, Ward, McHe, Rams, Emmo, Sher
<i>Sterna hirundo</i>	Common tern	G5 SU	-	-	-	Isolated, sparsely vegetated islands in large lakes, reservoirs, shallow impoundments. Stut, Kidd, McLe, Moun, Burk, Renv, Role, McHe, Rams, Burl
<i>Strix varia</i>	Barred owl	G5 SU	-	-	-	Fairly dense thickets or groves of small trees or in brushy margins of more extensive forests. McHe, Mort, Pemb
<i>Tympanuchus cupido pinnatus</i>	Great prairie chicken	G4TU S2	-	S	T	Mid and tall grass prairie, often mixed with cropland Stut, Sarg, Rich, Rans
<i>Vermivora celata</i>	Orange-crowned warbler	G5 S4	-	-	-	Open woodlands with heavy brush, especially on slopes or near water. Cava
<i>Vermivora chrysoptera</i>	Golden-winged warbler	G5 S3	-	-	-	Patches of herbs, shrubs, and scattered trees, forested edge, shrubby fields, marshes and bogs with forest edge. Cava
<i>Vireo bellii</i>	Bell's vireo	G5 S3	-	-	-	Dense, low, shrubby vegetation generally early successional stages in riparian areas, brushy fields, young second-growth forest or woodland. McLe, Star, Burl

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Vireo philadelphicus</i>	Philadelphia vireo	G5 S3	-	-	-	Early to mid successional deciduous woods and woodland edges, aspen parklands, hardwoods, and shrub thickets. Cava
<i>Vireo solitarius</i>	Solitary vireo	G5 S?	-	-	-	Coniferous and mixed open forests and edges.
<i>Wilsonia canadensis</i>	Canada warbler	G5 SU	-	-	-	Low trees, shrubs, underbrush. Cava
<i>Zonotrichia albicollis</i>	White-throated sparrow	G5 S3	-	-	P	Coniferous and mixed forests, with numerous openings with low, dense vegetation. Role, Cava, Bott

MAMMALS:

<i>Atilocapra americana</i>	Pronghorn	G5 S?	-	-	W	Open range, to include rough, arid rough sagebrush flats and valleys of the badlands. Adapted to agricultural lands.
<i>Bos bison</i>	American bison	G4 SX	-	-	EXT	Prairie and open woodlands.
<i>Canis lupus</i>	Gray wolf	G4 SX	LEL- TXN	E	W	Forest areas, scrub margins.
<i>Cervus elaphus</i>	Wapiti or Elk	G5 SU	-	-	W	Forests, plains and valleys.

Chaetodipus hispidus	Hispid pocket mouse	G5 S4	-	-	P	Sandy soils and open area, also reported in rocky and loamy soils. Upland habitats-tall and shortgrass prairies. Mort, Emmo, Gran
Cynomys ludovicianus	Black-tailed prairie dog	G4 SU	-	-	W	Semiarid prairie, over-grazed rangeland. Bowm
Dedelphis virginiana	Virginia opossum	G5 SU	-	-	W	Wooded areas, especially along rivers and streams.

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Dipodomys ordii</i>	Ord's kangaroo rat	G5 SU	-	-	P	Sandy soils, sagebrush, yucca or bunchgrass, or in banks or cuts. Bowm, Slop, Gold
<i>Felis concolor</i>	Mountain lion	G5 S2	-	-	T	Rugged terrain, trees, brushy vegetation. McKe
<i>Glaucomys volans</i>	Sthrn flying squirrel	G5 SR	-	-	W	Heavy deciduous forests.
<i>Gulo gulo</i>	Wolverine	G4 SX	-	S	-	Boreal forests.
<i>Gulo gulo luscus</i>	North Amer. wol- verine	G4T4 SX	-	-	-	Boreal forests.
<i>Lagurus curtatus</i>	Sagebrush vole	G5 S4	-	-	-	Temperate, arid, shrub- steppe. Bowm
<i>Lutra canadensis</i>	Northern river otter	G5 S1	-	-	E	Riparian habitats. Ward
<i>Lynx canadensis</i>	Lynx	G5 SX	-	-	P	Boreal forests. Stut
<i>Lynx rufus</i>	Bobcat	G5 SU	-	-	W	Forests and broken ter- rain.
<i>Martes pennanti</i>	Fisher	G5 S2	-	S	E	Dense lowland forests.
<i>Mustela nigripes</i>	Black-footed ferret	G1 S1	LEX- N	E	E	Prairie dog towns. Bill, Mort, Slop, Gold, Bowm, McKe, Star, Dunn, Merc, Adam, Moun, Siou

Myotis ciliolaburum	Wstrn sm.-ftd myotis	G5 SU	-	-	-	Rocky habitats, dissected breaks and badlands, ridges, cliffs or major outcroppings.
Myotis evotis	Long-eared myotis	G5 SU	-	-	W	Wooded areas, principally coniferous or oak forests, near rocky bluffs or cliffs. Bill, Dunn, Nels
Myotis leibii	Eastern sm.-ftd myotis	G SU	-	-	W	Rocky habitats. Bill, Slop
Myotis volans	Long-legged myotis	G5 SU	-	-	W	Open forested lands, badlands. Bill

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Ovis canadensis californiana</i>	California bighorn	G4T4 S2	-	S	W	Badlands. McKe, Bill
<i>Perognathus flavescens</i>	Plains pocket mouse	G5 SU	-	-	W	Sandy soils with grass and sagebrush cover. Rich, Dick, Steel
<i>Scalopus aquaticus</i>	Eastern mole	G5 SU	-	-	W	Stream and lake borders.
<i>Sorex hoyi</i>	Pygmy shrew	G5 SU	-	-	W	Little known of habitat selection-documented as occurring near wetland areas to forested tracts. Ward, Burk, Moun
<i>Sorex palustris</i>	Water shrew	G5 SR	-	-	W	Grassy and shrubby areas along banks of streams, ponds, and lakes, and around pot-holes in bogs or forests.
<i>Spilogale putorius</i>	Eastern spotted skunk	G5 S1	-	-	-	Forest edge, riparian woodlands, fence rows, and shelterbelts.
<i>Sylvilagus nuttallii</i>	Mountain cottontail	G5 SX	-	-	W	Sagebrush lands and adjacent woodlands. Slop, Gran, Bill
<i>Urocyon cinereoargenteus</i>	Common gray fox	G5 SU	-	-	W	West-brushy vegetation associated with rugged, broken terrain. East-deciduous forests.
<i>Ursus americanus</i>	Black bear	G5 SX	T(S/- A)NL	-	E	Forested and brushy areas.
<i>Vulpes velox</i>	Kit or swift fox	G5 S1	C1	-	E	Short grass, mixed grass and sandhill prairies. Slop, Merc

REPTILES:

<i>Celoporus graciosus</i>	Sagebursh lizard	G5 S4	-	-	P	Badlands, rocky areas near water, and adjacent areas of sandy soil and sagebrush. McKe, Slop
----------------------------	------------------	----------	---	---	---	---

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
<i>Eumeces septentrionalis</i>	Prairie skink	G5 S2S3	-	-	P	Sandy areas such as sand dunes and grasslands. Cass, Rich, Barn, Rans, Sarg
<i>Hrynosoma douglasi</i>	Short-horned lizard	G5 S?	-	-	P	Badlands

<i>Hrynosoma douglasi brevirostr</i>	Estrn shrt-hrnd lizard	G5T S?	-	-	P	Badlands
<i>Palone mutica</i>	Smooth softshell	G5 SU	-	-	P	Missouri River System. Mort, Emmo, Sioux
<i>Raptemys pseudogeographica</i>	False map turtle	G5 SU	-	-	P	Southern Missouri River System. Emmo

AMPHIBIANS:

<i>Hyla vericolor</i>	Gray treefrog	G5 S4	-	-	P	Aspen woodlands of NE ND. Rans, Rich
<i>Necturus maculosus</i>	Mudpuppy	G5 S4	-	-	P	Red River

FISH:

<i>Acipenser fulvescens</i>	Lake sturgeon	G3 SX	-	-	EX	Benthic feeder in large, clear rivers and lakes with gravel bottoms.
<i>Campostoma anomalum</i>	Central stoneroller	G5 S3	-	-	P/ SC1	Small rivers and creeks with gravel or bedrock riffles. Gfor
<i>Cycleptus elongatus</i>	Blue sucker	G3 S3	-	-	SC1 ^a	Deep pools and channels of large rivers. Mort, Merc, Emmo, Siou, McLe, Moun, McKe
<i>Erimyzon sucetta</i>	Lake chubsucker	G5	-	-	EX	
<i>Hybognathus argyritis</i>	Western silvery minnow	G5 S?	-	-	SC2 ^b	Larger prairie streams with not much current and sand bottoms.

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
Hybopsis gelida	Sturgeon chub	G2 S2	C	-	T	Large, turbid streams and rivers. Rock or gravel bottom. Moun, Bill, Dunn, Star, Bowm, McKe, Slop, Gold

Hybopsis meeki	Sicklefin chub	G3 S2	C	-	E	Large, swift flowing rivers with sandy bottom. McKe, Dunn
Ichthyomyzon castaneus	Chestnut lamprey	G4 S?	-	-	P/ SC1	
Ichthyomyzon unicuspis	Silver lamprey	G5	-	-	P/ SC2	
Ictalurus natalis	Yellow bullhead	G5 SX	-	-	P/ SC2	Lakes, ponds, and slow moving streams with aquatic vegetation. Cass, Adam, Oliv

<i>Macrhybopsis storeriana</i>	Silver chub	G5 S?	-	-	SC2	
<i>Nocomis biguttatus</i>	Hornyhead chub	G5 S3	-	-	P/ SC1	Clear streams with permanent flow. Gravel bottoms. Wals, Gfor Stut
<i>Notropis anogenus</i>	Pugnose shiner	G3 S1	-	-	T	Clear, moderately flowing waters with aquatic vegetation. Gfor, Rans, Stut
<i>Notropis heterolepis</i>	Blacknose shiner	G5 S3	-	-	P/ SC1	Quiet pools of small, clear streams with bottom of muck and aquatic vegetation. Rich, Rans, Stut
<i>Notropis rubellus</i>	Rosyface shiner	G5 S3	-	-	P/ SC1	Medium sized streams in shallow water over gravel. Barn, Rans, Cass, Grnt, Gfor
<i>Percina caprodes</i>	Log perch	G5 S3	-	-	P/ SC2	Lakes, streams, and rivers with gravelly bottom. Trai, Cass

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
Percina shumardi	River darter	G5 SU	-	-	P ^c / SC1 ^a	Large rivers in deep chutes and riffles with swift current and gravel bottom.

<i>Percopsis omiscomaycus</i>	Trout-perch	G5 S?	-		SC2	
<i>Phoxinus eos</i>	Northern redbelly dace	G5 S4	-	-	SC1	Slow flowing creeks with clear water and vegetation. Slop, Star, Dunn, Bill, Rans, Rich, Gfor, Cass, Pemb, Wals, Trai, Mort, Will, Grnt
<i>Phoxinus neogaeus</i>	Finescale dace	G5 SU	-	-	P/ SC1	Cool bog lakes, streams, and some larger lakes. May be in beaver ponds. Will, Pemb, Gfor
<i>Platygobio gracilis</i>	Flathead chub	G5 S?	-	-	SC1	Rivers with turbid waters and swift current.
<i>Polyodon spathula</i>	Paddlefish	G4 S?	-	-	SC1	Large rivers with swift currents.

<i>Pylodictis olivaris</i>	Flathead catfish	G5 S4	-	-	P ^c / SC2 ^b	Deep areas of large rivers and reservoirs. Emmo
<i>Scaphirhynchus albus</i>	Pallid sturgeon	G1G2 S1S2	E	-	E	Large, turbid rivers with strong current and firm sand bottom. Emmo, Siou, Mort, Moun, McLe, McKe, Dunn
<i>Semotilus margarita</i>	Pearl dace	G5 S3	-	-	SC1	Cool, clear ponds, creeks, and lakes. Wals, Stee, Role, McLe

INVERTEBRATES:

BIVALVES:

<i>Fusconaia flava</i>	Wabash pigtoe mussel	G5 S4	-	-	-	Large permanent streams. Trai, Grig, Nels, Wals, Pemb, Rich, Rans, Cass, Barn
------------------------	----------------------	----------	---	---	---	--

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
Ligumia recta	Black sandshell mussel	G5 S4	-	-	-	Large permanent streams. Trai, Cass, Gfor, Wals, Pemb, Rans, Rich, Barn
Potamilus alatus	Pink heelsplitter mussel	G5 S4	-	-	-	Large permanent streams. Trai, Gfor, Wals, Pemb, Rans, Rich, Cass
Potamilus ohiensis	Pink papershell mussel	G5 SU	-	-	-	Small permanent stream. Siou, Merc, Mort, Grnt, Burl
Quadrula quadrula	Mapleleaf mussel	G5 S3	-	-	-	Large permanent streams. Trai, Gfor, Wals, Pemb, Rans, Cass

GASTROPODS:

Vertigo arthuri	Callused vertigo snail	G2 S?	-	-	-	Moist, undisturbed forested areas on limestone or schist substrate.
-----------------	------------------------	----------	---	---	---	---

INSECTS:

Altica nancyae	A flea beetle	G? S2	-	-	-	Range grasses. McKe
Atrytone arogos	Iowa skipper	G4 SU	-	-	-	Rans, Slop, Ward
Bembidion henshawi	A beetle	G? S?	-	-	-	
Chlorochroa belfragii	Belfragi chlorochroan	G? S?	-	-	-	Native wet prairie habitats - swamps, marshes, seeps.
Chlosyne acastus		G4 S?	-	-	-	
Cicindela circumpicta	A tiger beetle	G5 S4	-	-	-	Saline soils. Gfor
Cicindela formosa	A tiger beetle	G5 SU	-	-	-	Open sand, hilly areas. Rans, Rich, Pemb
Cremastocheilus nitens	A scarab beetle	G3G5 S3	-	-	-	Sandhills. Adults found in sand, larvae in ant hills. Rans, Rich

RARE NORTH DAKOTA ANIMALS

Scientific Name	Common Name	Global State	Status			Breeding Habitat NDNHP Occurrence Distribution
			FWS	FS	NDC	
Dyschirius criddlei	A beetle	G? S?	-	-	-	
Euphyes dion	Dion skipper	G4 S?	-	-	-	Freshwater sedge marshes in or near woodlands in Sheyenne Sandhills region. Rans, Rich
Hesperia dacotae	Dakota skipper	G2G3 S2	-	-	-	Tall grass and mid-grass prairie w/ little bluestem, needle and thread, and purple coneflower. Rans, Rich, Sarg, Eddy, Grig, McHe, Bott

Megacyllene powersi	A longhorn beetle	G? SU	-	-	-	Sandhills. Rans, Rich
Oarisma powesheik	Powesheik skipper	G2G3 S?	-	-	-	Rich, Rans
Phyciodes batesii	Tawny crescent	G3G4 SH	-	-	-	Moist forest borders in riparian situations and moist valley bottoms that border riparian woodlands. Pemb, Cass
Platysystrophus minutus	A weevil	G? SU	-	-	-	Oak trees. Found in Sheyenne River area.
Poanes massasoit	Mulberry wing	G4 S?	-	-	-	Freshwater sedge marshes in or near woodlands in Sheyenne Sandhills region. Rans, Rich
Poanes viator	Broad-winged skipper	G5 S?	-	-	-	Freshwater sedge marshes in or near woodlands in Sheyenne Sandhills region. Rans, Rich
Speyeria idalia	Regal fritillary	G3 S2	-	-	-	Virgin tallgrass prairies. Rans, Rich
Tachys halophilus	A beetle	G? S?	-	-	-	