

References Cited

Appendix B – Forest Plan Amendments

- Abella, S.R., and C.W. Denton. 2009. Spatial variation in reference conditions: Historical tree density and pattern on a *Pinus ponderosa* landscape. *Canadian Journal of Forestry* 39:2391–2403.
- Aumack, E., T. Sisk, and J. Palumbo. 2007. Statewide strategy for restoring Arizona’s forests. Arizona Governor’s Forest Health Council. 140 pp.
- Cooper, C.F. 1960. Changes in vegetation, structure, and growth of southwestern pine forests since white settlement. *Ecological Monographs* 30:129–164.
- Covington, W.W., P.Z. Fulé, M.M. Moore, S.C. Hart, T.E. Kolb, J.N. Mast, S.S. Sackett, and M.R. Wagner. 1997. Restoring ecosystem health in ponderosa pine forests of the southwest. *Journal of Forestry* 94(4):23–29.
- National Forest System Land Management Planning, 36 CFR 219. 2012.
- Pearson, G.A. 1950. Management of ponderosa pine in the Southwest: As developed by research and experimental practice. Agriculture Monograph No. 6. USDA Forest Service, Fort Collins, CO. 34 pp.
- Protection of Historic Properties, 36 CFR 800. Code of Federal Regulations, 36 CFR 800. 2000, as amended 2004.
- Reynolds, Richard T., Russell T. Graham, M. Hildegard Reiser, and others. 1992. Management recommendations for the northern goshawk in the southwestern United States. Gen. Tech. Rep. RM-217, Ft. Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 90 pp.
- USDI Fish and Wildlife Service. 1995. Recovery Plan for the Mexican Spotted Owl: Vol. I. Albuquerque, NM. 172 pp.
- USDI Fish and Wildlife Service. 2012. Mexican Spotted Owl Recovery Plan, First Revision (*Strix occidentalis lucida*). U.S. Fish and Wildlife Service. Albuquerque, NM, USA. 414 pp.
- USDA Forest Service. 2013. Coconino National Forest Draft Land Management Plan. USDA Forest Service, Southwestern Region. pp. 178. Available online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5334962.pdf.
- USDA Forest Service. 1987. Coconino National Forest Land and Resource Management Plan and amendments. USDA Forest Service, Southwestern Region. 270 pp. Available online: <http://www.redrockcountry.org/about-us/fpr/current-forest-plan-w-amends.pdf>.
- Ganey, Joseph L., James P. Ward, Jr., and David W. Willey. 2011. Status and ecology of Mexican spotted owls in the Upper Gila Mountains recovery unit, Arizona and New Mexico. Gen. Tech. Rep. RMRS-GTR-256WWW. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 94 pp.

References Cited

- USDA Forest Service. 2014. Land and Resource Management Plan for the Kaibab National Forest. USDA Forest Service, Southwestern Region. 208 pp. Available online: <http://prdp2fs.ess.usda.gov/detail/kaibab/landmanagement/planning/?cid=stelprdb5106605>.
- USDA Forest Service. 2006. Chapter 1926.51 –1926.52. In FSH 1900-Planning: Amendment No. 1900-2006-2. Washington, DC. Forest Service National Headquarters. January 31. Available online: <http://www.fs.fed.us/im/directives/fsm/1900/1920.doc>.
- USDA Forest Service. 1996. Record of Decision for the Amendment of Eleven Forest Plans. Southwestern Region. Albuquerque, New Mexico. 96 pp. Available online: <http://www.fs.usda.gov/detail/r3/landmanagement/planning/?cid=stelprdb5211559>.
- White, A.S. 1985. Pre-settlement regeneration patterns in a Southwestern ponderosa pine stand. *Ecology* 66:589–594.
- Woolsey, T.S. Jr. 1911. Western yellow pine in Arizona and New Mexico. USDA Forest Service, Bulletin 101. Washington, DC.

Appendix C – Best Management Practices, Design Features and Mitigation

- Huffman and Steinke. 2010. Personal Communication.
- Huffman and Steinke. 2010. Personal Communication from Brewer, 2008.
- USDA Forest Service. 2014. Land and Resource Management Plan for the Kaibab National Forest. USDA Forest Service, Southwestern Region. 208 pp. Available online: <http://prdp2fs.ess.usda.gov/detail/kaibab/landmanagement/planning/?cid=stelprdb5106605>.
- USDI Fish and Wildlife Service. 2007. Recommended Protection Measures For Pesticide Applications in Region 2 of the U.S. Fish and Wildlife Service. Region 2. Environmental Contaminants Program. Austin, Texas. April 2007. 199 pp. Available online: http://www.fws.gov/southwest/es/arizona/Documents/ECReports/RPMPA_2007.pdf.

Appendix D – Implementation Plan

- Abella, Scott R. 2008a. Managing Gambel oak in southwestern ponderosa pine forests: the status of our knowledge. Gen. Tech. Rep. RMRS-GTR-218. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 27 pp. Available online at: http://www.fs.fed.us/rm/pubs/rmrs_gtr218.pdf.
- Abella, Scott R. 2008b. Gambel oak growth forms: management opportunities for increasing ecosystem diversity. Res. Note RMRSRN-37. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 6 pp. Available online at: http://www.fs.fed.us/rm/pubs/rmrs_rn037.pdf.
- Abella, Scott R. and Peter Z. Fulé. 2008. Fire Effects on Gambel Oak in Southwestern Ponderosa Pine-Oak Forests. RMRSRN-34. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 8 pp.

- Abella, Scott R. and Judith D. Springer. 2008. Canopy-tree influences along a soil parent material gradient in *Pinus ponderosa*-*Quercus gambelii* forests, northern Arizona. *Journal of the Torrey Botanical Society* 135:26–36. Available online: <http://faculty.unlv.edu/abellas2/files/Abella%202008%20canopy-tree%20influences%20in%20pine-oak%20forests%20JTBS.pdf>.
- Abella, S.R., W.W. Covington, P.Z. Fulé, L.B. Lentile, A.J. Sánchez Meador, and P. Morgan. 2007. Past, present, and future old growth in frequent-fire conifer forests of the western United States. *Ecology and Society* 12(2):16. Available online: <http://www.ecologyandsociety.org/vol12/iss2/art16>.
- Bartos, D.L. 2001. Landscape dynamics of aspen and conifer forests. Pages 5–14 In: Shepperd, Wayne D.; Dan Binkley; Dale L. Bartos; Thomas J. Stohlgren; and Lane G. Eskew, compilers. *Sustaining Aspen in Western Landscapes: Symposium Proceedings*; 13–15 June 2000; Grand Junction, CO. Proceedings RMRS-P-18. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 460 pp. Available online: http://www.fs.fed.us/rm/pubs/rmrs_p018/rmrs_p018_005_014.pdf.
- Bernardos, D.A., C.L. Chambers, and M.J. Rabe. 2004. Selection of Gambel oak roosts by Southwestern myotis in ponderosa pine-dominated forests, northern Arizona. *Journal of Wildlife Management* 68(3):595–601. Available online: <http://www.bioone.org/doi/pdf/10.2193/0022-541X%282004%29068%5B0595%3ASOGORB%5D2.0.CO%3B2>.
- Brown, D.E., and C.H. Lowe. 1982. Biotic communities of the Southwest (scale 1:1,000,000). General Technical Report RM-78, United States Forest Service, Fort Collins, CO. Reprinted and revised 1994 by University Utah Press, Salt Lake City, UT. Available online: <http://sdfsnet.srn.arizona.edu/data/alris/alris04/metadata/natveg.shp.html>
- Castelli, R.M., J.C. Chambers, and R.J. Tausch. 2000. Soil-plant relations along a soil-water gradient in Great Basin riparian meadows. *Wetlands* 20(2):251–266. Available online: <http://images.water.nv.gov/images/Misc/spring%20valley%20hearings/USFWS/FWS-2007.pdf>.
- Chambers, C.L. 2002. Final Report: status and habitat use of oaks. Arizona Game and Fish Heritage Grant I98012. 52 pp.
- Clary, W.P., and A.R. Tiedemann. 1992. Ecology and values of Gambel oak woodlands. Pages 87–95 In P.F. Ffolliott, G.J. Gottfried, D.A. Bennett, V.M. Hernandez, C.A. Ortega-Rubio, and R.H. Hamre, eds. *Ecology and management of oak and associated woodlands: perspectives in the southwestern U.S. and northern Mexico*. USDA Forest Service GTR RM-218.
- Coop, J.D., and Thomas J. Givnish. 2007. Spatial and temporal patterns of recent forest encroachment in montane grasslands of the Valles Caldera, NM, USA. *Journal of Biogeography* 34(5):914–927.
- Covington, W.W., P.Z. Fulé, M.M. Moore, S.C. Hart, T.E. Kolb, J.N. Mast, S.S. Sackett, and M.R. Wagner. 1997. Restoring ecosystem health in ponderosa pine forests of the Southwest. *Journal of Forestry* 95:23–29. Available online: <http://cpluhna.nau.edu/Research/pinerestoration.htm>.

References Cited

- Covington, W.W., and M.M. Moore. 1994. Southwestern Ponderosa Forest Structure: Changes since Euro-American settlement. *Journal of Forestry* 92(1):39–47.
- Covington, W.W., and S.S. Sackett. 1992. Soil mineral nitrogen changes following prescribed burning in ponderosa pine. *Forest Ecology and Management* 54:175–191. Available online: http://www4.nau.edu/direnet/publications/publications_c/files/Covington_WW_Sackett_SS_Soil_mineral_nitrogen_changes_following.pdf.
- Dahl, T.E. 1990. Wetland losses in the United States, 1780s to 1980s. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 21 pp. Available online: <http://www.npwrc.usgs.gov/resource/wetlands/wetloss/>.
- DeByle, Norbert V., and Robert P. Winokur, editors. 1985. Aspen: Ecology and management in the western United States. General Technical Report RM-119. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 283 pp. Available online: http://www.fs.fed.us/rm/pubs_rm/rm_gtr119.pdf.
- Di Orio, A.P., R. Callas, and R.J. Schaefer. 2005. Forty-eight year decline and fragmentation of aspen (*Populus tremuloides*) in the South Warner Mountains of California. *Forest Ecology & Management* 206: 307–313. Available online: <http://www.sciencedirect.com/science/article/pii/S037811270400814X>.
- Dwire, K.A., J.B. Kauffman, and J.E. Baham. 2006. Plant species distribution in relation to water-table depth and soil redox potential in montane riparian meadows. *Wetlands* 26(1): 131–146.
- Fairweather, M.L., B.W. Geils, and M. Manthei. 2008. Aspen decline on the Coconino National Forest. Pages 53–62 In: McWilliams, M.G., editor. Proceedings of the 55th Western International Forest Disease Work Conference, 2007 October 15–19, Sedona, AZ. Salem, OR: Oregon Department of Forestry. Available online: http://www.fs.fed.us/rm/pubs_other/rmrs_2008_fairweather_m001.pdf.
- Feth, H., and J.D. Hem. 1963. Reconnaissance of headwater springs in the Gila River drainage basin. Arizona: U.S. Geological Survey Water-Supply Paper I619-H. 54 p. 4 sheets, scales 1:500,000, and 1:63,360.
- Finch, Deborah M., Editor. 2004. Assessment of grassland ecosystem conditions in the Southwestern United States. Volume 1. Gen. Tech. Rep. RMRS-GTR-135 Vol. 1. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 167 pp. Available online: http://www.fs.fed.us/rm/pubs/rmrs_gtr135_2.pdf.
- Finch, D.M. and R.T. Reynolds. 1987. Bird response to understory variation and conifer succession in aspen forests. Pages 87–96. in Emerick, J., S.Q. Foster, L. Hayden-Wing, J. Hodgson, J.W. Monarch, A. Smith, O. Thorne, and J. Todd, editors. *Issues and technology in the management of impacted wildlife*. Thorne Ecological Institute. Boulder, CO.

- Ffolliott, Peter F., and Gerald J. Gottfried. 1991. Natural tree regeneration after clearcutting in Arizona's ponderosa pine forests: two long-term case studies. Res. Note RM-507. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 6 pp.
- Fulé, Peter Z., Daniel C. Laughlin, and W. Wallace Covington. 2005. Pine-oak forest dynamics five years after ecological restoration treatments, AZ, USA. *Forest Ecology and Management*. 218:129–145. Available online: <http://www.sciencedirect.com/science/article/pii/S0378112705004573>.
- Fulé, P.Z., W.W. Covington, and M.M. Moore. 1997. Determining reference conditions for ecosystem management of southwestern ponderosa pine forests. *Ecological Applications* 7: 895–908. Available online: <http://library.eri.nau.edu/gsd/collect/erilibra/index/assoc/hash31bc.dir/doc.pdf>.
- Gage, E., and D.J. Cooper. 2008. Historic range of variation assessment for wetland and riparian ecosystems, U.S. Forest Service Region 2. USDA Forest Service, Region 2, Golden, CO.
- Griffis-Kyle, K.L. and P. Beier. 2002. Small isolated aspen stands enrich bird communities in southwestern ponderosa pine forests. *Biological Conservation*. 110(3):375–385.
- Harper, K.T., F.J. Wagstaff, and L.M. Kunzler. 1985. Biology and management of the Gambel oak vegetative type: a literature review. USDA Forest Service General Technical Report INT-179. Intermountain Research Station. Ogden, UT, USA.
- Hendrickson, D.A., and W.L. Minckley. 1985. Ciénegas – vanishing climax communities of the American Southwest. *Desert Plants* 6:131–175. Available online: <http://www.rmrs.nau/publications/madreaan/bibfiles/Riparian.doc>.
- Jones, J.R. 1975. Regeneration on an aspen clearcut in Arizona. U.S. Forest Service Research Note RM-285, Fort Collins, CO, USA. http://www.fs.fed.us/rm/pubs_rm/rm_gtr119/rm_gtr119_197_208.pdf.
- Judd, B.I. 1972. Vegetation zones around a small pond in the White Mountains of Arizona. *Great Basin Naturalist* 32(2):91–96.
- Kaye, J.P., and S.C. Hart. 1998. Ecological Restoration alters nitrogen transformations in a ponderosa pine-bunchgrass ecosystem. Northern Arizona University. Coll. Of Ecosystem Science and Mgmt. School of Forestry. Flagstaff, AZ. 86011-5018. Available online: <http://www.scopus.com/record/display.url?eid=2-s2.0-0031106985&origin=reflist#>.
- Klemmedson, James O. 1987. Influence of oak in pine forests of central Arizona on selected nutrients of forest floor and soil. *Soil Science Society of America Journal* 51:1623–1628.
- Kruse, William H. 1992. Quantifying wildlife habitats within Gambel oak/forest/woodland vegetation associations in Arizona. Pages 182–186.
- Larson, M.M. 1959. Regenerating aspen by suckering in the Southwest. Rocky Mountain Forest and Range Experimental Station, Research Note 39, 2 pp.

References Cited

- Long, J.W. 2000. Restoration of Gooseberry Creek. Pages 356–358 In P.F. Ffolliott, M.B. Baker Jr., C.B. Edminster, B. Carleton, M.C. Dillon, and K.C. Mora (tech. eds.). Proceedings of land stewardship in the 21st Century: The contributions of watershed management. USDA Forest Service Proceedings RMRS-P-13, Rocky Mountain Research Station, Fort Collins, CO, USA. Available online:
http://www.fs.fed.us/rm/pubs/rmrs_p013/rmrs_p013_356_358.pdf.
- Long, J.W. 2002. Evaluating recovery of riparian wetlands on the White Mountain Apache Reservation. Ph.D. dissertation, Northern Arizona University, Flagstaff, AZ, USA.
- Machinski, J. 2001. Impacts of ungulate herbivores on a rare willow at the southern edge of its range. *Biological Conservation* 101:119–130.
- Martin, E.C. 1965. Growth and change in structure of an aspen stand after a harvest cutting. Res. Note RM-45. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 2 pp.
- Martin, T.E. 2007. Climate correlates of 20 years of trophic changes in a high-elevation riparian system. *Ecology* 88(2):367–380. Available online:
<http://www.umt.edu/mcwru/personnel/martin/PDF%20Martin/Martin%202007%20Ecology%20Climate%20correlates.pdf>.
- Medina, A.L., and J.E. Steed. 2002. West Fork Allotment riparian monitoring study 1993–1999. USDA Forest Service, Rocky Mountain Research Station, Final Project Report Volume I.
- Moore, Margaret M., and D.W. Huffman. 2004. Tree Encroachment on meadows of the North Rim, Grand Canyon National Park, AZ, USA. *Arctic, Antarctic, and Alpine Research* 36 (4):474–483. Available online:
<http://library.eri.nau.edu/gsd/collect/erilibra/index/assoc/HASHc37e.dir/doc.pdf>.
- Muldavin, E., P. Durkin, M. Bradley, M. Stuever, and P. Mehlhop. 2000. Handbook of wetland vegetation communities of New Mexico, Volume I: Classification and community descriptions. New Mexico Natural Heritage Program, Biology Department, University of New Mexico, Albuquerque, NM, USA. Available online:
http://nhnm.unm.edu/vlibrary/pubs_archive/nhnm/nonsensitive/U00MUL01NMUS.pdf.
- Neary, D.G., and A.L. Medina. 1996. Geomorphic response of a montane riparian habitat to interaction of ungulates, vegetation, and hydrology. Pages 143–147. In Shaw, D.W., and D.M. Finch (tech. coords.). Desired future conditions for southwestern riparian ecosystems: bringing interests and concerns together. USDA Forest Service General Technical Report RM-GTR-272. Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. Available online:
http://www.fs.fed.us/rm/pubs_rm/rm_gtr272/rm_gtr272_143_147.pdf.
- Neff, Don J., Clay Y. McCulloch, David E. Brown, Charles H. Lowe, and Janet F. Barstad. 1979. Forest, range, and watershed management for enhancement of wildlife habitat in Arizona. Special report no. 7. Phoenix, AZ: Arizona Game and Fish Department. 109 pp.
- Onkonburi, Jeanmarie. 1999. Growth response of Gambel oak to thinning and burning: implications for ecological restoration. Flagstaff, AZ: Northern Arizona University. 129 pp. Unpublished dissertation.

- Patton, D.R., and B.I. Judd. 1970. The role of wet meadows as wildlife habitat in the Southwest. *Journal of Range Management* 23(4):272–275. Available online: <http://www.environmentalevidencejournal.org/content/pdf/2047-2382-1-11.pdf>.
- Pearson, G.A. 1914. The role of aspen in the reforestation of mountain burns in Arizona and New Mexico. *Plant World* 17: 249–260.
- Pearson, G.A. 1942. Herbaceous vegetation a factor in natural regeneration of ponderosa pine in the Southwest. *Ecological Monographs* 12: 316–338.
- Quinn, R.D., and L. Wu. 2001. Quaking Aspen Reproduce from Seed After Wildfire in the Mountains of Southeastern Arizona. USDA Forest Service Proceedings RMRS-P-18. Available online: http://www.fs.fed.us/rm/pubs/rmrs_p018/rmrs_p018_369_376.pdf.
- Reynolds, Richard T., Russell T. Graham, Russell T., M. Hildegard Reiser, and others. 1992. Management recommendations for the northern goshawk in the southwestern United States. Gen. Tech. Rep. RM-217, Ft. Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 90 pp.
- Rosenstock, Steven S. 1998. Influence of Gambel oak on breeding birds in ponderosa pine forests of northern Arizona. *The Condor* 100:485–492. Available online at: <http://library.eri.nau.edu/gsd/collect/erilibra/index/assoc/HASH0133.dir/doc.pdf>.
- Sanchez-Meador, A.J., M.M. Moore, J.D. Bakker, and P.F. Parysow. 2009. 108 years of change in spatial pattern following selective harvest of a *Pinus ponderosa* stand in northern Arizona, USA. *Journal of Vegetation Science* 20:79–90. Available online: <http://faculty.washington.edu/jbakker/publications/Sanchez.Meador.et.al.2009.pdf>.
- Shepperd, W. D., and M. L. Fairweather. 1993. Impact of large ungulates in restoration of aspen communities in a southwestern ponderosa pine ecosystem. Pages 344–347 in Sustainable ecological systems: implementing an ecological approach to land management (W. W. Covington and L. F. DeBano, editors). U.S. Forest Service General Technical Report RM-247.
- Simonin, K., T.E. Kolb, M. Montes-Helu, and G.W. Koch. 2007. The Influence of Thinning on Components of Stand Water Balance in a Ponderosa Pine Forest During and After Extreme Drought. *ScientDirect. Agricultural and Meteorology*. Volume 143 (2007). 226–276. Available online: http://www4.nau.edu/direnet/publications/publications_s/files/Simonin_K_Kolb_TE_Montes_Helu_M_etal_The_influence_of_thinning.pdf.
- Tew, R.K. 1970. Seasonal variation in the nutrient content of aspen foliage. *Journal of Wildlife Management* 34(2):475–478.
- The Nature Conservancy. 2006. Biotic Communities of the Southwest GIS layer. Available online: <http://azconservation.org/downloads/category/gis/>.
- Thompson, Walter, G. 1940. A growth rate classification of southwestern ponderosa pine. *Journal of Forestry* 38: 547–552.

References Cited

- Thompson, Bruce C., Patricia L. Matusik-Rowan, and Kenneth G. Boykin. 2002. Prioritizing conservation potential of arid-land montane natural springs and associated riparian areas. *Journal of Arid Environments* 50:527–547. Available online: <http://www.sciencedirect.com/science/article/pii/S014019630190922X>.
- Tilman, D. and J.A. Downing. 1994. Biodiversity and Stability in Grasslands. *Nature* 367: 363–365. Available online: <http://www.nature.com/nature/journal/v367/n6461/pdf/367363a0.pdf>.
- USDA Forest Service. 1987. Coconino National Forest Land and Resource Management Plan and amendments. USDA Forest Service, Southwestern Region. 270 pp. Available online: <http://www.redrockcountry.org/about-us/fpr/current-forest-plan-w-amends.pdf>.
- _____. 1997. Plant associations of Arizona and New Mexico Volume 1: Forests. Edition 3 USDA Forest Service, SW Region Habitat Typing Guides. 291 pp.
- _____. 2014. Land and Resource Management Plan for the Kaibab National Forest. USDA Forest Service, Southwestern Region. 208 pp. Available online: <http://prdp2fs.ess.usda.gov/detail/kaibab/landmanagement/planning/?cid=stelprdb5106605>.
- USDI Fish and Wildlife Service. 1995. Recovery Plan for the Mexican spotted owl: Vol. I. Albuquerque, NM. 172 pp. Available online: <http://www.fws.gov/southwest/es/arizona/Documents/RecoveryPlans/MexicanSpottedOwl.pdf>.
- _____. 2012a. Recovery Plan for the Mexican Spotted owl (*Strix occidentalis lucida*), First Revision. USFWS, Albuquerque, New Mexico, USA. 414 pp. Available online: <http://www.fws.gov/southwest/es/arizona/Documents/RecoveryPlans/MexicanSpottedOwl.pdf>.
- Wagstaff, E.J. 1984. Economic considerations in use and management of Gambel oak for firewood. U.S. Forest Service, Intermountain Range Experiment Station, GTR INT-165, Ogden, UT, USA.
- Waltz, A.E.M., and W.W. Covington. 2004. Ecological restoration treatments increase butterfly richness and abundance: mechanisms of response. *Restoration Ecology* 12:85–96. Available online: <http://library.eri.nau.edu/gsd/collect/erilibra/index/assoc/HASHf395.dir/doc.pdf>.
- White, A.S. 1985. Pre-settlement regeneration patterns in a southwestern ponderosa pine stand. *Ecology* 66:589–594.

Appendix E – Monitoring and Adaptive Management

- Arizona Forest Resources Task Group. 2010. Arizona forest resource assessment: A collaborative analysis of forest-related conditions, trends, threats, and opportunities. Retrieved on October 25, 2011 from: <http://www.azsf.az.gov/userfiles/file/Arizona%20Forest%20Resource%20Assessment%20-%20June%202018%202010%20-%20Submittal%20Draft.pdf>; last accessed August 3, 2010.

- Aronson, J., J.N. Blignaut, S.J. Milton, D. LeMaitre, K.J. Esler, and A. Limouzin. 2010. Are socioeconomic benefits of restoration adequately quantified? A meta-analysis of recent papers (2000–2008). *Restoration Ecology* 18:143–154.
- Babbie, E. 2010. *The Practice of Social Research*. 12ed. Belmont, CA: Wadsworth/Thomson Learning.
- Bagne, K.E., K.L. Purcell, and J.T. Rotenberry. 2008. Prescribed fire, snag population dynamics, and avian nest site selection. *Forest Ecology and Management*. 225:99–105.
- Baker, M.B. and P.F. Ffolliott. 2003. Role of snow hydrology in watershed management. *Journal of the Arizona-Nevada Academy of Science* 35(1):42–47.
- Baker, M.B., Jr. 2003. Hydrology. Chapter 10 in *Ecological Restoration of Southwestern Ponderosa Pine Forests*. Peter Friederici, ed. Washington, D.C.:Island Press. 161–174.
- Bennets, R.E., G.C. White, F.G. Hawksworth, and S.E. Severs. 1996. The influence of Dwarf Mistletoe on bird communities in Colorado ponderosa pine forests. *Ecological Applications* 6(3):899–909.
- Binkley, D., T. Sisk, C. Chambers, J. Springer, and W. Block. 2007. The role of old-growth forests in frequent-fire landscapes. *Ecology and Society* 12(2):18.
- Block, W.A., A.B. Franklin, J.P. Ward, J.L. Ganey, and G.C. White. 2001. Design and implementation of monitoring studies to evaluate the success of ecological restoration on wildlife. *Restoration Ecology* 9:293–303.
- Block, W.M., A.B. Franklin, J.P.J. Ward, J.L. Ganey, and G.C. White. 2001. Design and Implementation of Monitoring Studies to Evaluate the Success of Ecological Restoration on Wildlife. *Restoration Ecology* 9:293–303.
- Block, W.M., J.L. Ganey, P.E. Scott, and R. King. 2005. Prey ecology of Mexican spotted owls in pine-oak forests of northern Arizona. *Journal of Wildlife Management* 69: 618–629.
- Bormann, B.T., R.W. Haynes, and J.R. Martin. 2007. Adaptive Management of Forest Ecosystems: Did Some Rubber Hit the Road? *BioScience* 57:186–185.
- Brandt C.A., and W.H. Rickard. 1994. Alien taxa in the North American shrub-steppe four decades after cessation of livestock grazing and cultivation agriculture. *Biological Conservation* 68:95–105.
- Brooks M.L. C.M., D'Antonio, D.M. Richardson, J.B. Grace, J.E. Keeley, J.M. DiTomaso, R. J. Hobbs, M. Pellant, and D. Pyke. 2004. Effects of invasive alien plants on fire regimes. *BioScience* 54:677–688
- Brown, G., and T. Squirrell. 2010. Organizational Learning and the Fate of Adaptive Management in the US Forest Service. *Journal of Forestry*. 108(8):379–388.
- Buckley, B., C. Cloyd, D. Mummey, E. Obermeyer, J. Sleeper, and P. Thomas. 2001. Five Rivers landscape management project, Waldport Ranger District, Siuslaw National Forest: Final Environmental Impact Statement. Siuslaw National Forest, Corvallis, OR.

References Cited

- Bunnell, F.L., and I. Houde. 2010. Down wood and biodiversity – implications to forest practices. *Environmental Reviews* 18(1):397–421.
- Busch, David, E., and Joel C. Trexler. 2003. Monitoring ecosystems: interdisciplinary approaches for evaluating ecoregional initiatives. Island Press:Washington, D.C. ISBN: 1559638516. 384 pp. Available online: <http://www.sciencedirect.com/science/article/pii/S0921800903003082>.
- CERP. 2009. CERP monitoring and assessment plan. Comprehensive Everglades Restoration Plan, Jacksonville, FL.
- Cheng, T. Personal Communication. 2011. Director and Professor, Colorado Forest Restoration Institute, Colorado State University. Fort Collins, CO.
- City of Flagstaff. 2010. Wildland Financial Services. Long-term Financial Plan and Rate and Fee Study. Temecula, CA. Retrieved on October 25, 2011, from: <http://www.flagstaff.az.gov/DocumentView.aspx?DID=11196>
- Cortner, H.J., G.M.R. Teich, and J. Vaughn. 2003. Analyzing USDA Forest Service Appeals: Phase I, the Database. Flagstaff, AZ: Ecological Restoration Institute.
- Crane, M.F. 1990. *Actaea rubra*. In: *Fire Effects Information System*. Department of Agriculture, Forest Service. Rocky Mountain Research Station.
- Crawford, J.A., C.-H.A. Wahren, S. Kyle, and W.H. Moir. 2001. Responses of Exotic Plant Species to Fires in Pinus ponderosa Forests in Northern Arizona. *Journal of Vegetation Science*. 12: 261–268.
- Crisp, D.L. 2004. Survival and recruitment of bull thistle (*Cirsium vulgare (savi) Tenore*) after pile burning and litter removal. Northern Arizona University. Flagstaff, AZ.
- Cushman, S.A. and E.L. Landguth. 2010. Spurious correlations and inference in landscape genetics. *Molecular Ecology* 19(17):3592–3602.
- Cushman, S.A., K. McGarigal, and M.C. Neel. 2008. Parsimony in landscape metrics: strength, universality, and consistency. *Ecological Indicators* 8(5), 691–703.
- D’Antonio, C.M., and P.M. Vitousek. 1992. Biological invasions by exotic grasses, the grass/fire cycle, and global change. *Annual Review of Ecology and Systematics* 23:63–87.
- DeLuca, T.H. and V. Archer. 2009. Forest soil quality standards should be quantifiable. *Journal of Soil and Water Conservation* 64:118A–23A
- Derr, T., A. Moote, M. Savage, M. Schumann, J. Abrams, L. McCarthy, and K. Lowe. 2005. Handbook Four: Monitoring Ecological Effects. 2d ed. Flagstaff, Arizona: Ecological Restoration Institute.
- Dickson, B.G., E. Fleishman, D.S. Dobkin, and S.R. Hurteau. 2009. Relationship Between Avifaunal Occupancy and Riparian Vegetation in the Central Great Basin (Nevada, USA). *Restoration Ecology* 17:722–730.
- Egan, A. September 2011. Personal Communication. Director and Professor, New Mexico Forest and Watershed Restoration Institute. Las Vegas, New Mexico.

- Egan, A. and V. Estrada-Bustillo. 2011. Socio-Economic Indicators for Forest Restoration Projects. Las Vegas, New Mexico: New Mexico Forest and Watershed Restoration Institute. Las Vegas, New Mexico.
- Environmental Protection Agency. 2002. Community Culture and the Environment: A Guide to Understanding a Sense of Place. U.S. EPA (EPA 842_B-001-003). Office of Water, Washington, DC.
- Flather, C.H., G.D. Hayward, S.R. Beissinger, and P.A. Stephens. 2011. Minimum viable populations: Is there a 'magic number' for conservation practitioners? *Trends in Ecology and Evolution* 26:307–316.
- Fleishman, R. October 2011. Personal Communication. USFS Assistant Team Leader. Four Forest Restoration Initiative. Region 3.
- Four Forest Restoration Initiative (4FRI) Stakeholder Group. 2010a. The Path Forward. Retrieved on January 13, 2012, from: http://www.4fri.org/pdfs/path_forward_032410.pdf.
- Four Forest Restoration Initiative (4FRI) Stakeholder Group. 2010b. Landscape Restoration Strategy for the First Analysis Area. Retrieved on January 13, 2012, from: http://www.4fri.org/pdfs/documents/collaboration/landscape_strategy_report_first_analysis_area_111210.pdf.
- Four Forest Restoration Initiative (4FRI) Stakeholder Group. 2010c. Economics and Utilization Analysis. Retrieved on January 13, 2012, from: http://www.4fri.org/pdfs/documents/CFLRP/econ_and_utilization_final_draft.pdf
- Fowler, F.J. 2002. Survey Research Methods. 3rd Edition. Newbury Park, CA: Sage Publications. Document on file at the Coconino National Forest Supervisor's Office.
- Fulé, P.Z. 2003. Monitoring. In: Pages 402–416. Peter Friederici, ed. *Ecological Restoration of Southwestern Ponderosa Pine Forests*. Washington, DC: Island Press.
- Fulé, P.Z. 2008. Does it make sense to restore wildland fire in changing climate? *Restoration Ecology* 16:526–531.
- Fulé, P.Z., C. McHugh, T.A. Heinlein, and W.W. Covington. 2001. Potential fire behavior is reduced following forest restoration treatments. In: Vance, R.K., C.B. Edminster, W.W. Covington, and J.A. Blake (comps). *Ponderosa pine ecosystems restoration and conservation: steps towards stewardship*. USDA Forest Service Proceedings, RMRS-22 28035. Rocky Mountain Research Station, Odgen, UT.
- Fulé, P.Z., J.P. Roccaforte, and W.W. Covington. 2007. Post-treatment tree mortality after forest ecological restoration, Arizona, United States. *Environmental Management* 40:623–634.
- Gori, D. and H. Schussman. 2005. State of the Las Cienegas National Conservation Area. Part I: condition and trend of the desert grassland and watershed. The Nature Conservancy of Arizona. Forest Plan. USDA Forest Service, Pacific Northwest Research Station, Portland, OR.

References Cited

- Gottfried G.J., D.G. Neary, M.B. Baker, Jr., and P.F. Ffolliott. 2003. Impacts of wildfires on hydrologic processes in forest ecosystems: two case studies. In Proceedings, *First Interagency Conference on Research in the Watersheds*, 27–30 October 2003, Benson, AZ. (Eds, K.G. Renard, S.A. McElroy, W.J. Gburek, H.E. Canfield, and R.L. Scott) USDA Agricultural Research Service, 668–673.
- Greater Flagstaff Forest Partnership. 2005. Draft adaptive management framework. Greater Flagstaff Forests Partnership, Flagstaff, AZ.
- Hawksworth, F.G. 1977. The 6-class dwarf mistletoe rating system. USDA Forest Service General Technical Report, Rocky Mountain Forest and Range Experiment Station, RM-48.
- Hessburg P.F., N.A. Povak, and R.B. Salter. 2010. Thinning and prescribed fire effects on snag abundance and spatial pattern in an eastern cascade range dry forest, Washington, USA. *Forest Science* 56:74–87.
- Holling, C.S. 1973. Resilience and stability of ecological systems. *Annual review of ecology and systematics* 4:1-23.
- Jaworski, D. December 2011. Personal Communication. USFS Social Scientist. USDA Forest TEAMS Enterprise Unit. Tucson, AZ.
- Jentsch, S., R.W. Mannan, B.G. Dickson, and W.M. Block. 2008. Associations Among Breeding Birds and Gambel Oak in Southwestern Ponderosa Pine Forests. *Journal of Wildlife Management* 72: 994–1000
- Kalies, E.L., C.L. Chambers, and W.W. Covington. 2010. Wildlife responses to thinning and burning treatments in southwestern conifer forests: a meta-analysis. *Forest Ecology and Management* 259:333–342.
- Keeley, J.E. and T.W. McGinnis. 2007. Impact of prescribed fire and other factors on cheatgrass persistence in a Sierra Nevada ponderosa pine forest. *International Journal of Wildland Fire* 16:96–106.
- Kolb, T.E., J.K. Agee, P.Z. Fulé, N.G. McDowell, K. Pearson, A. Sala, and R.H. Waring. 2007. Perpetuating old ponderosa pine. *Forest Ecology and Management* 249:141–157.
- Korb, J.E., N.C. Johnson, and W.W. Covington. 2004. Slash pile burning effects on soil biotic and chemical properties and plant establishment: Recommendations for amelioration. *Restoration Ecology* 12(1):52–62.
- Kotliar, N.B., S. Hejl, R.L. Hutto, V.A. Saab, C.P. Melcher, and M.E. McFadzen. 2002. Effects of fire and post-fire salvage logging on avian communities in conifer-dominated forests of the western United States. *Studies in Avian Biology* 25:49–64.
- Kruse, William H. 1992. Quantifying wildlife habitats within Gambel oak/forest/woodland vegetation associations in Arizona. Pages 182–186 In: Ffolliott, Peter F.; Gerald J. Gottfried; Duane A. Bennett; C. Victor Manuel Hernandez; Alfredo Ortega-Rubio; and R.H. Hamre, tech. coords. *Ecology and management of oaks and associated woodlands: perspectives in the southwestern United States and northern Mexico*; 1992 April 27–30; Sierra Vista, AZ. Gen. Tech. Rep. RM-218. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station

- Lata, M. October 2011. Personal Communication. USFS Fire Ecologist. Four Forest Restoration Initiative. Region 3.
- Laughlin, D.C. and J.B. Grace. 2006. A multivariate model of plant species richness in forested systems: old-growth montane forests with a long history of fire. *Oikos* 114:60–70
- Laughlin, D.C., J.D. Bakker, and P.Z. Fule. 2005. Understory plant community structure in lower montane and subalpine forests, Grand Canyon National Park, USA. *Journal of Biogeography* 32:2083–2102.
- Laughlin, D.C., M.M. Moore, J.D. Bakker, C.A. Casey, J.D. Springer, P.Z. Fule, and W.W. Covington. 2006. Assessing targets for restoration of herbaceous vegetation in ponderosa pine forests. *Restoration Ecology* 14:548–560.
- Lindenmayer, D.B. and G.E. Likens. 2009. Adaptive monitoring: a new paradigm for long-term research and monitoring. *Trends in Ecology & Evolution* 24:482–486.
- Lindenmayer, D.B. and G.E. Likens. 2010. The science and application of ecological monitoring. *Biological Conservation* 143:1317–1328.
- Lindenmayer, D.B., C.R. Margules, and D.B. Botkin. 2000. Indicators of biodiversity for ecologically sustainable forest management. *Conservation Biology* 14:941–950.
- Lindenmayer, D.B., J.F. Franklin, and J. Fischer. 2006. General management principles and a checklist of strategies to guide forest biodiversity conservation. *Biological conservation* 131(3):433–445.
- Lindenmayer, Gene E., and David B. Likens. 2010. A strategic plan for an Australian Long-Term Environmental Monitoring Network. *Austral Ecology* (2011) 36:1–8. Available online: <http://onlinelibrary.wiley.com/doi/10.1111/j.1442-9993.2010.02179.x/pdf>.
- Lint, J., B.R. Noon, R. Anthony, E. Forsman, M.G. Raphael, M. Collopy, and E. Starkey. 1999. Northern spotted owl effectiveness monitoring plan for the Northwest Forest Plan. USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- Machmer, M. and C. Steeger. 2002. Effectiveness monitoring guidelines for ecosystem restoration. Habitat Branch, Ministry of Water, Land and Air Protection, Victoria, B.C.
- MacKenzie, D.I., and J.A. Royle. 2005. Designing occupancy studies: general advice and allocating survey effort. *Journal of Applied Ecology* 42:1105–1114.
- MacKenzie, D.I., J.D. Nichols, J.A. Royle, K.H. Pollock, L.L. Bailey, and J.E. Hines. 2006. Occupancy estimation and modeling: inferring patterns and dynamics of species occurrence. Elsevier, Amsterdam. Document on file at the Coconino National Forest Supervisor's Office.
- MacKenzie, D.I., J.D. Nichols, J.E. Hines, M.G. Knutson, and A.B. Franklin. 2003. Estimating site occupancy, colonization, and local extinction when a species is detected imperfectly. *Ecology* 84(8):2200–2207.
- Madsen, B., N. Carroll, and K.M. Brands. 2010. State of Biodiversity Markets: Offset and Compensation Programs Worldwide. Retrieved on November 3, 2011, from: <http://www.ecosystemmarketplace.com/documents/acrobat/sbdmr.pdf>

References Cited

- Madsen, S., D. Evans, T. Hamer, P. Henson, S. Miller, S. K. Nelson, D. Roby, and M. Stapanian. 1999. Marbled murrelet effectiveness monitoring plan for the Northwest Forest Plan. U.S. Department of Agriculture, Forest Service Pacific Northwest Research Station, Portland, Oregon, General Technical Report PNW-GTR-439.
- Magurran, A.E. 2004. *Measuring biological diversity*. Oxford:Blackwell Science Ltd.
- Mast, J.N., P.Z. Fule, M.M. Moore, W.W. Covington, and A.E.M. Waltz. 1999. Restoration of presettlement age structure of an Arizona ponderosa pine forest. *Ecological Applications* 9:228–39.
- Mattsson, B.J. and M.R. Marshall. 2009. Occupancy modeling as a framework for designing avian monitoring programs: a case study along Appalachian streams in southern West Virginia. Proceedings of the Fourth International Partners in Flight Conference (eds: T.D. Rich, C.D. Thompson, D. Demarest and C. Arizmendi), McAllen, TX. 617–632.
- McCarthy, F.J. and J.P. Dobrowolski. 1999. Ground water source areas and flow paths to springs rejuvenated by juniper removal at Johnson Pass, Utah. Olsen, D. and J.P. Potyondy (eds.), AWRA Symposium Proceedings. *Wildland Hydrology* 437–443.
- McClure Consulting. 2009. White Mountain Stewardship Project Economic Assessment.
- McGarigal, K., and S.A. Cushman. 2002. The Gradient Concept of Landscape Structure: Or, Why Are There So Many Patches. Available at the following website:
<http://www.umass.edu/landeco/pubs/mcgarigal.cushman.2005.pdf>
- McGarigal K, S.A. Cushman, M.C. Neel, and E. Ene. 2002. FRAGSTATS: spatial pattern analysis program for categorical maps. Computer software program produced at the University of Massachusetts, Amherst.
<http://www.umass.edu/landeco/research/fragstats/fragstats.html>.
- McGarigal, K., and B.J. Marks. 1995. Spatial pattern analysis program for quantifying landscape structure. Gen. Tech. Rep. PNW-GTR-351. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- McGlone, C., C. Sieg, and T. Kolb. 2011. Invasion resistance and persistence: established plants win, even with disturbance and high propagule pressure. *Biol Invasions* 13:291–304.
- McGlone, C., J. Springer, and D. Laughlin. 2009b. Can pine forest restoration promote a diverse and abundant understory and simultaneously resist nonnative invasion? *Forest Ecology and Management*, 258:2638–2646.
- McGlone, C., J. Springer, and W. Covington. 2009a. Cheatgrass encroachment on a ponderosa pine ecological restoration project in northern Arizona. *Ecological Restoration* 27:37–46.
- McHugh, C.W., T.E. Kolb, and J.L. Wilson. 2003. Bark Beetle attacks on ponderosa pine following fire in northern Arizona. *Environmental Entomology*. 32:510–522.
- Moody J.A., and D.A. Martin. 2009. Synthesis of sediment yields after wildland fire in different rainfall regimes in the western United States. *International Journal of Wildland Fire* 18:96–115.

- Moore, M.M., C.A. Casey, J.D. Bakker, et al. 2006. Herbaceous vegetation responses (1992–2004) to restoration treatments in a ponderosa pine forest. *Rangeland Ecol. Manage* 59:135–144.
- Moote, A. 2011. *Multiparty Monitoring and Stewardship Contracting: A Tool for Adaptive Management V2*. Portland OR. Sustainable Northwest.
- Moote, A. 2013. *Closing the Feedback Loop : Evaluation and Adaption in Collaborative Resource Management*. Ecological Restoration Institute, Sustainable Northwest, National Forest Foundation, Watershed Center, Forest Guild, United States Forest Service.
- Morrison Institute for Public Policy. Arizona Indicators. Retrieved on December 30, 2011, from: <http://arizonaindicators.org/economy/taxable-retail-sales>
- Mosley, C., and E.J. Davis, 2010. *Stewardship Contracting for Large-Scale Projects*. Ecosystem Workforce Program Working Paper Number 25. University of Oregon. Eugene, OR.
- Mottek Consulting. 2010. *The Greater Flagstaff Forests Partnership Prescribed/Wildfire Fire Smoke and Health Study Phase I – Methodological Design*. Unpublished.
- Mulder, B.S., B.R. Noon, T.A. Spies, M.G. Raphael, C.J. Palmer, A.R. Olsen, G.H. Reeves, and H.H. Welsh, editors. 1999. *The strategy and design of the effectiveness monitoring program for the Northwest Forest Plan*. USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- Muñoz-Erickson, T.A., B. Aguilar-González, and T.D. Sisk. 2007. Linking ecosystem health indicators and collaborative management: a systematic framework to evaluate ecological and social outcomes. *Ecology and Society* 12(2):6. <http://www.ecologyandsociety.org/vol12/iss2/art6/>
- Murray, C. and D. Marmorek. 2003. *Adaptive Management and Ecological Restoration*. Chapter 24, in: Freiderici, P. (ed.). 2003. *Ecological Restoration of Southwestern Ponderosa Pine*. Island Press:Washington.
- Negron, J.F., J.L. Wilson, and J.A. Anhold. 2000. Stand conditions associated with roundheaded pine beetle (*Coleoptera: Scolytidae*) infestations in Arizona and Utah. *Environ. Entomol.* 29:20–27
- Nielsen, E. 2011. Personal Communication. Assistant Professor, School of Earth Sciences and Environmental Sustainability, Northern Arizona University. Flagstaff, Arizona.
- Noon, B.R. 2003. Conceptual issues in monitoring ecological resources. Pages 27–71 in D. E. Busch and J. C. Trexler, editors. *Monitoring ecosystems: Interdisciplinary approaches for evaluating ecoregional initiatives*. Island Press:Washington.
- Noon, B.R., T.A. Spies, and M.G. Raphael. 1999. Conceptual basis for designing an effectiveness monitoring program. Pages 21–48 in B.S. Mulder, B.R. Noon, T.A. Spies, M.G. Raphael, C.J. Palmer, A.R. Olsen, G.H. Reeves, and H.H. Welsh, editors. *Effectiveness monitoring program for the Northwest Forest Plan*. USDA Forest Service, Pacific Northwest Research Station, Portland, OR.

References Cited

- Northern Arizona University. 2014. Applying for institutional review board approval. Northern Arizona University: Research Compliance. Retrieved September 17, 2014, from: <http://nau.edu/Research/Compliance/Human-Subjects/IRB-Approval/>
- NVivo. 2012. QSR International. Software for Qualitative Research – From Content Analysis and Evaluation to Market Research. Retrieved on April 3, 2012, from: http://www.qsrinternational.com/products_nvivo.aspx
- Omnibus Public Land Management Act of 2009. Public Law 111-11. Title IV. Section 4401 to 4404. Available online: <http://www.gpo.gov/fdsys/pkg/BILLS-111hr146enr/pdf/BILLS-111hr146enr.pdf>.
- Orsi, F., D. Geneletti, and A.C. Newton. Towards a common set of criteria and indicators to identify forest restoration priorities: An expert panel-based approach. *Ecological Indicators*. In Press, Corrected Proof.
- Overby, Steven. 2012. Personal Communication. Soil Scientist, USDA Forest Service
- Owen, S.M., C.H. Sieg, C.A. Gehring and M.A. Bowker. 2009. Above- and below-ground responses to tree thinning depend on the treatment of tree debris. *Forest Ecology and Management* 259:71–80.
- Page-Dumroese, D.S., A.M. Abbott, and T.M. Rice. 2009a. Forest soil disturbance monitoring protocol. Volume 1: Rapid Assessment. Gen. Tech. Rep. WO-82a. U.S. Department of Agriculture, Forest Service.
- Page-Dumroese, D.S., A.M. Abbott, and T.M. Rice. 2009b. Forest soil disturbance monitoring protocol. Volume II: Supplementary methods, statistics, and data collection. U.S. Department of Agriculture, Forest Service.
- Palmer, C.J., and B.S. Mulder. 1999. Components of the Effectiveness Monitoring Program. Chapter 4 (p. 69–97) In: B.S. Mulder, B.R. Noon, T.A. Spies, M.G. Raphael, C.J. Palmer, A.R. Olsen, G.H. Reeves, and H.H. Welsh, editors. *The Strategy and Design of the Effectiveness Monitoring Program for the Northwest Forest Plan*, USDA Forest Service Pacific Northwest Research Station General Technical Report, PNW-GTR-437. Available online: http://www.fs.fed.us/pnw/pubs/pnw_gtr437.pdf.
- Paul, E.A., and F.E. Clark. 1996. *Soil Microbiology and Biochemistry*, 2nd Edition. Academic Press, New York.
- Pyke, D.A., M.L. Brooks, and C. D’Antonio. 2010. Fire as a Restoration Tool. A decision framework for predicting the control of enhancement of plants using fire. *Restoration Ecology* 18(3):274–284.
- Ringold, P.L., B.S. Mulder, J. Alegria, R.L. Czaplewski, T. Tolle, and K. Burnett. 1999. Establishing a regional monitoring strategy: The Northwest Forest Plan. *Environmental Management* 23:179–192.
- Robbins, A.S.T. and J.M. Daniels. 2011. Restoration and Economics: A Union Waiting to Happen? *Restoration Ecology* 20(1):10-17.

- Roccaforte, J.P., P.Z. Fulé, and W.W. Covington. 2009. Assessing changes in canopy fuels and potential fire behavior following ponderosa pine restoration. *Fire Management Today* 69(2):47–50.
- Roccaforte, J.P., P.Z. Fule, and W.W. Covington. 2010. Monitoring Landscape-Scale Ponderosa Pine Restoration Treatment Implementation and Effectiveness. *Restoration Ecology*, 18(6):820–833.
- Royse, D., B.A. Thyer, D.K. Padgett, and T.K. Logan. 2010. Program Evaluation. 3d ed. Belmont, WA: Wadsworth/Thompson Learning. Document on file at the Coconino National Forest Supervisor's Office.
- Rural Voice for Conservation Coalition's (RVCC) Issue Paper. 2011. Monitoring: An Essential Tool for Achieving Environmental, Social, and Economic Goal. Retrieved on August 26, 2011, from: http://www.sustainablenorthwest.org/resources/rvcc-issuepapers/2011%20Monitoring%20Issue%20Paper_4c_web.pdf
- Sabo, J.L., J.C. Finlay, and D.M. Post. 2009. Food chains in freshwaters. *Annals of the New York Academy of Sciences* 1162(1):187–220.
- Sánchez Meador, A.J., P.F. Parysow, and M.M. Moore. 2011. A new method for delineating tree patches and assessing spatial reference conditions of ponderosa pine forests in northern Arizona. *Restoration Ecology* 19:490–499.
- Sánchez-Martínez, G., and M.R. Wagner. 2002. Bark beetle community structure under four ponderosa pine forest stand conditions in northern Arizona. *Forest Ecology and Management* 170(1):145–160.
- Santa Fe Watershed Association. 2009. Santa Fe Municipal Watershed Plan 2010–2029. Santa Fe, NM. USDA Forest Service Collaborative Forest Restoration Program.
- Seager, R., M. Ting, I. Held, Y. Kushnir, J. Lu, G. Vecchi, H. Huang, N. Harnik, A. Leetmaa, N. Lau, C. Li, J. Velez, and N. Naik. 2007. Model Projections of an Imminent Transition to a More Arid Climate in Southwestern North America, pp. 1–4. Accessed April 5, 2007, from <http://www.scienceexpress.org>.
- Seidenberg, J., J. Springer, T. Nicolet, M. Battaglia, and C. Votja. 2009. Southwest Ecological Restoration Institutes biophysical monitoring workshop report. Northern Arizona University, Ecological Restoration Institute, Flagstaff, AZ.
- Silberman, J. 2002. The Economic Importance of Fishing and Hunting. Arizona State University, School of Management. Retrieved on October 24, 2011, from: http://www.azgfd.gov/pdfs/w_c/FISHING_HUNTING%20Report.pdf
- Sitko, S. and S. Hurteau. 2010. *Evaluating the impacts of forest treatments: The first five years of the White Mountain Stewardship Project*. The Nature Conservancy, Phoenix, AZ.
- Sommers, P. 2001. Monitoring socioeconomic trends in the Northern Spotted Owl region: Framework, trends update, and community level monitoring recommendations. USDO I USGS Forest and Rangeland Ecosystem Science Center - Cascadia Field Station, Seattle, WA.

References Cited

- Stynes, D.J. 1992. Economic Impacts of Tourism. Retrieved on November 5, 2011, from: <http://www.google.com/search?client=safari&rls=en&q=stynes+economic+impact+of+tourism&ie=UTF-8&oe=UTF-8>
- Traill, L.W., C.J.A. Bradshaw, and B.W. Brook. 2007. Minimum viable population size: a meta-analysis of 30 years of published estimates. *Biological Conservation* 139:159–166.
- U.S. Congress. 2009. Omnibus Public Land Management Act of 2009. Public Law 111-11, section 4001.
- U.S. Department of Agriculture. 2012. Groundwater-Dependent Ecosystems: Level II Inventory Field Guide. General Technical Report WO-86b.
- U.S. Department of Agriculture, Forest Service. 2011. National Visitor Use Monitoring Program. Retrieved on October 24, 2011, from: <http://apps.fs.usda.gov/nrm/nvum/results/Forest.aspx/Home?Forest=A03004&Round=2>.
- _____. 2013. Collaborative Forest Landscape Restoration Program. Overview. 1 page. Available online: <http://www.fs.fed.us/restoration/CFLRP/index.shtml/> (accessed on January 13, 2013).
- U.S. Department of the Interior, Fish and Wildlife Service, and U.S. Department of Commerce, U.S. Census Bureau. 2006. National Survey of Fishing, Hunting, and Wildlife-Associated Recreation. Retrieved on October 24, 2011, from: http://www.azgfd.gov/w_c/documents/fhw06-az.pdf
- U.S. Department of the Interior, Fish and Wildlife Service. 2012. Final Recovery Plan for the Mexican Spotted Owl (*Strix occidentalis lucida*), First Revision. U.S. Fish and Wildlife Service. Albuquerque, NM, USA. 413 pp.
- University of Oregon. 2011. Institute for a Sustainable Environment. Ecosystem Workforce Program. Quick Guide to Monitoring Economic Impacts of Ecosystem Restoration and Stewardship. Eugene, OR.
- W.K. Kellogg Foundation's Web-based Evaluation Handbook. 2004. W.K. Kellogg Foundation. Retrieved April 3, 2012, from: <http://www.wkkf.org/knowledge-center/resources/2006/02/WK-Kellogg-Foundation-Logic-Model-Development-Guide.aspx>
- Walther, B.A., and J.L. Moore. 2005. The concepts of bias, precision and accuracy, and their use in testing the performance of species richness estimators, with a literature review of estimator performance. *Ecography* 28(6):815–829.
- Western Forestry Leadership Coalition. 2010. Lead Author: Dale, Lisa. The True Cost of Wildfire in the Western U. S. Lakewood, CO.
- Wiens, J.A. 1989. Spatial scaling in ecology. *Functional ecology* 3(4):385–397.
- Williams, B.K. 2009. Markov decision processes in natural resources management: Observability and uncertainty. *Ecological Modelling* 220(6):830–840.

- Williams, B.K., R.C. Szaro, and C.D. Shapiro. 2009. Adaptive Management: The U.S. Department of the Interior technical guide. Adaptive Management Working Group, U.S. Department of the Interior, Washington, D.C.
- Wilson, J.L., and B.M. Tkacz. 1996. Historical perspectives on forest insects and pathogens in the Southwest: implications for restoration of ponderosa pine and mixed conifer forests. In Proceedings of conference on adaptive ecosystem restoration and management: Restoration of cordilleran conifer landscapes of North America (pp. 26–31).
- Woodbridge, B., and C. Hargis. 2006. Northern Goshawk Inventory and Monitoring Technical Guide. Gen. Tech. Rep. WO-71. U.S. Department of Agriculture, Forest Service.
- Zou, C.B., D.D. Breshears, B.D. Newman, B.P. Wilcox, M.O. Gard, and P.M. Rich. 2008. Soil water dynamics under low-versus high-ponderosa pine tree density: Ecohydrological functioning and restoration implications. *Ecohydrology* 1:309–315 (<http://www.interscience.wiley.com>) DOI: 10.1002/eco.17.

Appendix F – Cumulative Effects

- Adams, Judy. 2011. Personal communication with Paula Cote. WAPA Proposal for treating 1,400-foot KV Corridor within the 4FRI Project Area. October 20, 2011.
- Arizona State Forestry. 2012. Personal communication with Aaron Greene, Assistant Fire Management Officer. State and Private Lands Fuels and Vegetation Data for 2011. January 9, 2012.
- Brewer, D.G. 2011. Parker 3 Step analysis for 4FRI project area. Manuscript on file at the Coconino NF 4FRI Project Record.
- Centennial West Clean Line, LLC. 2011. Project Introduction Sheet: Proposed Centennial West Clean Line Transmission Project. October 26, 2011. 7 pp.
- Covington, Wallace. 2003. The Evolutionary and Historical Context for Restoration. In: Friederici, P. *Ecological Restoration of Southwestern Ponderosa Pine Forests*. Arizona: Arizona Board of Regents. Page 40.
- Drake, W.M. 1910. A report on the Coconino National Forest. Unpublished report, Coconino National Forest, Flagstaff, AZ.
- Fairweather, M.L., K. Barton, B. Geils, and M. Manthei. 2008. Aspen Decline on the Coconino National Forest. In: McWilliams, M.G. comp. *Proceedings of the 55th Western International Forest Disease Work Conference*; October 15–19, 2007; Sedona, AZ. Salem, OR; Oregon Department of Forestry.
- Flagstaff Fire Department. 2012. Foreseeable Fuels Reduction Treatments. Personal Communication with Paula Cote, 4FRI. February 24, 2012.
- Fleishman, Richard. 2012. Coconino Timber Sales First EIS Area Late 1960s to Early 1980s. Mormon Lake District, Coconino NF Timber Atlas.
- Fleishman, Richard. 2011. Final Revised Shelfstock Acres. April 24, 2011. 1 page.

References Cited

- Fleishman, Richard. 2014. Transportation Specialist's Report, Four-Forest Restoration Initiative, Coconino and Kaibab National Forest. 31 pp.
- Friederici, P. 2004. Establishing reference condition for southwestern ponderosa pine forest. Working papers in southwestern ponderosa pine forest restoration. Ecological Restoration Institute. Flagstaff, AZ. 16 pp.
- Gonzalez, Richard. 2014. Personal communication with Paula Cote. Insect and Disease Updates for cumulative effect. March 17, 2014.
- Greater Flagstaff Forest Partnership. 2010. Annual Report. Available online: http://www.gffp.org/docs/GFFP_2010_Annual_Report.pdf. 2 pp.
- Greater Flagstaff Forest Partnership. 2011. Annual Report. Available online: http://www.gffp.org/docs/GFFP_20101_Annual_Report.pdf.
- Gitlin, A.R., C.M. Stultz, M.A. Bowker, S. Stumpf, K.L. Paxton, K. Kennedy, A. Muñoz, J.K. Bailey, and T.G. Whitham. 2006. Mortality gradients within and among dominant plant populations as barometers of ecosystem change during extreme drought. *Conservation Biology* 20:1477–1486.
- Hannemann, Mike. 2014. Range Specialist Report, Coconino and Kaibab Four-Forest Restoration Initiative (4FRI), FEIS. Manuscript on file at Coconino NF, 4FRI project record. 43 pp.
- Hessburg, P.F., and J.S. Beatty. 1985. Incidence, severity, and growth losses associated with ponderosa pine dwarf mistletoe on the Coconino National Forest, Arizona. USDA Forest Service, Southwestern Region, R3-85-12, 30 pp.
- Holmes, John. 2011. Personal communication with Paula Cote. South Kaibab Sale History. August 18, 2011.
- Lata, Mary. 2014. Fire Ecology, Fuels and Air Quality Specialist Report, Four-Forest Restoration Initiative. Manuscript on file at Coconino NF, 4FRI project record. October 15, 2014.
- Lata, Mary. 2014. Grand Canyon National Park 2011 and 2011 Fires. Personal communication with Christopher Marks, AFMO, Grand Canyon National Park. March 19, 2014.
- Lynch, A.M., J.H. Anhold, and J.D. McMillin, S.M. Dudley, R.A. Fitzgibbon, and M.L. Fairweather. 2008a. Forest insect and disease activity on the Coconino NF, 1918–2006. USDA Forest Service, Report for the Coconino NF/Regional Analysis Team. Available online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsbdev3_021382.pdf.
- Lynch, A.M., J.H. Anhold, and J.D. McMillin, S.M. Dudley, R.A. Fitzgibbon, and M.L. Fairweather. 2008b. Forest insect and disease activity on the Kaibab NF and Grand Canyon N.P., 1918–2006. USDA Forest Service, Draft Report for the Kaibab NF Regional Analysis Team. Available online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsbdev3_021515.pdf.
- MacDonald, Christopher D. 2014. Water Quality and Riparian Areas Specialist Report, 4FRI, Coconino and Kaibab National Forests.

- Marks, Chris. 2014. Assistant Fire Management Officer for Grand Canyon NP personal communication with Mary Lata, March 19, 2014. Status of ongoing and reasonably foreseeable vegetation and prescribed fire projects at Grand Canyon National Park.
- McCusker, Neil. 2012. Coconino FACTS database queries run by 4FRI Silviculturist Neil McCusker. 3 pp.
- McCusker, Neil, Richard Gonzalez, and Randy Fuller. 2014. Four-Forest Restoration Initiative, Silvicultural Specialist Report. Manuscript on file at Coconino NF, 4FRI project record.
- Mueller, R.C., C.M. Scudder, M.E. Porter, R.T. Trotter, C.A. Gehring, and T.G. Whitham. 2005. Differential tree mortality in response to severe drought: evidence for long-term vegetation shifts. *Journal of Ecology* 93:1085–1093.
- Negrón, J.F., J.D. McMillin, J.A. Anhold, and D. Coulson. 2009. Bark beetle-caused mortality in a drought-affected ponderosa pine landscape in Arizona, USA. *Forest Ecology and Management* 257:1353–1362.
- Newbauer, Kim. 2012. Coconino Cut Volume by Fiscal Year: 1946 to 1989.
- Newbauer, Kim. 2012. Coconino Historic Sold Offered Volumes: 1999.
- Newbauer, Kim. 2012. Sale History: 1995.
- Pyne, Stephen J. 1982. *Fire in America: A Cultural History of Wildland and Rural Fire*. Princeton, NJ: Princeton University Press. pp. 79–80.
- Rowe, Julie. 2012. Personal communication with Paula Cote and Henry Provencio. Acres of power, oil, and gas lines. March 27, 2012.
- Steinke, Rory. 2014. Soil and Watershed Resources Specialist's Report, 4 Forest Restoration Initiative. Manuscript on file at Coconino NF, 4FRI project record.
- U.S. Department of Defense. 2012. Camp Navajo Army Depot. Camp Navajo Treatments. Bruce Buttrey. March 12, 2012.
- U.S. Department of Defense. 2013. Camp Navajo Army Depot. Camp Navajo Treatments. Bruce Buttrey. April 1, 2013.
- U.S. Department of Agriculture, Forest Service. 2000. Forest insect and disease conditions in the Southwestern Region, 1999. USDA Forest Service, Southwestern Region, R3-00-01: Albuquerque, NM. 17 pp.
- _____. 2003. Assessment of Grassland/Savannah Invasion by Trees on the Williams Ranger District Kaibab National Forest. Kaibab National Forest. October 30, 2003, corrected January 19, 2005.
- _____. 2004. News release: Crews To Begin Tree Removal on Private Property Next Month. Kaibab National Forest Newsroom. August 30, 2004.
- _____. 2005. Socio-Economic Assessment for the Kaibab National Forest. Prepared for the Southwest Region. The University of Arizona School of Natural Resources. 145 pp.

References Cited

- _____. 2008. Kaibab National Forest Ecological Sustainability Report. Manuscript on File at the Coconino National Forest, 4FRI Project Record. Kaibab National Forest. Southwestern Region. 104 pp. Available online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsm91_050014.pdf.
- _____. 2009. Coconino National Forest Ecological Sustainability Report. September 2009. Coconino National Forest. Southwestern Region. 208 pp.
- _____. 2011. Forest insect and disease conditions in the Southwestern Region, 2010. USDA Forest Service, Southwestern Region, Forestry and Forest Health, PR-R3-16-7, 45 pp. Albuquerque, NM. Available online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5316384.pdf.
- _____. 2011. Proposed Action for Four-Forest Restoration Initiative, Coconino and Kaibab National Forests, Coconino County, Arizona. Four-Forest Restoration Initiative Coconino and Kaibab National Forests Proposed Action. Manuscript on file at the Coconino National Forest, 4FRI Project Record. 127 pp.
- _____. 2012. FACTS timber database query. Neil McCusker, 4FRI Silviculturist. Manuscript on file at the Coconino National Forest, 4FRI Project Record. 3 pp.
- _____. 2012–1971. Coconino and Kaibab NF File Code 1950 NEPA Project Records. Manuscript on file at the Coconino National Forest, 4FRI Project Record. 500 pp.
- _____. 2013. Coconino National Forest Schedule of Proposed Actions (SOPA). Accessed online at: <http://www.fs.fed.us/sopa/forest-level.php?110304> on January 8, 2013.
- _____. 2013. Kaibab National Forest Schedule of Proposed Actions (SOPA). Available online: <http://www.fs.fed.us/sopa/forest-level.php?110307>. Accessed on January 8, 2013.
- _____. 2014. Coconino National Forest Schedule of Proposed Actions (SOPA). Accessed online at: <http://www.fs.fed.us/sopa/forest-level.php?110304> on March 7, 2014.
- _____. 2014. Kaibab National Forest Schedule of Proposed Actions (SOPA). Available online: <http://www.fs.fed.us/sopa/forest-level.php?110307>. Accessed on March 7, 2014.
- Walton, Colby. 2012. Tusayan Wildlife Waters. Arizona Department of Game and Fish Personal communication with Paula Cote, 4FRI. January 31, 2012.
- White, A.S. 1985. Pre-settlement regeneration patterns in a Southwestern ponderosa pine stand. *Ecology* 66:589–594.

Appendix G – Bridge Habitat

- Arizona Game and Fish Department. 2011. The Coconino County Wildlife Connectivity Assessment: Report on Stakeholder Input. 52 pp.
- Brown, D.E., and E. Makings. 2014. A guide to North American grasslands. *Desert Plants* 29:1–160.

- Hampton, H.M., S.E. Sesnie, B.G. Dickson, J.M. Rundall, T.D Sisk, G.B. Snider, and J.D. Bailey. 2008. Analysis of Small-Diameter Wood Supply in Northern Arizona. Forest Ecosystem Restoration Analysis Project, Center for Environmental Sciences and Education, Northern Arizona University. 210 pp.
- Merola-Zwartjes, M. 2005. Birds of Southwestern grasslands: Status, conservation, and management. In: Finch, Deborah M., Editor. *Assessment of grassland ecosystem conditions in the Southwestern United States: wildlife and fish—volume 2*. Gen. Tech. Rep. RMRS-GTR-135-vol. 2. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 71–140
- North American Bird Conservation Initiative, U.S. Committee. 2011. The State of the Birds 2011: Report on Public Lands and Waters. U.S. Department of Interior: Washington, DC. 2011
- USDA Forest Service. 1987. Coconino National Forest Plan. USDA Forest Service. Southwestern Region. 274 pp. Available online: <http://www.fs.usda.gov/detail/coconino/landmanagement/planning/?cid=stelprdb5334653>
- USDA Forest Service. 2014. Land and Resource Management Plan for the Kaibab National Forest. USDA Forest Service. Southwestern Region. 208 pp. Available online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprd3791580.pdf
- USDI Fish and Wildlife Service. 2012d. Recovery Plan for the Mexican Spotted owl (*Strix occidentalis lucida*), First Revision. Albuquerque, NM USA. 414 pp.

Appendix I – Response to Comment

- Conkle, M.T., and W.B. Critchfield. 1988. Genetic Variation and Hybridization of Ponderosa Pine in Symposium Proceedings, Ponderosa Pine the Species and its Management. Morphologically. Pullman, Washington, USA: Washington State University, 27–43.
- Finney, M.A. 2001. Design of Treatment Patterns for Modifying Fire Growth and Behavior. *Forest Science* 47(2).
- Finney, M.A., R.C. Seli, C.W. McHugh, A.A. Ager, B. Bahro, and J.K. Agee. 2007. Simulation of long-term landscape-level fuel treatment effects on large wildfires. *International Journal of Wildland Fire* 16:712–727.
- Fulé, P.Z., T.W. Swetnam, P.M. Brown, D.A. Falk, D.L. Peterson, C.D. Allen, G.H. Aplet, M.A. Battaglia, D. Binkley, C. Farris, R.E. Keene, E.Q. Margolis, H. Grissino-Mayer, C. Miller, C. Hull Sieg, C. Skinner, S.L. Stephens, and A. Taylor. 2013. Unsupported inferences of high-severity fire in historical dry forests of the western United States: response to Williams and Baker. *Global Ecology and Biogeography* 23(7):925–830.
- Higgins, B.J. 2008. Personal communications. Forest Planner, Kaibab National Forest, Williams, AZ.
- Nobel, William. 2014. Biological Assessment for the Four-Forest Restoration Initiative. On file in the project record at the Coconino NF. February, 2014. pp. 238–239.
- Oliver, W.W. and R.A. Ryker. 1990. *Pinus ponderosa*. Pp. 413-424 in R.M. Burns and B.H. Honkala (technical coordinators) *Silvics of North America*, Vol. 1. Agri. Handbook 654, USDA Forest Service, Washington, D.C.

References Cited

- Reinhardt, E.D., R.E. Keane, D.E. Calkin, and J.D. Cohen. 2008. Objectives and considerations for wildland fuel treatment in forested ecosystems of the interior western United States. *Forest Ecology and Management* 256:1997–2006.
- USDA Forest Service 2014. Land and Resource Management Plan for the Kaibab National Forest. USDA Forest Service. Southwestern Region. 208 pp. Available online: http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprd3791580.pdf
- Williams, M.A., and W.L. Baker. 2012. ‘Spatially extensive reconstructions show variable-severity fire and heterogeneous structure in historical western United States dry forests’. *Global Ecology and Biogeography* 21(10):1042–1052.
- Williams, M.A., and W.L. Baker. 2013. Variability of historical forest structure and fire across ponderosa pine landscapes of the Coconino Plateau and south rim of Grand Canyon National Park, Arizona, USA. *Landscape Ecology* 28:297–310. DOI 10.1007/s10980-012-9835-z.