

CHAPTER 8

REFERENCES

- Anderson, R.S. 1990. Holocene Forest Development and Paleoclimates within the Central Sierra Nevada, California. *In* Madrono, 38:1,1-13
- Anderson, R.S.; Carpenter, S.L. 1991. Vegetation Change in Yosemite Valley, Yosemite National Park, California, During the Protohistoric Period. *In* Madrono, 38:1,1-13.
- Anthony, R.G., and F.B. Isaacs. 1981. Characteristics of bald eagle nest sites in Oregon. *J. Wildl. Manage.* 53(1):148-159.
- Anthony, R.G., R.L. Knight, G.T. Allen, B.R. McClelland, and J.I. Hodges. 1982. Habitat use by nesting and roosting bald eagles in the Pacific Northwest. *Trans. N. Am. Wildl. Natural Res. Conf.* 47:332-342.
- Aston, L. S., and J. N. Sieber. 1997. Fate of summertime airborne organophosphate pesticide residues in the Sierra Nevada mountains. *Journal of Environmental Quality*, 26:1483-1492.
- Backer, Howard. 1989. Infectious Diarrhea From Wilderness and Foreign Travel. *Management of Wilderness and Environmental Emergencies*, p. 759-803.
- Bailey and Scoppettone 1979 in Gerstung, E.R. 1986. Fishery management plan for Lahontan cutthroat trout (*Salmo clarki henshawi*) in California and western Nevada waters. *Inland Fisheries Administrative Report No. 86- Federal Aid Project F33-R-11. Sacramento, CA: State of California, The Resources Agency, Department of Fish and Game. 54pp.*
- Blaustein, A. R., and D. B. Wake. 1990. Declining amphibian populations: A global phenomenon? *Trends in Ecology and Evolution*, 5:203-204.
- Blaustein, A. R., P. D. Hoffman, D. G. Hokit, J. M. Kiesecker, S. C. Walls, and J. B. Hays. 1994. UV repair and resistance to solar UV-B in amphibian eggs: A link to population declines? *Proceedings of the National Academy of Sciences*, 91(5):1791-1795.
- Bradford, D. F. 1983. Winterkill, oxygen relations, and energy metabolism of a submerged dormant amphibian, *Rana muscosa*. *Ecology*, 64(5):1171-1183.
- Bradford, D. F. 1984. Temperature modulation in a high elevation amphibian, *Rana muscosa*. *Copeia*, 1984(4):966-976.
- Bradford, D. F. 1989. Allotopic distribution of native frogs and introduced fishes in the high Sierra Nevada lakes of California: Implication of the negative effects of fish introductions. *Copeia*, 1989(3):775-778.
- Bradford, D. F. 1991. Mass mortality and extinction in a high elevation population of *Rana muscosa*. *Journal of Herpetology*, 25(2):174-177.

- Bradford, D. F., C. Swanson, and M. S. Gordon. 1992. Effects of low pH and aluminum on two declining species of amphibians in the Sierra Nevada, California. *Journal of Herpetology*, 26(4):369-377.
- Bradford, D. F., D. M. Graber, and F. Tabatabai. 1993. Isolation of remaining populations of the native frog, *Rana muscosa*, by introduced fishes in Sequoia and Kings Canyon National Parks, California. *Conservation Biology*, 7(4):882-888.
- Bradford, D. F., D. M. Graber, and F. Tabatabai. 1994a. Population declines of the native frog, *Rana muscosa*, in Sequoia and Kings Canyon National Parks, California. *The Southwestern Naturalist*, 39(4):322-327.
- Bradford, D. F., M. S. Gordon, D. F. Johnson, R. D. Andrews, and W. B. Jennings. 1994b. Acidic deposition as an unlikely cause for amphibian decline in the Sierra Nevada, California. *Biological Conservation*, 69(2):155-161.
- Bradford, D. 2000. Research Scientist, Environmental Protection Agency. Las Vegas, NV. Pers. Comm.
- California, State of.; Department of Fish and Game. 1986a. Casa Diablo Deer Herd Management Plan. State of California, Department of Fish and Game. 54 p.
- California, State of.; Department of Fish and Game. 1986b. Sherwin Grade Deer Herd Management Plan. State of California, Department of Fish and Game. 53 p.
- California, State of.; Department of Fish and Game. 1991. Annual Report on the Status of California State Listed Threatened and Endangered Animals and Plants, 1991. State of California. The Resources Agency, Department of Fish and Game. 191pp.
- California, State of.; Department of Finance. 2000. County rankings by population, 1999 and 2000. (www.dof.ca.gov)
- California, State of.; Department of Water Resources 1991. California's Continuing Drought - 1987-1991, A Summary of Impacts and Conditions as of December 1, 1991.
- California, State of.; Employment Development Department, Labor Market Information Division. Various reports including: labor force data, employment and unemployment by county, city and census designated places, employment projections by industry, major employers by county, county snapshots. (www.calmis.ca.gov)

- California Air Resources Board. 1981. Acid Precipitation and Its Occurrence in California, California Air Resources Board - Research Division, March 4, 1981.
- 1988 The Health and Welfare Effects of Acid Deposition in California, An Assessment, California Air Resources Board, September 1988.
- 1989a The Health and Welfare Effects of Acid Deposition in California, Technical Assessment, California Air Resources Board, June 1989.
- 1989b Proposed Identification of Districts Affected by Transported Air Pollutants which Contributes to Violations of the State Ambient Air Quality Standard for Ozone. California Air Resources Board Staff Report, Meteorology Section, Modeling and Meteorology Branch, Technical Support Division, October 1989.
- 1990 Assessment and Mitigation of the Impacts of Transported Pollutants on Ozone Concentrations within California. California Air Resources Board Staff Report, Technical Support Division and Office of Air Quality Planning and Liaison, June 1990.
- Camp, C. L. 1917. Notes on the systematic status of toads and frogs of California. University of California Publications in Zoology, 17(6):59-62.
- Carey, C. 1993. Hypothesis concerning the causes of the disappearance of boreal toads from the mountains of Colorado. Conservation Biology, 7(2):355-362.
- Case, S. M. 1978. Electrophoretic variation in two species of ranid frogs, *Rana boylei* and *R. muscosa*. Copeia, 1978(2):311-320.
- Chang, Karl Dako. 1993. Report on the status of the Lee Vining Canyon bighorn sheep reintroduction. USDI, National Park Service, Resources Management Division, Yosemite National Park, CA. (unpub. paper). 8 p.
- Christenson, D. P. 1977. History of trout introductions in California high mountain lakes. Pages 9-18 In: A. Hall and R. May (editors). Proceedings of a symposium on the management of high mountain lakes in California's national Parks. California Trout, Inc., and The American Fisheries Society, Fresno, California.
- Cole, D.N. and J. Dalle-Molle. 1982. Managing campfire impacts in the backcountry. USDA Forest Service General Technical Report INT-135.
- Cole, D.N. 1982. Wilderness campsite impacts: effects of amount of use. USDA Forest Service Research Paper INT-284.
- Cole, D.N. 1983. Campsite conditions in the Bob Marshall Wilderness, Montana. Research Paper INT-312. Ogden, UT: USDA FS, Intermountain Forest and Range Experiment Station; 18p.
- Cole, D.N. 1987. Research on soil and vegetation in wilderness: a state of the knowledge review. Proceedings – National Wilderness Research Conference: Issues, State of Knowledge, Future Directions, Fort Collins, CO, July 23-26, 1985. Robert C. Lucas, compiler. Intermountain Research Station, Federal Building, 324 25th St., Ogden UT 84401: 135-177.
- Cole, David N. 1989a. Wilderness Campsite Monitoring Methods: A Sourcebook. Gen. Tech. Rep. INT-259. U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 57 p.

- Cole, David N. 1989b. Recreation in Whitebark Pine Ecosystems: Demand, Problems Management Strategies. Publication #199. Paper presented at the Symposium on Whitebark Pine Ecosystems: Ecology and Management of a High Montane Resource, Bozeman, MT, March 29-31, 1989.
- Cole, D.N. 1989. Viewpoint and needed Research on Domestic and Recreational Livestock in Wilderness. *Journal of Range Management* 42(1) January 1989.
- Cole, D.N. 1996. Ecological manipulation in wilderness – an emerging management dilemma. *International Journal of Wilderness* 2 (1): 15-19.
- Cole, D.N. 1996. Wilderness recreation in the United States – trends in use, users and impacts. *International Journal of Wilderness* 2 (3): 14-18.
- Cole D.N. and J. Dalle-Molle. 1982. Managing Campfire Impacts in the Backcountry. Gen Tech. Rep. INT-135. USDA F.S. Intermountain Forest and Range Experiment Station, Ogden UT.
- Cole, D.N. and T.E. Hall. 1992. Trends in campsite condition: Eagle Cap Wilderness, Bob Marshall Wilderness, and Grand Canyon National Park. Res. Pap. INT-453. Ogden, UT: USDA For. Serv., Intermountain Research Station. 40p.
- Cole, D.N., A.E. Watson, T.E. Hall, and D.R. Spildie. 1997. High use destinations in wilderness: social and biophysical impacts, visitor responses, and management options. USDA Forest Service Research Paper INT-RP-496.
- Cole, D.N. and D.R. Spildie. 1998. Hiker, horse and llama trampling effects on native vegetation in Montana, USA. *Journal of Environmental Management* 53, 61-71.
- Coleman, Earl H. 1967. The Diamond D Saga. Published by author in 1959, rev. 1963 and 1967.
- Consultive Planners. 1975. Preliminary Environmental Assessment - Kings River Weather Modification.
- Cory, L. 1962. Life-history and behavior differences between ranids in isolated populations in the Sierra Nevada [abstract]. *American Zoologist*, 2(4):515.
- Cory, L., P. Fjeld, and W. Serat. 1970. Distributional patterns of DDT residues in the Sierra Nevada Mountains. *Pesticides Monitoring Journal*, 3(4):204-211.
- Dale, D. and T. Weaver. 1974. Trampling effects on vegetation of the trail corridors of north Rocky Mountain forests. *Journal of Applied Ecology* 11: 767-772.
- Datta, S., L. Hansen, L. McConnell, J. Baker, J. Lenoir, and J. N. Seiber. 1998. Pesticides and PCB contaminants in fish and tadpoles from the Kaweah River Basin, California. *Bulletin of Environmental Contamination and Toxicology*, 60:829-836.
- Davidson, C., H. B. Shaffer, and M. R. Jennings. 2001. Declines of the California red-legged frog: spatial analysis of the climate change, UV-B, and pesticide hypotheses. *Ecological Applications*, in press.

- Davidson, C., H. B. Shaffer, and M. R. Jennings. (In review). Spatial tests of alternative hypotheses for California amphibian declines. (Submitted to Nature).
- Davilla, Bill. 1978. Firewood Production, Use and Availability in the High Sierra. In: Stanley, J.T., Jr.; Harvey, H.T.; Hartesveldt, R.J., eds. A Report on the Wilderness Impact Study: The Effects of Human Recreational Activities on Wilderness Ecosystems With Special Emphasis on Sierra Club Wilderness Outings In the Sierra Nevada. San Francisco, CA: Sierra Club, Outing Committee; 94-128.
- DeGraff Jr., Ernest P. 1983. An analysis of wilderness permit administration for rationing use on the Inyo National Forest. USDA Forest Service and Department of Recreation and Park Administration, College of Forest and Recreation Resources – Clemson University.
- DeGraaf, R.M., V.E. Scott, R.H. Hamre, L. Ernst, and S.H. Anderson. 1991. Forest and Rangeland Birds of the United States. Natural History and Habitat Use. USDA Forest Service, Agriculture Handbook 688. 625pp.
- Detrich, P.J. 1981. Historic range of breeding bald eagles in California. Unpublished Manuscript. Redding, CA. 17pp.
- Drost, C. A., and G. M. Fellers. 1994. Decline of frog species in the Yosemite section of the Sierra Nevada. United States Department of the Interior, National Park Service, Cooperative National Park Studies Unit, The University of California at Davis, Technical Report (NPS/WRUC/NRTR 94-02 [UC CPSU TR #56]):iv+56 p.
- Drost, C. A., and G. M. Fellers. 1996. Collapse of a regional frog fauna in the Yosemite area of the California Sierra Nevada, USA. *Conservation Biology*, 10(2):414-425.
- Duane, Timothy P. 1996. Human Settlement 1850-2040, in; Status of the Sierra Nevada, Wildland Resource Center Report No. 37, University of California, Davis.
- Duane, Timothy P. and Jennifer L. Knaur. 1996. Recreational activities and visitor characteristics in the Mt. Whitney Complex and Mammoth Lakes Basin of the Inyo National Forest. Final Report, INF.
- Dunaway, D.J. 1971. Human disturbance as a limiting factor of Sierra Nevada bighorn sheep. Transactions first North American Wild Sheep Conference. April 1971, Colorado State Univ., Ft. Collins, Colorado.
- Eddinger, H. Fisheries Biologist, South Resource Zone (Pine Ridge and Kings River Ranger Districts), Sierra National Forest. Pers. Comm.
- FCAP. 1992. White Paper: Ozone Pollution - It's Impacts on Forest Vegetation in the Sierra, Federal Clean Air Partnership, unpublished.
- Fisher, R. N., and H. B. Shaffer. 1996. The decline of amphibians in California's great Central Valley. *Conservation Biology*, 10(5):1387-1397.
- Fellers, G. M. and K. L. Freel. 1995. A standardized protocol for surveying aquatic amphibians. Technical Report NPS/WRUC/NRTR-95-01. NBS Cooperative Park Studies Unit, UC-Davis Division of Environmental Studies, Davis, CA. 117 pp.

- Fellers, G. 2000. Research Scientist. U.S. Geological Survey. Point Reyes, CA. Pers. Comm.
- Fox, Douglas G.; Bartuska, Ann M.; Byrne, James G.; et al. 1989. A Screening Procedure to Evaluate Air Pollution Effects on Class 1 Wilderness Areas. Gen. Tech. Rep. RM-168. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, 36 p.
- Freel, Maeton. 1992. A literature review for management of the marten and fisher on national forests in California. USDA. Forest Service, Pacific Southwest Region.
- Frissell, Sidney S. 1978. Judging recreation impacts on wilderness campsites. *Journal of Forestry*. 76:481-483.
- Frissell, S. 1973. The impact of wilderness visitors on natural ecosystems. Unpublished report on file at USDA FS Intermountain Research Station, Forestry Sciences Laboratory, Missoula, MT: 60p.
- Geist, V. 1971. Mountain sheep: a study in behavior and evolution. Univ. of Chicago Press, Chicago. 383pp.
- Gerstung, E.R. 1986. Fishery management plan for Lahontan cutthroat trout (*Salmo clarki henshawi*) in California and western Nevada waters. Inland Fisheries Administrative Report No. 86- Federal Aid Project F33-R-11. Sacramento, CA: State of California, The Resources Agency, Department of Fish and Game. 54pp.
- Godish, Thad. 1991. Air Quality. Second Edition, Lewis Publishers, Inc., Chelsea, Michigan.
- Green, D. M. 1986. Systematics and evolution of western North American frogs allied to *Rana aurora* and *Rana boylei*: Electrophoretic evidence. *Systematic Zoology*, 35(3):283-296.
- Graumlich, L.J. 1993.b A 1000-yr Record of Temperature and Precipitation in the Sierra Nevada. *In Quaternary Research* 39:249-255.
- Griffin, Stephen. 1979. Determination of wood use in the Little Lakes Valley of Inyo National Forest. California Polytechnic State University, Natural Resources Management Department.
- Grinnell, J., and T. I. Storer. 1924. Animal life in the Yosemite. University of California Press, Berkeley. xviii+752 p.
- Hart, Dave. 1994 Per. Comm. between Dave Hart, California Department of Water Resources, and Luci McKee, USFS, on 2/3/94. Subject: Sierra Nevada Snow Survey Program.
- Hamilton, Michael P. and James P. Lassoie. 1985. Rare plant management in wilderness: theory, design, and implementation. Paper presented at the National Wilderness Conference, Ft. Collins, CO: 100-106.
- Hayes, M. P., and M. R. Jennings. 1986. Decline of ranid frog species in western North America: are bullfrogs (*Rana catesbeiana*) responsible? *Journal of Herpetology*, 20(4):490-509.
- Hayes, Thomas P.; Kinney, John J. R.; Wheeler, Neil J. M. 1984. California Surface Wind Climatology. State of California Air Resources Board, Aerometric Data Division.

- Heberlein, T.A., B. Shelby. 1977. Carrying Capacity, values and the satisfaction model: A reply to Griest. *Leisure Research* 9(2):142-148
- Heller, C. L. 1960. The Sierra yellow-legged frog. *Yosemite Nature Notes*, 39(5):126-128.
- Hendee, John C.; Stankey, George H.; Lucas, Robert C. 1990. *Wilderness Management*. 2d ed. Golden CO: Fulcrum Publishing. 546 p.
- Henderson, Tom. 1994 Letter to Luci McKee, USFS. Subject: Information Relevant to Weather Resources Management Programs, with enclosures, Atmospherics Incorporated, February 11, 1994.
- Hennessy, MaryBeth. 1990. *The Effectiveness of Limiting Use in Wilderness Areas*. Thesis, University of Montana, Missoula, MT
- Hickman, T.J., and R.F. Raleigh. 1982. Habitat suitability index models - cutthroat trout. U.S. Fish and Wildlife Service. FWS/BS-82/10.5.
- Hicks, L.L., and J.M. Elder. 1979. Human disturbance of Sierra Nevada bighorn sheep. *J. Wildl. Manage.* 43(4):909-915.
- Hull, K.; Moratto, M.J. 1995. Draft, Archeological Synthesis, Yosemite National Park, California. Yosemite National Park, CA.
- IRT (Interagency Resource Teams). 1996. Compiled data sheets and summary of 1996 contracted Inyo National Forest amphibian surveys. Amphibian files, Supervisor's Office, Bishop, CA.
- Jennings, M. R. 1984. Geographic distribution: *Rana muscosa* (mountain yellow-legged frog). *Herpetological Review*, 15(2):52.
- Jennings, M. R. 1987. Annotated check list of the amphibians and reptiles of California, second revised edition. Southwestern Herpetologists Society, Special Publication (3):1-48.
- Jennings, M. R., and M. P. Hayes. 1994. Amphibian and reptile species of special concern in California. California Department of Fish and Game, Inland Fisheries Division, Rancho Cordova, California. iii+255 p.
- Jennings, W. B., D. F. Bradford, and D. F. Johnson. 1992. Dependence of the garter snake *Thamnophis elegans* on amphibians in the Sierra Nevada of California. *Journal of Herpetology*, 26(4):503-505.
- Jurek, R.M. 1988. Five-year status report. Bald Eagle. Calif. Dept. Fish and Game. Sacramento, CA. 15pp.
- Jones 1950. 1950. A survey of the Sierra Nevada bighorn. *Sierra Club Bull.* 35(6):29-76.
- Kagarise Sherman, C., and M. L. Morton. 1993. Population declines of Yosemite toads in the eastern Sierra Nevada of California. *Journal of Herpetology*, 27(2):186-198.

- Karlstrom, E.L. 1962. The toad genus *Bufo* in the Sierra Nevada of California. University of California Publications in Zoology 62 (1): 1-104.
- _____. 1973. *Bufo canorus* Camp, Yosemite Toad. Catalogue of American Amphibians and Reptiles.
- Keister, G.P., and R.G. Anthony. 1983. Characteristics of bald eagle communal roosts in the Klamath Basin, Oregon and California. *J. Wildl. Manage.* 47:1072-1079.
- Kellogg, Elizabeth A. 1985. Indicator species for assessing overuse of campsites. *Northwest Science* 59 (2): 115-121.
- Kings River Conservation District.
1975. Kings River Weather Modification Program - Initial Study of Environmental Effects, Kings River Conservation District, Fresno, California.
1986. 26 Years of Cloud Seeding on the Kings River Watershed in California: A Review of Operations and Results for Water Years 1954/1955 through 1979/1980. Prepared for the Kings River Conservation District by Atmospherics Incorporated.
- Knapp, Roland. 1994. The High Cost of High Sierra Trout. *Wilderness Record* 1992.
- Knapp, R. A. 1996. Non-native trout in the natural lakes of the Sierra Nevada: An analysis of their distribution and impacts on the native aquatic biota. Pages 363-390 In: Sierra Nevada Ecosystem Project, Final Report to Congress, Volume II, Assessments and Scientific Basis for Management Options. University of California, Davis, Wildlife Resources Center Report (37):viii+1528 p.
- Knapp, R. A., and K. Matthews. 1998. Eradication of nonnative fish by gill-netting from a small mountain lake in California. *Restoration Ecology*, 6:207-213.
- Knapp, R. A., and K. Matthews. 2000. Non-native fish introductions and the decline of the mountain yellow-legged frog (*Rana muscosa*) from within protected areas. *Conservation Biology*, 14(2):428-438.
- Knapp, R. 2000. Aquatic Researcher Sierra Nevada Aquatic Research Lab, Mammoth, CA. Pers. Comm.
- Knight, R.L., and S.K. Kagen. 1988. Effects of recreational disturbance on birds of prey: a review. Pages 355-359 in R.L. Glinski et al., eds. *Proc. Southwest Raptor Management Symposium and Workshop*. Natl. Wildl. Fed., Washington, D.C.
- Koehler, P.A.; Anderson, R.S. 1995. Thirty Thousand years of Vegetation Changes in the Alabama Hills, Owens Valley, California. In *Quaternary Research* 43:238-248.
- Lee, R.G. 1975. The management of human components in Yosemite National Park ecosystem: Final research report. Yosemite Nat'l Park CA: The Yosemite Institute; 134 pgs.
- Lehman, R.N. 1979. A survey of selected habitat features of 95 bald eagle nests in California. Calif. Dept. Fish and Game. *Wildl. Manage. Branch Admin. Rep.* 79-1, Sacramento, CA. 23pp.

- Lenoir, J. S., L. L. McConnell, G. M. Fellers, T. M. Cahill, and J. N. Seiber. 1999. Summertime transport of current-use pesticides from California's Central Valley to the Sierra Nevada mountain range, USA. *Environmental Toxicology and Chemistry*, 18:2715-2722.
- Livezey, R. L., and A. H. Wright. 1945. Descriptions of four salientian eggs. *The American Midland Naturalist*, 34(3):701-706.
- Long, L. E., L. S. Saylor, and M. E. Soule. 1995. A pH/UV-B synergism in amphibians. *Conservation Biology*, 9(5):1301-1303.
- Long, M. L. 1970. Food habits of *Rana muscosa* (Anura: Ranidae). *Herpeton, Journal of the Southwestern Herpetologists Society*, 5(1):1-8.
- Los Angeles, City of. 1988. Eastern Sierra Cloud Seeding Project - CEQA Initial Study and Checklist. City of Los Angeles Department of Water and Power, August 25, 1988.
- Lucas, Robert C. 1980. Use Patterns and Visitor Characteristics, Attitudes and Preferences in Nine Wilderness and Other Roadless Areas. Res. Pap. INT-253. Ogden, UT: USDA, Forest Service, Intermountain Forest and Range Exp. Station. 89 p.
- MacArthur, R.A., et al. 1982. Cardiac and behavioral responses of mountain sheep to human disturbance. *J. Wildl. Manage.* 46(2):351-358.
- MacDonald, Lee H. 1988. Cloud Seeding and Streamflow in the Sierra Nevada, USDA, Forest Service Pacific Southwest Experiment Station, Berkeley, California, 31 March 1988.
- Macey, J. R., J. Strasburg, J. Brisson, V. Vredenburg, M. Jennings, and A. Larson. 2001. Molecular phylogenetics of western North American frogs of the *Rana boylei* species group. *Molecular Phylogenetics in Evolution*, in press.
- Martin, D.L. 1992. Sierra Nevada Anuran Guide. Canorus Ltd. Press. San Jose, California. 27 pp.
- Matthews, K. R., and K. L. Pope. 1999. A telemetric study of the movement patterns and habitat use of *Rana muscosa*, mountain yellow-legged frog, in a high-elevation basin in Kings Canyon National Park, California. *Journal of Herpetology*, 33(4):615-624.
- Matthews, K. R., R. A. Knapp, and K. L. Pope. (In review). Garter snake declines in high elevation ecosystems: is there a link with declining amphibians and non-native trout introductions. (Submitted to *Ecosystems*).
- Matthews, K. 2000. Aquatic Researcher. U. S. Forest Service Pacific Southwest Experiment Station. Albany, CA. Pers. Comm.
- McClaran, Mitchel P.; Cole, David N. 1993. Packstock in Wilderness Use, Impacts, Monitoring, and Management. General Technical Report INT-301. Ogden, UT: USDA, Forest Service, Intermountain Res. Station. 39 p.
- McConnell, L. L., J. S. Lenoir, S. Datta, and J. N. Seiber. 1998. Wet deposition of current-use pesticides in the Sierra Nevada mountain range, California, USA. *Environmental Toxicology and Chemistry*, 17:1908-1916.

- McCool, S.F., D.N. Cole, R.C. Lucas, and G.H. Stankey. 1987. Maintaining wilderness quality through the limits of acceptable change planning system. Paper presented at Symposium on Management of Park and Wilderness Reserves, 4th World Wilderness Congress, September 11-18, 1987, Estes Park, CO USA.
- McGurk, Bruce, Thaddeus J. Edens and David L. Azuma. 1993. Predicting Wilderness Snow Water Equivalent with Nonwilderness Snow Sensors. American Water Resources Association. Vol.29, No 1, February 1993, p.85-94.
- McQuaid-Cook, J. 1978. Effects of hikers and horses on mountain trails. *Journal of Environmental Management* 6: 209-212
- Melack, John M., John L. Stoddard and Cliff A. Ochs. 1985. Major Ion Chemistry and Sensitivity to Acid Precipitation of Sierra Nevada Lakes. *Water Resources Research*, Vol 21, p 27-32.
- Melack, John M., et.al. 1995. Monitoring of Wet Deposition in Alpine Areas in the Sierra Nevada, Draft Final Report prepared for California Air Resources Board Contract A932-081.
- Mezger, L.; Burbank, D. 1986. The Glacial History of the Cottonwood Lakes Area, Southeastern Sierra Nevada. *In* Geological Society of America Abstracts with Programs 18:157.
- Miller, David F.; Walsh, Patricia. 1988. Air Quality and Deposition at the Eastern Brook Lakes Watershed. Energy and Environmental Engineering Center, Desert Research Institute, University of Nevada System. Prepared for Southern California Edison, Rosemead, California, December 1988.
- Moore, Steven D.; McClaran, Mitchel P. 1991. Symbolic Dimensions of the Packstock Debate. *Leisures Sciences*. 13:221-237.
- Moore, R. D. 1929. *Canis latrans lestes* Merriam feeding on tadpoles and frogs. *Journal of Mammalogy*, 10(3):255.
- Moratto, M.J. 1980. Archeological Research Design for Yosemite National Park. USDI, National Park Service, Western Archeological and Conservation Center, Tucson, AZ.
- Moratto, M.J. 1996. Communication Letter Re: Yosemite Synthesis, 1/16/96. On file Yosemite Archeology Office, Yosemite National Park, CA.
- Moyle, P.B. 1976. *Inland Fishes of California*. University of California Press, Berkeley, Los Angeles, London. 405pp.
- Mullally, D. P. 1953. Observations on the ecology of the toad *Bufo canorus*. *Copeia*, 1953(3):182-183.
- Mullally, D. P. 1959. Notes on the natural history of *Rana muscosa* Camp in the San Bernardino Mountains. *Herpetologica*, 15(2):78-80.
- Mullally, D. P., and J. D. Cunningham. 1956. Ecological relations of *Rana muscosa* at high elevations in the Sierra Nevada. *Herpetologica*, 12(3):189-198.

- Mullally, D.P., and J.D. Cunningham. 1956. Aspects of the thermal ecology of the Yosemite toad. *Herpetologica* 12(1):57-67.
- Mutch. 1992. Manager-Ignited Prescribed Fire in Wilderness. Presented at Wilderness and Fire Workshop, Las Vegas, NV. March 22, 1992.
- Myrup, L.O.; Flocchini, R.G.; Ewell, Diane. 1989. Transport of Atmospheric Aerosols Above the Sierra Nevada Slopes. Final Report of Research Contract A4-127-32, Department of Land, Air, and Water Resources, University of California - Davis.
- Napton, L.K. 1978. Archeological Overview of Yosemite National Park, California. USDI, National Park Service, Western Archeological Center, Tuscon, AZ.
- Needham, P. R., and E. H. Vestal. 1938. Notes on growth of golden trout (*Salmo aguabonita*) in two High Sierra lakes. *California Fish and Game*, 24(4):273-279.
- Pacific Rivers Council. 2000. Petition to list the Yosemite toad (*Bufo canorus*) as an endangered species under the Endangered Species Act. www.pacrivers.org. 27pp.
- Parker, D. 1994. Inyo National Forest Amphibian Status Report. Amphibian files, Supervisor's Office, Bishop, CA. 45 pp.
- Peterson, David L.; Schmoltdt, Daniel L.; Eilers, Joseph M.; Fisher, Richard W.; Doty, Robert D. 1992. Guidelines for Evaluating Air Pollution Impacts on Class I Wilderness Areas in California. Gen. Tech. Rep. PSW-GTR-136. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture, 34 p.
- Pope, K. 1999a. Mountain yellow-legged frog habitat use and movement patterns in a high elevation basin in Kings Canyon National Park. Unpublished MS Thesis, California State Polytechnic University, San Luis Obispo. x+64 p.
- Pope, K. 2000. Research Scientist. U. S. Forest Service Pacific Southwest Experiment Station. Albany, CA. Pers. Comm.
- Potter, Donald A. 1994. Guide to Forested Communities of the Upper Montane in the Central and Southern Sierra Nevada. R5-ECOL-TP-003. U.S. Department of Agriculture, Forest Service, Pacific Southwest Region. 164 p.
- Pounds J. A. and M. L. Crump. 1994. Amphibian declines and climate disturbance: the case of the Golden toad and harlequin frog. *Conservation Biology* 8:72-85.
- Ramey, R.R. II. 1993. Evolutionary genetics and systematics of North American mountain sheep. PH.D thesis, Cornell Univ., Ithaca, NY.
- Ratliff, R.D. 1985. Meadows in the Sierra Nevada of California: state of knowledge. Gen. Tech. Rep. PSW-84. U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 52 p.
- Reed, Floyd, Roy Roath and David Bradford. 1999. The Grazing Response Index: A Simple and Effective Method to Evaluate Grazing Impacts. *Rangelands* 21(4). Society For Range Management. Denver, CO.

- Roberts, T.A. 1990. Wilderness Meadows Assessment and Monitoring Program. USDA, Forest Service, Inyo National Forest. (unpublished document) 20 p.
- Roos, Maurice. 1992. Reaching to the Sky: Cloud Seeding for Water Supply, California Department of Water Resources, October 1992.
- Roper S. 1976. The Climber's Guide to the High Sierra. Sierra Club Books San Francisco CA
- Ruggiero, Leonard F., Keith B. Aubry, Steven W. Buskirk, L. Jack Lyon and William J. Zielinski. 1994. The Scientific Basis for Conserving Forest Carnivores - American Marten, Fisher, Lynx and Wolverine in the Western United States. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station. Fort Collins, CO. GTR RM-254.
- Scuderi, L.A. 1987a. Glacier Variations in the Sierra Nevada, California, as Related to a 1200 year Tree-ring Chronology. In Quaternary Research 27:220-231.
- Scuderi, L.A. 1987b. Late-Holocene Upper Timberline Variation in the Southern Sierra Nevada. In Nature 325:242-244
- Scuderi, L.A. 1993. A 2000 year Tree-Ring Record of Annual Temperatures in the Sierra Nevada Mountains. In Science 259:1433-1436.
- Shannon, Casey. 1993. Summary of Observations Made in Inyo National Forest for Ozone Pollution Damage to Jeffrey Pine Trees, Field Season, Unpublished.
- Sherman, C.K. 1980. A comparison of the natural history and mating system of two anurans: Yosemite Toads (Bufo canorus) and Black Toads (Bufo exsul). PhD Thesis, University of Michigan No. 8106225:i-394. University Microfilms International.
- Sherman, C.K., and M.L. Morton. 1984. The toad that stays on its toes. Natural History 93 (3): 72-78.
- _____. 1993. Population declines of Yosemite Toads in the Eastern Sierra Nevada of California. J. Herpetol. 27(2):186-198.
- Schreiner E. 1978. The effects of campfire building activities on vegetation and soils. Resource Management Information Note. Olympic National Park.
- SNBSIAG, 1997. A conservation strategy for Sierra Nevada bighorn sheep. Prepared by the Sierra Nevada bighorn sheep interagency advisory group. Bishop, CA.
- Society for Range Management. 1998. Glossary of Terms Used in Range Management. Denver, CO
- Stalmaster, M.V. 1976. Winter ecology and effects of human activity on bald eagles in the Nooksack River Valley, Washington. M.S. Thesis, Western Washington State College, Bellingham, WA. 100pp.
- Stalmaster, M.V., and J.R. Newman. 1978. Behavioral responses of wintering bald eagles to human activity. J. Wildlife Manage. 42(3):506-513.

- Stankey, George H. 1979. A Comparison of Carrying Capacity Perceptions Among Visitors in Two Wilderness Areas. Res. Pap. INT-242. Ogden, UT: USDA, Forest Service, Intermountain Res. Station. 34 p.
- Stankey, George H.; Cole, David N.; Lucas, Robert C.; et. al. 1985 The Limits of Acceptable Change (LAC) system for wilderness planning. Gen. Tech. Rep. INT-176. Ogden, UT:U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 37 p.
- Stebbins, R. C. 1954. Amphibians and reptiles of western North America. McGraw-Hill Book Company, New York, NY. 539 p.
- Storer, T. I. 1925. A synopsis of the amphibia of California. University of California Publications in Zoology, 27:1-342.
- Strand, Steve. 1979. The Impact of Pack Stock on Wilderness Meadows in Sequoia-Kings Canyon National Park *IN* Stanley, JT, Dr. Harvey, HT, and Dr. Hartesveldt, RJ, editors. A Report on the Wilderness Impact Study: The effects of human recreational activities on wilderness ecosystems with special emphasis on Sierra Club Wilderness Outings in the Sierra Nevada. Sierra Club, San Francisco, CA 94108.
- Strand and Eddinger. 2000. Status of Paiute cutthroat trout (*Oncorhynchus clarki seleniris*) on the Sierra National Forest. Sierra National Forest, Clovis, CA. 21pp.
- Suk, Thomas J.; Sorenson, Stephen S.; Dileanis, Peter D. 1987. The relation between human presence and the occurrence of *Giardia* cysts in streams in the Sierra Nevada, California. Journal of Freshwater Ecology. Vol. 4, No. 1: 71-75.
- Taskey, Ronald D. 1995. Soil Survey of High Sierra Area, California. USDA Forest Service, Pacific Southwest Region in Cooperation with USDA Natural Resource Conservation Service and Regents of the University of California (Agricultural Experiment Station). USDA Forest Service, Vallejo, CA 94592.
- Taylor, Timothy J. 1988. Migration and seasonal habitats of the Casa Diablo Deer Herd: Casa Diablo Deer Herd. State of California, Department of Fish and Game (unpub. paper) 49 p.
- Temple, Patrick J.; Riechers, George H.; and Miller, Paul R. 1992. Foliar Injury Responses of Ponderosa Pine Seedlings to Ozone, Wet and Dry Acidic Deposition, and Drought. Environmental and Experimental Botany, Vol. 32(2), pp. 101-113.
- Theodoratus Cultural Research, Inc. & Archeological Consulting and Research Services, Inc. 1984. Cultural Resources Overview of the Souther Sierra Nevcada, An Ethnographic, Linguistic, Archeololgical, and Historical Study of the Sierra National Forest, Sequoia National Forest, and Bakersfield District of the Bureau of Land Management. USDA, Forest Service, South Central Contracting Office, Bishop, CA.
- Timossi, I. 1990. California's statewide wildlife habitat relationships system. Calif. Dept. Fish and Game. Sacramento, Ca. Computerized database.

- Tonnessen, Kathy, et.al. 1991. The Atmospheric Acidity Protection Program: Annual Report to the Governor and the Legislature, 1990. California Air Resources Control Board, Sacramento, CA, April, 1991.
- Tracer Technologies. 1989. A Proposal to Determine the Transport of Acidic Air Pollutants to Forests and Alpine Regions of the Sierra Nevada (TAAPS). Submitted to the California Air Resources Board, 21 November 1989.
- USDA, Forest Service.
1972. A study report on determining visitor perceptions and attitudes about crowding in the Minarets Wilderness.
- 1978a. John Muir Wilderness Plan. Inyo and Sierra National Forests.
- 1978b. Minarets Wilderness Plan. Inyo and Sierra National Forests. 59 p.
1981. Calveg: A Classification of California Vegetation. Pacific Southwest Region, Regional Ecology Group. 168 p.
- 1988a. Land and Resource Management Plan. Inyo National Forest.
- 1988b. Land and Resource Management Plan. Sequoia National Forest.
1990. Mule Deer Habitat Use Atlas: Northern Half Inyo National Forest. USDA, Forest Service, Inyo National Forest.
1991. Land and Resource Management Plan. Sierra National Forest.
- 1991a. Water Purification and Waste Disposal Practices of Backcountry Users. Inyo National Forest.
- 1993a. Best Management Practices Evaluation, Form R23: Location of Stock Facilities in Wilderness, Holcomb Lake. Inyo National Forest.
- 1993a. California Spotted Owl, Sierran Province Interim Guidelines, Environmental Assessment. January.
- 1993b. Fire Related Considerations and Strategies in Support of Ecosystem Management. USDA, Forest Service, Washington Office, Fire and Aviation Management, Staffing Paper (unpub. paper)
1995. Managing California spotted owl habitat in the Sierra Nevada National Forests of California. An ecosystem approach. Draft Environmental Impact Statement. Pacific Southwest Region.
1995. Soil Survey, High Sierra Area California. Pacific Southwest Region, Sierra National Forest. 249 p.
1997. Exhibit GRI: Grazing Response Index R2-2200-GRI, Rangeland Analysis and Management Training Guide. Rocky Mountain Region, Denver, CO.
1997. Outfitter-Guide Administration Guidebook. USDA Forest Service, Northern Region. 200 p.
1997. Rangeland Analysis and Planning Guide. Pacific Southwest Region, Vallejo, CA.
2000. Region 5 Range Meadow Project. Adaptive Management Services, Tahoe National Forest, Nevada City, CA.
2000. 2210 Analysis & Summary, Range Readiness Stations, Kings River & Pineridge Districts, Sierra National Forest. Prather, CA.
2000. Yosemite toad survey results. Unpublished survey information on file at the Inyo National Forest Supervisors Office. Bishop, CA.
2001. Sierra Nevada Forest Plan Amendment. Final Environmental Impact Statement. San Francisco, CA: USDA Forest Service, Pacific Southwest Region.
- Various dates. Unpublished survey information on file at the Inyo National Forest Supervisors Office. Bishop, CA.
- IMI Staff, IMPLAN Professional Ver. 2.0. Washington Office. Washington, D.C.

- USDI, U.S. Fish and Wildlife Service
1985. Paiute Cutthroat Trout Recovery Plan. U.S. Department of the Interior, U.S. Fish and Wildlife Service, Portland OR. 68 p.
1986. Pacific Bald Eagle Recovery Plan. U.S. Fish and Wildlife Service. Portland, OR. 163pp.
1992. Lahontan cutthroat trout, Oncorhynchus clarki henshawi (Salmonidae) Recovery Plan - Draft. Portland, OR. 103pp.
1995. Recovery plan for the Lahontan cutthroat trout. U.S. Fish and Wildlife Service, Portland, Oregon. 108 pp.
- USDI, U.S. Park Service. 1994. Guide to the Wilderness Forage Areas of Sequoia & Kings Canyon National Parks. Sequoia & Kings Canyon NP Wilderness Office. Three Rivers, CA.
- USEPA. 1992. Prescribed Burning Background Document and Technical Information Document for Best Available Control Measures. Environmental Protection Agency, Office of Air and Radiation, September 1992.
- USGS. 2001. USGS research finds that contaminants may play an important role in California amphibian declines. Press release *at* http://www.usgs.gov/public/press/public_affairs/press_releases/pr1338m.html.
- Varness, Kevin J.; Pacha, R.E.; and Lapen, R.F. 1978. Effects of dispersed recreational activities on the microbiological quality of forest surface water. *Applied and Environmental Microbiology*. Vol. 36, No. 1: 95-104.
- Verner, Jared; Boss, Allan S. 1980. California wildlife and their habitats: western Sierra Nevada. Gen. Tech. Rep. PSW-37. U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experimental Station. 439 p.
- Verner, Jared. Kevin S. McKelvey, Barry R. Noon, R.J. Guitierrez, Gordon I. Gould, Jr., Thomas W. Beck. Technical Coordinators. 1992. The California spotted owl: a technical assessment of its current status. Gen. Tech. Rep. PSW-GTR-133. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 285p.
- Vredenburg, V. 2000. Research Scientist. University of California, Berkeley, CA. Pers. Comm.
- Vredenburg, V., G. M. Fellers, and C. Davidson. In press. The mountain yellow-legged frog (*Rana muscosa*). In: Status and Conservation of Amphibians of the United States. M. Lannoo, editor. Smithsonian Institution Press, Washington, D.C.
- Wake, D. B. 1991. Declining amphibian populations. *Science*, 253:860.
- Washburne, R.F. 1982. Wilderness recreational carrying capacity: are numbers necessary? *Journal of Forestry* 80(1):726-728
- Watson, Alan E.; Niccolucci, Michael J.; Williams, Daniel R. 1993. Hikers and Recreational Stock Users: Predicting and Managing Recreation Conflicts in Three Wildernesses. Research Paper INT-468. U.S. Department of Agriculture, Forest Service. Intermountain Research Station. 35 p.

- Watson, Alan E., M.J. Niccolucci and D.R. Williams. 1994. The nature of conflict between hikers and recreational stock users in the John Muir Wilderness. *Journal of Leisure Research* 26 (4): 372-385.
- Weaver, Dale T. 1978. Trampling effects of hikers, motorcycles and horses in meadows and forests. *Journal of Applied Ecology* 15:451-457.
- Wehausen, J.D. 1979. Sierra Nevada bighorn sheep: An analysis of management alternatives. Unpublished report on file Inyo National Forest Supervisors Office, Bishop, CA.
- Wehausen, J.D. 1980. Sierra Nevada bighorn sheep: history and population ecology. Ph.D. Thesis, Univ. of Mich., Ann Arbor, MI. 240pp.
- Wehausen, J.D. 1996. Effects of mountain lion predation on bighorn sheep in the Sierra Nevada and Granite Mountains of California. *Wildlife Soc. Bull.* 24:471-479.
- Wehausen, J.D. 2000. Sierra Nevada bighorn sheep: Locations of human interface with Sierra Nevada bighorn sheep. Unpublished report on file Inyo National Forest Supervisors Office, Bishop, CA.
- Wehausen, J.D. and Ramey. 1993. A morphometric reevaluation of the peninsular bighorn subspecies. *Desert Bighorn Counc. Trans.* 37:1-10.
- Williams, Wayne T.; Brady, Michaela; Willison, Steven C. 1977. Air Pollution Damage to the Forests of the Sierra Nevada Mountains of California. *Air Pollution Control Association Journal*, Vol. 27, No. 3, March 1977.
- Wittaker, P. 1978. Comparison of surface impact by hiking and horseback riding in the Great Smoky Mountains National Park. Management Report 24. Atlanta, GA: USDI NPS, Southeast Region, 32p.
- Wood, S.H. 1975. Holocene Stratigraphy and Chronology of Mountain Meadows, Sierra Nevada, California. Ph.D. thesis, California Institute of Technology, Pasadena, CA.
- Wood, T.S. 1977. Food habits of *Bufo canorus*. Unpubl. MS Thesis, Occidental College.
- Woolfenden, Wallace B. 1995 Quaternary Vegetation History of the Sierra Nevada, Sierra Nevada Ecosystem Project. USDA, Forest Service, Inyo National Forest, Bishop, CA.
- Wright, A. A., and A. H. Wright. 1933. Handbook of frogs and toads. The frogs and toads of the United States and Canada. First edition. Comstock Publishing Associates, Ithaca, New York. xi+231 p.
- Wright, A. H., and A. A. Wright. 1949. Handbook of frogs and toads of the United States and Canada. Third edition. Comstock Publishing Associates, Ithaca, New York. xii+640 p.
- Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer. 1990. California's Wildlife. Vol. I-3. California Dept. of Fish and Game. Sacramento, CA.
- Zweifel, R. G. 1955. Ecology, distribution, and systematics of frogs of the *Rana boylei* group. *University of California Publications in Zoology*, 54(4):207-292.