Table of Contents

Overview

Classification and Correlation 1-1
Map Unit Design 1-4
Mapping Intensity 1-5
Figure 1, Extent of the completed mapping, Winema Terrestrial Ecological Unit Inventory 1-6

Map Unit Descriptions

1003 - PICO/PUTR2/ACOC3 pumice Lapine, 1 to 6 percent slopes 2-1
1004 - PICO/grass Deepdish, 0 to 2 percent slopes 2-2
1009 - PICO/PUTR2/ACOC3 pumice Steiger, 1 to 6 percent slopes 2-3
1013 - ABCO/CEVE-CHCHC4 Lapine, 35 to 70 percent slopes 2-5
1014 - PICO/PUTR2/ACOC3 pumice, pyric Steiger ~~ PIPO/PUTR2/ACOC3 pumice Lapine complex, 0 to 8 percent slopes 2-7
1015 - PIPO/PUTR2/FEID pumice Maset -- PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Royst complex, 2 to 12 percent slopes 2-9
1016 - PIPO/PUTR2/ACOC3 pumice Lapine, 2 to 12 percent slopes 2-13
1017 - PICO/PUTR2/ACOC3 pumice, pyric Lapine, 2 to 12 percent slopes 2-15
1018 - ABCO/CEVE-CHCHC4 Lapine, 12 to 35 percent slopes 2-17
1023 - ABCO/CEVE-ARPA6 pumice Lapine, 12 to 35 percent slopes 2-19
1024 - PIPO/PUTR2-ARPA6/ACOC3 pumice Lapine, 30 to 60 percent slopes 2-21
1026 - PIPO/PUTR2/ACOC3 pumice Lapine ~~ ABCO/CEVE-ARPA6 pumice Lapine association, 12 to 35 percent slopes 2-23
1031 - ABCO/CEVE-ARPA6 pumice Lapine, 2 to 12 percent slopes 2-26
1048 - JUOC/ARTR2/FEID-PSSP6 north Humic Vitrixerands ~~ JUOC/ARTR2/PSSP6-POSE south Humic Vitrixerands ~~ Rocky land rock outcrop complex, 20 to 40 percent slopes 2-27
1049 - POA-DANTH scabland Choptie, 1 to 4 percent slopes. 2-29
1050 - ARAR8/FEID Yancy, 1 to 4 percent slopes 2-30
1052 - PIPO/PUTR2-CEVE/ACOC3 pumice Shukash, 12 to 35 percent slopes 2-31
1053 - PIPO/PUTR2-CEVE/ACOC3 pumice Shukash, 2 to 12 percent slopes 2-33
1054 - ARAR8/FEID Bottlespring, 1 to 4 percent slopes 2-36
1058 - ABCO/CEVE-ARPA6 pumice Shukash, 2 to 12 percent slopes 2-38
1059 - ABCO/CEVE-ARPA6 pumice Shukash, 12 to 35 percent slopes 2-40
1060 - PIPO/PUTR2/ACOC3 pumice Lapine, fine sand substratum, 2 to 20 percent slopes 2-42
1071 - PICO/PUTR2/ACOC3 pumice Shanahan, 0 to 2 percent slopes 2-44
1072 - PIPO/PUTR2-CEVE/ACOC3 pumice Lapine, 2 to 12 percent slopes 2-45
1076 - ABCO/CEVE-ARPA6 pumice Shukash, 35 to 60 percent slopes 2-47
1080 - PIPO/PUTR2/FEID pumice Bly ashy sandy loam ~~ PIPO/PUTR2/FEID pumice Lobert complex, 0 to 4 percent slopes 2-49
1090 - Dry meadow Bigtoe ~~ PICO/ARUV pumice Shortnap complex, 0 to 2 percent slopes 2-51
1207 - PIPO/PUTR2/ACOC3 pumice Collier ~~ PIPO/PUTR2/ACOC3 pumice Maklak complex, 0 to 4 percent slopes 2-53
1214 - PICO/CAINI3-ACOC3-basin, pumice Unionpeak ~~ PICO/CAINI3-ACOC3-basin, pumice Umak complex, 2 to 12 percent slopes 2-55
1217 - PIPO/PUTR2-CEVE/CAINI3 pumice Collier ~~ PIPO/PUTR2-CEVE/CAINI3 pumice Onionpie ~~ PIPO/PUTR2-CEVE/CAINI3 pumice Maklak complex, 2 to 8 percent slopes 2-57
1220 - ABSH/ARNE Timbercrater ~~ ABSH/ARNE Castlecrest ~~ ABSH/ARNE Unionpeak complex, 15 to 30 percent slopes 2-61
1227 - ABSH/ARNE Unionpeak ~~ ABSH/ARNE Timbercrater ~~ ABSH/ARNE Castlecrest complex, 2 to 15 percent slopes 2-64
1235 - ABCO/CEVE-CHCHC4 Lapine ~~ ABCO/CEVE-CHCHC4 Collier ~~ ABCO/CEVE-CHCHC4 Onionpie complex, 15 to 40 percent slopes 2-67
1247 - ABCO/CEVE-ARPA6 pumice Collier, 2 to 15 percent slopes 2-72
1248 - PIEN/CLUN2 Vitrandic Haplocryands, 2 to 8 percent slopes 2-75
1249 - PIPO/bunchgrass non-pumice Tater, 1 to 4 percent slopes 2-77
1254 - PIEN/CLUN2 Nutmeg, 0 to 2 percent slopes. 2-81

Map Unit Descriptions (continued)

1255 - PIEN/CLUN2 Nutmeg ~~ ABCO/CHCHC4-PAMY-CHUM Oatman ~~ PIEN/EQAR-STREP3 Anniecreek complex, 0 to 20 percent slopes....2-77
1256 - ABCO/CHCHC4-PAMY-CHUM Oatman, 4 to 20 percent slopes....2-81
1257 - ABSH-TSME/ARNE/CAINI3 Unionpeak ~~ ABSH-TSME/ARNE/CAINI3 Grousehill complex, 0 to 20 percent slopes....2-84
1260 - ABCO/CEVE-CEPR/FRVI Edgewood, 15 to 30 percent slopes....2-87
1261 - ABCO/SYAL/FRVI Yawhee, 2 to 15 percent slopes....2-90
1262 - ABCO/CEVE-CEPR/FRVI Yawhee, 2 to 15 percent slopes....2-92
1264 - ABCO-PICO/ACOC3-CAINI3 Edgewood, 2 to 20 percent slopes....2-94
1266 - ABCO/CEVE-CEPR/FRVI Edgewood ~~ Nonvegetated land rubble land complex, 30 to 50 percent slopes....2-96
1273 - PIPO/PUTR2/FEID pumice Bly ashy loam ~~ PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Royst complex, 2 to 8 percent slopes....2-98
1274 - ABCO-PIPO/SYAL/PSJA2 Bly ~~ PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Royst complex, 2 to 15 percent slopes....2-101
1275 - ARAR8/FEID Haploxererts, 2 to 12 percent slopes....2-104
1277 - ABCO/CHCHC4-PAMY-CHUM Oatman -- Nonvegetated land rubble land complex, 12 to 50 percent slopes....2-105
1281 - PIPO/PUTR2-CEVE/CAINI3 pumice Collier ~~ Rocky land badland complex, 60 to 80 percent slopes....2-107
1284 - ABCO/CEVE-CEPR/FRVI Bly ~~ PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Royst complex, 2 to 15 percent slopes....2-109
1316 - PIPO/PUTR2/ACOC3 pumice Shukash, 2 to 12 percent slopes....2-112
1317 - PIPO/PUTR2/ACOC3 pumice Shukash, 35 to 60 percent slopes....2-115
1357 - TSME/VASC Unionpeak ~~ TSME/VASC Llaorock ~~ TSME/VASC Grousehill complex, 2 to 20 percent slopes....2-117
1360 - Nonvegetated land rubble land ~~ TSME/VASC Llaorock ~~ ABSH-TSME/ARNE/CAINI3 Llaorock complex, 20 to 70 percent slopes....2-121
1370 - TSME/VASC Grousehill, 2 to 20 percent slope....2-123
1371 - ABSH-TSME/ARNE/CAINI3 Grousehill, 2 to 20 percent slopes....2-126
1372 - ABSH-TSME/ARNE/CAINI3 Grousehill, 20 to 50 percent slopes....2-129
1377 - ABSH-TSME/ARNE/CAINI3 Grousehill ~~ Nonvegetated land rubble land complex, 20 to 30 percent slopes....2-131
1380 - ABCO/CHCHC4-PAMY-CHUM Oatman, 20 to 50 percent slopes....2-133
1382 - ABCO/CEVE-CEPR/FRVI Bly -- ABCO/CEVE-CEPR/FRVI Maset -- ABCO/CEVE-CEPR/FRVI Yawhee complex, 15 to 50 percent slopes....2-136
1383 - ABCO/CEVE-CEPR/FRVI Maset, 2 to 15 percent slopes....2-140
1388 - TSME/VASC Castlecrest ~~ Rocky land badland complex, 60 to 80 percent slopes....2-143
1391 - PIPO/PUTR2/FEID pumice Maset - PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Royst complex, 20 to 40 percent slopes....2-145
1392 - ABCO-PIPO/SYAL/PSJA2 Bly ~~ PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Dehlinger ~~ PIPO-JOUC/CELE-PUTR2-ARTR2/FEID Royst complex, 15 to 50 percent slopes....2-148
1394 - ABCO-PIPO/SYAL/PSJA2 Ryespur, 12 to 30 percent slopes....2-152
1396 - ABCO-PIPO/SYAL/PSJA2 Ryespur, 2 to 12 percent slopes....2-154
1398 - ABCO/CEVE-CEPR/FRVI Ryespur, 2 to 12 percent slopes....2-156
1455 - ABCO/CHCHC4-PAMY-CHUM Pokegema -- ABCO/CHCHC4-PAMY-CHUM Oatman -- ABCO/CHCHC4-PAMY-CHUM Woodcock complex, 0 to 4 percent slopes....1-158
1456 - ABCO/CHCHC4-PAMY-CHUM Woodcock ~~ ABCO/CHCHC4-PAMY-CHUM Pokegema ~~ ABCO/CHCHC4-PAMY-CHUM Oatman complex, 4 to 20 percent slopes....2-162
2000 - Moist meadow Chinchallo, 0 to 1 percent slopes....2-165
2001 - PICO/SPDO/CAAN15 Mesquito, 1 to 8 percent slopes....2-168
2002 - PICO/SPDO/CAAN15 Mesquito, 8 to 15 percent slopes....2-171
2003 - PICO/SPDO/CAAN15 Mighty ~~ PICO/SPDO/forb Mighty complex, 0 to 1 percent slopes....2-173
2004 - Moist meadow Chocknott, 1 to 4 percent slopes....2-176
2005 - PICO/VAUL/CAAN15 Wickiup, 0 to 1 percent slopes....2-178
2006 - PICO/CAAN15 Cosbie ~~ PICO/VAUL/CAAN15 Stirfry complex, 1 to 15 percent slopes....2-180
2007 - Nonvegetated land riverwash, gently sloping....2-183
2008 - SALIX wetlands Chemult, 0 to 2 percent slopes....2-184

Map Unit Descriptions (continued)

2009 - Tule meadow Yamsay, 0 percent slope....2-186
2010 - PICO/ARUV pumice Tutni ~~ PICO/SPDO/forb Mighty complex, 0 to 1 percent slopes....2-188
2012 - PICO/ARUV pumice Regcrust, 0 to 1 percent slopes....2-190
2013 – Wet meadow Epiaquerts, 0 percent slope....2-192
2014 - Wet meadow Yamsay, 0 percent slope....2-193
2016 - PICO/ARUV pumice Oxyaquic Vitricryands, 0 to 1 percent slopes....2-194
2017 - PICO/CAAN15 Cosbie, 1 to 3 percent slopes....2-196
2018 - SALIX wetlands Aquandic Cryoquolls, fine-loamy, 0 to 2 percent slopes....2-198
2019 - ARTR2/bunchgrass Humic Haploxerands ~~ Dry meadow Spragueriver ~~ Nonvegetated land riverwash complex, 0 to 2 percent slopes....2-200
2020 - Moist meadow Dilman, 0 to 2 percent slopes....2-202
2021 - Dry meadow Hallet, 0 to 2 percent slopes....2-204
2025 - Dry meadow Chinchallo ~~ PICO/CAAN15 Cosbie complex, 0 to 3 percent slopes....2-206
2026 - Moist meadow Moyina, 0 to 2 percent slopes....2-209
2027 - Wet meadow Moyina, 0 percent slope....2-211
2031 - PIEN/EQAR-STREP3 Anniecreek, 0 to 2 percent slopes....2-212
2033 - ABCO/ALIN2 Aquandic Cryaquolls, loamy-skeletal ~~ ABCO/ALIN2 Aquandic Cryaquepts complex, 4 to 40 percent slopes....2-214
2034 - PIEN/VAUL/forb Losthill, 4 to 8 percent slopes....2-216
2040 - Sycan river flood plain, 0 to 2 percent slopes....2-217
2044 - PIEN/CLUN2 Maresegg, 0 to 2 percent slopes....2-219
2045 - VAUL/ELQU2 Histosols, 0 to 2 percent slopes....2-221
2046 - Wet meadow Hoxie, 0 to 1 percent slopes....2-222
2051 - PIEN/VAUL/forb Losthill, 0 to 2 percent slopes....2-223
2055 - Dry meadow Spragueriver, 0 to 2 percent slopes....2-225
2065 - Dry meadow Oxyaquic Argixerolls, 0 to 4 percent slopes....2-227
2071 - PICO/VAUL/CAAN15 Humic Cryaquepts, fine-loamy, 0 to 2 percent slopes....2-228
2093 - PIPO/SYAL flood plain Spragueriver, 2 to 6 percent slopes....2-230
2306 - Moist meadow Ontko, 0 to 2 percent slopes....2-232
3000 - Water....*
3001 - Pits and Dumps....*
3002 - Urban land, 0 to 2 percent slopes....*
4572 - ARAR8/FEID Merlin ~~ ARAR8/FEID Knotmer complex, 1 to 8 percent slopes....2-234
8045 - ABSH-TSME/ARNE/CAINI3 Redcone ~~ Nonvegetated land cinder land complex, 30 to 60 percent slopes....2-236
8046 - TSME/VASC Redcone ~~ Rocky land rock outcrop complex, 30 to 60 percent slopes....2-238
8205 - ABCO/CEVE-CEPR/FRVI Maklak, 0 to 10 percent slopes....2-240
8216 - ABCO/SYAL/FRVI Collier, 0 to 7 percent slopes....2-242
8334 - ABSH/ARNE Timbercrater, 25 to 60 percent slopes....2-244
9201 - PIPO/PUTR2-CEVE/CAINI3 Maklak, 0 to 10 percent slopes....2-246
9215 - Collier very gravelly ashy loamy sand, low, 0 to 7 percent slopes....2-248
9218 - Collier ashy loamy sand, dry, 0 to 10 percent slopes....2-250
9231 - PICO/CAINI3-ACOC3-basin, pumice Umak, 0 to 5 percent slopes....2-251
9248 - Lapine-Oatman complex, 5 to 30 percent slopes....2-253
9266 - ABSH/ARNE Umak, 0 to 10 percent slopes....2-255
9300 - Umak paragravelly ashy fine sandy loam, 0 to 7 percent slopes....2-257
9312 - Timbercrater-Sunnotch-Castlecrest complex, 0 to 10 percent slopes....2-258
9315 - Castlecrest ashy loamy sand, dry, 0 to 15 percent slopes....2-260
9326 - Timbercrater-Castlecrest complex, dry, 2 to 15 percent slopes....2-262
9328 - Timbercrater-Llaorock complex, dry, 30 to 60 percent slopes....2-264
9331 - Llaorock-Castlecrest complex, 15 to 30 percent slopes....2-266
9336 - ABSH/ARNE Sunnotch, 0 to 35 percent slopes....2-268
9344 - Lapine paragravelly ashy loamy coarse sand, 10 to 35 percent slopes....2-270
9345 - Llaorock – Rubble Land – Rock outcrop complex, 60 to 90 percent south slopes....2-272
9365 - Grousehill gravelly medial loam, 0 to 25 percent slopes....2-274
9368 - Grousehill-Llaorock complex, dry, 0 to 30 percent slopes....2-275

* no description

Map Unit Descriptions, South Block (1996 Contract, Matrix Sceintific)

A21 - sandstone plateaus with basalt colluvium : W17 : CW-S1-16 and sandstone plateaus : W99 : CW-S1-16 complex, 6 to 30 percent slopes 3-1
A22 - sandstone plateaus with basalt colluvium: W8: CW-S1-16 and sandstone plateaus: W7 : CW-S1-16 complex, 1 to 12 percent slopes 3-1
A60 - sandstone plateaus with ash : W47 : CP-S2-12, 3 to 18 percent slopes 3-2
A61 - sandstone plateaus with ash : W46 : CW-S1-16, 3 to 18 percent slopes. 3-3
A70 - sandstone hills : W31 : CP-S2-12 and sandstone hills with ash : W47 : CP-S2-12 complex, 12 to 45 percent slopes 3-3
A71 - sandstone hills : W31 : CW-S1-16 and sandstone hills with ash : W46 : CW-S1-16 complex, 12 to 45 percent slopes 3-4
A80 - sandstone scarps : W87 : CP-S2-12 and sandstone scarps:W7 : CP-S2-11 association, 25 to 60 percent slopes 3-5
B21 - basalt plateaus : W12 : GB-99, 3 to 12 percent slopes 3-6
B22 - basalt plateaus : W14 : CW-S1-16 and basalt plateaus : W9 : CW-S1-16 complex, 3 to 18 percent slopes. 3-6
B23 - basalt mountains and plateaus : W84 : GB-99 and basalt mountains and plateaus : W150 : CP-S2-11 complex, 3 to 30 percent slopes. 3-7
B24 - basalt plateaus : W14 : CW-S3-12 and basalt plateaus : W9 : CW-S3-12 complex 3 to 18 percent slopes. 3-8
B25 - basalt mountains : W15 : CW-H1-12, 3 to 30 percent slopes 3-8
B26 - basalt benches : W92 : CP-S2-16 and basalt benches : W94 : SD complex, 3 to 18 percent slopes 3-9
B30 - basalt scarps : W89 : CP-S2-12 and basalt scarps : W88 : CP-S2-12 complex, 30 to 70 percent slopes. 3-10
B31 - basalt mountains : W9 : CW-S1-16, 25 to 60 percent slopes 3-10
B32 - basalt mountains : W9 : CW-S3-12, 25 to 60 percent slopes 3-11
B34 - basalt mountains : W95 : CW-H1-12 and basalt mountains : W15 : CW-H1-12 complex, 25 to 45 percent slopes 3-11
B36 - basalt scarps : W94 : SD and basalt scarps : W93 : SD and basalt rubble land complex, 60 to 70 percent slopes 3-12
B41 - basalt mountains and hills : W9 : CW-S1-16 and basalt mountains and hills : W14 : CW-S1-16 complex, 12 to 45 percent slopes 3-13
B42 - basalt mountains and hills : W9 : CW-S3-12 and basalt mountains and hills : W14 : CW-S3-12 complex, 12 to 45 percent slopes 3-14
B52 - basalt plateaus : W9 : CW-S1-16 and basalt plateaus : W14 : CW-S1-16 complex, 6 to 30 percent slopes 3-14
B54 - basalt plateaus : W9 : CW-S3-12 and basalt plateaus : W14 : CW-S3-12 complex, 6 to 30 percent slopes 3-15
B60 - ash-covered basalt plateaus : W76 : CP-S2-12 and ash-covered basalt plateaus : W54 : CP-S2-12 complex, 3 to 18 percent slopes 3-16
B61 - ash-covered basalt plateaus : W76 : CW-S1-16 and ash-covered basalt plateaus : W54 : CW-S1-16 complex, 3 to 18 percent slopes 3-17
B62 - ash-covered basalt plateaus : W76 : CW-S3-12 and ash-covered basalt plateaus : W54 : CW-S3-12 complex, 3 to 18 percent slopes. 3-18
B63 - ash-covered colluvial basalt plateaus : W56 : CW-S3-12, 0 to 18 percent slopes 3-18
B65 - ash-covered basalt plateaus : W44 : CP-S2-11 and basalt plateaus : W86 : MD-19-11 complex, 1 to 12 percent slopes 3-19
B70 - ash-covered basalt mountains : W76 : CP-S2-12 and ash-covered basalt mountain slopes : W56 : CP-S2-12 complex, 12 to 45 percent slopes 3-19
B71 - ash-covered basalt mountains : W76 : CW-S1-16 and ash-covered basalt mountains : W56 : CW-S1-16 complex, 12 to 45 percent slopes 3-20
B72 - ash-covered basalt mountains : W76 : CW-S3-12 and ash-covered basalt mountains : W56 : CW-S3-12 complex, 12 to 40 percent slopes 3-21
B73 - ash-covered basalt mountains : W76 : CW-H1-12 and ash-covered basalt mountains : W56 : CW-H1-12 complex, 12 to 40 percent slopes 3-22
B74 - basalt mountains and plateaus : W150 : CP-S2-11 and basalt mountains and plateaus : W84 : GB-99 complex, 3 to 30 percent slopes 3-23

Map Unit Descriptions, South block (1996 Contract, Matrix Sceintific, continued)

B81 - ash covered basalt mountains : W56 : CW-S1-16 and ash covered basalt mountains : W76 : CW-S1-16 complex, 25 to 60 percent slopes 3-23
B82 - ash covered basalt mountains : W56 : CW-S3-12 and ash covered basalt mountains : W76 : CW-S3-12 complex, 25 to 60 percent slopes 3-24
B84 - basalt mountain shoulders : W84 : CJ-S4 and basalt mountain shoulders : W89 : CJ-S4 complex, 18 to 30 percent slopes 3-25
B92 - basalt mountain summits : W76 : CW-S3-12, 12 to 30 percent slopes 3-26
BF2 - basalt basin margin : W108 : CL-F1-11, 0 to 3 percent slopes 3-26
BF3 - fluvial basins : W63 : MD-19-11 and basin margins : W64 : CP-S2-11 association, 0 to 6 percent slopes 3-27
BF4 - basalt plateaus : W84 : SD-19-19 and fluvial basins : W63 : SD-19-13 complex, 0 to 12 percent slopes 3-27
C82 - composite volcanic cones : W95 : CW-S3-12 and rubble land complex, 18 to 45 percent slopes 3-28
F1 - alluvial fans : W11 : CW-S1-16 and stream terraces : W11 : CW-S1-16 complex, 1 to 15 percent slopes 3-29
F2 - fluvial basins : W22 : MM-19-12, 0 to 2 percent slopes 3-29
F4 - basalt basins : W81 : MM-29-11, 0 to 2 percent slopes 3-30
F5 - basalt basins : W75 : MD-19-11, 0 to 3 percent slopes 3-31
L1 - lake plain : W100 : MW-39-12, 0 to 1 percent slopes 3-31
L2 - lake plain : W45 : MW-39-11, 0 to 1 percent slopes 3-31
P60 - ash-covered sandstone plateaus : W71 : CP-S2-12 and ash-covered sandstone plateaus : W47 : CP-S2-12 complex, 3 to 25 percent slopes 3-32
P70 - ash-covered sandstone scarps and hills : W47 : CP-S2-12 and ash-covered sandstone scarps and hills : W71 : CP-C2-12 complex, 12 to 30 percent slopes 3-33
S21 - sandstone hills : W96 : CW-S1-16 and sandstone hills : W7 : CW-S1-16 complex, 6 to 30 percent slopes 3-33
S22 - ash-covered sandstone plateaus : W31 : CW-S3-12 and ash-filled plateau depressions : W32 : CW-S3-12 complex, 0 to 6 percent slopes 3-34
S23 - ash-covered sandstone plateaus : W31 : CL-F1-11, 1 to 12 percent slopes 3-35
S31 - sandstone hills : W97 : CW-S1-16 and sandstone hills : W20 : CW-S1-16 complex, 25 to 45 percent slopes 3-35
SF1 - sandstone hills and mountain foot slopes: W7 : CP-S2-11, 1 to 30 percent slopes 3-36

Ecological Type Descriptions

ABCO/ALIN2 Aquandic Cryaquepts 4-1
ABCO/ALIN2 Aquandic Cryaquolls, loamy-skeletal 4-4
ABCO/CEVE-ARPA6 pumice Collier 4-7
ABCO/CEVE-ARPA6 pumice Lapine 4-10
ABCO/CEVE-ARPA6 pumice Onionpie ..... *
ABCO/CEVE-ARPA6 pumice Shukash 4-14
ABCO/CEVE-ARPA6 pumice Steiger ..... *
ABCO/CEVE-CEPR/FRVI Bly 4-19
ABCO/CEVE-CEPR/FRVI Edgewood 4-22
ABCO/CEVE-CEPR/FRVI Maklak 4-25
ABCO/CEVE-CEPR/FRVI Maset 4-29
ABCO/CEVE-CEPR/FRVI Ryespur 4-32
ABCO/CEVE-CEPR/FRVI Yainax ..... *
ABCO/CEVE-CEPR/FRVI Yawhee 4-35
ABCO/CEVE-CHCHC4 Collier 4-39
ABCO/CEVE-CHCHC4 Lapine 4-42
ABCO/CEVE-CHCHC4 Onionpie 4-46
ABCO/CEVE-CHCHC4 Wuksi ..... *
ABCO/CEVE-CHCHC4 Xeric Vitricryands ..... *
ABCO/CHCHC4-PAMY-CHUM Oatman 4-50
ABCO/CHCHC4-PAMY-CHUM Otwin ..... *
ABCO/CHCHC4-PAMY-CHUM Pokegema ..... *
ABCO/CHCHC4-PAMY-CHUM Woodcock ..... *

Ecological Type Descriptions (continued)

ABCO/SYAL/FRVI Collier 4-55
ABCO/SYAL/FRVI Yawhee 4-58
ABCO-PICO/ACOC3-CAINI3 Edgewood 4-61
ABCO-PIPO/SYAL/PSJA2 Bly 4-64
ABCO-PIPO/SYAL/PSJA2 Ryespur 4-68
ABCO-PIPO/SYAL/PSJA2 Yainax ..... *
ABCO-PIPO/SYAL/PSJA2 Yawhee ..... *
ABSH/ARNE Castlecrest 4-71
ABSH/ARNE Sunnotch 4-74
ABSH/ARNE Timbercrater 4-76
ABSH/ARNE Umak 4-79
ABSH/ARNE Unionpeak 4-82
ABSH-TSME/ARNE/CAINI3 Grousehill 4-86
ABSH-TSME/ARNE/CAINI3 Llaorock 4-90
ABSH-TSME/ARNE/CAINI3 Redcone 4-93
ABSH-TSME/ARNE/CAINI3 Unionpeak 4-95
ALIN2 spring Terric Cryosaprists, loamy-skeletal 4-98
ARAR8/FEID Bottlespring 4-100
ARAR8/FEID Haploxerts ..... *
ARAR8/FEID Knotmer 4-104
ARAR8/FEID Merlin ..... *
ARAR8/FEID Yancy 4-106
ARTR2/bunchgrass Humic Haploxerands ..... *
Dry meadow Bigtoe 4-108
Dry meadow Chinchallo 4-111
Dry meadow Hallet 4-114
Dry meadow Oxyaquic Argixerolls 4-118
Dry meadow Spragueriver 4-120
JUOC/ARTR2/FEID-PSSP6 north Humic Vitrixerands ..... *
JUOC/ARTR2/FEID-POSE south Humic Vitrixerands ..... *
Moist meadow Chinchallo 4-123
Moist meadow Chocknott 4-126
Moist meadow Dilman 4-129
Moist meadow Moyina 4-132
Moist meadow Ontko ..... *
Nonvegetated land cinder land ..... *
Nonvegetated land riverwash ..... *
Nonvegetated land rubble land ..... *
PICO/ARUV pumice Oxyaquic Vitricryands ..... *
PICO/ARUV pumice Regcrust 4-134
PICO/ARUV pumice Shortnap 4-137
PICO/ARUV pumice Tutni 4-140
PICO/ARUV pumice Typic Cryaquands, ashy pumiceous ..... *
PICO/CAAN15 Cosbie 4-143
PICO/CAINI3-ACOC3-basin, pumice Umak 4-146
PICO/CAINI3-ACOC3-basin, pumice Unionpeak 4-149
PICO/grass Deepdish 4-152
PICO/PUTR2/ACOC3 pumice Lapine 4-155
PICO/PUTR2/ACOC3 pumice, pyric Lapine 4-159
PICO/PUTR2/ACOC3 pumice Maklak ..... *
PICO/PUTR2/ACOC3 pumice Shanahan 4-163
PICO/PUTR2/ACOC3 pumice Steiger 4-166
PICO/PUTR2/ACOC2 pumice, pyric Steiger 4-169
PICO/SPDO/CAAN15 Mesquito 4-173
PICO/SPDO/CAAN15 Mighty 4-177
PICO/SPDO/forb Mighty 4-180
PICO/VAUL/CAAN15 Humic Cryaquepts, fine-loamy ..... *
PICO/VAUL/CAAN15 Stirfry 4-184

Ecological Type Descriptions (continued)

PICO/VAUL/CAAN15 Wickiup 4-187
PIEN/CLUN2 Maresegg 4-190
PIEN/CLUN2 Nutmeg 4-193
PIEN/CLUN2 Vitrandic Haplocryolls 4-196
PIEN/EQAR-STREP3 Anniecreek 4-198
PIEN/VAUL/forb Losthill 4-201
PIPO/bunchgrass non-pumice Tater 4-204
PIPO/PUTR2/ACOC3 pumice Collier 4-207
PIPO/PUTR2/ACOC3 pumice Lapine 4-210
PIPO/PUTR2/ACOC3 pumice Lapine, fine sand substratum 4-214
PIPO/PUTR2/ACOC3 pumice Maklak 4-217
PIPO/PUTR2/ACOC3 pumice Onionpie ..... *
PIPO/PUTR2/ACOC3 pumice Shukash 4-220
PIPO/PUTR2/ACOC3 pumice Steiger 4-225
PIPO/PUTR2/ACOC3 pumice Typic Cryopsamments ..... *
PIPO/PUTR2/ACOC3 pumice Yawhee ..... *
PIPO/PUTR2/FEID pumice Bly ashy loam 4-229
PIPO/PUTR2/FEID pumice Bly ashy sandy loam 4-233
PIPO/PUTR2/FEID pumice Lobert 4-237
PIPO/PUTR2/FEID pumice Maset 4-239
PIPO/PUTR2/FEID pumice Yainax 4-242
PIPO/PUTR2-ARPA6/ACOC3 pumice Lapine 4-245
PIPO/PUTR2-CEVE/ACOC3 pumice Lapine 4-248
PIPO/PUTR2-CEVE/ACOC3 pumice Shukash 4-252
PIPO/PUTR2-CEVE/CAINI3 pumice Collier 4-256
PIPO/PUTR2-CEVE/CAINI3 pumice Maklak 4-260
PIPO/PUTR2-CEVE/CAINI3 pumice Onionpie 4-264
PIPO/PUTR2-CEVE/CAINI3 pumice Wuksi ..... *
PIPO/SYAL flood plain Aquandic Cryaquolls, fine-loamy ..... *
PIPO/SYAL flood plain Spragueriver 4-268
PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Alfic Humic Vitrixerands 4-271
PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Dehleinger 4-274
PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Nuss 4-277
PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Royst 4-280
Pits and dumps ..... *
POA-DANTH scabland Choptie 4-284
Rocky land badland ..... *
Rocky land rock outcrop ..... *
SALIX wetlands Aquandic Cryaquolls, fine-loamy 4-286
SALIX wetlands Chemult 4-289
SALIX wetlands Yamsay ..... *
TSME/VASC Castlecrest 4-292
TSME/VASC Grousehill 4-295
TSME/VASC Llaorock 4-299
TSME/VASC Redcone 4-302
TSME/VASC Unionpeak 4-304
Tule meadow Yamsay 4-307
VAUL/ELQU2 Histosols ..... *
Water ..... *
Wet meadow Cosbie ..... *
Wet meadow Epiaquert ..... *
Wet meadow Hoxie 4-309
Wet meadow Moyina 4-312
Wet meadow Yamsay ..... *

* no description

Typical Pedon Descriptions, South block (1996 Contract, Matrix Sceintific)

W7 - Typic Argixerolls, loamy-skeletal 5-1
W8 - Andic Argixerolls 5-1
W9 - Andic Haploxeralfs, moderately deep (Baileycreek Series) 5-2
W11 - Andic Haploxerepts 5-3
W12 - Lithic Haploxeralfs 5-4
W14 - Andic Haploxeralfs, deep (Witcher Series) 5-4
W15 - Alfic Humic Haploxerands 5-6
W17 - Andic Haploxeralfs, sandstone 5-7
W20 - Typic Haploxeralfs 5-7
W22 - Cumulic Cryaquolls 5-8
W31 - Vitrandic Haploxeralfs 5-9
W32 - Alfic Vitrixerands, very deep 5-10
W44 - Vitrandic Palexeralfs, fine 5-11
W45 - Typic Cryaqualfs 5-12
W46 - Alfic Vitrixerands, deep 5-12
W47 - Alfic Vitrixerands, moderately deep 5-13
W54 - Alfic Vitrixerands, clayey-skeletal. 5-14
W56 - Alfic Vitrixerands, colluvium 5-15
W63 - Typic Durixerolls, shallow (Yancy Series) 5-16
W64 - Haplic Palexerollic Durixerolls 5-17
W71 - Alfic Vitrixerands, palagonitic sandstone 5-18
W75 - Qxyaquic Haplocryolls 5-19
W76 - Alfic Vitrixerands, loamy-skeletal 5-20
W81 - Argic Cryaquolls 5-20
W84 - Lithic Argixerolls 5-21
W86 - Abruptic Haplic Durixeralfs 5-22
W87 - Vitrandic Haploxeralfs, deep 5-23
W88 - Lithic Haploxerolls, cold 5-24
W89 - Typic Argixerolls, basalt 5-25
W92 - Pachic Argixerolls (Kettenbach Series) 5-25
W93 - Pachic Haploxerolls (Dehlinger Series) 5-26
W94 - Lithic Haploxerolls (Alomax or Little Pole Series) 5-27
W95 - Typic Vitrixerands 5-28
W96 - Typic Argixerolls, fine 5-29
W97 - Mollic Haploxeralfs, colluvial 5-29
W99 - Mollic Haploxeralfs 5-30
W100 - Leptic Haploxererts 5-31
W108 - Vitrandic Eutrocryepts 5-32
W150 - Vitrandic Palexeralfs, clayey-skeletal 5-33

Legends

Ecological Type Legend 6-1
Map Unit Legend 6-6
Plant List 1, sorted by Life form and PLANTS Code 6-13
Plant List 2, sorted by PLANTS Common Name 6-27
Potential Natural Vegetation Legend 6-41
Soil Classification Legend 6-43

Constancy and Cover Tables

ABCO/ALIN2 Aquandic Cryaquepts 7-1
ABCO/ALIN2 Aquandic Cryaquolls, loamy-skeletal 7-2
ABCO/CEVE-ARPA6 pumice Collier 7-3
ABCO/CEVE-ARPA6 pumice Lapine 7-3
ABCO/CEVE-ARPA6 pumice Onionpie 7-4
ABCO/CEVE-ARPA6 pumice Shukash 7-4
ABCO/CEVE-ARPA6 pumice Steiger 7-5
ABCO/CEVE-CEPR/FRVI Bly 7-5

Constancy and Cover Tables (continued)

ABCO/CEVE-CEPR/FRVI Edgewood 7-6
ABCO/CEVE-CEPR/FRVI Maklak 7-7
ABCO/CEVE-CEPR/FRVI Maset 7-8
ABCO/CEVE-CEPR/FRVI Ryespur 7-9
ABCO/CEVE-CEPR/FRVI Yainax 7-10
ABCO/CEVE-CEPR/FRVI Yawhee 7-11
ABCO/CEVE-CHCHC4 Collier 7-12
ABCO/CEVE-CHCHC4 Lapine 7-12
ABCO/CEVE-CHCHC4 Onionpie 7-13
ABCO/CEVE-CHCHC4 Xeric Vitricryands 7-13
ABCO/CHCHC4-PAMY-CHUM Oatman 7-13
ABCO/CHCHC4-PAMY-CHUM Otwin 7-15
ABCO/CHCHC4-PAMY-CHUM Pokegema 7-16
ABCO/CHCHC4-PAMY-CHUM Woodcock 7-17
ABCO/SYAL/FRVI Collier 7-18
ABCO/SYAL/FRVI Yawhee 7-19
ABCO-PICO/ACOC3-CAINI3 Edgewood 7-20
ABCO-PIPO/SYAL/PSJA2 Bly 7-22
ABCO-PIPO/SYAL/PSJA2 Ryespur 7-23
ABCO-PIPO/SYAL/PSJA2 Yainax 7-25
ABCO-PIPO/SYAL/PSJA2 Yawhee 7-25
ABSH/ARNE Castlecrest 7-26
ABSH/ARNE Sunnotch 7-26
ABSH/ARNE Timbercrater 7-26
ABSH/ARNE Unionpeak 7-27
ABSH-TSME/ARNE/CAINI3 Grousehill 7-27
ABSH-TSME/ARNE/CAINI3 Llaorock 7-28
ABSH-TSME/ARNE/CAINI3 Redcone 7-29
ABSH-TSME/ARNE/CAINI3 Unionpeak 7-30
ALIN2 spring Terric Cryosaprists, loamy-skeletal 7-30
ARAR8/FEID Bottlespring 7-32
ARAR8/FEID Knotmer 7-34
ARAR8/FEID Yancy 7-35
ARTR2/bunchgrass Humic Haploxerands 7-35
Dry meadow Bigtoe 7-37
Dry meadow Chinchallo (forested) 7-39
Dry meadow Chinchallo (herbaceous dominated) 7-39
Dry meadow Hallet 7-40
Dry meadow Oxyaquic Argixerolls 7-42
Dry meadow Spragueriver 7-43
JUOC/ARTR2/FEID-PSSP6 north Humic Vitrixerands 7-45
JUOC/ARTR2/FEID-POSE south Humic Vitrixerands 7-45
Moist meadow Chinchallo (forested) 7-45
Moist meadow Chinchallo (herbaceous dominated) 7-47
Moist meadow Chocknott (forested) 7-49
Moist meadow Chocknott (herbaceous dominated) 7-51
Moist meadow Dilman (forested) 7-53
Moist meadow Dilman (herbaceous dominated) 7-55
Moist meadow Moyina 7-56
Moist meadow Ontko (forested) 7-57
Moist meadow Ontko (herbaceous dominated) 7-58
Nonvegetated land cinder land 7-59
Nonvegetated land riverwash 7-60
Nonvegetated land rubble land 7-60
PICO/ARUV pumice Oxyaquic Vitricryands 7-61
PICO/ARUV pumice Regcrust 7-61
PICO/ARUV pumice Shortnap 7-62
PICO/ARUV pumice Tutni 7-64

Constancy and Cover Tables (continued)

PICO/ARUV pumice Typic Cryaquands, ashy pumiceous 7-65
PICO/CAAN15 Cosbie (forested) 7-66
PICO/CAAN15 Cosbie (herbaceous dominated) 7-69
PICO/CAINI3-ACOC3-basin, pumice Umak 7-71
PICO/CAINI3-ACOC3-basin, pumice Unionpeak 7-71
PICO/grass Deepdish 7-72
PICO/PUTR2/ACOC3 pumice Lapine 7-72
PICO/PUTR2/ACOC3 pumice Maklak 7-73
PICO/PUTR2/ACOC3 pumice Shanahan 7-73
PICO/PUTR2/ACOC3 pumice Steiger 7-74
PICO/PUTR2/ACOC2 pumice, pyric Steiger (forested) 7-74
PICO/PUTR2/ACOC2 pumice, pyric Steiger (herbaceous dominated) 7-75
PICO/SPDO/CAAN15 Mesquito 7-75
PICO/SPDO/CAAN15 Mighty 7-78
PICO/SPDO/forb Mighty 7-80
PICO/VAUL/CAAN15 Humic Cryaquepts, fine-loamy 7-83
PICO/VAUL/CAAN15 Stirfry 7-84
PICO/VAUL/CAAN15 Wickiup 7-85
PIEN/CLUN2 Maresegg 7-87
PIEN/CLUN2 Nutmeg 7-88
PIEN/CLUN2 Vitrandic Haplocryolls 7-90
PIEN/EQAR-STREP3 Anniecreek 7-92
PIEN/VAUL/forb Losthill 7-94
PIPO/bunchgrass non-pumice Tater 7-97
PIPO/PUTR2/ACOC3 pumice Collier (forested) 7-97
PIPO/PUTR2/ACOC3 pumice Collier (shrub dominated) 7-98
PIPO/PUTR2/ACOC3 pumice Lapine (forested) 7-98
PIPO/PUTR2/ACOC3 pumice Lapine (shrub dominated) 7-99
PIPO/PUTR2/ACOC3 pumice Lapine, fine sand substratum 7-100
PIPO/PUTR2/ACOC3 pumice Maklak 7-100
PIPO/PUTR2/ACOC3 pumice Onionpie 7-101
PIPO/PUTR2/ACOC3 pumice Shukash 7-101
PIPO/PUTR2/ACOC3 pumice Steiger 7-102
PIPO/PUTR2/ACOC3 pumice Typic Cryopsamments 7-102
PIPO/PUTR2/FEID pumice Bly ashy loam 7-102
PIPO/PUTR2/FEID pumice Bly ashy sandy loam (forested) 7-104
PIPO/PUTR2/FEID pumice Bly ashy sandy loam (shrub dominated) 7-105
PIPO/PUTR2/FEID pumice Lobert (forested) 7-105
PIPO/PUTR2/FEID pumice Lobert (shrub dominated) 7-106
PIPO/PUTR2/FEID pumice Maset 7-106
PIPO/PUTR2/FEID pumice Yainax 7-108
PIPO/PUTR2-ARPA6/ACOC3 pumice Lapine 7-109
PIPO/PUTR2-CEVE/ACOC3 pumice Lapine 7-110
PIPO/PUTR2-CEVE/ACOC3 pumice Shukash 7-110
PIPO/PUTR2-CEVE/CAINI3 pumice Collier (forested) 7-111
PIPO/PUTR2-CEVE/CAINI3 pumice Collier (shrub dominated) 7-111
PIPO/PUTR2-CEVE/CAINI3 pumice Maklak 7-112
PIPO/PUTR2-CEVE/CAINI3 pumice Onionpie 7-112
PIPO/PUTR2-CEVE/CAINI3 pumice Wuksi 7-112
PIPO/SYAL flood plain Aquandic Cryaquolls, fine-loamy 7-113
PIPO/SYAL flood plain Sprageriver 7-114
PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Alfic Humic Vitrixerands 7-115
PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Dehlinger 7-116
PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Nuss 7-117
PIPO-JUOC/CELE3-PUTR2-ARTR2/FEID Royst 7-119
POA-DANTH scabland Choptie 7-121
SALIX wetlands Aquandic Cryaquolls, fine-loamy 7-122
SALIX wetlands Chemult 7-124

Constancy and Cover Tables (continued)

SALIX wetlands Yamsay 7-126
TSME/VASC Castlecrest 7-126
TSME/VASC Grousehill 7-127
TSME/VASC Llaorock 7-127
TSME/VASC Redcone 7-128
TSME/VASC Unionpeak 7-128
Tule meadow Yamsay 7-129
VAUL/ELQU2 Histosols 7-129
VAUL/ELQU2 Histosols (peat quarry) 7-130
Wet meadow Cosbie 7-131
Wet meadow Hoxie (forested) 7-132
Wet meadow Hoxie (herbaceous dominated) 7-133
Wet meadow Moyina 7-134
Wet meadow Yamsay 7-135

Appendices

DRAFT Engineering Properties Table 8-1
DRAFT Water Features Table 8-39
Oregon Climate Zone 5 Summary 8-69
Oregon Climate Zone 7 Summary 8-73
References 8-76