

Literature Cited

- Aandahl, Andrew R., and Arnold Heerwagen. 1964. Parallelism in the development of soil survey and range sites concepts. Pp. 137-146 in Keller, Wesley, and others, Editors. Forage plant physiology and soil-range relationships. Special Publication No. 5. Madison, WI: American Society of Agronomy.
- Aiken, Susan G., Laurie L. Consaul, Jerrold I. Davis, and Paul S. Manos. 1993. Systematic inferences from variation in isozyme profiles of arctic and alpine cespitose *Festuca* (Poaceae). *American Journal of Botany* 80(1):76-82.
- Aldon, Earl F., and Janet F. Barstad. 1987. Escudilla Mountain Research Natural Area: A study of an undisturbed montane grassland in Arizona. *Natural Areas Journal* 7(3):107-117.
- Aldon, Earl F., David G. Scholl, P. R. Fresquez, and Richard E. Francis. 1988. Natural production potential of some Rio Puerco soils in New Mexico. Research Note RM-481, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Billy G., Jr., Frank Ronco, Jr., E. Lee Fitzhugh, and John A. Ludwig. 1984a. A classification of forest habitat types of the Lincoln National Forest, New Mexico. General Technical Report RM-104, 29 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Billy G., Jr., Frank Ronco, Jr., Alan S. White, and John A. Ludwig. 1984b. Douglas-fir habitat types of northern Arizona. General Technical Report RM-108, 13 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Billy G., Jr., E. Lee Fitzhugh, Frank Ronco, Jr., and John A. Ludwig. 1987. A classification of forest habitat types of the northern portion of the Cibola National Forest, New Mexico. General Technical Report RM-143, 35 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1972. Partial cutting practices in old-growth lodgepole pine. Research Paper RM-92, 16 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1974. Silviculture of subalpine forests in the Central and Southern Rocky Mountains: The status of our knowledge. Research Paper RM-121, 88 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1977. Uneven-aged management of old growth spruce-fir forests: Cutting methods and stand structure goals for the initial entry. Research Paper RM-186, 12 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R., and Carleton B. Edminster. 1980a. Management of spruce-fir in even-aged stands in the Central Rocky Mountains. Research Paper RM-217, 14 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R., and Carleton B. Edminster. 1980b. Management of ponderosa pine in even-aged stands in the southwest. Research Paper RM-225, 11 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1984. Natural regeneration of Engelmann spruce after clearcutting in the central Rocky Mountains in relation to environmental factors. Research Paper RM-254, 17 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1985a. Diameter and basal area distributions in old-growth spruce-fir forests in Colorado. Research Note RM-451, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1985b. Major habitat types, community types, and plant communities in the Rocky Mountains. General Technical Report RM-123, 105 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1986a. Silvicultural systems and cutting methods for old-growth lodgepole pine forests in the Central Rocky Mountains. General Technical Report RM-127, 31 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1986b. Silvicultural systems and cutting methods for old-growth spruce-fir forests in the Central and Southern Rocky Mountains. General Technical Report RM-126, 33 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1986c. Silvicultural systems and cutting methods for ponderosa pine forests in the Front Range of the Central Rocky Mountains. General Technical Report RM-128, 22 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1986d. Engelmann spruce seed production and dispersal, and seedling establishment in the Central Rocky Mountains. General Technical Report RM-134, 9 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R., George R. Hoffman, and John M. Wirsing. 1986. Forest vegetation of the Medicine Bow National Forest in southeastern Wyoming: A habitat type classification. Research Paper RM-271, 39 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Alexander, Robert R. 1988. Forest vegetation on National Forests in the Rocky Mountain and Intermountain Regions: Habitat types and community types. General Technical Report RM-162, 47 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.

- Station.
- Alford, Donald. 1974. Snow. Pp. 85-110 in Ives, Jack D., and Roger G. Barry. Arctic and alpine environments. London, UK: Methuen and Co., 999 pp.
- Allen, Edith B., Jeanne C. Chambers, Kristina F. Connor, Michael F. Allen, and Ray W. Brown. 1987. Natural reestablishment of mycorrhizae in disturbed alpine ecosystems. *Arctic and Alpine Research* 19(1): 11-20.
- Amman, Gene D., Mark D. McGregor, and Robert E. Dolph Jr. 1985. Mountain pine beetle. Forest Insect and Disease Leaflet [No.] 2, 11 pp. [Washington, DC:] USDA Forest Service.
- Amman, Gene D., Compiler. 1988. Proceedings – Symposium on the management of lodgepole pine to minimize losses to the mountain pine beetle. General Technical Report INT-262, 119 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Analytical Software. 1996. Statistix® for Windows, Version 1.0. Manual, 333 pp. + 1 floppy disk. Tallahassee, FL: Analytical Software.
- Andariese, Steven W., and W. Wallace Covington. 1986a. Changes in understory production for three prescribed burns of different ages in ponderosa pine. *Forest Ecology and Management* 14(3):193-203.
- Andariese, Steven W., and W. Wallace Covington. 1986b. Biomass estimation for four common grass species in northern Arizona ponderosa pine. *Journal of Range Management* 39(5): 472-473.
- Andersen, Douglas C., Robert S. Hoffman, and Kenneth B. Armitage. 1979. Aboveground productivity and floristic structure of a high subalpine herbaceous meadow. *Arctic and Alpine Research* 11(4):467-476.
- Andersen, Douglas C., and Kenneth B. Armitage. 1976. Caloric content of Rocky Mountain subalpine and alpine plants. *Journal of Range Management* 29(4): 344-345.
- Anderson, E. William. 1983. Ecological site/ range site/habitat type – A viewpoint. *Rangelands* 5(4):187-188.
- Anderson, E. William. 1986. Plant indicators of effective environment. *Rangelands* 8(2):70-73.
- Anderson, Jay E., and Karl E. Holte. 1981. Vegetation development over 25 years without grazing on sagebrush-dominated rangeland in southeastern Idaho. *Journal of Range Management* 34(1):25-29.
- Andresen, John W., and Raphael J. Steinhoff. 1971. The taxonomy of *Pinus flexilis* and *P. strobiformis*. *Phytologia* 22(2):57-70.
- Anonymous. 0000. List of references on Colorado and the Rocky Mountains: Vegetation (alpine). Contribution No. 29: 2 pp. Boulder, Colorado: University of Colorado, Institute of Arctic and Alpine Research.
- Aplet, Gregory H., Richard D. Laven, and Frederick W. Smith. 1988. Patterns of community dynamics in Colorado Engelmann spruce-subalpine fir forests. *Ecology* 69(2):312-319.
- Archibold, O. W., E. A. Ripley, and D. L. Bretell. 1996. Comparison of the microclimates of a small aspen grove and adjacent prairie in Saskatchewan. *American Midland Naturalist* 135(2):248-261.
- Armstrong, David M. 1972. Distribution of mammals in Colorado. Monograph No. 3, 415 pp. Lawrence, KS: University of Kansas, Museum of Natural History.
- Arno, Stephen F., Elizabeth D. Reinhardt, and Joe H. Scott. 1993. Forest structure and landscape patterns in the subalpine lodgepole pine type: A procedure for quantifying past and present conditions. General Technical Report INT-294, 17 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Arnold, Chester A. 1959. Some paleobotanical aspects of tundra development. *Ecology* 40(1): 146-148.
- Arnold, Joseph F. 1950. Changes in ponderosa pine bunchgrass ranges in northern Arizona resulting from pine regeneration and grazing. *Journal of Forestry* 48(2):118-126.
- Artz, John L., John Baker, Richard S. Driscoll, Richard E. Eckert Jr., Minoru Hironaka, Floyd Kinsinger, James O. Klemmedson, George Knoll, C. B. Rumberg, E. F. Schlatterer, Jack Schmutz, E. Lamar Smith, Robert Buttery, Harland E. Dietz, Jim Hancock, Richard Hart, Jerry Thomas, Ron Wenker, and Gale Wolters. 1983. Guidelines and terminology for range inventories and monitoring: Report of the Range Inventory Standardization Committee. Denver, CO: Society for Range Management, 13 pp.
- Austin, D. D., and Philip J. Urness. 1982. Vegetal responses and big game values after thinning regenerating lodgepole pine. *Great Basin Naturalist* 42(4):512-516.
- Austin, D. D., P. J. Urness, and J. King. 1984. Late summer changes in mule deer diets with increasing use on bitterbrush rangeland. *Great Basin Naturalist* 44(4):572-574.
- Austin, Dennis D., and Philip J. Urness. 1986. Effects of cattle grazing on mule deer diet and area selection. *Journal of Range Management* 39(1):18-21.
- Avers, Peter E., David T. Cleland, W. Henry McNab, Mark E. Jensen, Robert G. Bailey, Thomas King, Charles B. Goudey, and Walter E. Russell. 1997. National hierarchical framework of terrestrial ecological units. *In* Ecosystem management: Applications for sustainable forest and wildlife resources. New Haven, CT: Yale University Press.
- Bailey, D. K. Phytogeography and taxonomy of *Pinus* Subsection *Balfourianae*. *Annals of the Missouri Botanic Garden* 57:210-249.
- Bailey, Robert G. 1980. Description of the ecoregions of the United States. Miscellaneous Publication No. 1391, 77 pp. + map 1:7,500,000. Washington, DC: USDA Forest Service.
- Bailey, Robert G. 1998. Ecoregions map of North America, [with] explanatory note. Miscellaneous Publication No. 1548, 10 pp. + 1 map 1:15,000,000. Washington, DC: USDA Forest Service.
- Baker, Malchus B., Jr. 1986. Effects of ponderosa pine treatments on water yield in Arizona. *Water*

- Resources Research 22(1):67-73.
- Baker, William L. 1983. Some aspects of the presettlement vegetation of the Piceance Basin, Colorado. *Great Basin Naturalist* 43(4):687-699.
- Baker, William L. 1989a. Classification of the riparian vegetation of the montane and subalpine zones in western Colorado. *Great Basin Naturalist* 49(2):214-228.
- Baker, William L. 1989b. Macro- and micro-scale influences on riparian vegetation in western Colorado. *Annals of the Association of American Geographers* 79(1):65-78.
- Baker, William L. 1991. Livestock grazing alters succession after fire in a Colorado subalpine forest. Pp. 84-90 in Nodvin, S. C., and T. A. Waldrop, Editors. *Fire and the environment: Ecological and cultural perspectives: Proceedings of an international symposium*. General Technical Report SE-69, 429 pp. Asheville, NC: USDA Forest Service, Southeastern Forest Experiment Station.
- Baker, William L. 1983. Alpine vegetation of Wheeler Peak, New Mexico, U. S. A.: Gradient analysis, classification, and biogeography. *Arctic and Alpine Research* 15(2): 223-240.
- Bamberg, Samuel A., and Jack Major. 1968. Ecology of the vegetation and soils associated with calcareous parent materials in three alpine regions of Montana. *Ecological Monographs* 38(2): 127-167.
- Banks, Richard C., Roy W. McDiarmid, and Alfred L. Gardner, Editors. 1987. Checklist of vertebrates of the United States, the U.S. Territories, and Canada. Resource Publication [No.] 166, 79 pp. Washington, DC: USDI Fish and Wildlife Service.
- Barger, Ronald L. and Peter F. Ffolliott. 1972. Physical characteristics and utilization of major woodland tree species in Arizona. Research Paper RM-83, 80 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Barneby, Rupert C. 1964. Atlas of North American *Astragalus*. *Memoirs of the New York Botanical Garden* Vol. 13, iii + 1188 pp.
- Barnes, Burton V., Kurt S. Pregitzer, Thomas A. Spies, and Vera H. Spooner. 1982. Ecological forest site classification. *Journal of Forestry* 80(8):493-498.
- Barrick, Kenneth A., and Anna W. Schoettle. 1996. A comparison of the foliar nutrient status of elfinwood and symmetrically formed tall trees, Colorado Front Range, U.S.A. *Canadian Journal of Botany* 74(9):1461-1475.
- Barrick, Kenneth A. 1986. Option value in relation to distance effects and selected user characteristics for the Washakie Wilderness, northwest Wyoming. In Lucas, Robert C., compiler. *Proceedings--National wilderness research conference: Current research*. General Technical Report INT-212: 412-422. Ogden, Utah: USDA Forest Service, Intermountain Research Station.
- Barry, R. G. 1973. A climatological transect on the east slope of the Front Range, Colorado. *Arctic and Alpine Research* 5(2):89-110.
- Barry, Roger G., and Raymond S. Bradley. 1976. Historical climatology. Pp. 43-67 in Steinhoff, Harold W., and Jack D. Ives, Editors. *Ecological impacts of snowpack augmentation in the San Juan Mountains, Colorado: Final report of the San Juan Ecology Project*. Ft. Collins, CO: Colorado State University; and Boulder, CO: University of Colorado, Institute of Arctic and Alpine Research; and Durango, CO: Fort Lewis College, Department of Biological Science; 489 pp.
- Barry, Roger G. 1979. High altitude climates. Pp. 56-74 in Webber, Patrick J., editor. *High altitude geocology*. AAAS Selected Symposium No. 12, 188 pp. Boulder, CO: Westview Press.
- Barry, Roger G., and Claudia C. Van Wie. 1974. Topo- and microclimatology in alpine areas. Pp. 73-83 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments*. London, UK: Methuen and Co., 999 pp.
- Bartmann, Richard M. 1983. Winter foods of mule deer in Piceance Basin. *Outdoor Facts Game Information Leaflet No. 107*, 4 pp. [Place of publication not stated:] Colorado Division of Wildlife.
- Bartolome, James W. 1983. Overstory-understory relationships: Lodgepole pine forest. Pp. 1-4 in *Overstory-understory relationships in western forests*. Western Regional Research Publication No. 1. Fort Collins, CO: Colorado State University, Experiment Station.
- Bartolome, James W., and Harold F. Heady. 1978. Ages of big sagebrush following brush control. *Journal of Range Management* 31(6):403-406.
- Bartos, D. L., and W. F. Mueggler. 1981. Early succession in aspen communities following fire in western Wyoming. *Journal of Range Management* 34(4):315-318.
- Bartos, Dale L., and Robert S. Johnston. 1978. Biomass and nutrient content of quaking aspen at two sites in the western United States. *Forest Science* 24(2):273-280.
- Bartos, Dale L. 1979. Effects of burning on the aspen ecosystem. Pp. 47-58 in *Wyoming shrublands: Proceedings of the Eighth Wyoming Shrub Ecology Workshop*. Laramie, WY: University of Wyoming, Range Management Division.
- Bartos, Dale L., and Walter F. Mueggler. 1979. Influence of fire on vegetation production in the aspen ecosystem in western Wyoming. Pp. 75-78 in Boyce, Mark S., and Larry D. Hayden-Wing, Editors. *North American elk: Ecology, behavior, and management*. Laramie, WY: University of Wyoming.
- Bartos, Dale L., and James E. Lester. 1984. Effects of 2,4-D on a *Populus tremuloides* community in the western United States -- 22 years after treatment. *Great Basin Naturalist* 44(3):459-467.
- Basile, Joseph V., and Chester E. Jensen. 1971. Grazing potential on lodgepole pine clearcuts in Montana. Research Paper INT-98, 11 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Basile, Joseph V. 1979. Elk-aspen relationships on a prescribed burn. Research Note INT-271, 7 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.

- Bates, Robert L., and Julia A. Jackson, Editors. 1987. *Glossary of geology*, Third Edition. Alexandria, VA: American Geological Institute, 788 pp.
- Bauer, Harry L. 1943. The statistical analysis of chaparral and other plant communities by means of transect samples. *Ecology* 24(1):45-60.
- Bauer, Ronald F.. 1981. Soil survey of Piedra area, Colorado: Parts of Archuleta, Hinsdale, La Plata, Mineral, and Rio Grande Counties. 97 pp. + 30 maps (1:31,680). [Washington, DC:] USDA Soil Conservation Service and USDA Forest Service.
- Bear, George D. 1978. Evaluation of fertilizer and herbicide applications on two Colorado bighorn sheep winter ranges. Division Report No. 10, 75 pp. [Place of publication not stated]: Colorado Division of Wildlife.
- Bear, George D. 1978. Evaluation of fertilizer and herbicide applications on two Colorado bighorn sheep winter ranges. Division Report No. 10, 75 pp. [Denver, CO]: Colorado Division of Wildlife.
- Beard, T. H., N. E. Martin, and D. L. Adams. 1983. Effects of habitat type and elevation on occurrence of stalactiform blister rust in stands of lodgepole pine. *Plant Disease* 67(6):648-651.
- Beeson, Robert T. 1987. Case studies in the application of aspen research. Pp. 30-32 in Troendle, Charles A., Merrill R. Kaufmann, R. H. Hamre, and Robert P. Winokur, Technical Coordinators. *Management of subalpine forests: Building on 50 years of research*. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Beetle, A. A. 1974. Range survey in Teton County, Wyoming, Part IV: Quaking aspen. Publication SM-27, 28 pp. Laramie, WY: University of Wyoming, Agricultural Experiment Station.
- Beetle, Alan A. 1982. Sagebrush in Wyoming. *Bulletin* [No.] 779, 68 pp. Laramie, WY: University of Wyoming, Agricultural Experiment Station.
- Beftor, William. 1986. Large-scale sampling photography for forest habitat-type identification. *Photogrammetric Engineering and Remote Sensing* 52(1):101-108.
- Benedict, James B. 1970. Downslope soil movement in a Colorado alpine region: Rates, processes, and climatic significance. *Arctic and Alpine Research* 2(3): 165-226.
- Benedict, James B. 1989. Use of *Silene acaulis* for dating: The relationship of cushion diameter to age. *Arctic and Alpine Research* 21(1):91-96.
- Benkman, Craig W., Russell P. Balda, and Christopher C. Smith. 1984. Adaptations for seed dispersal and the compromises due to seed predation in limber pine. *Ecology* 65(2):632-642.
- Bennetts, Robert E., Gary C. White, Frank G. Hawksworth, and Scott E. Severs. 1996. The influence of dwarf mistletoe on bird communities in Colorado ponderosa pine forests. *Ecological Applications* 6(3):899-909.
- Benson, Lee A., Clait E. Braun, and Wayne C. Leininger. 1991. Sage grouse response to burning in the big sagebrush type. Pp. 97-104 in *Issues and technology in the management of impacted wildlife: Proceedings of a national symposium*, Snowmass Resort, Colorado, April 8-10, 1991. Boulder, CO: Thorne Ecological Institute.
- Benson, Robert E. 1974. Lodgepole pine logging residues: Management alternatives. Research Paper INT-160, 28 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Berg, Neil H. 1980. Prediction of snowdrift accumulation at alpine sites. In J. D. Ives, editor. *Geocology of the Colorado Front Range: A study of alpine and subalpine environments*: 254-258. Boulder, Colorado: Westview Press.
- Berg, Neil H. 1987. Krummholz snowdrifts: Hydrologic implications at a Colorado treeline site. Pp. 141-144 in Troendle, Charles A., et al., Technical Coordinators. *Management of subalpine forests: Building on 50 years of research*. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Bergen, J. D. 1971-72. Topographic effects apparent in nocturnal temperature profiles in a conifer canopy. *Agricultural Meteorology* 9:39-50.
- Berry, Charles R., Jr. 1979. Impact of sagebrush management on riparian and stream habitat, Pp. 192-209 in *The sagebrush ecosystem: A symposium*. Logan, UT: Utah State University, College of Natural Resources.
- Bethlenfalvay, G. J., and Suren Dakessian. 1984. Grazing effects on mycorrhizal colonization and floristic composition of the vegetation on a semiarid range in northern Nevada. *Journal of Range Management* 37(4):312-313.
- Betters, David R., and Ruth F. Woods. 1981. Uneven-aged stand structure and growth of Rocky Mountain aspen. *Journal of Forestry* 79:673-676.
- Betters, David R. 1983. Overstory-understory relationships: Aspen forests. Pp. 5-8 in *Overstory-understory relationships in western forests*. Western Regional Research Publication No. 1. Fort Collins, CO: Colorado State University, Experiment Station.
- Bierly, Kenneth F. 1972. Meadow and fen vegetation in Big Meadows, Rocky Mountain National Park. Unpublished M. S. Thesis, Colorado State University, Fort Collins, Colorado, 102 pp.
- Billings, W. D. 1973. Arctic and alpine vegetations: Similarities, differences, and susceptibility to disturbance. *BioScience* 23(12):697-704.
- Billings, W. Dwight. 1974. Arctic and alpine vegetation: Plant adaptations to cold summer climates. Pp. 403-443 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments*. London, UK: Methuen and Co., 999 pp.
- Billings, W. Dwight. 1979. High mountain ecosystems: Evolution, structure, operation and maintenance. Pp. 97-125 in Webber, Patrick J., editor. *High altitude geocology*. AAAS Selected Symposium No. 12, 188 pp. Boulder, CO: Westview Press.
- Billings, W. D. 1979. Alpine ecosystems of western North America. In Johnson (1979), pp. 6-21.

- Billings, W. D., and L. C. Bliss. 1959. An alpine snowbank environment and its effects on vegetation, plant development, and productivity. *Ecology* 40(3): 388-397.
- Billings, W. D., and H. A. Mooney. 1959. An apparent frost hummock-sorted polygon cycle in the alpine tundra of Wyoming. *Ecology* 40(1): 16-20.
- Billings, W. D., E. E. C. Clebsch, and H. A. Mooney. 1966. Photosynthesis and respiration rates of Rocky Mountain alpine plants under field conditions. *American Midland Naturalist* 75(1): 34-44.
- Billings, W. D., and H. A. Mooney. 1968. The ecology of arctic and alpine plants. *Biological Review* 43: 481-529.
- Biondi, Franco. 1996. Decadal-scale dynamics at the Gus Pearson Natural Area: Evidence for inverse (a)symmetric competition? *Canadian Journal of Forest Research* 26(8):1397-1406.
- Biondi, Franco, Donald E. Myers, and Charles C. Avery. 1984. Geostatistically modeling stem size and increment in an old-growth forest. *Canadian Journal of Forest Research* 24:1354-1368.
- BioTech and Indiana University. 1999. BioTech life sciences dictionary. <http://biotech.icmb.utexas.edu/pages/dictionary.html>
- Black, Robert F. 1954. Permafrost -- A review. *Bulletin of the Geological Society of America* 65:839-856.
- Blair, Rob, Tom Ann Casey, William H. Romme, and Richard N. Ellis, Editors. 1996. *The western San Juan Mountains: Their geology, ecology, and human history*. Niwot, CO: University Press of Colorado, 406 pp.
- Blaisdell, James P. 1953. Ecological effects of planned burning of sagebrush-grass range on the Upper Snake River Plains. Technical Bulletin No. 1075, 39 pp. Washington, DC: U. S. Department of Agriculture.
- Blaisdell, James P., Robert B. Murray, and E. Durant McArthur. 1982. *Managing intermountain rangelands – Sagebrush-grass ranges*. General Technical Report INT-134, 41 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Blakesley, Jennifer A., and Kerry P. Reese. 1988. Avian use of campground and noncampground sites in riparian zones. *Journal of Wildlife Management* 52(3):399-402.
- Blankenship, James O., and Dixie R. Smith. 1966. Indirect estimation of standing crop. *Journal of Range Management* 19(2):74-77.
- Bliss, L. C. 1958. Seed germination in arctic and alpine species. *Arctic* 11: 180-188.
- Bliss, L. C. 1962. Adaptations of arctic and alpine plants to environmental conditions. *Arctic* 15: 117-144.
- Blymyer, Michael J. 1985. Preliminary classification of cottonwood (*Populus* spp.) riparian systems in southwest Colorado. Unpublished Report, Bureau of Land Management, Montrose District, Montrose, Colorado, 69 pp.
- Bockheim, James G., and Scott F. Burns. 1991. *Pergelic soils of the western contiguous United States: Distribution and taxonomy*. *Arctic and Alpine Research* 23(2):206-212.
- Bojorquez Tapia, Luis A., Peter F. Ffolliott, and D. Phillip Guertin. 1990. Herbage production-forest overstory relationships in two Arizona ponderosa pine forests. *Journal of Range Management* 43(1):25-28.
- Bonde, Erik K. 1965. *Studies on the germination of seeds of Colorado alpine plants*. University of Colorado Studies, Series in Biology, No. 14: 16 pp. Boulder, Colorado: University of Colorado Press.
- Bonde, Erik K. 1965. *Further studies on the germination of seeds of Colorado alpine plants*. University of Colorado Studies, Series in Biology, No. 18: 30 pp. Boulder, Colorado: University of Colorado Press.
- Bones, James T., and Resource Inventory Coordination Task Group, committee. 1989. *Interim resource inventory glossary*. Washington, DC: U. S. Department of Agriculture, Forest Service, 96 pp.
- Bonham, C. D., T. R. Cottrell, and J. E. Mitchell. 1991. Inferences for life history strategies of *Artemisia tridentata* subspecies. *Journal of Vegetation Science* 2:339-344.
- Bonham, Charles D. 1966. *An ordination of alpine hairgrass (Deschampsia caespitosa Beauv.) meadows*. Ph. D. Dissertation: pp. Fort Collins, Colorado: Colorado State University.
- Bonham, Charles D. 1972. *Vegetation analysis of grazed and ungrazed alpine hairgrass meadows*. *Journal of Range Management* 25: 276-279.
- Borland International, Inc. 1996. *Paradox® Version 7*. Six diskettes and four manuals.
- Bowman, William D. 1992. *Inputs and storage of nitrogen in winter snowpack in an alpine ecosystem*. *Arctic and Alpine Research* 24(3):211-215.
- Bowns, James E., and Calvin F. Bagley. 1986. *Vegetation responses to long-term sheep grazing on mountain ranges*. *Journal of Range Management* 39(5):431-434.
- Boyce, David A. 1977. *Vegetation of the South Fork of the White River valley, Colorado*. Unpublished Ph. D. Thesis, University of Colorado, Boulder, 328 pp.
- Brandege, T. S. 1880. *Timber line in the Sawatch Range*. *Botanical Gazette* 5:125-126.
- Braun, Clait E. 1969. *Population dynamics, habitat, and movements of white-tailed ptarmigan in Colorado*. Ph. D. Dissertation, 189 pp. Fort Collins, CO: Colorado State University.
- Briggs, George M., and James A. MacMahon. 1983. *Alpine and subalpine wetland plant communities of the Uinta Mountains, Utah*. *Great Basin Naturalist* 43(4):523-530.
- Britton, Carlton M., Robert G. Clark, and Forrest A. Sneva. 1981. *Will your sagebrush range burn?* *Rangelands* 3(5):207-208.
- Brotherson, J. D., D. L. Anderson, and L. A. Szyska. 1984. *Habitat relations of *Cercocarpus montanus* (true mountain mahogany) in central Utah*. *Journal of Range Management* 37(4):321-324.

- Brown, David E. 1983. Great Basin montane scrubland. Pp. 83-84 in Brown, David E., Editor. Biotic communities of the American southwest – United States and Mexico. *Desert Plants* 4(1-4):1-341 + map.
- Brown, H. E., and J. R. Thompson. 1965. Summer water use by aspen, spruce, and grassland in western Colorado. *Journal of Forestry* 63:756-760.
- Brown, Harry E. 1958. Gambel oak in west-central Colorado. *Ecology* 39(2):317-327.
- Brown, James K., and Norbert V. DeByle. 1987. Fire damage, mortality, and suckering in aspen. *Canadian Journal of Forest Research* 17:1100-1109.
- Brown, Ray W., Robert S. Johnston, and Keith Van Cleve. 1978. Rehabilitation problems in alpine and arctic regions. Pp. 23-44 in Schaller, Frank W., and Paul Sutton, editors, *Reclamation of Drastically Disturbed Lands*. Madison, WI: American Society of Agronomy, Crop Science Society of America, and Soil Science Society of America.
- Brown, Ray W., and Robert S. Johnston. 1979. Revegetation of disturbed alpine rangelands. In Johnson (1979), pp. 76-94.
- Bruck, Robert I., Paul Miller, John Laut, William Jacobi, and David Johnson. 1985. Investigation into the health of forests in the vicinity of Gothic, Colorado. Scientific Report EPA-908/9-85-001, 69 pp. [San Francisco, CA:] U. S. Environmental Protection Agency, Region VIII.
- Bruderlin, Katharine. 1911. A study of the lodgepole pine forests of Boulder Park, Tolland, Colorado. *University of Colorado Studies* 8(4):265-275. Boulder, CO: University of Colorado.
- Brulisauer, Alfred R., Gary E. Bradfield, and Jack Maze. 1996. Quantifying organizational change after fire in lodgepole pine forest understorey. *Canadian Journal of Botany* 74(11):1773-1782.
- Brunstein, F. Craig, and David K. Yamaguchi. 1992. The oldest known Rocky Mountain bristlecone pines (*Pinus aristata* Engelm.). *Arctic and Alpine Research* 24(3): 253-256.
- Bunin, Jane E. 1975. The vegetation of the west slope of the Park Range, Colorado. Unpublished Ph. D. Thesis, University of Colorado, Boulder.
- Bunnell, Fred L., and David J. Vales. 1990. Comparison of methods for estimating forest overstory cover: Differences among techniques. *Canadian Journal of Forest Research* 20:101-107.
- Bunting, Stephen C., Bruce M. Kilgore, and Charles L. Bushey. 1987. Guidelines for prescribed burning sagebrush-grass rangelands in the northern Great Basin. General Technical Report INT-231, 33 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Burns, Russell M., compiler. 1983. Silvicultural systems for the major forest types of the United States. Agriculture Handbook No. 445. Washington, DC: U. S. Department of Agriculture, Forest Service, 191 pp.
- Bushey, Charles L. 1985. Comparison of observed and predicted fire behavior in the sagebrush/bunchgrass vegetation type. Pp. 187-201 in Long, James N., Editor. Proceedings of a symposium: Fire management: The challenge of protection and use. Logan, UT: Utah State University, Department of Forest Resources.
- Cabral, Diego R. and Neil E. West. 1986. Reference unit-based estimates of winterfat browse rates. *Journal of Range Management* 39(2):187-189.
- Cain, Stanley A. 1943. Sample-plot technique applied to alpine vegetation in Wyoming. *American Journal of Botany* 30: 240-247.
- Caine, Nel. 1974. The geomorphic processes of the alpine environment. Pp. 721-748 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments*. London, UK: Methuen and Co., 999 pp.
- Call, Mayo W., and Chris Maser. 1985. Wildlife habitats in managed rangelands—The Great Basin of southeastern Oregon: Sage grouse. General Technical Report PNW-187, 29 pp. Portland, OR: USDA Forest Service, Pacific Northwest Forest and Range Experiment Station.
- Callahan, R. Z., and Woodbridge Metcalf. 1959. Altitudinal races of *Pinus ponderosa* confirmed. *Journal of Forestry* 57:500-502.
- Callahan, R. Z., and A. R. Liddicoet. 1961. Altitudinal variation at 20 years in ponderosa and Jeffrey pines. *Journal of Forest* 59:814-820.
- Callaway, Ragan M., Evan H. DeLucia, Darrin Moore, Robert Nowak, and William H. Schlesinger. 1996. Competition and facilitation: Contrasting effects of *Artemisia tridentata* on desert vs. montane pines. *Ecology* 77(7):2130-2141.
- Cameron, D. E., and M. J. Jenkins. 1988. Engelmann spruce cone losses caused by insects in northern Utah in a year of low cone production. *Great Basin Naturalist* 48(4):508-511.
- Cannon, Richard W., and Fritz L. Knopf. 1984. Species composition of a willow community relative to seasonal grazing histories in Colorado. *Southwestern Naturalist* 29(2):234-237.
- Canon, S. K., P. J. Urness, and N. V. DeByle. 1987. Habitat selection, foraging behavior, and dietary nutrition of elk in burned aspen forest. *Journal of Range Management* 49(5):433-438.
- Cantor, Lisa F., and Thomas G. Whitham. 1989. Importance of belowground herbivory: Pocket gophers may limit aspen to rock outcrop refugia. *Ecology* 70(4):962-970.
- Carleton, T. J., R. K. Jones, and G. Pierpoint. 1985. The prediction of understory vegetation by environmental factors for the purpose of site classification in forestry: An example from northern Ontario using residual ordination analysis. *Canadian Journal of Forest Research* 15(6):1099-1108.
- Carpenter, Alan T., and Neil E. West. 1987. Indifference of mountain big sagebrush growth to supplemental water and nitrogen. *Journal of Range Management* 40(5):448-451.
- Carter, Jack L. 1988. *Trees and shrubs of Colorado*. Boulder, CO: Johnson Books, 165 pp.

- Carter, Virginia. 1986. An overview of the hydrologic concerns related to wetlands in the United States. *Canadian Journal of Botany* 64:364-374.
- Caylor, Jule A., and Henry M. Lachowski. 1988. How to use aerial photographs for natural resource applications. Salt Lake City, UT: USDA Forest Service, Nationwide Forestry Applications Program, chapter pagination.
- Chambers, Jeanne C. 1989. Seed viability of alpine species: Variability within and among years. *Journal of Range Management* 42(4):304-308.
- Chambers, Jeanne C. 1993. Seed and vegetation dynamics in an alpine herb field: Effects of disturbance type. *Canadian Journal of Botany* 71(3):471-485.
- Chambers, Jeanne C., James A. MacMahon, and Ray W. Brown. 1987. Germination characteristics of alpine grasses and forbs: A comparison of early and late seral dominants with reclamation potential. *Reclamation and Revegetation Research* 6: 235-249.
- Chapin, F. Stuart, III. 1981. Field measurements of growth and phosphate absorption in *Carex aquatilis* along a latitudinal gradient. *Arctic and Alpine Research* 13(1):83-94.
- Chojnacky, David C. 1985. Pinyon-juniper volume equations for the central Rocky Mountain states. Research Paper INT-339, 27 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Chojnacky, David C. 1996. Estimating diameter growth for pinyon and juniper trees in Arizona and New Mexico. Research Note INT-RN-429, 6 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Christiansen, Tim A., Jeffrey A. Lockwood, and Jeff Powell. 1989a. Effects of arthropods on root : shoot ratio and biomass production in undisturbed and modified mountain shrub habitats. *Great Basin Naturalist* 49(3):456-460.
- Christiansen, Tim A., Jeffrey A. Lockwood, and Jeff Powell. 1989b. Litter decomposition by arthropods in undisturbed and intensively managed mountain brush habitats. *Great Basin Naturalist* 49(4):562-569.
- Christiansen, Tim A., Jeffrey A. Lockwood, and Jeff Powell. 1989c. Arthropod community dynamics in undisturbed and intensively management mountain brush habitats. *Great Basin Naturalist* 49(4):570-586.
- Churchill, Ethan D., and Herbert C. Hanson. 1958. The concept of climax in arctic and alpine vegetation. *Botanical Review* 24:127-191.
- Clary, Warren P., and Frederic R. Larson. 1971. Elk and deer use are related to food sources in Arizona ponderosa pine. Research Note RM-202, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Clary, Warren P. 1972. A treatment prescription for improving big game habitat in ponderosa pine forests. Pp. 25-28 in 16th Annual Arizona Watershed Symposium Proceedings. Report No. 2. Phoenix, AZ: Arizona Water Commission.
- Clary, Warren P. 1978. Arizona fescue mountain rangelands. Pp. 205-207 in Hyder, Donald N., Editor. Proceedings of the First International Rangeland Congress. Denver, CO: Society for Range Management.
- Clary, Warren P., Peter F. Ffolliott, and Frederic R. Larson. 1978. Factors affecting forage consumption by cattle in Arizona ponderosa pine forests. *Journal of Range Management* 31(1): 9-10.
- Clary, Warren P. 1983. Overstory-understory relationships: Spruce-fir forests. Pp. 9-12 in Overstory-understory relationships in western forests. Western Regional Research Publication No. 1. Fort Collins, CO: Colorado State University, Experiment Station.
- Clary, Warren P. 1986. Black sagebrush response to grazing in the east-central Great Basin. Pp. 181-185 in McArthur, E. Durant, and Bruce L. Welch, Compilers. Proceedings – Symposium on the biology of *Artemisia* and *Chrysothamnus*. General Technical Report INT-200, 398 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Clements, F. E. 1910. The life history of lodgepole burn forests. Bulletin [No.] 79, 56 pp. Washington, DC: USDA Forest Service.
- Clements, Frederic E. 1916. Plant succession: An analysis of the development of vegetation. Publication No. 242, 512 pp. Washington, DC: Carnegie Institution of Washington.
- Clements, Frederic E. 1920. Plant indicators: The relation of plant communities to process and practice. Publication No. 290, 388 pp. Washington, DC: Carnegie Institution of Washington.
- Clements, Frederic E. 1935. Experimental ecology in the public service. *Ecology* 16(3):342-362.
- Clifton, C. 1989. Effects of vegetation and land use on channel morphology. In Gresswell, R. E., B. A. Barton, and J. L. Kershner, eds. *Practical Approaches to Riparian Resource Management: An Educational Workshop*. Billing, MT: USDI Bureau of Land Management, pp. 121-129.
- Cole, David N. 1982. Vegetation of two drainages in Eagle Cap Wilderness, Wallowa Mountains, Oregon. Research Paper INT-288, 42 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Cole, David N. 1985. Recreational trampling effects on six habitat types in western Montana. Research Paper INT-350, 43 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Cole, David N., Margaret E. Petersen, and Robert C. Lucas. 1987. Managing wilderness recreation use: Common problems and potential solutions. General Technical Report INT-230: 60 pp. Ogden, Utah: USDA Forest Service, Intermountain Research Station.
- Cole, David N. 1989. Viewpoint: Needed research on domestic and recreational livestock in wilderness. *Journal of Range Management* 42(1): 84-86.
- Cole, Dennis M. 1983. Canopy development in lodgepole pine: Implications for wildlife studies and multiple resource management. General

- Technical Report INT-139, 13 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Cole, Dennis M. 1986. An indirect method for determining the order of expected thinning response among overstocked lodgepole pine stands. *Canadian Journal of Forest Research* 16:875-879.
- Cole, Dennis M., and Peter Koch. 1995. Managing lodgepole pine to yield merchantable thinning products and attain sawtimber rotations. Research Paper INT-RP-482, 15 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Colorado Climate Center. 1998. Colorado Climate Center. Maintained at Fort Collins, CO: Colorado State University, Department of Atmospheric Science, College of Engineering. <http://ulysses.atmos.colostate.edu>, downloaded in October, 1998.
- Comstock, Jonathan P., and James R. Ehleringer. 1992. Plant adaptation in the Great Basin and Colorado Plateau. *Great Basin Naturalist* 52(3):195-215.
- Cook, C. Wayne, and Thadis W. Box. 1961. A comparison of the loop and point methods of analyzing vegetation. *Journal of Range Management* 14:22-27.
- Cook, C. Wayne. 1983. "Forbs" need proper ecological recognition. *Rangelands* 5(5):217-220.
- Cooper, Charles F. 1960. Changes in vegetation, structure, and growth of southwestern pine forests since white settlement. *Ecological Monographs* 30(2):129-164.
- Cooper, David J. 1990. Ecology of wetlands in Big Meadows, Rocky Mountain National Park, Colorado. Biological Report 90(15), 45 pp. Washington, DC: USDI Fish and Wildlife Service.
- Cooper, David J., and Richard E. Andrus. 1994. Patterns of vegetation and water chemistry in peatlands of the west-central Wind River Range, Wyoming, U.S.A. *Canadian Journal of Botany* 72:1586-1597.
- Cooper, David J. 1986. The Arrigetch Peaks region of the central Brooks Range, Alaska: Ecosystems and human use. In Lucas, Robert C., compiler. *Proceedings--National wilderness research conference: Current research*. General Technical Report INT-212: 94-99. Ogden, Utah: USDA Forest Service, Intermountain Research Station.
- Cooper, Harold W. 1953. Amounts of big sagebrush in plant communities near Tensleep, Wyoming, as affected by grazing treatment. *Ecology* 34(1):186-189.
- Cooper, Stephen V., Kenneth E. Neiman, Robert Steele, and David W. Roberts. 1987. Forest habitat types of northern Idaho: A second approximation. General Technical Report INT-236, 135 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Cooperrider, Allen Y., and James A. Bailey. 1986. Fringed sagebrush (*Artemisia frigida*)—A neglected forage species of western ranges. Pp. 46–54 in McArthur, E. Durant, and Bruce L. Welch, Compilers. *Proceedings—Symposium on the biology of Artemisia and Chrysothamnus*. General Technical Report INT-200, 398 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Cooperrider, Allen Y., Raymond J. Boyd, and Hanson R. Stuart, compilers. 1986. Inventory and monitoring of wildlife habitat. Publication BLM/YA/PT-87/001+6600, 858 pp. Denver, CO: USDI Bureau of Land Management, Denver Service Center.
- Corel Corporation. 1998. Paradox® Version 8. One CD-Rom and four manuals.
- Costello, David F. 1944. Important species of the major forage types in Colorado and Wyoming. *Ecological Monographs* 14(1):107-134.
- Costello, David F., and H. E. Schwan. 1946. Condition and trends on ponderosa pine ranges in Colorado. Denver, CO: USDA Forest Service, Rocky Mountain Region, mimeographed, 33 pp.
- Cottam, W. P., and George Stewart. 1940. Plant succession as a result of grazing and of meadow desiccation by erosion since settlement in 1862. *Journal of Forestry* 38(7):613-626.
- Council of Biology Editors. 1978. Council of Biology Editors style manual, Fourth Edition. Arlington, VA. American Institute of Biological Sciences, 265 pp.
- Covington, W. Wallace, and Stephen S. Sackett. 1984. The effect of a prescribed burn in southwestern ponderosa pine on organic matter and nutrients in woody debris and forest floor. *Forest Science* 30(1):183-192.
- Covington, W. Wallace, and S. S. Sackett. 1992. Soil mineral nitrogen changes following prescribed burning in ponderosa pine. *Forest Ecology and Management* 54(1-4):175-191.
- Cowardin, Lewis M., Virginia Carter, Francis C. Golet, and Edward T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. Biological Services Program, Publication FWS/OBS-79/31, 103 pp. Washington, DC: USDI Fish and Wildlife Service, Office of Biological Services.
- Cox, Billy J. 1968. A vegetational comparison of the Gothic and Galena Mountain area. *Transactions of the Missouri Academy of Science* 2:72-83.
- Cox, Clare Francis. 1933. Alpine plant succession on James Peak, Colorado. *Ecological Monographs* 3(3): 300-372.
- Crane, M. F. 1982. Fire ecology of Rocky Mountain Region forest habitat types. Unpublished Final Report to USDA Forest Service, Rocky Mountain Region, Lakewood, Colorado, 268 pp.
- Creamer, W. H. IV, C. L. Wambolt, and R. J. Rossi. 1992. Comparison of three groups of variables for predicting big sagebrush forage production. Pp. 217-221 in Clary, Warren P., E. Durant McArthur, Don Bedunah, and Carl L. Wambolt, Compilers. *Proceedings – Symposium on ecology and management of riparian shrub communities*. General Technical Report INT-289, 232 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.

- Crist, Thomas O., and Carl F. Friese. 1993. The impact of fungi on soil seeds: Implications for plants and granivores in a semiarid shrub-steppe. *Ecology* 74(8):2231-2239.
- Cronquist, Arthur, Arthur H. Holmgren, Noel H. Holmgren, and James L. Reveal. 1972. *Intermountain flora: Vascular plants of the intermountain west, U. S. A. Volume 1*, 270 pp. New York, NY: New York Botanical Garden and Hafner Publishing.
- Crouch, Glenn L. 1981. Regeneration on aspen clearcuts in northwestern Colorado. Research Note RM-407, 5 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Crouch, Glenn L. 1983a. Effects of commercial clearcutting of aspen on understory vegetation and wildlife habitat values in southwestern Colorado. Research Paper RM-246, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Crouch, Glenn L. 1983b. Aspen regeneration after commercial clearcutting in southwestern Colorado. *Journal of Forestry* 81(5):316-319.
- Crouch, Glenn L. 1985. Effects of clearcutting a subalpine forest in central Colorado on wildlife habitat. Research Paper RM-258, 12 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Crouch, Glenn L. 1986a. Effects of thinning pole-sized lodgepole pine on understory vegetation and large herbivore activity in central Colorado. Research Paper RM-268, 10 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Crouch, Glenn L. 1986b. Aspen regeneration in 6- to 10-year-old clearcuts in southwestern Colorado. Research Note RM-467, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Cunningham, Hugh. 1971. Soil-vegetation relationships of a sagebrush-bitterbrush association in northwestern Colorado. Unpublished M. S. Thesis, Colorado State University, Fort Collins.
- Cunningham, James B., Russell P. Balda, and William S. Gaud. 1980. Selection and use of snags by secondary cavity-nesting birds of the ponderosa pine forest. Research Paper RM-222, 15 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Current, Francis B. 1984. The distribution and description of the vegetation of Battle Mountain as explained by abiotic factors. Unpublished Ph.D. Dissertation, University of Wyoming, Laramie, 340 pp.
- Currie, P. O., D. W. Reichert, J. C. Malechek, and O. C. Wallmo. 1977. Forage selection comparisons for mule deer and cattle under managed ponderosa pine. *Journal of Range Management* 30(5):352-356.
- Currie, Pat O. 1975. Grazing management of ponderosa pine-bunchgrass ranges of the Central Rocky Mountains: The status of our knowledge. Research Paper RM-159, 24 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Currie, Pat O. 1976. Recovery of ponderosa pine-bunchgrass ranges through grazing and herbicide or fertilizer treatments. *Journal of Range Management* 29(6):444-448.
- Currie, Pat O., Carleton B. Edminster, and F. William Knott. 1978. Effects of cattle grazing on ponderosa pine regeneration in central Colorado. Research Paper RM-201, 7 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Currie, Pat O., and Howard L. Gary. 1978. Grazing and logging effects on soil surface changes in central Colorado's ponderosa pine type. *Journal of Soil and Water Conservation*, pp. 176-178.
- Curtin, Dave. 1992. Out on a limb: Geologist perseveres to find Colorado's oldest tree. *Pueblo Gazette-Telegraph*, October 16, pp. G1-G2.
- Daddy, F., M. J. Trlica, and C. D. Bonham. 1988. Vegetation and soil water differences among big sagebrush communities with different grazing histories. *Southwestern Naturalist* 33(4):413-424.
- Daly, Christopher. 1985. Seedling establishment by conifers above tree limit on Niwot Ridge, Front Range, Colorado, U. S. A. *Arctic and Alpine Research* 17(4): 389-400.
- Daubenmire, R. F. 1943a. Vegetational zonation in the Rocky Mountains. *Botanical Review* 9:325-393.
- Daubenmire, R. F., and A. W. Slipp. 1943b. Plant succession on talus slopes in northern Idaho as influenced by slope exposure. *Bulletin of the Torrey Botanical Club* 70(5):473-480.
- Daubenmire, Rexford F. 1951. Some ecologic features of the subterranean organs of alpine plants. *Ecology* 22(4):370-378.
- Daubenmire, R. 1952. Forest vegetation of northern Idaho and adjacent Washington, and its bearing on concepts of vegetation classification. *Ecological Monographs* 22(4):301-330.
- Daubenmire, R. 1954. Alpine timberlines in the Americas and their interpretation. *Butler University Botanical Studies* 11:119-136.
- Daubenmire, R. 1959. A canopy-coverage method of vegetational analysis. *Northwest Science* 33(1):43-64.
- Daubenmire, R. 1966. Vegetation: Identification of typical communities: Stratification of samples and attention to population structure reveal the existence of discontinuities. *Science* 151(3708):291-298.
- Daubenmire, R. 1968. *Plant communities: A textbook of plant synecology*. New York, NY: Harper and Row, 300 pp.
- Daubenmire, R., and Jean B. Daubenmire. 1968. Forest vegetation of eastern Washington and northern Idaho. Technical Bulletin No. 60, 104 pp. Pullman, WA: Washington State University, Washington Agricultural Experiment Station.
- Daubenmire, R. 1970. Steppe vegetation of Washington. Technical Bulletin No. 62, 112 pp. Pullman, WA: Washington State University,

- Washington Agricultural Experiment Station.
- Daubenmire, R. 1972. Annual cycles of soil moisture and temperature as related to grass development in the steppe of eastern Washington. *Ecology* 53(3):419-424.
- Daubenmire, R. 1973. A comparison of approaches to the mapping of forest land for intensive management. *Forestry Chronicle*, April, pp. 87-91.
- Daubenmire, R. 1976. The use of vegetation in assessing the productivity of forest lands. *Botanical Review* 42(2):115-143.
- Daubenmire, Rexford. 1978. *Plant geography, with special reference to North America*. New York, NY: Academic Press, 338 pp.
- Daubenmire, R. 1980. The scientific basis for a classification system in land-use allocation. In: *The scientific and technical basis for land classification: A joint technical session*, pp. 7-10. Spokane, WA: Society of American Foresters.
- Dayton, W. A., Thomas Lommasson, Barry C. Park, Charles A. Kutzleb, Odell Julander, Arnold R. Standing, Selar S. Hutchings, Lloyd W. Swift, Edward P. Cliff, Doris W. Hayes, Miriam L. Bomhard, W. R. Chapline, R. R. Hill, and Lincoln Ellison. 1937. *Range plant handbook*. Washington, DC: U. S. Department of Agriculture. Nonsequential pagination.
- Dayton, W. A. 1950. *Glossary of botanical terms used in range research*, Revised Edition. Miscellaneous Publication 110, 41 pp. Washington, DC: U. S. Department of Agriculture.
- de Molenaar, J. G. 1987. An ecohydrological approach to floral and vegetational patterns in arctic landscape ecology. *Arctic and Alpine Research* 19(4): 414-424.
- Dealy, J. Edward, Donavin A. Leckenby, and Diane M. Concannon. 1981. *Wildlife habitats in managed rangelands – The Great Basin of southeastern Oregon: Plant communities and their importance to wildlife*. General Technical Report PNW-120, 66 pp. Portland, OR: USDA Forest Service, Pacific Northwest Forest and Range Experiment Station.
- Deblinger, Robert D., and A. William Alldredge. 1991. Influence of free water on pronghorn distribution in a sagebrush/steppe grassland. *Wildlife Society Bulletin* 19(3):321-326.
- DeByle, Norbert V. 1979. Potential effects of stable versus fluctuating elk populations in the aspen ecosystem. Pp. 13-19 *in* Boyce, Mark S., and Larry D. Hayden-Wing, Editors. *North American elk: Ecology, behavior, and management*. Laramie, WY: University of Wyoming.
- DeByle, Norbert V. 1980. Harvesting and site treatment influences on the nutrient status of lodgepole pine forests in western Wyoming. Pp. 137-155 *in* *Environmental consequences of timber harvesting in Rocky Mountain coniferous forests*. General Technical Report INT-90. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- DeByle, Norbert V. 1981. Songbird populations and clearcut harvesting of aspen in northern Utah. Research Note INT-302, 7 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- DeByle, Norbert V., and Robert P. Winokur, Editors. 1985. *Aspen: Ecology and management in the western United States*. General Technical Report RM-119, 281 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Deutschman, Glenn H. 1973. Mapping of habitat types throughout a National Forest. General Technical Report INT-11, 14 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Despain, Don G. 1983. Nonpyrogenous climax lodgepole pine communities in Yellowstone National Park. *Ecology* 64(2): 231-234.
- DeVelice, Robert L., John A. Ludwig, William H. Moir, and Frank Ronco, Jr. 1985. *Forests of northern New Mexico and southern Colorado: Plot data*. 124 pp. Lakewood, CO: USDA Forest Service, Rocky Mountain Region.
- DeVelice, Robert L., John A. Ludwig, William H. Moir, and Frank Ronco, Jr. 1986. A classification of forest habitat types of northern New Mexico and southern Colorado. General Technical Report RM-131, 59 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Dick-Peddie, William A. 1993. *New Mexico vegetation: Past, present, and future*. Albuquerque, NM: University of New Mexico, 244 pp.
- Dieterich, John H. 1979. Recovery potential of fire-damaged southwestern ponderosa pine. Research Note RM-379, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Dieterich, John H. 1980. Chimney Spring forest fire history. Research Paper RM-220, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Dieterich, John H., and Thomas W. Swetnam. 1984. Dendrochronology of a fire-scarred ponderosa pine. *Forest Science* 30(1):238-247.
- Dietz, Donald R., Daniel W. Uresk, Harold E. Messner, and Lowell C. McEwen. 1980. Establishment, survival, and growth of selected browse species in a ponderosa pine forest. Research Paper RM-219, 11 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Dillman, R. D., and W. B. White. 1982. *Photointerpretation guide for identifying pines killed by the mountain pine beetle*. Washington, DC: USDA Forest Service, 35 pp. + appendices.
- Doerr, T. B., E. F. Redente, and F. B. Reeves. 1984. Effects of soil disturbance on plant succession and levels of mycorrhizal fungi in a sagebrush-grassland community. *Journal of Range Management* 37(2):135-139.
- Donart, Gary B., Donnell Sylvester, and Wayne Hickey. 1978. A vegetation classification system for New Mexico, U.S.A. Pp. 488-490 *in* Hyder, Donald N., Editor. *Proceedings of the First International Rangeland Congress*. Denver, CO: Society for

- Range Management.
- Driscoll, Richard S., Daniel L. Merkel, James S. Hagihara, and David L. Radloff. 1983. A component classification for the United States: Status report. Technical Note No. 360, 30 pp. Denver, CO: USDI Bureau of Land Management.
- Driscoll, Richard S., Daniel L. Merkel, David L. Radloff, Dale E. Snyder, and James S. Hagihara. 1984. An ecological land classification framework for the United States. Miscellaneous Publication No. 1439, 56 pp. Washington, DC: U. S. Department of Agriculture, Forest Service.
- Drut, Martin S., John A. Crawford, and Michael A. Gregg. 1994. Brood habitat use by sage grouse in Oregon. *Great Basin Naturalist* 54(2): 170-176.
- Durkin, Paula, Esteban Muldavin, Mike Bradley, and Stacey E. Carr. 1996. A preliminary riparian/wetland vegetation community classification of the Upper and Middle Rio Grande watersheds in New Mexico. Pp. 44-57 in Shaw, Douglas W., and Deborah M. Finch, Technical Coordinators. Desired future conditions for southwestern riparian ecosystems: Bringing interests and concerns together. General Technical Report RM-GTR-272, 359 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Dyrness, C. T., and C. T. Youngberg. 1966. Soil-vegetation relationships within the ponderosa pine type in the central Oregon pumice region. *Ecology* 47(1):122-138.
- Eckert, Richard E. Jr., Frederick F. Peterson, and J. Tim Belton. 1986. Relation between ecological-range condition and proportion of soil-surface types. *Journal of Range Management* 39(5):409-414.
- Eckert, Richard E. Jr., Frederick F. Peterson, Michael S. Meurisse, and Jennifer L. Stephens. 1986b. Effects of soil-surface morphology on emergence and survival of seedlings in big sagebrush communities. *Journal of Range Management* 39(5): 414-420.
- Eddleman, Lee Elbert. 1962. Evaluation of sampling methods for alpine vegetation. M. S. Thesis. Fort Collins, CO: Colorado State University.
- Egeberg, Roger, Jr. 1963. Inherent variations in the response of aspen to frost damage. *Ecology* 44(1):153-156.
- Ellenberg, Heinz, and Dieter Mueller-Dombois. 1974. A key to Raunkiaer plant life forms with revised subdivisions. Appendix A in Mueller-Dombois and Ellenberg (1974), pp. 449-465.
- Ellison, Lincoln. 1960. Influence of grazing on plant succession of rangelands. *Botanical Review* 26(1):1-78.
- Ellison, Lincoln, and C. M. Aldous. 1952. Influence of pocket gophers on vegetation of subalpine grassland in central Utah. *Ecology* 33(2):177-186.
- Erdman, James A., Charles L. Douglas, and John W. Marr. 1969. Wetherill Mesa studies: Environment of Mesa Verde, Colorado. Archeological Research Series No. 7-B, 72 pp. Washington, DC: USDI National Park Service.
- ERO Resources Corp. 1986. Homestake Project Phase II, Wetland Baseline Report, Volume 5: Vegetation. Golden, CO: ERO Resources Corp., 86 pp. + appendices.
- Eshelman, Kristen R., Robert E. Wagner, and Glen M. Sechrist. 1989. Vegetation classification – Problems, principles, and proposals. Pp. 228-233 in Ferguson, Dennis E., Penelope Morgan, and Frederic D. Johnson, compilers. Proceedings-Land classifications based on vegetation: Applications for resource management. General Technical Report INT-257, 315 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Eyre, F. H., editor. 1980. Forest cover types of the United States and Canada: 148 pp. Washington, DC: Society of American Foresters.
- Fahey, Timothy J. 1983. Nutrient dynamics of aboveground detritus in lodgepole pine (*Pinus contorta* ssp. *latifolia*) ecosystems, southeastern Wyoming. *Ecological Monographs* 53(1):51-72.
- Fahey, Timothy J., and Dennis H. Knight. 1986. Lodgepole pine ecosystems: Biotic processes play a critical role in regulating material flux in Rocky Mountain lodgepole pine forests. *BioScience* 36(9):610-617.
- Faust, Richard A., and Thomas J. Nimlos. 1968. Soil microorganisms and soil nitrogen of the Montana alpine. *Northwest Science* 42(3):101-107.
- Fautin, Reed W. 1946. Biotic communities of the northern desert shrub biome in western Utah. *Ecological Monographs* 16(4):251-310.
- Fechner, Gilbert H. 1985. Silvical characteristics of blue spruce. General Technical Report RM-117, 19 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Federal Interagency Committee for Wetland Delineation. 1989. Federal manual for identifying and delineating jurisdictional wetlands. Washington, DC: U. S. Army Corps of Engineers, U. S. Environmental Protection Agency, U. S. Fish and Wildlife Service, and USDA Soil Conservation Service, 76 pp. + Appendices.
- Ferguson, Robert B., and Michael A. Marsden. 1977. Estimating overwinter bitterbrush utilization from twig diameter-length-weight relationships. *Journal of Range Management* 30(3):231-236.
- Ferguson, Robert B., and Neil C. Frischknecht. 1983. Revegetating processed oil shale in the upper mountain brush zone in Colorado. Research Paper INT-321, 9 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Fiedler, Carl E., Ward W. McCaughey, and Wyman C. Schmidt. 1985. Natural regeneration in intermountain spruce-fir forests – a gradual process. Research Paper INT-343, 12 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Fisher, James T., and Robert W. Neumann. 1987. Cultivation and weed control for aspen seedling establishment in the southern Rocky Mountains. *Canadian Journal of Forest Research* 17:47-50.
- Fisser, Herbert G. 1964. Range survey in Wyoming's Big Horn Basin. *Bulletin [No.]* 424, 44 pp.

- Laramie, WY: University of Wyoming, Agricultural Experiment Station.
- Fisser, Herbert G. 1986a. Biology and ecology of sagebrush in Wyoming: I. Soil characterization and research methods. Pp. 292-302 in McArthur, E. Durant, and Bruce L. Welch, Compilers. Proceedings -Symposium on the biology of *Artemisia* and *Chrysothamnus*. General Technical Report INT-200, 398 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Fisser, Herbert G. 1986b. Biology and ecology of sagebrush in Wyoming: II. Grazing, sagebrush control and forage yield. Pp. 303-313 in McArthur, E. Durant, and Bruce L. Welch, Compilers. Proceedings – Symposium on the biology of *Artemisia* and *Chrysothamnus*. General Technical Report INT-200, 398 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Fisser, Herbert G. 1986c. Biology and ecology of sagebrush in Wyoming: III. Phenology. Pp. 314-319 in McArthur, E. Durant, and Bruce L. Welch, Compilers. Proceedings – Symposium on the biology of *Artemisia* and *Chrysothamnus*. General Technical Report INT-200, 398 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Fitzgerald, R. D., and A. W. Bailey. 1984. Control of aspen regrowth by grazing with cattle. *Journal of Range Management* 37(2):156-158.
- Fitzgerald, R. D., R. J. Hudson, and A. W. Bailey. 1986. Grazing preferences of cattle in regenerating aspen forest. *Journal of Range Management* 39(1):13-18.
- Fitzhugh, E. Lee, William H. Moir, John A. Ludwig, and Frank Ronco, Jr. 1987. Forest habitat types in the Apache, Gila, and part of the Cibola National Forests, Arizona and New Mexico. General Technical Report RM-145, 116 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Floate, Kevin D., and Thomas G. Whitham. 1995. Insects as traits in plant systematics: Their use in discriminating between hybrid cottonwoods. *Canadian Journal of Botany* 73(1):1-13.
- Flohn, Hermann. 1974. Contribution to a comparative meteorology of mountain areas. Pp. 55-71 in Ives, Jack D., and Roger G. Barry. Arctic and alpine environments. London, UK: Methuen and Co., 999 pp.
- Flora of North America Editorial Committee. Flora of North America. Volume 1, 1993, 372 pp. Volume 2, 1993, 475 pp. New York, NY: Oxford University Press.
- Ford-Robertson, F. C., editor. 1971. Terminology of forest science, technology practice and products: English-language version. Multilingual Forestry Terminology Series No. 1, 349 pp. Washington, DC: Society of American Foresters.
- Forman, Richard T. T., and Michel Godron. 1986. Landscape ecology. New York, NY: John Wiley and Sons, 620 pp.
- Forsling, C. L. 1931. A study of the influence of herbaceous plant cover on surface run-off and soil erosion in relation to grazing on the Wasatch Plateau in Utah. Technical Bulletin No. 220, 71 pp. Washington, DC: U. S. Department of Agriculture.
- Fosberg, M. A., and M. Hironaka. 1964. Soil properties affecting the distribution of big and low sagebrush communities in southern Idaho. Pp. 230-236 in McClelland, J. E., and others, Editors. Forage plant physiology and soil-range relationships. Special Publication No. 5. Madison, WI: American Society of Agronomy.
- Fosberg, Maynard A., Minoru Hironaka, and Kent E. Houston. 1989. The soil-habitat type relationship. Pp. 277-278 in Ferguson, Dennis E., Penelope Morgan, and Frederic D. Johnson, compilers. Proceedings-Land classifications based on vegetation: Applications for resource management. General Technical Report INT-257, 315 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Fox, C. J. 1977. Soil survey of Taylor River Area, Colorado (northeastern part of Gunnison County). Washington, DC: USDA Forest Service and USDA Soil Conservation Service, 82 pp. + 28 maps (1:31,680).
- Fox, Charles J., and John Y. Nishimura. 1965. Soil management report: Taylor River Area, Gunnison National Forest. Denver, CO: U. S. Forest Service, Rocky Mountain Region, 87 pp. + tables.
- Fox, D. G., H. C. Humphries, K. F. Zeller, B. H. Connell, and G. L. Wooldridge. 1994. Meteorology. Chapter 7, pp. 42-47 in Musselman, Robert C., Technical Coordinator. The Glacier Lakes ecosystem experiments site. General Technical Report RM-249, 94 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Fox, Douglas G., Anna W. Schoettle, and Frank A. Vertucci. 1987. Glacier Lakes ecosystem experiments site: An "experimental" wilderness. Pp. 161-166 in Troendle, Charles A., et al., Technical Coordinators. Management of subalpine forests: Building on 50 years of research. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Fraas, W. Wyatt, Carl L. Wambolt, and Michael R. Frisina. 1992. Prescribed fire effects on a bitterbrush-mountain big sagebrush-bluebunch wheatgrass community. Pp. 212-216 in Clary, Warren P., E. Durant McArthur, Don Bedunah, and Carl L. Wambolt, Compilers. Proceedings - Symposium on ecology and management of riparian shrub communities. General Technical Report INT-289, 232 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Francis, Richard E. 1986. Phyto-edaphic communities of the upper Rio Puerco watershed, New Mexico. Research Paper RM-272, 73 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Frank, Thomas D., and Scott A. Isard. 1986. Alpine vegetation classification using high resolution aerial imagery and topoclimatic index values. *Photogrammetric Engineering and Remote Sensing* 52(3): 381-388.
- Frase, Barbara A. 1998. A five-year study of the plant

- community in four high-altitude habitats grazed by cattle in the upper East River Valley. Final Report, 33 pp. Peoria, IL: Bradley University, and Crested Butte, CO: Rocky Mountain Biological Laboratory.
- French, Norman R., and John E. Mitchell. 1983. Long-term vegetation changes in permanent quadrats at the Idaho National Engineering Laboratory site. Bulletin No. 36, 42 pp. Moscow, ID: University of Idaho, Forest, Wildlife and Range Experiment Station.
- Funk, Dale W., and Erik K. Bonde. 1986. Effects of artificial acid mist on growth and reproduction of two alpine plant species in the field. *American Journal of Botany* 73(4):524-528.
- Ganskopp, David C., and Thomas E. Bedell. 1981. An assessment of vigor and production of range grasses following drought. *Journal of Range Management* 34(2):137-141.
- Garnier, B. J., and Atsumu Ohmura. 1968. A method for calculating the direct shortwave radiation income of slopes. *Journal of Applied Meteorology* 7:796-800.
- Garrison, George A. 1953. Effects of clipping on some range shrubs. *Journal of Range Management* 6(5):309-317.
- Garrison, George A., Ardell J. Bjugstad, Don A. Duncan, Mont E. Lewis, and Dixie R. Smith. 1977. Vegetation and environmental features of forest and range ecosystems. *Agriculture Handbook* No. 475: 68 pp. + 1 map (1:7,500,000). Washington, DC: USDA Forest Service.
- Gary, Howard L. 1972. Rime contributes to water balance in high-elevation aspen forests. *Journal of Forestry* 70:93-97.
- Gary, Howard L. 1974. Growth of Engelmann spruce (*Picea engelmannii*) unaffected by increased snowpack. *Arctic and Alpine Research* 6(1):29-36.
- Gary, Howard L., and Charles A. Troendle. 1982. Snow accumulation and melt under various stand densities in lodgepole pine in Wyoming and Colorado. Research Note RM-417, 7 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Gates, David M., and Robert Janke. 1966. The energy environment of the alpine tundra. *Oecologia Plantarum* 1:39-62.
- Gates, Robert J., and Robert L. Eng. 1984. Sage grouse, pronghorn, and lagomorph use of a sagebrush-grassland burn site on the Idaho National Engineering Laboratory. Pp. 220-235 in O. Doyle Markham, Editor. *Idaho National Engineering Laboratory Radioecology and Ecology Programs: 1983 Progress Reports*. Idaho Falls, Idaho: U. S. Dept. of Energy, Radiological and Environmental Sciences Laboratory.
- Gebhardt, K. A., C. Bohn, S. Jensen, and W. S. Platts. 1989. Use of hydrology in riparian classification. In Gresswell, R. E., B. A. Barton, and J. L. Kershner, eds. *Practical Approaches to Riparian Resource Management: An Educational Workshop*. Billings, MT: USDI Bureau of Land Management, pp. 53-59.
- Gehring, Janet L., and Yan B. Linhart. 1992. Population structure and genetic differentiation in native and introduced populations of *Deschampsia caespitosa* (Poaceae) in the Colorado alpine. *American Journal of Botany* 79(12):1337-1343.
- Gierisch, Ralph K. 1958. The alpine type in Colorado and Wyoming: 16 pp. Denver, Colorado: USDA Forest Service, Rocky Mountain Region.
- Gifford, Gerald F. 1966. Aspen root studies on three sites in northern Utah. *American Midland Naturalist* 75(1):132-141.
- Girard, Michele, David L. Wheeler, and Stephanie B. Mills. 1995. Classification of riparian communities on the Bighorn National Forest. Review Draft, 352 pp. + appendices.
- Glendening, George E. 1944. Some factors affecting cattle use of northern Arizona pine-bunchgrass ranges. Report No. 6, 9 pp. Tucson, AZ: USDA Forest Service, Southwestern Forest and Range Experiment Station.
- Goodwin, Gregory A. 1975. Seasonal food habits of mule deer in southeastern Wyoming. Research Note RM-287, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Graham, Russell T., Alan E. Harvey, Martin F. Jurgensen, Theresa B. Jain, Jonalea R. Tonn, and Deborah S. Page-Dumroese. 1994. Managing coarse woody debris in forests of the Rocky Mountains. Research Paper INT-RP-477, 13 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Green, Douglas M., and J. Boone Kauffman. 1989. Nutrient cycling at the land-water interface: The importance of the riparian zone. Pp. 61-68 in Gresswell, Robert E., Bruce A. Barton, and Jeffery L. Kershner, Editors. *Practical approaches to riparian resource management: An educational workshop*. Billings, MT: USDI Bureau of Land Management.
- Greenland, David. 1995. Extreme precipitation during 1921 in the area of the Niwot Ridge long-term ecological research site, Front Range, Colorado, U. S. A. *Arctic and Alpine Research* 27(1):19-28.
- Greenland, David, Jonathan Burbank, Jeff Key, Lee Klinger, Jeanette Moorhouse, Sherry Oaks, and David Shankman. 1985. The bioclimates of the Colorado Front Range. *Mountain Research and Development* 5(3): 251-262.
- Greenway, S. Hawk. 1990. Aspen regeneration: A range management problem. *Rangelands* 12(1):21-29.
- Gregg, Robert E. 1963. The ants of Colorado, with reference to their ecology, taxonomy, and geographic distribution. Boulder, CO: University of Colorado Press, 792 pp.
- Grier, Charles C., Katharine N. Lee, Nalini M. Nadkarni, Glen O. Klock, and Paul J. Edgerton. 1989. Productivity of forests of the United States and its relation to soil and site factors and management practices: A review. General Technical Report PNW-GTR-222, 51 pp. Portland, OR: USDA Forest Service, Pacific Northwest Research Station.

- Griffith, Brad, and Berta A. Youtie. 1988. Two devices for estimating foliage density and deer hiding cover. *Wildlife Society Bulletin* 16(2):206-210.
- Griffith, Brad, and James M. Peek. 1989. Mule deer use of seral stage and habitat type in bitterbrush communities. *Journal of Wildlife Management* 53(3):636-642.
- Griggs, Robert F. 1956. Competition and succession on a Rocky Mountain fellfield. *Ecology* 37(1): 8-20.
- Grover, Robert F. 1979. High altitude physiology. Pp. 127-138 in Webber, Patrick J., editor. *High altitude geoeology*. AAAS Selected Symposium No. 12, 188 pp. Boulder, CO: Westview Press.
- Guenther, Glen E., Carl L. Wambolt, and Michael R. Frisina. 1993. Characteristics of bitterbrush habitats that influence canopy cover and mule deer browsing. *Journal of Environmental Management* 37(3):175-181.
- Gullion, Gordon W. 1985. Aspen management – An opportunity for maximum integration of wood fiber and wildlife benefits. *Transactions of the North American Wildlife and Natural Resources Conference* 50:249-261.
- Gunnison Basin Habitat Partnership Committee. 1993. Memorandum of understanding among USDA Bureau of Land Management, USDA Forest Service, Colorado Division of Wildlife, and Gunnison Basin Habitat Partnership Committee, 5 pp.
- Haase, Rainer. 1987. An alpine vegetation map of Caribou Lake valley and Fourth of July valley, Front Range, Colorado, U. S. A. *Arctic and Alpine Research* 19(1): 1-10.
- Haase, Sally M. 1986. Effect of prescribed burning on soil moisture and germination of southwestern ponderosa pine seed on basaltic soils. *Research Note RM-462*, 6 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Hadley, Julian L., and William K. Smith. 1986. Wind effects on needles of timberline conifers: Seasonal influence on mortality. *Ecology* 67(1):12-19.
- Hadley, Keith S. 1987. Vascular alpine plant distributions within the central and southern Rocky Mountains, U. S. A. *Arctic and Alpine Research* 19(3): 242-251.
- Halfpenny, James C., editor. 1982. *Ecological studies in the Colorado alpine: A festschrift for John W. Marr*. Occasional Paper No. 37: 147 pp. Boulder, Colorado: University of Colorado, Institute of Arctic and Alpine Research.
- Hall, Frederick C., and Larry Bryant. 1995. Herbaceous stubble height as a warning of impending cattle grazing damage to riparian areas. *General Technical Report PNW-GTR-362*, 9 pp. Portland, OR: USDA Forest Service, Pacific Northwest Research Station.
- Halvorson, Jonathan J., Jeffrey L. Smith, Harvey Bolton, Jr., and Richard E. Rossi. 1995. Evaluating shrub-associated spatial patterns of soil properties in a shrub-steppe ecosystem using multiple-variable geostatistics. *Soil Science Society of America Journal* 59(5):1476-1487.
- Hanks, Jess P., E. Lee Fitzhugh, and Sharon R. Hanks. 1983. A habitat type classification system for ponderosa pine forests of northern Arizona. *General Technical Report RM-97*, 22 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Hanley, Donald P., Wyman C. Schmidt, and George M. Blake. 1975. Stand structure and successional status of two spruce-fir forests on southern Utah. *Research Paper INT-176*, 16 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Hanley, Thomas A. 1978. A comparison of the line-interception and quadrat estimation methods of determining shrub canopy coverage. *Journal of Range Management* 31(1):60-62.
- Hanley, Thomas A., and Jerry L. Page. 1981. Differential effects of livestock use on habitat structure and rodent populations in Great Basin communities. *California Fish and Game* 68(3):160-171.
- Hansen, Paul L., Steve W. Chadde, and Robert D. Pfister. 1988. Riparian dominance types of Montana. *Miscellaneous Publication No. 49*, 411 pp. Missoula, MT: University of Montana, Montana Forest and Conservation Experiment Station.
- Hansen, Paul, Robert Pfister, John Joy, Dan Svoboda, Keith Boggs, Lew Myers, Steve Chadde, and John Pierce. 1989a. Classification and management of riparian sites in southwestern Montana. *Draft Version 2*, 292 pp. Missoula, MT: University of Montana and Montana Riparian Association.
- Hansen, Paul, Robert Pfister, Keith Boggs, John Pierce, and Steve Chadde. 1989b. Classification and management of riparian sites in central and eastern Montana. *Draft Version 1*, 368 pp. Missoula, MT: University of Montana and Montana Riparian Association.
- Hansen, R. M., and A. L. Ward. 1966. Some relations of pocket gophers to rangelands on Grand Mesa, Colorado. *Technical Bulletin [No.] 88*, 22 pp. Fort Collins, CO: Colorado State University, Colorado Agricultural Experiment Station.
- Hansen, R. M., and L. D. Reid. 1975. Diet overlap of deer, elk, and cattle in southern Colorado. *Journal of Range Management* 28(1):43-47.
- Hansen, R. M., R. C. Clark, and W. Lawhorn. 1977. Foods of wild horses, deer, and cattle in the Douglas Mountain area, Colorado. *Journal of Range Management* 30(2):116-118.
- Hansen-Bristow, Katherine. 1986. Influence of increasing elevation on growth characteristics at timberline. *Canadian Journal of Botany* 64: 2517-2523.
- Hanson, Clayton L., Ronald P. Morris, and J. Ross Wight. 1983. Using precipitation to predict range herbage production in southwestern Idaho. *Journal of Range Management* 35(6):766-770.
- Hanson, Herbert C. 1929. Range resources of the San Luis Valley. *Bulletin [No.] 335*, 61 pp. Fort Collins, CO: Colorado Agricultural College, Colorado Experiment Station.

- Harbor, Jon, and Jeff Warburton. 1993. Relative rates of glacial and nonglacial erosion in alpine environments. *Arctic and Alpine Research* 25(1):1-7.
- Harper, K. T., Clifford W. Morden, Deborah L. Hunter, and Karl B. McKnight. 1981a. Effects of heavier snowpacks on plant parameters of the lodgepole pine-bunchgrass habitat type in the Uinta Mountains. Chapter 4, pp. 78-107 in Harper, K. T., Editor. Potential ecological impacts of snowpack augmentation in the Uinta Mountains, Utah: Final report of the Uinta Ecology Project. Prepared for the Water Power Resources Service, Denver, Colorado. Provo, UT: Brigham Young University, Department of Botany and Range Science.
- Harper, K. T., Karl B. McKnight, W. Kent Ostler, and Deborah L. Hunter. 1981b. Effects of late lying snowpacks on plant responses in the Engelmann spruce-blueberry habitat type of the Uinta Mountains. Chapter 5, pp. 108-135 in Harper, K. T., Editor. Potential ecological impacts of snowpack augmentation in the Uinta Mountains, Utah: Final report of the Uinta Ecology Project. Prepared for the Water Power Resources Service, Denver, Colorado. Provo, UT: Brigham Young University, Department of Botany and Range Science.
- Harper, K. T., W. K. Ostler, Karl B. McKnight, and Deborah L. Hunter. 1981. Effects of late-lying snow on an alpine herbland in the Uinta Mountains. In K. T. Harper, editor. Potential ecological impacts of snowpack augmentation in the Uinta Mountains, Utah: 179-203. Provo, Utah: Brigham Young University, Department of Botany and Range Science.
- Harper, Kimball T., Fred J. Wagstaff, and Lynn M. Kunzler. 1985. Biology and management of the Gambel oak vegetative type: A literature review. General Technical Report INT-179, 31 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Harrington, Harold D. 1954. Manual of the plants of Colorado: For the identification of the ferns and flowering plants of the state. Denver, CO: Sage Books, 666 pp.
- Harrington, Michael G. 1986. Comparison of forest floor depth to loading relationships from several Arizona ponderosa pine stands. Research Note RM-463, 5 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Harris, Gary R., and W. Wallace Covington. 1983. The effect of a prescribed fire on nutrient concentration and standing crop of understory vegetation in ponderosa pine. *Canadian Journal of Forest Research* 13(3):501-517.
- Hartman, Emily L., and Mary Lou Rottman. 1985. The alpine vascular flora of three cirque basins in the San Juan Mountains, Colorado. *Madroño* 32(4): 253-272.
- Hartman, Emily L., and Mary Lou Rottman. 1985. The alpine vascular flora of the Mt. Bross massif, Mosquito Range, Colorado. *Phytologia* 57(2): 133-151.
- Haskins, Donald M., Cynthia S. Correll, Richard A. Foster, John M. Chatoian, James Fincher, Steven Strenger, James E. Keys Jr., James R. Maxwell, and Thomas King. 1996. A geomorphic classification system, version 1.3. [Place of publication not stated:] USDA Forest Service, 159 pp.
- Hassan, M. A., and N. E. West. 1986. Dynamics of soil seed pools in burned and unburned sagebrush semi-deserts. *Ecology* 67(1):269-272.
- Hatton, Thomas J., Neil E. West, and Patricia S. Johnson. 1986. Relationships of the error associated with ocular estimation and actual total cover. *Journal of Range Management* 39(1):91-92.
- Hawksworth, Frank G. 1973. Dwarf mistletoe and its role in lodgepole pine ecosystems. Pp. 342-358 in Baumgartner, David M., Editor. Management of lodgepole pine ecosystems: Symposium proceedings. Pullman, WA: Washington State University, Cooperative Extension Service.
- Hawksworth, Frank G., Thomas H. Nicholls, and Laura M. Merrill. 1987. Long-distance dispersal of lodgepole pine dwarf mistletoe. Pp. 220-226 in Troendle, Charles A., Merrill R. Kaufmann, R. H. Hamre, and Robert P. Winokur, Technical Coordinators. Management of subalpine forests: Building on 50 years of research. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Hayes, J. Arthur. 1995. A bitterbrush dieback in the upper Gunnison River Basin, Colorado. Pp. 189-191 in Roundy, Bruce A., E. Durant McArthur, Jennifer S. Haley, and David K. Mann, Technical Coordinators. General Technical Report INT-GTR-315, 384 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Haynes, C. M., and S. D. Aird. 1981. The distribution and habitat requirements of the wood frog (*Rana sylvatica* Le Conte) in Colorado. Special Report No. 50, 29 pp. [Place of publication not stated:] Colorado Division of Wildlife.
- Hayward, C. Lynn. 1952. Alpine biotic communities of the Uinta Mountains, Utah. *Ecological Monographs* 22(2):93-120.
- Heady, Harold F., Robert P. Gibbens, and Robert W. Powell. 1959. A comparison of the charting, line intercept, and line point methods of sampling shrub types of vegetation. *Journal of Range Management* 12:180-188.
- Heede, Burchard H. 1972. Flow and channel characteristics of two high mountain streams. Research Paper RM-96, 12 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Heidmann, L. J., Frederic R. Larson, and W. J. Rietveld. 1977. Evaluation of ponderosa pine reforestation techniques in central Arizona. Research Paper RM-190, 10 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Heidmann, L. J., Thomas N. Johansen Jr., Quinten W. Cole, and George Cullum. 1982. Establishing natural regeneration of ponderosa pine in central

- Arizona. *Journal of Forestry* 80: 77-79.
- Heidmann, L. J. 1983. Silvicultural control of dwarf mistletoe in southwestern ponderosa pine. Research Note RM-433, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Heifner, Mark A. 1974. Ecological studies in Colorado alpine willow marshes. Unpublished M. S. Thesis, Colorado State University, Fort Collins, Colorado, 66 pp.
- Helm, Dorothy J. 1977. Variations in alpine snowfield vegetation. M. S. Thesis: pp. Fort Collins, Colorado: Colorado State University.
- Helm, Dot. 1982. Multivariate analysis of alpine snow-patch vegetation cover near Milner Pass, Rocky Mountain National Park, Colorado, U. S. A. *Arctic and Alpine Research* 14(2): 87-95.
- Helm, William T., Paul Brouha, Michael Aceituno, Carl Armour, Peter Bisson, James Hall, George Holton, and Mark Shaw, committee. 1985. Glossary of stream habitat terms. *Aquatic Habitat Inventory: Glossary and Standard Methods*, Chapter 1, 34 pp. Logan, UT: Utah State University and American Fisheries Society, Western Division.
- Herman, F. R. 1958. Silvical characteristics of Rocky Mountain juniper. Station Paper No. 29, 20 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Hermann, Frederick J. 1970. *Manual of the carices of the Rocky Mountains and Colorado Basin*. Agriculture Handbook No. 374, 397 pp. Washington, DC: USDA Forest Service.
- Hess, Karl IV. 1981. Phyto-edaphic study of habitat types of the Arapaho-Roosevelt National Forest, Colorado. Ph. D. Dissertation: 588 pp. Fort Collins, Colorado: Colorado State University.
- Hess, Karl, and Clinton H. Wasser. 1982. Grassland, shrubland, and forestland habitat types of the White River-Arapaho National Forest. Unpublished Final Report to USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado, 335 pp.
- Hess, Karl, and Robert R. Alexander. 1986. Forest vegetation of the Arapaho and Roosevelt National Forests in central Colorado: A habitat type classification. Research Paper RM-266, 48 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Hess, Karl, IV. 1981. Phyto-edaphic study of habitat types of the Arapaho-Roosevelt National Forest, Colorado. Unpublished Ph.D. Dissertation, Colorado State University, Fort Collins, 558 pp.
- Heuberger, Helmut. 1974. Alpine Quaternary glaciation. Pp. 319-338 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments*. London, UK: Methuen and Co., 999 pp.
- Hildebrand, Diane M., and William R. Jacobi. 1990. Comparisons between aspen harvest units with and without adequate resprouting in the Rocky Mountain Region. Technical Report R2-41, 13 pp. + appendices. Lakewood, CO: USDA Forest Service, Rocky Mountain Region.
- Hill, M. O. 1979. DECORANA – A FORTRAN program for detrended correspondence analysis and reciprocal averaging. Ithaca, NY: Cornell University and Microcomputer Power, 36 pp.
- Hinds, Thomas E., and Eugene M. Wengert. 1977. Growth and decay losses in Colorado aspen. Research Paper RM-193, 10 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Hironaka, M., M. A. Fosberg, and A. H. Winward. 1983. Sagebrush-grass habitat types of southern Idaho. Bulletin No. 35, 44 pp. Moscow, ID: University of Idaho, Forest, Wildlife, and Range Experiment Station.
- Hobbs, N. Thompson, and David S. Schimel. 1984. Fire effects on nitrogen mineralization and fixation in mountain shrub and grassland communities. *Journal of Range management* 37(5): 402-405.
- Hock, Raymond J. 1970. The physiology of high altitude. *Scientific American* 222(2):52-62.
- Hoff, C. Clayton. 1957. A comparison of soil, climate, and biota of conifer communities in the Central Rocky Mountains. *American Midland Naturalist* 58(1):115-140.
- Hoffman, George R., and Robert R. Alexander. 1976. Forest vegetation of the Bighorn Mountains, Wyoming: A habitat type classification. Research Paper RM-170, 38 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Hoffman, George R., and Robert R. Alexander. 1980. Forest vegetation of the Routt National Forest in northwestern Colorado: A habitat type classification. Research Paper RM-221, 41 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Hoffman, George R., and Robert R. Alexander. 1983. Forest vegetation of the White River National Forest in western Colorado: A habitat type classification. Research Paper RM-249, 36 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Holch, A. E., E. W. Hertel, W. O. Oakes, and H. H. Whitwell. 1941. Root habits of certain plants of the foothill and alpine belts of Rocky Mountain National Park. *Ecological Monographs* 11(3):327-345.
- Holm, Theodore. 1927. The vegetation of the alpine region of the Rocky Mountains in Colorado. *Memoirs of the National Academy of Sciences* 19(3), 45 pp. + 7 plates. Washington, DC: U. S. Government Printing Office.
- Holtmeier, Friedrich-Karl, and Gabrielle Broll. 1992. The influence of tree islands and microtopography on pedoecological conditions in the forest-alpine tundra ecotone on Niwot Ridge, Colorado Front Range, U.S.A. *Arctic and Alpine Research* 24(3):216-228.
- Holway, J. Gary, and Richard T. Ward. 1963. Snow and meltwater effects in an area of Colorado alpine. *American Midland Naturalist* 69(1): 189-197.
- Holway, J. Gary, and Richard T. Ward. 1965. Phenology of alpine plants in northern Colorado. *Ecology* 46(1/2):78-83.

- Holway, James Gary. 1960. Phenological observations on the major alpine species in the vicinity of False Mummy Pass, Rocky Mountain National Park, Colorado. M. S. Thesis: pp. Fort Collins, Colorado: Colorado State University.
- Hoover, Marvin D. 1973. Watershed management in lodgepole pine ecosystems. Pp. 569-580 in Baumgartner, David M., Editor. Management of lodgepole pine ecosystems: Symposium proceedings. Pullman, WA: Washington State University, Cooperative Extension Service.
- Horton, K. W., and E. J. Hopkins. 1965. Influence of fire on aspen suckering. Publication No. 1095, 19 pp. Ottawa, ON: Canada Department of Forestry, Forest Research Branch.
- Houston, Kent E., Maynard A. Fosberg, Kenneth E. Neiman, and Gary Ford. 1988. Soil-habitat type relationships in the Trout Creek drainage, Boundary County, Idaho. Pp. 302-303 in Dennis E. Ferguson, and others, Compilers. Land classifications based on vegetation: Applications for resource management. General Technical Report INT-257, 315 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Houston, Walter R. 1954. A condition guide for aspen ranges of Utah, Nevada, southern Idaho, and western Wyoming. Research Paper No. 32, 17 pp. + photo appendix. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Huckaby, Laurie Stroh, and W. H. Moir. 1998. Forest communities at Fraser Experimental Forest, Colorado. *Southwestern Naturalist* 43(2):204-218.
- Hull, A. C., Jr., D. F. Hervey, Clyde W. Doran, and W. J. McGinnies. 1958. Seeding Colorado range lands. Bulletin [No.] 498-S, 46 pp. Fort Collins, CO: Colorado State University, (Agricultural) Experiment Station.
- Hungerford, Roger D. 1987. Estimation of foliage area in dense Montana lodgepole pine stands. *Canadian Journal of Forest Research* 17:320-324.
- Hungerford, Roger D. 1988. Soil temperatures and suckering in burned and unburned aspen stands in Idaho. Research Note INT-378, 5 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Hunter, William R., and Clayton F. Spears. 1975. Soil survey of the Gunnison Area, Colorado: Parts of Gunnison, Hinsdale, and Saguache Counties. Washington, DC: USDA Soil Conservation Service, 88 pp. + 41 maps (1:31,680).
- Hurd, Emerenciana G., Sherel Goodrich, and Nancy L. Shaw. 1997. Field guide to intermountain rushes. General Technical Report INT-306, 56 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Hutchings, Selar S., and Lamar R. Mason. 1970. Estimating yields of Gambel oak from foliage cover and basal area. *Journal of Range Management* 23(6):430-434.
- Ingersoll, Cheryl A., and Mark V. Wilson. 1993. Buried propagule bank of a high subalpine site: Microsite variation and comparisons with aboveground vegetation. *Canadian Journal of Botany* 71(5):712-717.
- Isard, Scott A., and Mark J. Belding. 1989. Evapotranspiration from the alpine tundra of Colorado. U. S. A. *Arctic and Alpine Research* 21(1):71-82.
- Ives, Jack D. 1974. Permafrost. Pp. 159-194 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments*. London, UK: Methuen and Co., 999 pp.
- Ives, Jack D. 1974. Biological refugia and the nunatak hypothesis. Pp. 605-636 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments*. London, UK: Methuen and Co., 999 pp.
- Ives, Jack D. 1979. Applied high altitude geoecology: Can the scientist assist in the preservation of the mountains? Pp. 9-45 in Webber, Patrick J., editor. *High altitude geoecology*. AAAS Selected Symposium No. 12, 188 pp. Boulder, CO: Westview Press.
- Ives, Jack D., and Barry D. Fahey. 1971. Permafrost occurrence in the Front Range, Colorado Rocky Mountains, U. S. A. *Journal of Glaciology* 10(58):105-111.
- Ives, Ronald L. 1938. Weather phenomena of the Colorado Rockies. *Journal of the Franklin Institute* 226(6): 691-755.
- Jackson, Donald A. 1997. Compositional data in community ecology: The paradigm or peril of proportions? *Ecology* 78(3):929-940.
- Jackson, Louise E. 1985. Floristic analysis of the distribution of ephemeral plants in treeline areas of the western United States. *Arctic and Alpine Research* 17(3): 251-260.
- Jacoby, Peter W., committee. 1989. A glossary of terms used in range management, third edition. Denver, CO: Society for Range Management, 20 pp.
- Jeffers, J. N. R., and T. M. Black. 1963. An analysis of variability in *Pinus contorta*. *Forestry* 36:199-200.
- Jenkins, Tom. 1984. The grotesque, beautiful bristlecone pines are the oldest living things on earth. *Denver Post, Empire Magazine* 35(22):21-22, May 27.
- Jensen, M. E., L. S. Peck, and M. V. Wilson. 1988a. Vegetation characteristics of mountainous northeastern Nevada sagebrush communities. *Great Basin Naturalist* 48(4):403-421.
- Jensen, M. E., L. S. Peck, and M. V. Wilson. 1988b. A sagebrush community type classification for mountainous northeastern Nevada rangelands. *Great Basin Naturalist* 48(4):422-433.
- Jensen, Mark E. 1989. Soil climate and plant community relationships on some rangelands of northeastern Nevada. *Journal of Range Management* 42(4):275-280.
- Johnson, Douglas A., editor. 1979. *Special management needs of alpine ecosystems*. Denver, Colorado: Society for Range Management, 100 pp.
- Johnson, D. D., and A. J. Cline. 1965. Colorado mountain soils. *Advances in Agronomy* 17:233-281.

- Johnson, E. A., and G. I. Fryer. 1989. Population dynamics in lodgepole pine-Engelmann spruce forests. *Ecology* 70(5): 1335-1345.
- Johnson, E. A., and G. I. Fryer. 1996. Why Engelmann spruce does not have a persistent seed bank. *Canadian Journal of Forest Research* 26(5):872-878.
- Johnson, J. Bradley. 1996. Phytosociology and gradient analysis of a subalpine treed fen in Rocky Mountain National Park, Colorado. *Canadian Journal of Botany* 74:1203-1218.
- Johnson, K. Richard. 1941. Vegetation of some mountain lakes and shores in northwestern Colorado. *Ecology* 22(3):306-316.
- Johnson, W. M., and A. C. Hull, Jr. 1950. How to reseed parks and openings in the ponderosa pine zone in Colorado. Station Paper No. 3, 14 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Johnson, W. M. 1953. Effect of grazing intensity upon vegetation and cattle gains on ponderosa pine-bunchgrass ranges of the Front Range of Colorado. Circular No. 929, 36 pp. Washington, DC: U. S. Department of Agriculture.
- Johnson, W. M., and Elbert G. Reid. 1958. Herbage utilization on pine-bunchgrass ranges of Colorado. *Journal of Forestry* 56(9):647-651.
- Johnson, W. M., and Elbert H. Reid. 1964. Range condition classification of bunchgrass range at the Manitou Experimental Forest. *Journal of Range Management* 17(3):139-141.
- Johnson, W. M. 1969. Life expectancy of a sagebrush control in central Wyoming. *Journal of Range Management* 22(3): 177-182.
- Johnson, W. M. 1962. Vegetation of high-altitude ranges in Wyoming as related to use by game and domestic sheep. Bulletin No. 387: 31 pp. Laramie, Wyoming: University of Wyoming, Agricultural Experiment Station.
- Johnston, Barry C., and Leonard Hendzel. 1985. Examples of aspen treatment, succession and management in western Colorado. Denver, CO: USDA Forest Service, Rocky Mountain Region, 164 pp.
- Johnston, Barry C. 1987. Plant associations of Region Two, Edition 4. Publication R2-ECOL-87-2, 428 pp. Lakewood, CO: USDA Forest Service, Rocky Mountain Region.
- Johnston, Barry C. 1996. Regeneration of aspen clearcuts on the Uncompahgre Plateau, Colorado. Unpublished Report to Forest Supervisor, Grand Mesa-Uncompahgre-Gunnison National Forest, Delta, Colorado, 41 pp.
- Johnston, Barry C., Sandy Hayes, and Michele Sewolt. 1999. Inventory of sage grouse nesting and early brood-rearing habitat of selected sites in the Upper Gunnison Basin and recommendations for improvement. Report to USDI Bureau of Land Management, Gunnison Resource Area.
- Johnston, Robert S., and Ray W. Brown. 1979. Hydrologic aspects related to the management of alpine areas. In Johnson (1979), pp. 65-75.
- Jones, John R. 1971. An experiment in modeling Rocky Mountain forest ecosystems. Research Paper RM-75, 19 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Jones, John R. 1975. Regeneration on an aspen clearcut in Arizona. Research Note RM-285, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Jones, John R., and David P. Trujillo. 1975. Height-growth comparisons of some quaking aspen clones in Arizona. Research Note RM-282, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Jones, Keith L. 1983. Current knowledge of the effects of cattle grazing on aspen in the Alberta parkland. *Rangelands* 5(2):59-60.
- Judson, Arthur. 1965. The weather and climate of a high mountain pass in the Colorado Rockies. Research Paper RM-16: 28 pp. Fort Collins, Colorado: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Julander, Odell. 1937. Utilization of browse by wildlife. Transactions of the North American Wildlife Conference 2:276-287.
- Julander, Odell, Jessop B. Low, and Owen W. Morris. 1969. Pocket gophers on seeded Utah mountain range. *Journal of Range Management* 22(5):325-329.
- Kania, Michael R. 1986. A site analysis approach for determining wilderness carrying capacity. In Lucas, Robert C., compiler. Proceedings--National wilderness research conference: Current research. General Technical Report INT-212: 462-470. Ogden, Utah: USDA Forest Service, Intermountain Research Station.
- Katovich, Steven A., and Robert J. Lavigne. 1986. The applicability of available hazard rating systems for mountain pine beetle in lodgepole pine stands of southeastern Wyoming. *Canadian Journal of Forest Research* 16:222-225.
- Kattelmann, Richard. 1987. Observations of oversnow flow in subalpine meadows of Colorado. Pp. 185-188 in Troendle, Charles A., Merrill R. Kaufmann, R. H. Hamre, and Robert P. Winokur, Technical Coordinators. Management of subalpine forests: Building on 50 years of research. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Kaufmann, Merrill R., Carleton B. Edminster, and Charles A. Troendle. 1982. Leaf area determinations for subalpine tree species in the Central Rocky Mountains. Research Paper RM-238, 7 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Kaufmann, Merrill R. 1984. Effects of weather and physiographic conditions on temperature and humidity in subalpine watersheds of the Fraser Experimental Forest. Research Paper RM-251, 9 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Kaufmann, Merrill R. 1985a. Annual transpiration in subalpine forests: Large differences among four

- tree species. *Forest Ecology and Management* 13:235-246.
- Kaufmann, Merrill R. 1985b. Modeling transpiration of subalpine trees in the Central Rocky Mountains. Pp. 61-68 *in* Proceedings of Symposium sponsored by American Society of Chemical Engineers, ASCE Convention, Denver, April 30-May 1, 1985.
- Kaufmann, Merrill R., Charles A. Troendle, Michael G. Ryan, and H. Todd Mowrer. 1987. Trees – The link between silviculture and hydrology. Pp. 54-60 *in* Troendle, Charles A., Merrill R. Kaufmann, R. H. Hamre, and Robert P. Winokur, Technical Coordinators. Management of subalpine forests: Building on 50 years of research. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Keith, James O., Richard M. Hansen, and A. Lorin Ward. 1959. Effect of 2,4-D on abundance and foods of pocket gophers. *Journal of Wildlife Management* 23(2):137-145.
- Kenkel, N. C. 1987. Trends and interrelationships in boreal wetland vegetation. *Canadian Journal of Botany* 65:12-22.
- Kettler, Steve, and Amy McMullen, 1996. Routt National Forest Riparian Vegetation Classification. Report prepared for Routt National Forest, Steamboat Springs, Colorado. Ft. Collins, CO: Colorado Natural Heritage Program, 100 pp. + appendix.
- Key, Charles E., and Steve Chadde. 1992. Reduction of willow seed production by ungulate browsing in Yellowstone National Park. Pp. 92-99 *in* Clary, Warren P., E. Durant McArthur, Don Bedunah, and Carl L. Wambolt, Compilers. Proceedings – Symposium on ecology and management of riparian shrub communities. General Technical Report INT-289, 232 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Keystone Center. 1996. The keystone national policy dialogue on ecosystem management. [City of publication not stated], CO: The Keystone Center, 43 pp. + appendices.
- Kibby, H. V., J. L. Gallagher, and W. D. Sanville. 1980. Field guide to evaluate net primary production of wetlands. Publication EPA-600/8-80-037, 59 pp. U. S. Environmental Protection Agency, Environmental Research Laboratory, Corvallis, OR.
- Kienast, Felix, and Fritz Hans Schweingruber. 1986. Dendroecological studies in the Front Range, Colorado, U.S.A. *Arctic and Alpine Research* 18(3):277-288.
- Kinsinger, Floyd E., Richard E. Eckert, and Pat O. Currie. 1960. A comparison of the line-interception, variable-plot and loop methods as used to measure shrub-crown cover. *Journal of Range Management* 13:17-21.
- Kittel, Gwen M., and Nancy C. Lederer. 1993. A preliminary classification of the riparian vegetation of the Yampa and San Miguel/Dolores River Basins. Final Report to Colorado Department of Health and the U. S. Environmental Protection Agency, 113 pp. + appendices. Boulder, CO: The Nature Conservancy.
- Kittel, Gwen, Renée Rondeau, and Amy McMullen. 1986. A classification of the riparian vegetation of the lower South Platte and parts of the upper Arkansas River Basins, Colorado. Report to Colorado Department of Natural Resources and U. S. Environmental Protection Agency, 243 pp. Fort Collins, CO: Colorado State University, Colorado Natural Heritage Program.
- Kittel, Gwen, Renée Rondeau, and Steve Kettler. 1995. A classification of the riparian vegetation of the Gunnison River Basin, Colorado. Draft Final Report, submitted to Colorado Department of Natural Resources and the Environmental Protection Agency Region 8, 141 pp. + Appendices. Fort Collins, CO: Colorado State University, Colorado Natural Heritage Program.
- Kittel, Gwen, Renée Rondeau, Nan Lederer, and Dan Randolph. 1994. A classification of the riparian vegetation of the White and Colorado River Basins, Colorado; Revised Edition. Final Report to Colorado Department of Natural Resources and U. S. Environmental Protection Agency, 166 pp. Boulder, CO: Colorado Natural Heritage Program.
- Klebenow, Donald A. 1973. The habitat requirements of sage grouse and the role of fire in management. Proceedings of the Annual Tall Timbers Fire Ecology Conference, June 8–9, 1972, pp. 305–315.
- Klebenow, Donald A. 1982. Livestock grazing interactions with sage grouse. Pp. 113–123 *in* Peek, J. M., and P. D. Dalke, Editors. Proceedings of the wildlife–livestock relationships symposium. Moscow, ID: University of Idaho, Forest, Wildlife, and Range Experiment Station, 614 pp.
- Kleiner, Edgar F., and K. T. Harper. 1972. Environment and community organization in grasslands of Canyonlands National Park. *Ecology* 53(2):299-309.
- Kleiner, Edgar F., and K. T. Harper. 1977a. Soil properties in relation to cryptogamic ground cover in Canyonlands National Park. *Journal of Range Management* 30(3):202-205.
- Kleiner, Edgar F., and K. T. Harper. 1977b. Occurrence of four major perennial grasses in relation to edaphic factors in a pristine community. *Journal of Range Management* 30(4):286-289.
- Klemmedson, James O. 1956. Interrelations of vegetation, soils, and range condition induced by grazing. *Journal of Range Management* 9:134-138.
- Klemmedson, James O. 1983. State of dry matter and nutrients in soil-plant systems of Arizona fescue and mountain muhly. *Journal of Range Management* 36(5):558-564.
- Kling, George W., and Michael C. Grant. 1984. Acid precipitation in the Colorado Front Range: An overview with time predictions for significant effects. *Arctic and Alpine Research* 16(3): 321-329.
- Knepper, Daniel H. 1979. Monitoring and mapping mountain environments. Pp. 47-54 *in* Webber, Patrick J., editor. High altitude geoeology. AAAS Selected Symposium No. 12, 188 pp. Boulder, CO: Westview Press.

- Knight, Dennis H., Timothy J. Fahey, and Steven W. Running. 1985. Water and nutrient outflow from contrasting lodgepole pine forests in Wyoming. *Ecological Monographs* 55(1):29-48.
- Knight, Dennis H., George P. Jones, Yoshiko Akashi, and Richard W. Myers. 1987. Vegetation ecology in the Bighorn Canyon National Recreation Area. Final Report to U. S. National Park Service, from Department of Botany, University of Wyoming, Laramie, 114 pp.
- Knopf, Fritz L., and Richard W. Cannon. 1981. Structural resilience of a willow riparian community to changes in grazing practices. Pp. 198-207 in Nelson, Lewis, Jr., and James M. Peek, Editors. Proceedings of the wildlife-livestock relationships symposium. Moscow, ID: University of Idaho, Forest, Wildlife, and Range Experiment Station.
- Knopf, Fritz L., James A. Sedgwick, and Richard W. Cannon. 1988. Guild structure of a riparian avifauna relative to seasonal cattle grazing. *Journal of Wildlife Management* 52(2):280-290.
- Knowles, Peggy. 1984. Genetic variability among and within closely spaced populations of lodgepole pine. *Canadian Journal of Genetics and Cytology* 26:177-184.
- Knowles, Peggy, and Michael C. Grant. 1983. Age and size structure analyses of Engelmann spruce, ponderosa pine, lodgepole pine, and limber pine in Colorado. *Ecology* 64(1):1-9.
- Koch, Peter. 1996. Lodgepole pine commercial forests: An essay comparing the natural cycle of insect kill and subsequent wildfire with management for utilization and wildlife. General Technical Report INT-GTR-342, 24 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Komárková, Vera. 1976. Alpine vegetation of the Indian Peaks area, Front Range, Colorado Rocky Mountains. Ph. D. Thesis: 655 pp. Boulder, Colorado: University of Colorado, Department of Environmental, Population, and Organismic Biology.
- Komárková, Vera, and P. J. Webber. 1978. An alpine vegetation map of Niwot Ridge, Colorado. *Arctic and Alpine Research* 10(1): 1-29.
- Komárková, Vera. 1980. Classification and ordination in the Indian Peaks area, Colorado Rocky Mountains. *Vegetatio* 42:149-163.
- Komárková, V., and H. Gordon. 1982. The recovery of plant communities after disturbance along the Front Range, Colorado. Final Report to Colorado Commission on Higher Education, Denver, Colorado: 300 pp. Boulder, Colorado: University of Colorado, Institute of Arctic and Alpine Research.
- Komárková, Vera. 1986. Habitat types on selected parts of the Gunnison and Uncompahgre National Forests. Final Report to USDA Forest Service, 270 pp. + Appendices. Boulder, CO: University of Colorado, Institute of Arctic and Alpine Research.
- Komárková, Vera, Robert R. Alexander, and Barry C. Johnston. 1988. Forest vegetation of the Gunnison and parts of the Uncompahgre National Forests: A preliminary habitat type classification. General Technical Report RM-163, 65 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Korstian, Clarence F. 1920. Native vegetation as a criterion of site. *The Plant World* 22(9):253-261.
- Kotar, John. 1986. Soil-habitat type relationships in Michigan and Wisconsin. *Journal of Soil and Water Conservation* 41(5):348-350.
- Kovalchik, Bernard L. 1987. Riparian zone associations: Deschutes, Ochoco, Fremont, and Winema National Forests. Region 6 Ecology Technical Paper [No.] 279-97, 171 pp. Portland, OR: USDA Forest Service, Pacific Northwest Region.
- Kovalchik, Bernard L., and Wayne Elmore. 1992. Effects of cattle grazing systems on willow-dominated plant associations in central Oregon. Pp. 111-119 in Clary, Warren P., E. Durant McArthur, Don Bedunah, and Carl L. Wambolt, Compilers. Proceedings – Symposium on ecology and management of riparian shrub communities. General Technical Report INT-289, 232 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Krebill, R. G. 1972. Mortality of aspen on the Gros Ventre elk winter range. Research Paper INT-129, 16 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Krebs, Charles J., A. R. E. Sinclair, R. Boonstra, and James N. M. Smith. 1986. A photographic technique for estimating browse growth and use. *Wildlife Society Bulletin* 14(3):286-288.
- Kruse, William H. 1972. Effects of wildlife on elk and deer use of a ponderosa pine forest. Research Note RM-226, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Küchler, A. 1964. Manual to accompany the map: Potential natural vegetation of the conterminous United States. American Geographical Society Special Publication No. 36, 39+116 pp.
- Kufeld, Roland C. 1968. Range type-conversion programs in Colorado and their impact on deer, elk and sage grouse. Proceedings of the 48th Annual Conference of Western Association of State Game & Fish Commissioners, pp. 173-187. Conference held in Reno, Nevada, 8-11 July 1968.
- Kufeld, Roland C. 1983. Responses of elk, mule deer, cattle, and vegetation to burning, spraying, and chaining of Gambel oak rangeland. Technical Publication No. 34, 47 pp. Denver, CO: Colorado Division of Wildlife.
- Kuss, Fred R., Alan R. Graefe, and Laura Loomis. 1986. Plant and soil responses to wilderness recreation: A synthesis of previous research. In Lucas, Robert C., compiler. Proceedings--National wilderness research conference: Current research. General Technical Report INT-212: 129-137. Ogden, Utah: USDA Forest Service, Intermountain Research Station.
- Langenheim, Jean H. 1955. Flora of the Crested Butte Quadrangle, Colorado. *Madroño* 13:64-78.
- Langenheim, Jean H. 1956. Plant succession on a

- subalpine earthflow in Colorado. *Ecology* 37(2):301-317.
- Langenheim, Jean H. 1962. Vegetation and environmental patterns in the Crested Butte area, Gunnison County, Colorado. *Ecological Monographs* 32(3):249-285.
- Lanner, Ronald M. 1983. Saga of the "oldest limber pine." *American Forests* 89(6):26-28.
- Larsen, James A., and Roger G. Barry. 1974. Palaeoclimatology. Pp. 253-276 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments*. London, UK: Methuen and Co., 999 pp.
- Larson, Merlyn M. 1959. Regenerating aspen by suckering in the southwest. Research Note No. 39, 2 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Larson, Milo, and W. H. Moir. 1989. Forest and woodland habitat types (plant associations) of northern New Mexico and northern Arizona, Edition 2. Training Guide, unnumbered pages. Albuquerque, NM: USDA Forest Service, Southwestern Region.
- Laycock, W. A. 1979. Management of sagebrush. *Rangelands* 1(5):207-210.
- Layser, Earle F., and Gilbert H. Schubert. 1979. Preliminary classification for the coniferous forest and woodland series of Arizona and New Mexico. Research Paper RM-208, 27 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Leaf, Charles F., and Glen E. Brink. 1972. Simulating effects of harvest cutting on snowmelt in Colorado subalpine forest. Pp. 191-196 in National Symposium on watersheds in transition, Fort Collins, Colorado, June 19-22. American Water Resources Association and Colorado State University.
- Lent, Peter C. 1986. Tundra. Pp. 149-167 in Cooperrider, Allen Y., et al., editors. *Inventory and monitoring of wildlife habitat*. Denver, Colorado: USDI Bureau of Land Management, Denver Service Center, 858 pp.
- Leonard, Eric M. 1989. Climatic change in the Colorado Rocky Mountains: Estimates based on modern climate at late Pleistocene equilibrium lines. *Arctic and Alpine Research* 21(3):245-255.
- Leonard, Stephen G., and Ray L. Miles. 1989. Range sites/ecological sites-A perspective in classification and use. Pp. 150-153 in Ferguson, Dennis E., Penelope Morgan, and Frederic D. Johnson, compilers. *Proceedings-Land classifications based on vegetation: Applications for resource management*. General Technical Report INT-257, 315 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Lesica, Peter, and Robert K. Antibus. 1986. Mycorrhizae of alpine fell-field communities on soils derived from crystalline and calcareous parent materials. *Canadian Journal of Botany* 64:1691-1697.
- Lewis, Mont E. 1970. Alpine rangelands of the Uinta Mountains: Ashley and Wasatch National Forests, Region 4: 74 pp. [Ogden, Utah: USDA Forest Service, Intermountain Region].
- Lewis, Walter, H. 1971. An ecological vocabulary for the Flora North America Program. Report No. 57, 23 pp. Washington, DC: American Institute of Biological Sciences.
- Litaor, M. Iggy. 1987. The influence of eolian dust on the genesis of alpine soils in the Front Range, Colorado. *Soil Science Society of America Journal* 51: 142-147.
- Litaor, M. Iggy. 1988. Soil solution chemistry in an alpine watershed, Front Range, Colorado, U.S.A. *Arctic and Alpine Research* 20(4):485-491.
- Lockwood, Jeffrey A., Scott P. Schell, James K. Wangberg, Larry D. DeBrey, William G. DeBrey, and Charles R. Bomar. 1992. Preserved insects and physical condition of Grasshopper Glacier, Carbon County, Montana, U.S.A. *Arctic and Alpine Research* 24(3):229-232.
- Loope, Lloyd L., and George E. Gruell. 1973. The ecological role of fire in the Jackson Hole area, northwestern Wyoming. *Quaternary Research* 3:425-443.
- Lotan, James E., and David A. Perry. 1983. Ecology and regeneration of lodgepole pine. *Agriculture Handbook No. 606*, 51 pp. Washington, DC: U. S. Department of Agriculture.
- Lotan, James E., James K. Brown, and Leon F. Neuenschwander. 1985. Role of fire in lodgepole pine forests. Pp. 133-152 in Baumgartner, David M., Richard G. Krebill, James T. Arnott, and Gordon F. Weetman, Compilers and Editors. *Lodgepole pine: The species and its management*. Pullman, WA: Washington State University, Cooperative Extension.
- Löve, Askill, and Doris Löve. 1974. Origin and evolution of the arctic and alpine floras. Pp. 571-603 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments*. London, UK: Methuen and Co., 999 pp.
- Löve, Doris. 1970. Subarctic and subalpine: Where and what? *Arctic and Alpine Research* 2(1):63-73.
- Lyon, L. Jack. 1971. Vegetal development following prescribed burning of Douglas-fir in south-central Idaho. Research Paper INT-105, 30 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Majak, W., D. A. Quinton, and K. Broersma. 1980. Cyanogenic glycoside levels in Saskatoon serviceberry. *Journal of Range Management* 33(3):197-199.
- Mancinelli, Rocco L. 1984. Populations dynamics of alpine tundra soil bacteria, Niwot Ridge, Colorado Front Range, U. S. A. *Arctic and Alpine Research* 16(2): 185-192.
- Mancinelli, Rocco L. 1986. Alpine tundra soil bacterial responses to increased soil loading rates of acid precipitation, nitrate, and sulfate, Front Range, Colorado, U. S. A. *Arctic and Alpine Research* 18(3): 269-275.
- Manning, Mary E., and Wayne G. Padgett. 1989. Preliminary riparian community type classification for Nevada. Preliminary Draft, 134 pp. Ogden, UT:

- USDA Forest Service, Intermountain Region.
- Marlow, Clayton B., Kathrin Olson-Rutz, and Jennifer Atchley. 1989. Response of a southwest Montana riparian system to four grazing management alternatives. Pp. 111-116 in Gresswell, Robert E., Bruce A. Barton, and Jeffery L. Kershner, Editors. Practical approaches to riparian resource management: An educational workshop. Billings, MT: USDI Bureau of Land Management.
- Marr, John W. 1964. Utilization of the Front Range tundra, Colorado. Pp. 109-118 in Crisp, D. J., editor. Grazing in terrestrial and marine environments. Oxford, U. K.: Blackwell Scientific Publications.
- Marr, John W. 1965. Forest ecology of the Front Range. Pp. 16-20 in International Association for Quaternary Research, Seventh Congress, Guidebook for One-Day Field Conferences, September 2, 1965. Lincoln, NE: Nebraska Academy of Sciences, 78 pp.
- Marr, John W. 1967. Ecosystems of the east slope of the Front Range In Colorado. University of Colorado Studies, Series in Biology, No. 8: 134 pp. Boulder, Colorado: University of Colorado Press.
- Marr, John W. 1979. Future management and research needs in alpine ecosystems. In Johnson (1979), pp. 95-100.
- Marr, John W., David M. Armstrong, Halka Chronic, John Chronic, Robert W. Pennak, William A. Weber, Ruby E. Marr, Deborah Steward, and Jeffery C. Meyer. 1980. Natural landmarks of the southern Rocky Mountain region. Prepared for U. S. Department of the Interior, Heritage Conservation and Recreation Service: 736 pp. Boulder, Colorado: Thorne Ecological Institute.
- Marston, Richard B., and Odell Julander. 1961. Plant cover reductions by pocket gophers following experimental removal of aspen from a watershed area of Utah. *Journal of Forestry* 59:100-102.
- Martin, Paul S. 1974. Palaeolithic players on the American stage: Man's impact on the late Pleistocene megafauna. Pp. 669-700 in Ives, Jack D., and Roger G. Barry. Arctic and alpine environments. London, UK: Methuen and Co., 999 pp.
- Martinelli, M., Jr. 1975. Water-yield improvement from alpine areas: The status of our knowledge. Research Paper RM-138, 16 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Mask, Roy. 1997. Personal communication. Leader, USDA Forest Service, Rocky Mountain Region, Gunnison Service Center.
- Masslich, William J., Jack D. Brotherson, and Rex G. Gates. 1988. Relationships of aspen (*Populus tremuloides*) to foraging patterns of beaver (*Castor canadensis*) in the Strawberry Valley of central Utah. *Great Basin Naturalist* 48(2):250-262.
- Mathiasen, Robert L., and Frank G. Hawksworth. 1980. Taxonomy and effects of dwarf mistletoe on bristlecone pine on the San Francisco Peaks, Arizona. Research Paper RM-224, 10 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Mathiasen, Robert L., and Elizabeth A. Blake. 1984. Relationships between dwarf mistletoes and habitat types in western coniferous forests. Pp. 111-116 in Hawksworth, Frank G., and Robert F. Scharpf, Technical Coordinators. Biology of dwarf mistletoes: Proceedings of the symposium. General Technical Report RM-111. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Mauk, Ronald L., and Jan A. Henderson. 1984. Coniferous forest habitat types of northern Utah. General Technical Report INT-170, 89 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- McArdle, Richard E., and David F. Costello. 1936. The virgin range. Pp. 71-80 in The western range. Letter from the Secretary of Agriculture transmitting: In response to Senate Resolution No. 289: A report on the western range – A great but neglected natural resource. Seventy-fourth Congress, Second Session, Senate Document No. 199. Washington, DC: Government Printing Office.
- McArthur, E. Durant, and A. Perry Plummer. 1978. Biogeography and management of native western shrubs: A case study, section Tridentatae of Artemisia. *Great Basin Naturalist Memoirs* 2:229-243.
- McArthur, E. Durant, A. Clyde Blauer, and Stewart C. Sanderson. 1988. Mule deer-induced mortality of mountain big sagebrush. *Journal of Range Management* 41(2):114-119.
- McCambridge, William F. 1974. Identifying ponderosa pines infested with mountain pine beetles. Research Note RM-273, 2 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- McCoy, Earl D., Susan S. Bell, and Keith Walters. 1986. Identifying biotic boundaries along environmental gradients. *Ecology* 67(3):749-759.
- McDonough, W. T. 1974. Revegetation of gopher mounds on aspen range in Utah. *Great Basin Naturalist* 34(4):267-275.
- McDonough, W. T. 1979. Quaking aspen – Seed germination and early seedling growth. Research Paper INT-234, 13 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- McIntosh, Robert P. 1958. Plant communities: Recent research suggests that they form units in a vegetation continuum rather than discrete classes. *Science* 128(3316):113-120.
- McNamara, Kathleen. 1973. Differences between quaking aspen genotypes in relation to browsing preference by elk. Pp. 83-88 in Boyce, Mark S., and Larry D. Hayden-Wing, Editors. North American Elk: Ecology, behavior and management. Laramie, WY: University of Wyoming.
- McPherson, Guy R. 1992. Comparison of linear and non-linear overstory-understory models for ponderosa pine: A conceptual framework. *Forest Ecology and Management* 55(1-4):31-34.
- Meiman, James R. 1987. Influence of forests on

- snowpack accumulation. Pp. 61-67 in Troendle, Charles A., Merrill R. Kaufmann, R. H. Hamre, and Robert P. Winokur, Technical Coordinators. Management of subalpine forests: Building on 50 years of research. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Mellor, Malcolm. 1979. Ice and snow at high altitudes. Pp. 75-95 in Webber, Patrick J., editor. High altitude geocology. AAAS Selected Symposium No. 12, 188 pp. Boulder, CO: Westview Press.
- Merkle, John. 1962. Plant communities of the Grand Canyon area, Arizona. *Ecology* 43(4):698-711.
- Merriam, C. Hart. 1898. Life zones and crop zones of the United States. Bulletin No. 10, 79 pp. Washington, DC: U. S. Department of Agriculture, Division of Biological Survey.
- Merrill, Laura M., Frank G. Hawksworth, and William R. Jacobi. 1987. Frequency and severity of ponderosa pine dwarf mistletoe in relation to habitat type and topography in Colorado. *Plant Disease* 71(4):342-344.
- Miller, David R., James D. Bergen, and G. Neuroth. 1983. Cold air drainage in a narrow forested valley. *Forest Science* 29(2):357-370.
- Miller, Philip C. 1970. Age distributions of spruce and fir in beetle-killed forests on the White River Plateau, Colorado. *American Midland Naturalist* 83(1):206-212.
- Mirov, N. T., J. W. Duffield, and A. R. Liddicoet. 1952. Altitudinal races of *Pinus ponderosa* – A 12-year progress report. *Journal of Forestry* 50:825-831.
- Mitchell, J. E., P. N. S. Bartling, and R. O'Brien. 1987. Understory cover-biomass relationships in the Front Range ponderosa pine zone. Research Note RM-471, 5 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Mitchell, John E. 1983. Overstory-understory relationships: Douglas-fir forests. Pp. 27-34 in Overstory-understory relationships in western forests. Western Regional Research Publication No. 1. Fort Collins, CO: Colorado State University, Experiment Station.
- Mitchell, John E., Patricia N. S. Bartling, and Renee O'Brien. 1988. Comparing cover-class macroplot data with direct estimates from small plots. *American Midland Naturalist* 120(1):70-78.
- Mitsch, William J., and James G. Gosselink. 1986. Wetlands. New York, NY: Van Nostrand Reinhold, 539 pp.
- Mitton, Jeffrey B., and Michael C. Grant. 1980. Observations on the ecology and evolution of quaking aspen, *Populus tremuloides*, in the Colorado Front Range. *American Journal of Botany* 67(2):202-209.
- Moir, W. H., and J. A. Ludwig. 1983. Methods of forest habitat type classification. In W. H. Moir and L. H. Hendzel, compilers. Workshop of southwestern habitat types. Albuquerque, NM: USDA Forest Service, Southwestern Region.
- Moir, W. H. 1983. A series vegetation classification for Region 3. In Hendzel, Leonard, and W. H. Moir, Editors. Workshop on southwestern habitat types. Albuquerque, NM: USDA Forest Service, Southwestern Region.
- Moir, W. H. 1993. Alpine tundra and coniferous forest. Pp. 47-84 in Dick-Peddie, William A. New Mexico vegetation: Past, present, and future. Albuquerque, NM: University of New Mexico, 244 pp.
- Moir, William H. 1967. The subalpine tall grass, *Festuca thurberi*, community of Sierra Blanca, New Mexico. *Southwestern Naturalist* 12(3):321-328.
- Moir, William H. 1969. The lodgepole pine zone in Colorado. *American Midland Naturalist* 81(1):87-98.
- Moir, William H., and John A. Ludwig. 1979. A classification of spruce-fir and mixed conifer habitat types of Arizona and New Mexico. Research Paper RM-207, 47 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Monserud, Robert A. 1984. Height growth and site index curves for inland Douglas-fir based on stem analysis data and forest habitat type. *Forest Science* 30(4):943-965.
- Mooney, H. A., and W. D. Billings. 1965. Effects of altitude on carbohydrate content of mountain plants. *Ecology* 46(5): 750-751.
- Moore, J. P., and C. L. Ping. 1989. Classification of permafrost soils. *Soil Survey Horizons* 30(4):98-104.
- Morgan, M. D. 1969. Ecology of aspen in Gunnison County, Colorado. *American Midland Naturalist* 82(1):204-228.
- Mowrer, H. Todd. 1987. Growth and yield of aspen in the Central Rocky Mountains. Pp. 41-44 in Troendle, Charles A., Merrill R. Kaufmann, R. H. Hamre, and Robert P. Winokur, Technical Coordinators. Management of subalpine forests: Building on 50 years of research. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Mueggler, W.F., and D. L. Bartos. 1977. Grindstone Flat and Big Flat exclosures – A 41-year record of changes in clearcut aspen communities. Research Paper INT-195, 16 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Mueggler, W. F. 1970. Influence of competition on the response of Idaho fescue to clipping. Research Paper INT-73, 10 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Mueggler, Walter F., and Robert B. Campbell, Jr. 1986. Aspen community types of Utah. Research Paper INT-362, 69 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Mueggler, Walter F. 1994. Sixty years of change in tree numbers and basal area in central Utah aspen stands. Research Paper INT-RP-478, 11 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.

- Mueller-Dombois, Dieter, and Heinz Ellenberg. 1974. Aims and methods of vegetation ecology. New York, NY: John Wiley and Sons. 547 pp.
- Muir, Patricia S., and James E. Lotan. 1985. Disturbance history and serotiny of *Pinus contorta* in western Montana. *Ecology* 66(5):1638-1668.
- Muldavin, Esteban, Frank Ronco, Jr., and Earl F. Aldon. 1990. Consolidated stand tables and biodiversity data base for southwestern forest habitat types. General Technical Report RM-190, 51 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Musselman, Robert C., Technical Coordinator. 1994. The Glacier Lakes Ecosystem Experiments Site. General Technical Report RM-249, 94 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Mutel, Cornelia Fleischer. 1976. From grassland to glacier: An ecology of Boulder County, Colorado: 169 pp. Boulder, Colorado: Johnson Publishing Company.
- Myers, Clifford A. 1963. Point-sampling factors for southwestern ponderosa pine. Research Paper RM-3, 15 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Myers, Clifford A. 1964. Volume tables and point-sampling factors for lodgepole pine in Colorado and Wyoming. Research Paper RM-6, 16 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Myers, Clifford A. 1974. Multipurpose silviculture in ponderosa pine stands on the montane zone of central Colorado. Research Paper RM-132, 15 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Myers, L. H. 1987. Riparian Inventory and Monitoring. USDI Riparian Technical Bulletin No. 1, 38 pp. Billings, MT: Bureau of Land Management.
- Myers, L. H. 1989a. Riparian Area Management: Inventory and monitoring of riparian areas. Technical Reference 1737-3, 79 pp. Denver, CO: USDI Bureau of Land Management, Denver Service Center.
- Myers, Lewis H. 1989. Grazing and riparian management in southwestern Montana. Pp. 117-120 in Gresswell, Robert E., Bruce A. Barton, and Jeffery L. Kershner, Editors. Practical approaches to riparian resource management: An educational workshop. Billings, MT: USDI Bureau of Land Management.
- Nash, C. H., and E. A. Johnson. 1996. Synoptic climatology of lightning-caused forest fires in subalpine and boreal forests. *Canadian Journal of Forest Research* 26(10):1859-1874.
- Neiman, Kenneth E., Jr. 1988. Soil characteristics as an aid to identifying forest habitat types in northern Idaho. Research Paper INT-390, 16 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Neiman, Kenneth E., Jr., and Minoru Hironaka. 1989. Soil-habitat type relationships: A theoretical model. Pp. 193-196 in Ferguson, Dennis E., Penelope Morgan, and Frederic D. Johnson, compilers. Proceedings-Land classifications based on vegetation: Applications for resource management. General Technical Report INT-257, 315 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Nel, Elizabeth M., and Carol A. Wassman. 1993. Canopy transmittance models for estimating forest leaf area index. *Canadian Journal of Forest Research* 23:2579-2586.
- Nelson, Ruth Ashton. 1979. Handbook of Rocky Mountain plants, Third Edition. Estes Park, CO: Skyland Publishers, 331 pp. Reprinted several times.
- Ngugi, Kinuthia E., Jeff Powell, Frank C. Hinds, and Richard A. Olson. 1992. Range animal diet composition in southcentral Wyoming. *Journal of Range Management* 45:542-545.
- Nimir, Mutasim Bashir, and Gene F. Payne. 1978. Effects of burning on a mountain range. *Journal of Range Management* 31(4):259-263.
- Nimlos, Thomas J., and R. C. McConnell. 1962. The morphology of alpine soils in Montana. *Northwest Science* 36(4):99-112.
- Nimlos, T. J., R. C. McConnell, and D. L. Pattie. 1965. Soil temperature and moisture regimes in Montana alpine soils. *Northwest Science* 39(4):129-138.
- Nimlos, Thomas J., and Ronald C. McConnell. 1965. Alpine soils in Montana. *Soil Science* 99(5):310-321.
- Noble, Daniel L., and Frank Ronco, Jr. 1978. Seedfall and establishment of Engelmann spruce and subalpine fir in clearcut openings in Colorado. Research Paper RM-200, 12 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Noste, Nonan V., and Charles L. Bushey. 1987. Fire response of shrubs of dry forest habitat types in Montana and Idaho. General Technical Report INT-239, 22 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Nydegger, Nicholas C., and Graham W. Smith. 1986. Prey populations in relation to *Artemisia* vegetation types in southwestern Idaho. Pp. 152-156 in McArthur, E. Durant, and Bruce L. Welch, Compilers. Proceedings – Symposium on the biology of *Artemisia* and *Chrysothamnus*. General Technical Report INT-200, 398 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Odum, Eugene P. 1971. Fundamentals of ecology, third edition. Philadelphia, PA: W. B. Saunders Co, 574 pp.
- Oedekoven, Olin O., and Frederick G. Lindsey. 1987. Winter habitat-use patterns of elk, mule deer, and moose in southwestern Wyoming. *Great Basin Naturalist* 47(4):638-643.
- Olmsted, Charles E. 1979. The ecology of aspen with reference to utilization by large herbivores in Rocky Mountain National Park. Pp. 89-97 in Boyce, Mark S., and Larry D. Hayden-Wing, Editors. North American elk: Ecology, behavior,

- and management. Laramie, WY: University of Wyoming.
- Olson, Thomas E., and Fritz L. Knopf. 1988. patterns of relative diversity with riparian small mammal communities, Platte River watershed, Colorado. Pp. 379-386 in Szaro, Robert C., Keith E. Severson, and David R. Patton, Technical Coordinators. Management of amphibians, reptiles, and small mammals in North America. General Technical Report RM-166, 438 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Oosting, Henry J., and John F. Reed. 1952. Virgin spruce-fir of the Medicine Bow Mountains, Wyoming. *Ecological Monographs* 22(2):69-91.
- Osburn, W. S. 1966. Ecological concentration of nuclear fallout in a Colorado mountain watershed. In Bertil Aberg and Frank P. Hungate, editors. *Radioecological concentration processes: 675-709*. Oxford, England: Pergamon Press.
- Ostler, W. Kent, K. T. Harper, Karl B. McKnight, and David C. Anderson. 1982. The effects of increasing snowpack on a subalpine meadow in the Uinta Mountains, Utah, U.S.A. *Arctic and Alpine Research* 14(3):203-214.
- Ostler, William K., K. T. Harper, and Karl B. McKnight. 1981. The effects of late lying snow on a subalpine *Danthonia-Deschampsia-Carex* meadow in Utah. Chapter 6, pp. 136-177 in Harper, K. T., Editor. *Potential ecological impacts of snowpack augmentation in the Uinta Mountains, Utah*. Department of Botany and Range Science, Brigham Young University, Provo, Utah.
- Ostrem, Gunnar. 1974. Present alpine ice cover. Pp. 225-250 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments*. London, UK: Methuen and Co., 999 pp.
- Packard, Fred Mallery. 1942. Wildlife and aspen in Rocky Mountain National Park, Colorado. *Ecology* 23(4):478-482.
- Padgett, W. G., A. H. Winward, and A. P. Youngblood. 1987. Classification of riparian communities in the Intermountain Region. In Mutz, K. M., and L. C. Lee, technical coordinators. *Wetland and riparian ecosystems of the American west: Eighth annual meeting of the Society of Wetland Scientists*, May 26-29, 1987, Seattle, Washington, pp. 101-106. Denver, CO: Society of Wetland Scientists.
- Padgett, Wayne G., Andrew P. Youngblood, and Alma H. Winward. 1989. Riparian community type classification of Utah and southeastern Idaho. Publication R4-Ecol-89-01, 191 pp. + foldout poster. Ogden, UT: USDA Forest Service, Intermountain Region.
- Palmquist, Robert C. 1991. Geomorphology of cold deserts. Pp. 248-253 in *Sixth International Soil Classification Workshop*.
- Parker, Albert J., and Kathleen C. Parker. 1983. Comparative successional roles of trembling aspen and lodgepole pine in the Southern Rocky Mountains. *Great Basin Naturalist* 43(3): 447-455.
- Parker, Albert J., and Robert K. Peet. 1984. Size and age structure of conifer forests. *Ecology* 65(5):1685-1689.
- Parker, Albert J., and Kathleen C. Parker. 1994. Structural variability of mature lodgepole pine stands on gently sloping terrain in Taylor Park Basin, Colorado. *Canadian Journal of Forest Research* 24:2020-2029.
- Parker, Kenneth W., and D. A. Savage. 1944. Reliability of the line interception method in measuring vegetation on the Southern Great Plains. *Journal of the American Society of Agronomy* 36(2):97-110.
- Parmenter, Robert R., Mark R. Mesch, and James A. MacMahon. 1987. Shrub litter production in a sagebrush-steppe ecosystem: Rodent population cycles as a regulating factor. *Journal of Range Management* 40(1):50-54.
- Parsons, William F. J., Stephen L. Miller, and Dennis H. Knight. 1994. Root-gap dynamics in a lodgepole pine forest: Ectomycorrhizal and nonmycorrhizal fine root activity after experimental gap formation. *Canadian Journal of Forest Research* 24:1531-1538.
- Pase, C. P., and George E. Glendening. 1965. Reduction of litter and shrub crowns by planned fall burning of oak-mountainmahogany chaparral. Research Note RM-49, 2 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Pase, Charles P. 1972. Litter production by oak-mountain mahogany chaparral in central Arizona. Research Note RM-214, 7 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Patten, Robin S., and Dennis H. Knight. 1994. Snow avalanches and vegetation pattern in Cascade Canyon, Grand Teton National Park, Wyoming, U.S.A. *Arctic and Alpine Research* 26(1):35-41.
- Patton, Bob D., M. Hironaka, and Stephen C. Bunting. 1988. Effect of burning on seed production of bluebunch wheatgrass, Idaho fescue, and Columbia needlegrass. *Journal of Range Management* 41(3):232-234.
- Patton, David R., and Herman D. Avant. 1970. Fire stimulated aspen sprouting in a spruce-fir forest in New Mexico. Research Note RM-159, 3 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Patton, David R., and John R. Jones. 1977. Managing aspen for wildlife in the southwest. General Technical Report RM-37, 7 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Pauker, Sheridan J., and T. R. Seastedt. 1996. Effects of mobile tree islands on soil carbon storage in tundra ecosystems. *Ecology* 77(8): 2563-2567.
- Paulsen, Harold A. Jr. 1960. Plant cover and forage use of alpine sheep ranges in the central Rocky Mountains. *Iowa State Journal of Science* 34(4): 731-748.
- Paulsen, Harold A. Jr. 1975. Range management in the central and southern Rocky Mountains: A summary of the status of our knowledge by range ecosystems. Research Paper RM-154: 34 pp. Fort Collins, Colorado: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.

- Paulsen, Harold A., Jr. 1969. Forage values on a mountain grassland-aspen range in western Colorado. *Journal of Range Management* 22:102-107.
- Paulsen, Harold A., Jr. 1970. Competition and successional patterns on Thurber fescue grasslands of western U.S.A. XI International Grasslands Congress (Australia) Proceedings 11:662-665.
- Paulsen, Harold A., Jr. 1975. Range management in the Central and Southern Rocky Mountains: A summary of the status of our knowledge by range ecosystems. Research Paper RM-154, 34 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Payette, Serge, Ann Delwaide, Claude Morneau, and Claude Lavoie. 1996. Patterns of tree stem decline along a snow-drift gradient at treeline: A case study using stem analysis. *Canadian Journal of Botany* 74(11):1671-1683.
- Pearson, G. A. 1914. The role of aspen in the reforestation of mountain burns in Arizona and New Mexico. *Plant World* 17(9):249-260.
- Pearson, Henry A. 1967. Phenology of Arizona fescue and mountain muhly in the northern Arizona ponderosa pine type. Research Note RM-89, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Pearson, L. C. 1965. Primary production in grazed and ungrazed desert communities of eastern Idaho. *Ecology* 46(3):278-285.
- Pearson, L. C. 1979. Effects of temperature and moisture on phenology and productivity of Indian ricegrass. *Journal of Range Management* 32(2):127-134.
- Pechanec, Joseph F. 1944. Grazing management needed after accidental burns. Research Paper No. 7, 2 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Pechanec, Joseph F. 1945. Indicators of downward trend on sagebrush-perennial grass ranges grazed by sheep in the spring and fall. Research Paper No. 12, 2 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Peek, James M., Robert A. Riggs, and Jerry L. Lauer. 1979. Evaluation of fall burning on bighorn sheep winter range. *Journal of Range Management* 32(6):430-432.
- Peet, Robert K. 1978a. Forest vegetation of the Colorado Front Range: Patterns of species diversity. *Vegetatio* 37(2):65-78.
- Peet, Robert K. 1978b. Latitudinal variation in southern Rocky Mountain forests. *Journal of Biogeography* 5:275-289.
- Peet, Robert K. 1981. Forest vegetation of the Colorado Front Range: Composition and dynamics. *Vegetatio* 45:3-75.
- Penfound, William T. 1967. A physiognomic classification of vegetation in conterminous United States. *Botanical Review* 33(3):289-326.
- Pennak, Robert W. 1963. Ecological and radiocarbon correlations in some Colorado mountain lake and bog deposits. *Ecology* 44(1):1-15.
- Peterson, David L., and Patrick J. Flowers. 1984. Estimating postfire changes in production and value of northern Rocky Mountain-Intermountain rangelands. Research Paper PSW-173, 19 pp. Berkeley, CA: USDA Forest Service, Pacific Southwest Forest and Range Experiment Station.
- Peterson, Joel G. 1995. Ecological implications of sagebrush manipulation: A literature review. [Place of publication not stated:] Montana Fish, Wildlife, and Parks, Wildlife Management Division, 49 pp.
- Pewe, Troy L. 1983. Alpine permafrost in the contiguous United States: A review. *Arctic and Alpine Research* 15(2):145-156.
- Pfankuch, Dale J. 1978. Stream reach inventory and channel stability evaluation. Publication R1-75-002, 26 pp. Missoula, MT: USDA Forest Service, Northern Region.
- Pfister, Robert D., and R. Daubenmire. 1975. Ecology of lodgepole pine, *Pinus contorta* Dougl. Pp. 27-46 in Baumgartner, David M., Editor. Management of lodgepole pine ecosystems: Symposium proceedings. Pullman, WA: Washington State University, Cooperative Extension Service.
- Pfister, Robert D., Bernard L. Kovalchik, Stephen F. Arno, and Richard C. Presby. 1977. Forest habitat types of Montana. General Technical Report INT-34, 174 pp. + foldout poster. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Pfister, Robert D., and Stephen F. Arno. 1980. Classifying forest habitat types based on potential climax vegetation. *Forest Science* 26(1):52-70.
- Pfister, Robert D. 1986. Development of a vegetation-based approach to site classification. Pp. 74-76 in Clambey, Gary K., and Richard H. Pemble, editors. The prairie: Past, present and future. Proceedings of the Ninth North American Prairie Conference. Fargo, ND: Tri-College University Center for Environmental Studies.
- Phillips, Charles M. 1977. Willow carrs of the upper Laramie River valley, Colorado. Unpublished M. S. Thesis, Colorado State University, Fort Collins, Colorado, 71 pp.
- Phillips, T. A. 1970. The status of antelope bitterbrush in the Cassia Mountain area of southern Idaho. Range Improvement Notes 15(4): 1-15. Ogden, UT: USDA Forest Service, Intermountain Region.
- Phillips, T. A. 1973. Progress report: The effects of fire on vegetation and wildlife on a lodgepole pine burn in Chamberlain Basin, Idaho. Range Improvement Notes 18(1):1-9. Ogden, UT; USDA Forest Service, Intermountain Region.
- Pickford, G. D., and Elbert H. Reid. 1942. Basis for judging subalpine grassland ranges of Oregon and Washington. Circular No. 655, 37 pp. Washington, DC: U. S. Department of Agriculture.
- Pieper, Rex D. 1983. Overstory-understory relationships: Pinyon-juniper and juniper woodlands. Pp. 35-37 in Overstory-understory relationships in western forests. Western Regional Research Publication No. 1. Fort Collins, CO:

- Colorado State University, Experiment Station.
- Pierson, Frederick B., and J. Ross Wight. 1991. Variability of near-surface soil temperatures on sagebrush rangeland. *Journal of Range Management* 44(5):491-497.
- Platou, K. A., P. T. Tueller, S. G. Leonard, and R. L. Miles. 1986. Soil properties associated with six common grasses of the Great Basin. *Journal of Soil and Water Conservation* 41(6):417-421.
- Platts, W. S., W. F. Megehan, and G. W. Minshall. 1983. Methods for evaluating stream, riparian, and biotic conditions. General Technical Report INT-138, 70 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Platts, W. S., C. Armour, G. D. Booth, M. Bryant, J. L. Bufford, P. Cuplin, S. Jensen, G. W. Lienkaemper, G. W. Minshall, S. B. Monsen, R. L. Nelson, J. R. Sedell, and J. S. Tuhy. 1987. Methods for evaluating riparian habitats with applications to management. General Technical Report INT-221, 177 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Plummer, A. Perry, Donald R. Christensen, and Stephen B. Monsen. 1968. Restoring big-game range in Utah. Publication No. 68-3, 183 pp. [Place of publication not stated:] Utah Division of Fish and Game.
- Porter, Duncan M., Robert W. Kiger, and Judith E. Monahan. 1973. A guide for contributors to Flora North America, Part II: An outline and glossary of terms for morphological and habitat description. FNA Report No. 66, 120 pp. + appendices. Washington, DC: Smithsonian Institution.
- Potter, Loren D., and John C. Krenetsky. 1967. Plant succession with released grazing on New Mexico range lands. *Journal of Range Management* 20(3):145-151.
- Potter, Loren D., Teralene S. Foxx, and Fairley J. Barnes. 1982. Natural regeneration of ponderosa pine as related to land use and fire history on the Pajarito Plateau. Publication UC-11, 26 pp. Los Alamos, NM: U.S. Department of Energy, Los Alamos National Laboratory.
- Poulton, Charles E., and E. W. Tisdale. 1961. A quantitative method for the description and classification of range vegetation. *Journal of Range Management* 14:13-21.
- Powell, David C. 1988. Aspen community types of the Pike and San Isabel National Forests in south-central Colorado. Publication R2-ECOL-88-01, 254 pp. Lakewood, CO: USDA Forest Service, Rocky Mountain Region.
- Price, Larry W. 1981. Mountains and man: A study of process and environment. Berkeley, CA: University of California Press, 506 pp.
- Pritchard, H. Wayne, D. E. Hutchinson, Frank W. Schaller, Russell L. Schultz, William Briggs, Gene Hertel, and James Sanders, Editors. 1982. Resource Conservation Glossary, Third Edition. Ankeny, IA: Soil Conservation Society of America, 193 pp.
- Ramaley, Francis. 1914. The amount of bare ground in some mountain grasslands. *Botanical Gazette* 57:526-528.
- Ramaley, Francis. 1915. The relative importance of different species in a mountain grassland. *Botanical Gazette* 60:154-157.
- Ramaley, Francis. 1916. Quadrat studies in a mountain grassland. *Botanical Gazette* 62:70-74.
- Ramaley, Francis. 1919. The rôle of sedges in some Colorado plant communities. *American Journal of Botany* 6:120-130.
- Ramaley, Francis. 1942. Vegetation of the San Luis Valley in southern Colorado. University of Colorado Studies, Series D, 1(4):231-277.
- Range Inventory Standardization Committee. 1983. Guidelines and terminology for range inventories and monitoring. Denver, CO: Society for Range Management, 13 pp. (See Artz and others 1983, above)
- Rasmussen, D. Irvin. 1941. Biotic communities of Kaibab Plateau, Arizona. *Ecological Monographs* 11(3):229-275.
- Ratcliffe, Marilyn J., and Roy Turkington. 1987. Vegetation patterns and environment of some alpine plant communities on Lakeview Mountain, southern British Columbia. *Canadian Journal of Botany* 65: 2507-2516.
- Reed, Floyd. 1991. Preliminary key to the genus *Salix* (willows) in Colorado. Salida, CO: USDA Forest Service, Salida Service Center, 16 pp.
- Reed, Robert M. 1971. Aspen forests of the Wind River Mountains, Wyoming. *American Midland Naturalist* 86(2):327-343.
- Reed, Robert M. 1976. Coniferous forest habitat types of the Wind River Mountains, Wyoming. *American Midland Naturalist* 95(1):159-173.
- Reeder, J. D., and W. J. McGinnies. 1989. Response of established forages on reclaimed mined land to fertilizer N and P. *Journal of Range Management* 42(4):327-332.
- Reese, Gary A., Robert L. Bayn, and Neil E. West. 1980. Evaluation of double-sampling estimators of subalpine herbage production. *Journal of Range Management* 33(4):300-306.
- Rehfeldt, G. E. 1974. Local differentiation of populations of Rocky Mountain Douglas-fir. *Canadian Journal of Forest Research* 4(3):399-406.
- Rehfeldt, G. E. 1986. Ecological genetics of *Pinus contorta* in the upper Snake River Basin of eastern Idaho and Wyoming. Research Paper INT-356, 9 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Retzer, J. L. 1962. Soil survey of Fraser alpine area, Colorado. Series 1956, No. 20: 47 pp. Washington, D. C.: USDA Forest Service and Soil Conservation Service.
- Retzer, John L. 1974. Alpine soils. Pp. 772-802 in Ives, Jack D., and Roger G. Barry. Arctic and alpine environments. London, UK: Methuen and Co., 999 pp.
- Reynolds, Douglas N. 1984. Alpine annual plants: Phenology, germinations, photosynthesis, and

- growth of three Rocky Mountain species. *Ecology* 65(3): 759-766.
- Rice, Barbara, and Mark Westoby. 1978. Vegetative responses of some Great Basin shrub communities protected against jackrabbits or domestic stock. *Journal of Range Management* 31(1):28-34.
- Richmond, Gerald M. 1949. Stone nets, stone stripes, and soil stripes in the Wind River Mountains, Wyoming. *Journal of Geology* 57(2): 143-153.
- Rickard, W. H., and R. H. Sauer. 1982. Primary production and canopy cover in bitterbrush-cheatgrass communities. *Northwest Science* 56(3):250-256.
- Rietveld, W. J., and L. J. Heidmann. 1976. Direct seeding ponderosa pine on recent burns in Arizona. Research Note RM-312, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Rietveld, W. J. 1977. Phytotoxic effects of bunchgrass residues on germination and initial root growth of yellow sweetclover. *Journal of Range Management* 30(1):39-43.
- Rittenhouse, L. R., and F. A. Sneva. 1976. Expressing the competitive relationship between Wyoming big sagebrush and crested wheatgrass. *Journal of Range Management* 29(4):326-327.
- Roath, Roy, Len Carpenter, Bill Riebsame, and Dave Swift. 1999. Report to the Habitat Partnership Program Committee on grazing animal – habitat balance. Draft of January, 1999, 23 pp. + appendices.
- Robertson, D. R., J. L. Nielsen, and N. H. Bare. 1966. Vegetation and soils of alkali sagebrush and adjacent big sagebrush ranges in North Park, Colorado. *Journal of Range Management* 19:17-20.
- Rodeck, Hugo G., editor. 1964. Natural history of the Boulder area. Leaflet No. 13: 100 pp. Boulder, Colorado: University of Colorado Museum.
- Rogers, Glenn E. 1964. Sage grouse investigations in Colorado. Technical Publication No. 16, 132 pp. [Place of publication not stated]: Colorado Game, Fish and Parks Department.
- Rominger, James M., and Laurie A. Paulik. 1983. A floristic inventory of the plant communities of the San Francisco Peaks Research Natural Area. General Technical Report RM-96, 9 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Romme, William H. 1982. Fire and landscape diversity in subalpine forests of Yellowstone National Park. *Ecological Monographs* 52(2):199-221.
- Romme, William H., Monica G. Turner, Linda L. Wallace, and Jennifer S. Walker. 1995. Aspen, elk, and fire in northern Yellowstone National Park. *Ecology* 76(7):2097-2106.
- Ronco, Frank Jr., Carleton B. Edminster, and David P. Trujillo. 1985. Growth of ponderosa pine thinned to different stocking levels in northern Arizona. Research Paper RM-262, 15 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Rood, Stewart B., John M. Mahoney, David E. Reid, and Leslie Zinn. 1995. Instream flows and the decline of riparian cottonwoods along the St. Mary River, Alberta. *Canadian Journal of Botany* 73(8):1250-1260.
- Rosgen, David L. 1985. A stream classification system. In Johnson, R. R., and others, Technical Coordinators. Riparian ecosystems and their management: Reconciling conflicting uses: First North American Riparian Conference. General Technical Report RM-120, pp. 91-95. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station. [Modified by the author in 1990]
- Rottman, Mary Lou I. 1984. A floristic analysis of three alpine basins in the northern San Juan Mountains, Colorado. Ph. D. Thesis: pp. Boulder, Colorado: University of Colorado, Department of Environmental, Population, and Organismic Biology.
- Rottman, Mary Lou, and Emily L. Hartman. 1985. Tundra vegetation of three cirque basins in the northern San Juan Mountains, Colorado. *Great Basin Naturalist* 45(1): 87-93.
- Running, Steven W. 1983. A biophysical assessment of the regeneration and growth potential of forested land in Montana. Pp. 58-75 in Jennifer O'Loughlin and Robert D. Pfister, editors. Management of second-growth forests: The state of knowledge and research needs. Missoula, MT: University of Montana, School of Forestry.
- Ryan, Michael G., and Richard H. Waring. 1992. Maintenance respiration and stand development in a subalpine lodgepole pine forest. *Ecology* 73(6):2100-2108.
- Rydberg, P. A. 1915a. Phytogeographical notes on the Rocky Mountain region. V. Grasslands of the Subalpine and Montane Zones. *Bulletin of the Torrey Botanical Club* 40:629-642.
- Rydberg, P. A. 1915b. Phytogeographical notes on the Rocky Mountain region. IV. Forests of the Subalpine and Montane Zones. *Bulletin of the Torrey Botanical Club* 42:11-25.
- Rydberg, P. A. 1916. Vegetative life zones of the Rocky Mountain Region. *Memoirs of the New York Botanical Garden* 6:477-499.
- Sabinske, Darold W., and Dennis H. Knight. 1978. Variation within the sagebrush vegetation of Grand Teton National Park, Wyoming. *Northwest Science* 52(3):195-204.
- Sackett, Stephen S. 1980. Reducing natural ponderosa pine fuels using prescribed fire: Two case studies. Research Note RM-392, 6 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Sackett, Stephen S. 1984. Observations on natural regeneration in ponderosa pine following a prescribed fire in Arizona. Research Note RM-435, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Sampson, Arthur W. 1925. The foothill – montane – alpine flora and its environment. Pp. 24-31 in Tidestrom, Ivar. *Flora of Utah and Nevada*. Contributions from the U. S. National Herbarium

25. Washington, DC: Smithsonian Institution.
- Sampson, Arthur W. 1925. The foothill – montane – alpine flora and its environment. Pp. 24-31 in Tidestrom, Ivar. Flora of Utah and Nevada. Contributions from the U. S. National Herbarium 25. Washington, DC: Smithsonian Institution.
- Sampson, Arthur W. 1919. Effect of grazing upon aspen reproduction. Bulletin No. 741, 29 pp. Washington, DC: U.S. Department of Agriculture.
- Sampson, Arthur W. 1925. The foothill – montane – alpine flora and its environment. Pp. 24-31 in Tidestrom, Ivar. Flora of Utah and Nevada. Contributions from the U. S. National Herbarium 25. Washington, DC: Smithsonian Institution.
- Schaefer, Peter R., and James W. Hanover. 1986. Taxonomic implications of monoterpene compounds of blue and Engelmann spruces. *Forest Science* 32(3):725-734.
- Schenbeck, G. L., and E. A. Dahlem. 1977. Proposed management of aspen habitat in northern Nevada. *Cal-Neva Wildlife Transactions* 1977, pp. 68-74. Davis, CA: The Wildlife Society.
- Schier, George A. 1973. Origin and development of aspen root suckers. *Canadian Journal of Forest Research* 3:45-53.
- Schier, George A., and John C. Zasada. 1973. Role of carbohydrate reserves in the development of root suckers in *Populus tremuloides*. *Canadian Journal of Forest Research* 3:243-250.
- Schier, George A. 1974. Vegetative propagation of aspen: Clonal variation in suckering from root cuttings and in rooting of sucker cuttings. *Canadian Journal of Forest Research* 4:565-567.
- Schier, George A., and Arthur D. Smith. 1979. Sucker regeneration in a Utah aspen clone after clearcutting, partial cutting, scarification, and girdling. Research Note INT-253, 6 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Schier, George A. 1982. Sucker regeneration in some deteriorating Utah aspen stands: Development of independent root systems. *Canadian Journal of Forest Research* 12(4): 1032-1035.
- Schmidt, J. M., and T. E. Hinds. 1974. Development of spruce-fir stands following spruce beetle outbreaks. Research Paper RM-131, 16 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Schmidt, J. M. 1977. Guidelines for minimizing spruce beetle populations in logging residuals. Research Paper RM-185, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Schopmeyer, C. S., Technical Coordinator. 1974. Seeds of woody plants of the United States. Agriculture Handbook No. 450, 883 pp. Washington, DC: U. S. Department of Agriculture.
- Schubert, Gilbert H. 1970. Ponderosa pine regeneration problems in the southwest. In Hermann, R. K., Editor. Regeneration of ponderosa pine. Corvallis, OR: Oregon State University, School of Forestry.
- Schulz, Terri Tucker, and Wayne C. Leininger. 1991. Nongame wildlife communities in grazed and ungrazed montane riparian sites. *Great Basin Naturalist* 51(3):286-292.
- Schwan, H. E., and D. F. Costello. 1951. The Rocky Mountain alpine type: Range conditions, trends, and land use: 18 pp. [Denver, Colorado: USDA Forest Service, Rocky Mountain Region].
- Schwartz, Charles F., Edward C. Thor, and Gary H. Elsner. 1976. Wildland planning glossary. General Technical Report PSW-13: 252 pp. Berkeley, CA: USDA Forest Service, Pacific Southwest Forest and Range Experiment Station.
- Scott, Virgil E., Jill A. Whelan, and Robert R. Alexander. 1978. Dead trees used by cavity-nesting birds on the Fraser Experimental Forest: A case history. Research Note RM-360, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Scott, Virgil E., Glenn L. Crouch, and Jill A. Whelan. 1982. Responses of birds and small mammals to clearcutting in a subalpine forest in central Colorado. Research Note RM-422, 6 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Scott, Virgil E., and Glenn L. Crouch. 1987. Response of breeding birds to commercial clearcutting of aspen in southwestern Colorado. Research Note RM-475, 5 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Scott, Virgil E., and Glenn L. Crouch. 1988. Breeding birds and small mammals in pole-sized lodgepole pine and small inclusions of aspen in central Colorado. Research Note RM-482, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Scott, Virgil E., and Glenn L. Crouch. 1988b. Summer birds and mammals of aspen-conifer forests in west-central Colorado. Research Paper RM-280, 6 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Shankman, David. 1984. Tree regeneration following fire as evidence of timberline stability in the Colorado Front Range, U.S.A. *Arctic and Alpine Research* 16(4):413-417.
- Shaw, Nancy L. 1992. Recruitment and growth of Pacific willow and sandbar willow seedlings in response to season and intensity of cattle grazing. Pp. 130-137 in Clary, Warren P., E. Durant McArthur, Don Bedunah, and Carl L. Wambolt, Compilers. Proceedings – Symposium on ecology and management of riparian shrub communities. General Technical Report INT-289, 232 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Shelford, Victor E. 1963. The ecology of North America. Urbana, IL: University of Illinois Press, 610 pp.
- Shepherd, Harold R. 1971. Effects of clipping on key browse species in southwestern Colorado. Technical Publication No. 28, 104 pp. [Place of publication not stated]: Colorado Division of Game, Fish, and Parks.

- Shepherd, Harold R. 1975. Vegetation of two dissimilar bighorn sheep ranges in Colorado. Division Report No. 4, 223 pp. [Denver, Colorado]: Colorado Division of Wildlife.
- Shepperd, Wayne D. 1987. Silviculture research in Rocky Mountain aspen. Pp. 25-29 in Troendle, Charles A., Merrill R. Kaufmann, R. H. Hamre, and Robert P. Winokur, Technical Coordinators. Management of subalpine forests: Building on 50 years of research. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Shepperd, Wayne D. 1993a. Initial growth, development, and clonal dynamics of regenerated aspen in the Rocky Mountains. Research Paper RM-312, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Shepperd, Wayne D. 1993b. The effect of harvesting activities on soil compaction, root damage, and suckering in Colorado aspen. *Western Journal of Applied Forestry* 8(2):62-66.
- Sholes, Owen D. V. 1988. Leaf litter consumption after timber harvest: Percentages differ, totals do not. *Ecology* 69(2):543-544.
- Short, H. L. 1985. Management goals and habitat structure. Pp. 257-262 in R. R. Johnson, and others, technical coordinators. Riparian ecosystems and their management: Reconciling conflicting uses. General Technical Report RM-120. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Short, Robert A., Steven P. Canton, and James V. Ward. 1980. Detrital processing and associated macroinvertebrates in a Colorado mountain stream. *Ecology* 61(4):727-732.
- Shown, L. M., R. F. Miller, and F. A. Branson. 1969. Sagebrush conversion to grassland as affected by precipitation, soil, and cultural practices. *Journal of Range Management* 22(5):303-311.
- Sieg, Carolyn Hull. 1993. A classification of soils in bur oak woodlands in the foothills of the Black Hills, South Dakota. *Soil Science* 155(2):131-147.
- Slymaker, H. Olav. 1974. Alpine hydrology. Pp. 133-158 in Ives, Jack D., and Roger G. Barry. Arctic and alpine environments. London, UK: Methuen and Co., 999 pp.
- Smith, Daniel John. 1987. Frost-heave activity in the Mount Rae area, Canadian Rocky Mountains. *Arctic and Alpine Research* 19(2): 155-166.
- Smith, Dixie R. 1969. Vegetation, soils, and their interrelationships at timberline in the Medicine Bow Mountains, Wyoming. Science Monograph No. 17, 13 pp. Laramie, Wyoming: University of Wyoming, Agricultural Experiment Station.
- Smith, Dixie R., and W. M. Johnson. 1965. Vegetation characteristics on a high altitude sheep range in Wyoming. Bulletin 430: 14 pp. Laramie, Wyoming: University of Wyoming, Agricultural Experiment Station.
- Smith, Dixie R., and Harold P. Alley. 1966. Chemical control of alpine avens. *Journal of Range Management* 19(6): 376-378.
- Smith, Arthur D., Paul A. Lucas, Calvin O. Baker, and George W. Scotter. 1972. The effects of deer and domestic livestock on aspen regeneration in Utah. [Place of publication not stated]: Utah Division of Wildlife Resources, 32 pp.
- Smith, E. Lamar, Patricia S. Johnson, George Ruyle, Fred Smeins, Dick Loper, Dick Whetsell, Dennis Child, Philip Sims, Ray Smith, Len Volland, Miles Hemstrom, Everet Bainter, Arnold Mendenhall, Keith Wadman, Dave Frandzen, Milt Suthers, John Willoughby, Ned Habich, Tom Gaven, and Jennifer Haley, comprising the Task Group on Unity in Concepts and Terminology. 1995. New concepts for assessment of rangeland condition. *Journal of Range Management* 48(3):271-282.
- Smith, Frederick W., and Kirk Apt. 1985. Persistence of isolated *Populus tremuloides* Michx. clones in the central Rocky Mountains. Unpublished report to USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, 22 pp. + figures. Colorado State University, Fort Collins, Colorado.
- Smith, Frederick W., and James N. Long. 1987. Elk hiding and thermal cover guidelines in the context of lodgepole pine stand density. *Western Journal of Applied Forestry* 2: .
- Smith, Guy D. 1986. The Guy Smith interviews: Rationale for concepts in soil taxonomy. T. R. Forbes, Editor. Technical Monograph No. 11, 259 pp. Washington, DC: USDA Soil Conservation Service, Soil Management Support Services; and Ithaca, NY: New York State College of Agriculture and Life Sciences, Cornell University, Department of Agronomy.
- Smith, Michael A., and Fee Busby. 1981. Prescribed burning - Effective control of sagebrush in Wyoming. Publication RJ-165, 12 pp. Laramie, WY: University of Wyoming, Agricultural Experiment Station.
- Soil Survey Division Staff. 1993. Soil survey manual. Agriculture Handbook No. 18, 437 pp. Washington, DC: U. S. Department of Agriculture. "Revised and enlarged edition of Agriculture Handbook No. 18 issued 1962."
- Soil Survey Staff. 1975. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. Agriculture Handbook No. 436, 754 pp. Washington, DC: U. S. Department of Agriculture, Soil Conservation Service.
- Soil Survey Staff. 1996. Keys to soil taxonomy, Seventh Edition. [Washington, DC:] U. S. Department of Agriculture, Natural Resources Conservation Service, 643 pp. Early Editions (1-5) published by Virginia Polytechnic Institute and State University, Blacksburg, VA.
- Sowell, John B., Seth P. McNulty, and Bradley K. Schilling. 1996. The role of stem recharge in reducing the winter desiccation of *Picea engelmannii* (Pinaceae) needles at alpine timberline. *American Journal of Botany* 83(10):1351-1355.
- Spence, John R., and Richard J. Shaw. 1983. Observations on alpine vegetation near Schoolroom Glacier, Teton Range, Wyoming. *Great Basin Naturalist* 43(3): 483-491.

- Spomer, G. G. 1964. Physiological ecology studies of alpine cushion plants. *Physiologia Plantarum* 17: 717-724.
- Spomer, George G., and Frank B. Salisbury. 1968. Eco-physiology of *Geum turbinatum* and implications concerning alpine environments. *Botanical Gazette* 129(1):33-49.
- Spreitzer, Patricia N. 1986. Overstory-understory relationships in the ponderosa pine zone in the Central Rocky Mountains. Unpublished M. S. Thesis, 55 pp. Colorado State University, Fort Collins.
- Stahelin, R. 1943. Factors influencing the natural restocking of high altitude burns by coniferous trees in the Central Rocky Mountains. *Ecology* 24(1):19-30.
- Stednick, J. D. 1989. Hydrochemical characterization of alpine and alpine-subalpine stream waters, Colorado Rocky Mountains, U. S. A. *Arctic and Alpine Research* 21(3):276-282.
- Steele, Brian M., and Stephen V. Cooper. 1986. Predicting site index and height for selected tree species of northern Idaho. Research Paper INT-365, 16 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Steele, Robert, Robert D. Pfister, Russell A. Ryker, and Jay A. Kittams. 1981. Forest habitat types of central Idaho. General Technical Report INT-114, 138 pp. + foldout posters. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Steele, Robert, Stephen V. Cooper, David M. Ondov, David W. Roberts, and Robert D. Pfister. 1983. Forest habitat types of eastern Idaho – western Wyoming. General Technical Report INT-144, 122 pp. + foldout posters. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Steinhauser, F. 1967. Methods of evaluation and drawing of climatic maps in mountainous countries. *Archiv Meteorologie Geophysik Bioklimatologie B*, 15(4):329-358.
- Steinhoff, Harold W., and Jack D. Ives, editor. 1976. Ecological impacts of snowpack augmentation in the San Juan Mountains of Colorado. Prepared by Colorado State University; University of Colorado, Institute of Arctic and Alpine Research; and Fort Lewis College, Department of Biological Science. Publication No. CSU-FNR-7052-1: 489 pp. Denver, Colorado: USDI Bureau of Reclamation, Division of Atmospheric Water Resources Management.
- Steinhoff, Harold W. 1978. Management of Gambel oak associations for wildlife and livestock. Lakewood, CO: USDA Forest Service, Rocky Mountain Region, 119 pp.
- Stermitz, James E., Murray G. Klages, and James E. Lotan. 1974. Soil characteristics influencing lodgepole pine regeneration near West Yellowstone, Montana. Research Paper INT-163, 16 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Stevens, Richard. 1986. Population dynamics of two sagebrush species and rubber rabbitbrush over 22 years of grazing use by three animal classes. Pp. 278-285 in McArthur, E. Durant, and Bruce L. Welch, Compilers. *Proceedings – Symposium on the biology of Artemisia and Chrysothamnus*. General Technical Report INT-200, 398 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Stevens, Richard, A. Perry Plummer, Chester E. Jensen, and Bruce C. Giunta. 1974. Site productivity classification for selected species on winter big game ranges of Utah. Research Paper INT-158, 24 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Stevens, Richard, Bruce C. Giunta, Kent R. Jorgensen, and A. Perry Plummer. 1977. Winterfat (*Ceratoides lanata*). [Place of publication not stated]: Utah State Division of Wildlife Resources, 41 pp.
- Stewart, Belle K. 1940. Plant ecology and paleo-ecology of the Creede valley, Colorado. Unpublished Ph.D. Thesis, University of Colorado, Boulder, 154 pp.
- Strasia, C. A., M. Thorn, R. W. Rice, and D. R. Smith. 1970. Grazing habits, diet and performance of sheep on alpine ranges. *Journal of Range Management* 23(3): 201-208.
- Strong, Laurence L., Robert W. Dana, and Len H. Carpenter. 1985. Estimating phytomass of sagebrush habitat types from microdensiometer data. *Photogrammetric Engineering and Remote Sensing* 51(4):467-474.
- Sturges, David L. 1968. Evapotranspiration at a Wyoming mountain bog. *Journal of Soil and Water Conservation* 23(1), pages?
- Sturges, David L. 1980. Soil water withdrawal and root distribution under grubbed, sprayed, and undisturbed big sagebrush vegetation. *Great Basin Naturalist* 40(2):157-164.
- Sturges, David L. 1986. Responses of vegetation and ground cover to spraying a high elevation, big sagebrush watershed with 2,4-D. *Journal of Range Management* 39(2):141-146.
- Sturges, David L. 1989. Response of mountain big sagebrush to induced snow accumulation. *Journal of Applied Ecology* 26: 1035-1041.
- Sturges, David L. 1993. Soil-water and vegetation dynamics through 20 years after big sagebrush control. *Journal of Range Management* 46(2):161-169.
- Stuth, Jerry W., and A. H. Winward. 1977. Livestock-deer relations in the lodgepole pine-pumice region of central Oregon. *Journal of Range Management* 30(2):110-116.
- Summer, Rebecca M. 1982. Field and laboratory studies on alpine soil erodibility, southern Rocky Mountains, Colorado. *Earth Surface Processes and Landforms* 7: 253-266.
- Sutton, Dave L. 1999. Aquatic, wetland, and invasive plant glossary. <http://aquat1.ifas.ufl.edu/glossary.html>

- Sveum, Colin M., W. Daniel Edge, and John A. Crawford. 1998. Nesting habitat selection by sage grouse in south-central Washington. *Journal of Range Management* 51(3): 265-269.
- Swenson, Jon E., Claire A. Simmons, and Charles D. Eustace. 1987. Decrease of sage grouse *Centrocercus urophasianus* after ploughing of sagebrush steppe. *Biological Conservation* 41:125-132.
- Swenson, Susan M. 1996. The evolution of actinorhizal symbioses: Evidence for multiple origins of the symbiotic association. *American Journal of Botany* 83(11):1503-1512.
- Szaro, Robert C., and Russell P. Balda. 1979. Effects of harvesting ponderosa pine on nongame bird populations. Research Paper RM-212, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Szaro, Robert C., and Russell P. Balda. 1982. Selection and monitoring of avian indicator species: An example from a ponderosa pine forest in the southwest. General Technical Report RM-89, 8 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Szaro, Robert C., and Russell P. Balda. 1986. Relationships among weather, habitat structure, and ponderosa pine forest birds. *Journal of Wildlife Management* 50(2):253-260.
- Szaro, Robert C. 1989. Riparian forest and scrubland community types of Arizona and New Mexico. *Desert Plants* 9(3-4):69-138, printed as a separate booklet with paper covers.
- Task Group on Unity in Concepts and Terminology. 1995. New concepts for assessment of rangeland condition. *Journal of Range Management* 48(3):271-282. (see E. L. Smith and others 1995 above).
- Tausch, Robin J. 1989. Comparison of regression methods for biomass estimation of sagebrush and bunchgrass. *Great Basin Naturalist* 49(3):373-380.
- Taylor, Dale L. 1973. Some ecological implications of forest fire control in Yellowstone National Park, Wyoming. *Ecology* 54(6):1394-1396.
- Taylor, John E. 1986. Cover data in monitoring rangeland vegetation. Pp. 15-24 in Smith, E. Lamar, Sandra S. Coleman, Clifford E. Lewis, and George W. Tanner, Compilers. Use of cover, soils and weather data in rangeland monitoring: Symposium Proceedings. Kissimmee, FL: Society for Range Management, 39th Annual Meeting.
- Terwilliger, Charles, Jr., and James A. Tiedeman. 1978. Habitat types of the mule deer critical winter range and adjacent steppe region of Middle Park, Colorado. Final Report to U. S. Forest Service, 108 pp. Fort Collins, CO: Colorado State University.
- Terwilliger, Charles, Jr., and Edwin L. Smith. 1978. Range resource types in North Park, Colorado. Science Series No. 32, 48 pp. Fort Collins, Colorado, Colorado State University, Range Science Department.
- Tew, R. K. 1981. The ecology and regeneration of aspen in relation to management. Range Improvements Notes, May, pp. 1-15. Ogden, UT: USDA Forest Service, Intermountain Region.
- Tew, Ronald K., Norbert V. DeByle, and John D. Schultz. 1969. Intraclonal root connections among quaking aspen trees. *Ecology* 50(5):920-921.
- Tew, Ronald K. 1970. Root carbohydrate reserves in vegetative reproduction of aspen. *Forest Science* 16(3):318-320.
- Thilenius, John F. 1975. Alpine range management in the western United States--Principles, practices, and problems: The status of our knowledge. Research Paper RM-157: 32 pp. Fort Collins, Colorado: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Thilenius, John F. 1979. Range management in the alpine zone. In Johnson (1979), pp. 43-64.
- Thilenius, John F., and Gary R. Brown. 1987. Herded vs. unherded sheep grazing systems on an alpine range in Wyoming. General Technical Report RM-147, 8 pp. Fort Collins, Colorado: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Thilenius, John F., and Dixie R. Smith. 1985. Vegetation and soils of an alpine range in the Absaroka Mountains, Wyoming. General Technical Report RM-121, 18 pp. Fort Collins, Colorado: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Thilenius, John F., Dixie R. Smith, and Gary R. Brown. 1974. Effect of 2,4-D on composition and production of an alpine plant community in Wyoming. *Journal of Range Management* 27(2): 140-142.
- Thill, Ronald E., Peter F. Ffolliott, and David R. Patton. 1983. Deer and elk forage production in Arizona mixed conifer forests. Research Paper RM-248, 13 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Thomas, Jack Ward, Editor. 1979. Wildlife habitats in managed forests: The Blue Mountains of Oregon and Washington. Agriculture Handbook No. 553. Washington, DC: USDA Forest Service, Wildlife Management Institute, and USDI Bureau of Land Management, 512 pp.
- Thomas, R. Brooke. 1979. Effects of change on high mountain human adaptive patterns. Pp. 139-188 in Webber, Patrick J., editor. High altitude geocology. AAAS Selected Symposium No. 12, 188 pp. Boulder, CO: Westview Press.
- Thornburgh, Dale A. 1986. Responses of vegetation to different wilderness management systems. In Lucas, Robert C., compiler. Proceedings--National wilderness research conference: Current research. General Technical Report INT-212: 108-113. Ogden, Utah: USDA Forest Service, Intermountain Research Station.
- Tiedeman, James A. 1978. Phyto-edaphic classification of the Piceance Basin. Unpublished Ph.D. Dissertation, Colorado State University, Fort Collins, 281 pp.
- Tiedeman, James A., Richard E. Francis, Charles Terwilliger, Jr., and Len H. Carpenter. 1987. Shrub-steppe habitat types of Middle Park, Colorado. Research Paper RM-273, 20 pp. Fort Collins, CO: USDA Forest Service, Rocky

- Mountain Forest and Range Experiment Station.
- Tieszen, Larry L., and Steve Archer. 1979. Physiological responses of plants in tundra grazing systems. In Johnson (1979), pp. 22-42.
- Tinker, Daniel B. William H. Romme, William W. Hargrove, Robert H. Gardner, and Monica G. Turner. 1994. Landscape-scale heterogeneity in lodgepole pine serotiny. *Canadian Journal of Forest Research* 24:897-903.
- Tisdale, E. W., and M. Hironaka. 1981. The sagebrush-grass region: A review of the ecological literature. *Bulletin No. 33*, 31 pp. Moscow, ID: University of Idaho, Forest, Wildlife, and Range Experiment Station.
- Tisdale, E. W. 1986. Canyon grasslands and associated shrublands of west-central Idaho and adjacent areas. *Bulletin No. 40*, 42 pp. Moscow, ID: University of Idaho, Forest, Wildlife, and Range Experiment Station.
- Torick, Lisa L., Diana F. Tomaback, and Ronald Espinoza. 1996. Occurrence of multi-genet tree clusters in "wind-dispersed" pines. *American Midland Naturalist* 136(2):262-266.
- Trappe, James M. 1988. Lessons from alpine fungi. *Mycologia* 80(1):1-10.
- Troendle, C. A., and M. R. Kaufmann. 1987. Influence of forests on the hydrology of the subalpine forest. Pp. 68-78 in Troendle, Charles A., Merrill R. Kaufmann, R. H. Hamre, and Robert P. Winokur, Technical Coordinators. *Management of subalpine forests: Building on 50 years of research*. General Technical Report RM-149. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Troendle, C. A., and R. M. King. 1985. The effect of timber harvest on the Fool Creek watershed, 30 years later. *Water Resources Research* 21(12):1915-1922.
- Tueller, Paul T. 1985. Sagebrush dominated vegetation of the Great Basin. Pp. 24-30 in *Proceedings: Selected papers presented at the 38th Annual Meeting*. Denver, CO: Society for Range Management.
- Tueller, Paul T., and Richard E. Eckert, Jr. 1987. Big sagebrush (*Artemisia tridentata vaseyana*) and longleaf snowberry (*Symphoricarpos oreophilus*) plant associations in northeastern Nevada.
- Turkowski, Frank J. 1980. Carnivora food habits and habitat use in ponderosa pine forests. *Research Paper RM-215*, 9 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Turner, George T. 1951. Evaluation of range-watershed conditions of aspen and mountain grassland types in western Colorado. Unpublished Office Report, Typescript, 19 pp.
- Turner, George T. 1969. Responses of mountain grassland vegetation to gopher control, reduced grazing, and herbicide. *Journal of Range Management* 22(6):377-383.
- Turner, George T., 1972. A new approach to estimating herbage moisture content. *Journal of Range Management* 25(3): 229-231.
- Turner, George T., and Harold A. Paulsen Jr. 1976. Management of mountain grasslands in the Central Rockies: The status of our knowledge. *Research Paper RM-161*, 24 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Tuttle, Sherwood D. 1970. Landforms and landscapes. *Brown Foundations of Earth Science Series*. Dubuque, IA: William C. Brown Co., 136 pp.
- Tweit, Susan J., and Kent E. Houston. 1980. Grassland and shrubland habitat types of the Shoshone National Forest. *Cody, WY: Shoshone National Forest*, 143 pp.
- Tweto, Ogden, Steven, T. A., Hail, W. J., and Moench, R.H. 1976. Preliminary geologic map of the Montrose 1° x 2° quadrangle, northwestern Colorado. *Miscellaneous Field Studies Map MF-761*, 1 sheet, scale 1:250000. Denver, CO: U.S. Geological Survey.
- U. S. Department of Agriculture, Natural Resources Conservation Service. 1997. Revisions to the soil taxonomy handbook. Chapters 1-4, 8-18, chapter pagination. Lincoln, NE: USDA Natural Resources Conservation Service. Downloaded October 20, 1997 from <http://www.statlab.iastate.edu/soils/soiltax>.
- U. S. Geological Survey. 1992. Precipitation map of Colorado. 1 sheet, 1:250,000.
- Urness, Philip J. 1985. Managing lodgepole pine ecosystems for game and range values. Pp. 297-304 in Baumgartner, David M., Editor. *Management of lodgepole pine ecosystems: Symposium proceedings*. Pullman, WA: Washington State University, Cooperative Extension Service.
- Urness, Philip J. 1986. Sagebrush management: The state of our knowledge on its use by and value for big game animals. *Habitat Express No. 86-1*, 6 pp. Ogden, UT: USDA Forest Service, Intermountain Region, Wildlife Management.
- USDA Forest Service. 1994. *Ecological Subregions of the United States: Section descriptions*. Publication WO-WSA-5. Washington, DC: U. S. Department of Agriculture, Forest Service.
- USDA National Agricultural Statistics Service. 1998. *Census of Agriculture for 1997*. <http://www.nass.usda.gov/census/census97>.
- USDA Natural Resources Conservation Service. 1993a. *Glossary of landform and geologic terms*. National Soil Survey Handbook, Part 629, 59 pp. Washington, DC: Natural Resources Conservation Service.
- USDA Natural Resources Conservation Service. 1993b. *Total annual yield guide and guide to initial stocking rates in acres per AUM*. Section II-E Technical Guide, April 1993, 10 pp. Denver, CO: USDA Natural Resources Conservation Service.
- USDA Soil Conservation Service. 1993. *Total annual yield guide and guide to initial stocking rates*. Denver, CO: USDA Soil Conservation Service, Section II-E, Technical Guide, various pagination.
- USDI Bureau of Land Management. 1985. *Rangeland monitoring: Trend studies*. Technical Reference 4400-4, 130 pp. Denver, CO: USDI Bureau of Land

- Management, Denver Service Center.
- Vale, Thomas R. 1975. Presettlement vegetation in the sagebrush-grass area of the intermountain west. *Journal of Range Management* 28(1):32-36.
- Van der Maarel, Eddy. 1976. On the establishment of plant community boundaries. *Berichte deutscher botanische Gesellschaft* 89:415-443.
- van Wagtenonk, Jan W. 1986. The determination of carrying capacities for the Yosemite Wilderness. In Lucas, Robert C., compiler. *Proceedings--National wilderness research conference: Current research. General Technical Report INT-212: 456-461.* Ogden, Utah: USDA Forest Service, Intermountain Research Station.
- Vander Wall, Stephen B. 1994. Seed fate pathways of antelope bitterbrush: Dispersal by seed-caching yellow pine chipmunks. *Ecology* 75(7):1911-1926.
- Veblen, Thomas T. 1986. Age and size structure of subalpine forests in the Colorado Front Range. *Bulletin of the Torrey Botanical Club* 113(3):225-240.
- Veblen, Thomas T., and Diane C. Lorenz. 1986. Anthropogenic disturbance and recovery patterns in montane forests, Colorado Front Range. *Physical Geography* 7(1):1-24.
- Veblen, Thomas T. 1986. Treefalls and the coexistence of conifers in subalpine forests of the Central Rockies. *Ecology* 67(3):644-649.
- Volland, Leonard A. 1985. Ecological classification of lodgepole pine in the United States. Pp. 63-75 in Baumgartner, David M., Richard G. Krebill, James T. Arnott, and Gordon F. Weetman, Editors. *Lodgepole pine, the species and its management: Symposium proceedings.* Pullman, WA: Washington State University.
- von Rudloff, E., and Martin S. Lapp. 1987. Chemosystematic studies in the genus *Pinus*. VI. General survey of the leaf oil terpene composition of lodgepole pine. *Canadian Journal of Forest Research* 17:1013-1025.
- Vose, James M., and Alan S. White. 1987. Processes of understory seedling recruitment 1 year after prescribed fire in an Arizona ponderosa pine community. *Canadian Journal of Botany* 65:2280-2290.
- Wallace, Mark C., and Paul R. Krausman. 1987. Elk, mule deer, and cattle habitats in central Arizona. *Journal of Range Management* 40(1):80-83.
- Wallmo, O. C. 1969. Response of deer to alternate-strip clearcutting of lodgepole pine and spruce-fir timber in Colorado. *Research Note RM-141*, 4 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Wallmo, Olof C., Wayne L. Regelin, and Donald W. Reichert. 1972. Forage use by mule deer relative to logging in Colorado. *Journal of Wildlife Management* 36(4):1025-1033.
- Walters, James W., and Jerome S. Beatty. 1984. An aid to identifying aspen diseases frequently encountered in the Rocky Mountains. Albuquerque, NM: USDA Forest Service, Southwestern Region, 20 pp.
- Wambolt, Carl L., and Gene F. Payne. 1986. An 18-year comparison of control methods for Wyoming big sagebrush in southwestern Montana. *Journal of Range Management* 39(4):314-319.
- Wambolt, Carl L. 1995. Elk and mule deer use of sagebrush for winter forage. *Montana AgResearch Fall 1995*, pp. 35-40.
- Wang, Chi-Wu. 1977. Genetics of ponderosa pine. *Research Paper WO-34*, 24 pp. Washington, DC: USDA Forest Service.
- Warburton, Jeff. 1992. Observations of bed load transport and channel bed changes in a proglacial mountain stream. *Arctic and Alpine Research* 24(3):195-203.
- Ward, A. Lorin, and James O. Keith. 1962. Feeding habits of pocket gophers in mountain grasslands, Black Mesa, Colorado. *Ecology* 43(4):744-749.
- Wardle, Peter. 1968. Engelmann spruce (*Picea engelmannii*) at its upper limits on the Front Range, Colorado. *Ecology* 49(3):483-495.
- Wardle, Peter. 1974. Alpine timberlines. Pp. 371-402 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments.* London, UK: Methuen and Co., 999 pp.
- Washburn, A. L. 1956. Classification of patterned ground and review of suggested origins. *Bulletin of the Geological Society of America* 67:823-866.
- Watts, Myles J., and Carl L. Wambolt. 1996. Long-term recovery of Wyoming big sagebrush after four treatments. *Journal of Environmental Management* 46(1):95-102.
- Weaver, J. E. 1924. Plant production as a measure of environment: A study in crop ecology. *Journal of Ecology* 12:205-237.
- Weaver, John E., and Frederic E. Clements. 1929. *Plant Ecology.* New York, NY: McGraw-Hill Book Co, 520 pp.
- Weaver, T. 1979. Climates of fescue grasslands of the western United States. *Great Basin Naturalist* 39(3):284-288.
- Webber, Patrick J. 1974. Tundra primary productivity. Pp. 446-473 in Ives, Jack D., and Roger G. Barry. *Arctic and alpine environments.* London, UK: Methuen and Co., 999 pp.
- Weber, William A. 1965. Mount Evans, concentration point for Pleistocene relict plants. Pp. 10-12 in *International Association for Quaternary Research, Seventh Congress, Guidebook for One-Day Field Conferences, September 2, 1965.* Lincoln, NE: Nebraska Academy of Sciences, 78 pp.
- Weber, William A., and Ronald C. Wittmann. 1992. *Catalog of the Colorado flora: A biodiversity baseline.* Niwot, CO: University Press of Colorado, 215 pp.
- Weber, William A., and Ronald C. Wittmann. 1996. *Colorado flora: Western slope, Revised Edition,* 496 pp. Niwot, CO: University Press of Colorado.
- Webster, Grady L. 1961. The altitudinal limits of vascular plants. *Ecology* 42(3): 587-590.
- Weeks, Larry M., and William J. Little. 1970. Revegetation treatments on a low sagebrush type in Utah. *Range Improvement Notes* 15(2):1-7.

- Ogden, UT: USDA Forest Service, Intermountain Region.
- Weisberg, Peter J., and William L. Baker. 1995. Spatial variation in tree regeneration in the forest-tundra ecotone, Rocky Mountain National Park, Colorado. *Canadian Journal of Forest Research* 25(8):1326-1339.
- Weixelman, Dave A., Desiderio C. Zamudio, Karen A. Zamudio, and Robin J. Tausch. 1997. Classifying ecological types and evaluating site degradation. *Journal of Range Management* 50(3):315-321.
- Welch, Bruce L., Fred J. Wagstaff, and Richard L. Williams. 1990. Sage grouse status and recovery plans for Strawberry Valley, Utah. Research Paper INT-430, 10 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Welden, Charles W. 1981. Pattern in alpine tundra. M. S. Thesis. Fort Collins, CO: Colorado State University.
- Welden, Charles W., William L. Slauson, and Richard T. Ward. 1988. Competition and abiotic stress among trees and shrubs in northwest Colorado. *Ecology* 69(5):1566-1577.
- Wells, Osborn O. 1963a. Geographic variation in ponderosa pine. I. The ecotypes and their distribution. *Silvae Genetica* 13(4):89-103.
- Wells, Osborn O. 1963b. Geographic variation in ponderosa pine. II. Correlations between progeny performance and characteristics of the native habitat. *Silvae Genetica* 13(5):125-132.
- Wenger, Karl F., for the Society of American Foresters, Editor. 1984. *Forestry Handbook*, Second Edition. New York, NY: John Wiley and Sons, 1335 pp.
- West, N. E. 1983. Western intermountain sagebrush steppe. Chapter 13, pp. 351-374 in West, Neil E., Editor. *Temperate deserts and semi-deserts. Ecosystems of the World No. 5*. New York, NY: Elsevier Scientific Publishing.
- West, N. E. 1983a. Great Basin-Colorado Plateau sagebrush semi-desert. Chapter 12, pp. 331-349 in West, Neil E., Editor. *Temperate deserts and semi-deserts. Ecosystems of the World No. 5*. New York, NY: Elsevier Scientific Publishing.
- Westveld, Marinus. 1954. Use of plant indicators as an index to site quality. Station Paper No. 69, 5 pp. Upper Darby, PA: USDA Forest Service, Northeastern Forest Experiment Station.
- Wheeler, Nicholas C., and Raymond P. Guries. 1982a. Biogeography of lodgepole pine. *Canadian Journal of Botany* 60:1805-1814.
- Wheeler, Nicholas C., and Raymond P. Guries. 1982b. Population structure, genic diversity, and morphological variation in *Pinus contorta* Dougl. *Canadian Journal of Forest Research* 12:595-606.
- Whipple, Stephen A. 1978. The relationship of buried, germinating seeds to vegetation in an old-growth Colorado subalpine forest. *Canadian Journal of Botany* 56:1505-1509.
- Whipple, Stephen A., and Ralph L. Dix. 1979. Age structure and successional dynamics of a Colorado subalpine forest. *American Midland Naturalist* 101:142-158.
- White, Clifford A., Charles E. Olmsted, and Charles E. Kay. 1998. Aspen, elk, and fire in the Rocky Mountain national parks of North America. *Wildlife Society Bulletin* 26(3):449-462.
- White, Sidney E. 1981. Alpine mass movement forms (noncatastrophic): Classification, description, and significance. *Arctic and Alpine Research* 13(2): 127-137.
- White, Alan S. 1985. Presettlement regeneration patterns in a southwestern ponderosa pine stand. *Ecology* 66(2):589-594.
- White, Alan S., James E. Cook, and James M. Vose. 1991. Effects of fire and stand structure on grass phenology in a ponderosa pine forest. *American Midland Naturalist* 126(2): 269-278.
- White, Sidney E. 1965. Arapaho rock glacier. Pp. 8-10 in *International Association for Quaternary Research, Seventh Congress, Guidebook for One-Day Field Conferences, September 2, 1965*. Lincoln, NE: Nebraska Academy of Sciences, 78 pp.
- Whitfield, C. J. 1933. The vegetation of the Pike's Peak region. *Ecological Monographs* 3(1): 75-105.
- Whittaker, R. H. 1953. A consideration of climax theory: The climax as a population and pattern. *Ecological Monographs* 23(1):41-78.
- Whittaker, Robert H. 1962. Classification of natural communities. *The Botanical Review* 28(1):1-239.
- Whittaker, Robert H. 1975. *Communities and ecosystems*, Second Edition. New York, NY: Macmillan Publishing Co., 385 pp.
- Whysong, G. L., and H. G. Fisser. 1970. Annual progress report 1969: Arid land ecology research, Phytosociological measurements on sagebrush-grass ranges. Laramie, WY: University of Wyoming, Agricultural Experiment Station, report to USDA Bureau of Land Management, 40 pp.
- Wight, J. Ross, Herbert G. Fisser, and Clayton L. Hanson. 1986. Biology and ecology of sagebrush in Wyoming: IV. Validation of a rangeland production model (ERHYM) for sagebrush sites. Pp. 320-330 in McArthur, E. Durant, and Bruce L. Welch, Compilers. *Proceedings - Symposium on the biology of Artemisia and Chrysothamnus*. General Technical Report INT-200, 398 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Willard, Beatrice. 1965. The ecology of the alpine tundra on Trail Ridge. Pp. 13-16 in *International Association for Quaternary Research, Seventh Congress, Guidebook for One-Day Field Conferences, September 2, 1965*. Lincoln, NE: Nebraska Academy of Sciences, 78 pp.
- Willard, Beatrice E. 1979. Plant sociology of alpine tundra, Trail Ridge, Rocky Mountain National Park, Colorado. *Quarterly of the Colorado School of Mines* 74(4): 119 pp. Golden, Colorado: Colorado School of Mines.
- Willard, Beatrice E., and John W. Marr. 1970. Effects of human activities on alpine tundra ecosystems in Rocky Mountain National Park, Colorado. *Biological Conservation* 2(4):257-265.

- Willard, Beatrice E., and John W. Marr. 1971. Recovery of alpine tundra under protection after damage by human activities in the Rocky Mountains of Colorado. *Biological Conservation* 3(3):181-190.
- Williams, Janet, and W. H. Moir. 1985. Monitoring effects of grazing by cattle and elk on wet meadows and aspen at Valle Vidal. Unpublished Report to Carson National Forest, Taos, New Mexico, 18 pp. + appendices.
- Williams, Stephen E., and Earl F. Aldon. 1976. Endomycorrhizal (vesicular arbuscular) associations of some arid zone shrubs. *Southwestern Naturalist* 20(4):437-444.
- Willms, W., and A. McLean. 1978. Spring forage selection by tame mule deer on big sagebrush range, British Columbia. *Journal of Range Management* 31(3):192-199.
- Willms, W., A. McLean, R. Tucker, and R. Ritcey. 1979. Interactions between mule deer and cattle on big sagebrush range in British Columbia. *Journal of Range Management* 32(4):299-304.
- Windom, Herbert L. 1969. Atmospheric dust records in permanent snowfields: Implications to marine sedimentation. *Geological Society of America Bulletin* 80:761-782.
- Winn, David S. 1976. Terrestrial vertebrate fauna and selected coniferous forest habitat types on the north slope of the Uinta Mountains. Salt Lake City, UT: USDA Forest Service, Wasatch National Forest, 145 pp.
- Woods, Ruth F., David R. Betters, and Edwin W. Mogren. 1982. Understory herbage production as a function of Rocky Mountain aspen stand density. *Journal of Range Management* 35(3):380-381.
- Wooldridge, G. L., R. C. Musselman, R. A. Sommerfield, D. G. Fox, and B. H. Connell. 1996. Mean wind patterns and snow depths in an alpine-subalpine ecosystem as measured by damage to coniferous trees. *Journal of Applied Ecology* 33:100-108.
- Wright, Henry A., Leon F. Neuenschwander, and Carlton M. Britton. 1979. The role and use of fire in sagebrush-grass and pinyon-juniper plant communities: A state-of-the-art review. General Technical Report INT-58, 48 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Wright, J. W., F. H. Kung, R. A. Read, W. A. Lemmen, and J. N. Bright. 1971. Genetic variation in Rocky Mountain Douglas-fir. *Silvae Genetica* 20:54-60.
- Yake, Steven, and Jack D. Brotherson. 1979. Differentiation of serviceberry habitats in the Wasatch Mountains of Utah. *Journal of Range Management* 32(5):379-383.
- Young, Donald R., Ingrid C. Burke, and Dennis H. Knight. 1985. Water relations of high-elevation phreatophytes in Wyoming. *American Midland Naturalist* 114(2):384-392.
- Young, J. A., R. A. Evans, and R. E. Eckert Jr. 1981. Environmental quality and the use of herbicides on *Artemisia*/grasslands of the U. S. intermountain area. *Agriculture and Environment* 6:53-61.
- Young, James A., Raymond A. Evans, and Richards E. Eckert, Jr. 1984. Successional patterns and productivity potentials of the sagebrush and salt desert ecosystems. Pp. 1259-1299 in National Research Council. *Developing strategies for rangeland management*. Boulder, CO: Westview Press.
- Young, James A., and Debra E. Palmquist. 1992. Plant age/size distributions on black sagebrush (*Artemisia nova*): Effects on community structure. *Great Basin Naturalist* 52(4):313-320.
- Young, Michael K. 1994. Movement and characteristics of stream-borne coarse woody debris in adjacent burned and undisturbed watersheds in Wyoming. *Canadian Journal of Forest Research* 24:1933-1938.
- Youngblood, Andrew P., and Walter F. Mueggler. 1981. Aspen community types on the Bridger-Teton National Forest in western Wyoming. Research Paper INT-272, 34 pp. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Youngblood, Andrew P., and Ronald L. Mauk. 1985. Coniferous forest habitat types of central and southern Utah. General Technical Report INT-187, 89 pp. + poster. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Youngblood, Andrew P., Wayne G. Padgett, and Alma H. Winward. 1985. Riparian community type classification of eastern Idaho – western Wyoming. Publication R4-Ecol-85-01, 78 pp. + foldout poster. Ogden, UT: USDA Forest Service, Intermountain Region.
- Youngblood, Andrew P., Wayne G. Padgett, and Alma H. Winward. 1989. Riparian community type classification of northern Utah and adjacent Idaho. Preliminary Draft, 104 pp. Ogden, UT: USDA Forest Service, Intermountain Region.
- Zamora, B., and P. T. Tueller. 1973. *Artemisia arbuscula*, *A. longiloba*, and *A. nova* habitat types in northern Nevada. *Great Basin Naturalist* 33(4):225-242.
- Zar, Jerrold H. 1984. *Biostatistical analysis*, Second Edition. Englewood Cliffs, NJ: Prentice-Hall, 718 pp.
- Zeller, K., and T. Hehn. 1994. Wintertime anomalies in ozone deposition above a subalpine spruce-fir forest. Pp. 131-138 in *Research and applications of chemical sciences in forestry*. General Technical Report SO-104. New Orleans, LA: USDA Forest Service, Southern Forest Experiment Station.
- Zimmerman, G. Thomas, and Richard D. Laven. 1984. Ecological interrelationships of dwarf mistletoe and fire in lodgepole pine forests. Pp. 123-131 in *Biology of dwarf mistletoes: Proceedings of the symposium*. General Technical Report RM-111. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Zou, Jiping, Jerran T. Flinders, Hal L. Black, and Steven G. Whisenant. 1989. Influence of experimental habitat manipulations on a desert rodent population in southern Utah. *Great Basin Naturalist* 49(3):435-448.

Local Studies

- Andersen, Douglas C., Robert S. Hoffman, and Kenneth B. Armitage. 1979. Aboveground productivity and floristic structure of a high subalpine herbaceous meadow. *Arctic and Alpine Research* 11(4):467–476.
- Bass, Thomas A. 1982. All summer long in Gothic, Colorado, biologists are studying life at the top. *Smithsonian* 13(2):116–126.
- Bear, George D. 1978. Evaluation of fertilizer and herbicide applications on two Colorado bighorn sheep winter ranges. Division Report No. 10, 75 pp. [Place of publication not stated]: Colorado Division of Wildlife.
- Beattie, Andrew J., Director. 1984. Bibliography of scientific publications. Crested Butte, CO: Rocky Mountain Biological Laboratory, 26 pp.
- Behnke, Robert J. 1993. The Gunnison River drainage and its changing fish fauna. Part I: Historical perspective. Typescript, 19 pp.
- Brown, H. E., and J. R. Thompson. 1965. Summer water use by aspen, spruce, and grassland in western Colorado. *Journal of Forestry* 63:756–760.
- Bruck, Robert I., Paul Miller, John Laut, William Jacobi, and David Johnson. 1985. Investigation into the health of forests in the vicinity of Gothic, Colorado. Scientific Report EPA–908/9–85–001, 69 pp. [San Francisco, CA:] U. S. Environmental Protection Agency, Region VIII.
- Brunet, Johanne. 1996. Male reproductive success and variation in fruit and seed set in *Aquilegia caerulea* (Ranunculaceae). *Ecology* 77(8):2458–2471.
- Campbell, Diane R. 1998. Multiple paternity in fruits of *Ipomopsis aggregata* (Polemoniaceae). *American Journal of Botany* 85(7):1022–1027.
- Cox, Billy J. 1968. A vegetational comparison of the Gothic and Galena Mountain Area. *Transactions of the Missouri Academy of Science* 2:72–83.
- Crawford, Jeremy L., Seth P. McNulty, John B. Sowell, and Michael D. Morgan. 1998. Changes in aspen communities over 30 years in Gunnison County, Colorado. *American Midland Naturalist* 140(2):197–205.
- Ferchau, Hugo. 1969. August 3 (Sunday). Pp. 27–48 in Weber, William A., and Beatrice Willard, Editors. XI International Botanical Congress, Field Trip Number I, August 1–23, 1969.
- Fox, Charles J., and John Y. Nishimura. 1965. Soil management report: Taylor River Area, Gunnison National Forest. Denver, CO: U. S. Forest Service, Rocky Mountain Region, 87 pp. + tables.
- Fox, C. J. 1977. Soil survey of Taylor River Area, Colorado (northeastern part of Gunnison County). Washington, DC: USDA Forest Service and USDA Soil Conservation Service, 82 pp. + 28 maps (1:31,680).
- Harte, John, and Rebecca Shaw. 1995. Shifting dominance within a montane vegetation community: Results of a climate-warming experiment. *Science* 267:876–880.
- Hay, Lauren E., William A. Battaglin, Randolph S. Parker, and George H. Leavesley. Modeling the effects of climate change on water resources in the Gunnison River Basin, Colorado. Chapter 16, pp. 174–181 + 5 plates in Goodchild, Michael F., Bradley O. Parks, and Louis T. Steyaert, Editors. *Environmental modeling with GIS*. New York, NY: Oxford University Press.
- Hayes, J. Arthur. 1995. A bitterbrush dieback in the upper Gunnison River Basin, Colorado. Pp. 189–191 in Roundy, Bruce A., E. Durant McArthur, Jennifer S. Haley, and David K. Mann. General Technical Report INT–GTR–315, 384 pp. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Hunter, William R., and Clayton F. Spears. 1975. Soil survey of the Gunnison Area, Colorado: Parts of Gunnison, Hinsdale, and Saguache Counties. Washington, DC: USDA Soil Conservation Service, 88 pp. + 41 maps (1:31,680).
- Huntly, Nancy J. 1987. Influence of refuging consumers (pikas: *Ochotona princeps*) on subalpine meadow vegetation. *Ecology* 68(2):274–283.
- Hupp, Jerry W. 1987a. Sage grouse resource exploitation and endogenous reserves in Colorado. Unpublished Ph. D. Dissertation, Colorado State University, Fort Collins, 73 pp.
- Hupp, Jerry W. 1987b. Sage grouse distribution and habitats in the Gunnison Basin, Colorado: Recommendations for maintenance. Unpublished report to Colorado Division of Wildlife, Fort Collins, 155 pp.
- Hupp, Jerry W., and Clait E. Brain. 1989a. Endogenous reserves of adult male sage grouse during courtship. *The Condor* 91: 266–271.
- Hupp, Jerry W. and Clait E. Braun. 1989b. Topographic distribution of sage grouse foraging in winter. *Journal of Wildlife Management* 53(3): 823–829.
- Hupp, Jerry W., and Clait E. Braun. 1991. Geographic variation among sage grouse populations in Colorado. *Wilson Bulletin* 103: 255–261.
- Inouye, David W., and A. David McGuire. 1991. Effects of snowpack on timing and abundance of flowering in *Delphinium nelsonii* (Ranunculaceae): Implications for climate change. *American Journal of Botany* 78(7):997–1001.
- Keammerer, Warren R., and Robert E. Stoecker. 1980. Executive summaries: Vegetation and wildlife studies. Unpublished report, part of file records for Mt. Emmons mineral Draft Environmental Impact Statement, 162 pp. Report to AMAX Environmental Services, Denver, CO. Boulder, CO: Stoecker–Keammerer and Associates.
- Kerr, Bill, Compiler. 1983? Gunnison National Forest: A brief history. Unpublished Typescript, unnumbered pages.
- Komárková, Vera. 1986. Habitat types on selected parts of the Gunnison and Uncompahgre National

- Forests. Final Report, Contract No. 28-K2-234, 270 pp. + Appendices. Boulder, CO: University of Colorado, Institute of Arctic and Alpine Research.
- Komárková, Vera, Robert R. Alexander, and Barry C. Johnston. 1988. Forest vegetation of the Gunnison and parts of the Uncompahgre National Forests: A preliminary habitat type classification. General Technical Report RM-163, 65 pp. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experiment Station.
- Langenheim, Jean H. 1955. Flora of the Crested Butte Quadrangle, Colorado. *Madroño* 13:64-78.
- Langenheim, Jean H. 1956. Plant succession on a subalpine earthflow in Colorado. *Ecology* 37(2):301-317.
- Langenheim, Jean H. 1962. Vegetation and environmental patterns in the Crested Butte area, Gunnison County, Colorado. *Ecological Monographs* 32(3):249-285.
- Lichtwardt, Robert W., and Marvin C. Williams. 1988. Distribution and species diversity of trichomycete gut fungi in aquatic insect larvae in two Rocky Mountain streams. *Canadian Journal of Botany* 66:1259-1263.
- Mohlenbrock, Robert H. 1989. Slumgullion Slide, Colorado. *Natural History*, April 1989, pp. 34-37.
- Morgan, M. D. 1969. Ecology of aspen in Gunnison County, Colorado. *American Midland Naturalist* 82(1):204-228.
- Peckarsky, Barbara, Stanley I. Dodson, and Don J. Conklin Jr. 1985? A key to the aquatic insects of streams in the vicinity of the Rocky Mountain Biological Lab, including Chironomid larvae from streams and ponds. [Place of publication not stated:] Colorado Division of Wildlife, 47 pp.
- Parker, Albert J., and Kathleen C. Parker. 1994. Structural variability of mature lodgepole pine stands on gently sloping terrain in Taylor Park Basin, Colorado. *Canadian Journal of Forest Research* 24:2020-2029.
- Paulsen, Harold A., Jr. 1969. Forage values on a mountain grassland-aspen range in western Colorado. *Journal of Range Management* 22:102-107.
- Paulsen, Harold A., Jr. 1970. Competition and successional patterns on Thurber fescue grasslands of western U.S.A. Eleventh International Grasslands Congress (Australia) Proceedings 11:662-665.
- Taylor, Orley R., Jr., and David W. Inouye. 1985. Synchrony and periodicity of flowering in *Frasera speciosa* (Gentianaceae). *Ecology* 66(2):521-527.
- Turner, George T. 1951. Evaluation of range-watershed conditions of aspen and mountain grassland types in western Colorado. Unpublished Office Report, Typescript, 19 pp.
- Turner, George T. 1969. Responses of mountain grassland vegetation to gopher control, reduced grazing, and herbicide. *Journal of Range Management* 22(6):377-383.
- Turner, George T., 1972. A new approach to estimating herbage moisture content. *Journal of Range Management* 25(3): 229-231.
- USDA Forest Service. 1979. East River land management plan, Final Environmental Impact Statement, Gunnison National Forest. Denver, CO: USDA Forest Service, Rocky Mountain Region, 82 pp. + appendices + maps.
- Walsh, James P. 1980. Baseline soil inventory, Mount Emmons Project, Gunnison County, Colorado. Denver, CO: AMAX Environmental Services, Inc. Volume 1, Executive Summary, is 33 + 76 pp. + maps. Volume 2, Report, is 215 pp. + maps.
- Ward, A. Lorin, and James O. Keith. 1962. Feeding habits of pocket gophers in mountain grasslands, Black Mesa, Colorado. *Ecology* 43(4):744-749.
- Waser, Nickolas M. 1984. Pollen shortcomings. *Natural History* 93(7):26-31.
- Wissinger, Scott A., Grace B. Sparks, Gretchen L. Rouse, Wendy S. Brown, and Heidemarie Steltzer. 1996. Intraguild predation and cannibalism among larvae of detritivorous caddisflies in subalpine wetlands. *Ecology* 77(8):2421-2430.
- Young, Jessica R., Jerry W. Hupp, Jack W. Bradbury, and Clait E. Braun. 1994. Phenotypic divergence of secondary sexual traits among sage grouse, *Centrocercus urophasianus*, populations. *Animal Behaviour* 47(6): 1353-1362.
- Young, Jessica R. 1994. The influence of sexual selection on phenotypic and genetic divergence among sage grouse populations. Unpublished Ph. D. Thesis, Purdue University, 123 pp.
- Young, Jessica R., Jerry W. Hupp, Jack W. Bradbury, and Clait E. Braun. 1994. Phenotypic divergence of secondary sexual traits among sage grouse, *Centrocercus urophasianus*, populations. *Animal Behavior* 47:1353-1362.
- Zimmerman, Michael. 1988. Pollination biology of montane plants: Relationship between rate of nectar production and standing crop. *American Midland Naturalist* 120(1):50-57.