2007 Aerial Insect and Disease Survey
Goldendale - USGS 100K Quad A146120; 5G



Definitions

Mortality Agents

Code	Damaging Agent	Primary Host
1	Douglas-fir beetle	Douglas-fir
2	Douglas-fir engraver	Douglas-fir
3	Spruce beetle	Spruce
4	Fir engraver	True fir
5	Western balsam bark beetle	Sub-alpine fir
6B	Mountain pine beetle	Whitebark pine
6J	Mountain pine beetle	Jeffrey pine
6K	Mountain pine beetle	Knobcone pine
6L	Mountain pine beetle	Lodgepole pine
6P	Mountain pine beetle	Ponderosa pine
6S	Mountain pine beetle	Sugar pine
6W	Mountain pine beetle	Western white pine
7	Ips spp.	Ponderosa, lodgepole pines
8	Western pine beetle	Ponderosa pine
88	Western pine beetle	Pole-sized ponderosa pine
9	Silver fir beetle	Silver fir, true fir
BEAR	Bear damage	Conifer
F	Flatheaded wood borer	Douglas-fir
LW	Black stain root disease	Douglas-fir, ponderosa pine
PL	Port Orford cedar root disease	Port Orford cedar
RD	Root disease	Conifer
WATR	Water damage	All species

Other Damaging Agents

Code	Damaging Agent	Primary Host
AB	Balsam woolly adelgid	True fir
AC	Cooley spruce gall adelgid	Spruce, Douglas-fir
AM	Leaf discoloration	Maple
BR	Blister rust	Five-needle pines
CC	Cytospora canker	True fir
DH	Dying hemlock	Hemlock
FIRE	Fire	All species
GP	Gouty pitch midge	Ponderosa pine
HAIL	Hail	All species
HD	Hardwood decline	Hardwoods
NF	Areas not flown	
OUT	No damage detected	
PMD	Pacific madrone decline	Pacific madrone
PR	Leaf rust in poplars	Poplars
RB	Red belt	All species
SLID	Slide	All Species
UNKD	Unknown defoliation	
UNKM	Unknown mortality	
WATR	Water damage	All Species
WIND	Wind-throw	All Species
WNTR	Winter Damage	All Species

Damaging Agent — Primary Host

Damaging Agent	Primary Host
ASSpruce aphid	Sitka spruce
BBblackheaded budworm	Hemlock, spruce, true fir
BModoc budworm	White fir
BSugar pine tortrix	Lodgepole, ponderosa pines
BSm spruce budworm	True fir, Douglas fir, spruce
BYbligh tLophodermella	Ponderosa pine
CH Larch	Western larch
Hstern hemlock looper	Western hemlock looper
Ldstripped forest looper	Doug la Western hemlock
LL Larch looper	Western larch
Ls pine needle scale	Ponderosa pine
MD Douglas fir budmoth	Douglas fir
MLarch budmoth	Western larch
MN Douglas fir needle midge	Douglas fir
MSpruce budmoth	Spruce
ND Needle min er	Douglas fir
NJNeedle miner	Jeffrey pine
NKNeedle miner	Knobcone pine
NLNeedle miner	Lodgepole pine
NMNeedle miner	Conifer
NPNeedle miner	Ponderosa pine
NSNeedle miner	Sugar pine
NTNeedle miner	True fir
NWNeedle miner	Western white pine
OWestern oak looper	Oaks
PSPine Butterfly	Ponderosa pine
PSOne needle cast	Ponderosa pine
PTtorn hemlock looper	Hemlock, Douglas fir
PWandora moth	Ponderosa, Jeffrey pines
PHeedlesheath miner	Ponderosa, Jeffre y pines
PSne needle scale	Pines
RC Needle cast	Western larch
S Spider mite	Conifer
SA	Conifer
SD Sawfly	Douglas fir
SF Sawfly	True fir
SH Sawfly	Hemlock
SK Sawfly	Knobcone pine
SL Sawfly	Lodgepole pine
SM Satin moth	Aspen
SNSss needle cast	Douglas fir
SP Sawfly	Ponderosa pine
SW Sawfly	Western larch
TA caterpillar, alder	Alder
TC caterpillar, other	Hardwoods
TM Douglas fir tussock moth	True fir, Douglas fir
TS caterpillar, aspen	Aspen

trees/acre (example: 5A); or intensity age (L Light, M Moderate, H Heavy).

USGS 100K Quad - Goldendale; A146120; 5G
2007 Aerial Insect and Disease Detection Survey
Mapscale: 1:100,000
Date: December 3, 2007

Legend

- Defoliating Agents
- Mortality Agents
- Other Damage
- WaDNR Managed Lands
  Source: Washington Dept. of Natural Resources
- 2007 Large Fires
  Source: Northwest Coordination Center

N, W, E, S

Vicinity Map

The map base was created with TOPO! (Copyright 2001, National Geographic); available online at: www.ngmapstore.com

A data dictionary, digital copies of this map and Arcgis insect and disease data are available at: www.fs.fed.us/r6/nr/fid/data.shtml

How the Aerial Surveys Are Conducted

Data represented on this map are based on trees visibly affected by forest insects and diseases detected and recorded during aerial survey flights conducted by the USDA Forest Service, the Washington Department of Natural Resources and the Oregon Department of Forestry. Observers have just a few seconds to recognize the color difference between healthy and damaged trees of different species; diagnose causal agents correctly; estimate intensity; delineate the extent of damage; and precisely record this information on a georeferenced, digital map. Air turbulence, cloud shadows, distance from aircraft, haze, smoke and observer experience can all affect the quality of the survey. These data summaries provide an estimate of conditions on the ground and may differ from estimates derived by other methods.

The aerial survey provides information on the current status for many causal agents, and is important when examining insect activity trends by comparing historical and current survey data over large areas.

Overview surveys are a 'snap shot' in time and therefore may not be timed to accurately capture the true extent or severity of a particular disturbance activity. Specially designed surveys with modified flight patterns and timing may be conducted to more accurately delineate the extent and severity of a particular disturbance agent. Special surveys, such as Swiss needle cast surveys, are conducted when resources are available to address situations of sufficient economic, political or environmental importance.

DIRECT ALL INQUIRIES TO:

Washington State Department of Natural Resources
Resource Protection
Forest Health
1111 Washington St. SE
Olympia, WA 98504

-- OR --

Oregon Department of Forestry
Forest Health Management
2600 State Street
Salem, OR 97310

-- OR --

USDA Forest Service, Region 6
Natural Resources
Forest Health Protection
PO Box 3623
Portland, Oregon 97208

*****DISCLAIMER*****

The insect and disease data presented should only be used as an indicator of insect and disease activity, and should be ground-checked for precise location, extent, severity and causal agent.

Color coded polygons show locations where trees were recently killed or defoliated. Intensity of damage is variable and not all trees within coded polygons are dead or defoliated.

The cooperators reserve the right to correct, update, modify or replace GIS products without notice. Using this map for purposes other than those for which it was intended may yield inaccurate or misleading results.