

5.1 APPENDIX A - LITERATURE CITED

- Allotment Management Plan, West Fork-Blacks Fork Allotment, 1965.
- Baker, W. L. 1983. Alpine vegetation of Wheeler Peak, New Mexico, U.S.A. *Arctic and Alpine Research*. 15: 223-240.
- Baker, Malchus B. Jr.; Jemison, Roy. 1991. Soil loss – Key to understanding site productivity. *Agencies and Science Working For the Future*, New Mexico Water Resources Research Institute. November, 1991: 71-72.
- Benedict, J. B. 1990. Lichen mortality due to late-lying snow: results of a transplant study. *Arctic and Alpine Research*. 22: 81-89.
- Behnke, R. J. 1992. Native trout of Western North America. American Fisheries Society Monograph 6. Bethesda, Maryland.
- Billings, W. D. 1973. Arctic and alpine vegetation: similarities, differences, and susceptibility to disturbances. *Bio Science*. 23: 697-704.
- Billings, W. D.; Bliss, L. C. 1959. An alpine snowbank environment and its effects on vegetation, plant development, and productivity. *Ecology*. 40: 388-397.
- Bryant, J. P.; Scheinberg, E. 1970. Vegetation and frost activity in an alpine fellfield on the summit of Plateau Mountain, Alberta. *Canadian J. of Bot.* 751-771.
- Bunnell, Kevin D.; Shirley, J.J.; Flinders, J.T.; Wolfe, M.L.; Bissonette, J.A. 2004. Forest carnivores occurrence, distribution and limiting factors: Canada lynx and wolverine Surveys in Utah. Brigham Young University.
- Burns, S.F. 1980. Alpine Soils distribution and development, Indian Peaks, Colorado Front Range. PhD Dissertation, University of Colorado, Boulder.
- Choate, C. M.; Habeck, J. R. 1967. Alpine plant communities at Logan Pass, Glacier National Park, Montana. *Proceedings of Montana Academy of Sciences*. 27: 36-54.
- CCOHS. 2006. Q Fever. Canadian Centre for Occupational Health & Safety Internet Site: <http://www.ccohs.ca/oshanswers/diseases/qfever.html>
- CDC. 2006. Q fever. Center for Disease Control Internet Site: <http://www.cdc.gov/ncidod/dvrd/qfever/>
- Cooper, S. V.; Lesica, P.; Page-Dumroese, D. 1997. Plant community classification for alpine vegetation on the Beaverhead National Forest, Montana. Gen. Tech. Rep. INT-GTR-362. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 61 p.
- Cowley, P.; Williams, R. 2006. Biological Evaluation and Biological Assessment for Endangered, Threatened, Proposed, and Sensitive Species, West Fk Blacks Fk Allotment. Evanston, WY: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest, Evanston Ranger District.
- Cox, C. F. 1933. Alpine succession on James Peak, Colorado. *Ecol. Monog.* 3: 299-372.

- CRCT Task Force. 2001. Conservation agreement and strategy for Colorado River cutthroat trout (*Oncorhynchus clarki pleuriticus*) in the States of Colorado, Utah, and Wyoming. Fort Collins, CO: Colorado Division of Wildlife. 87 p.
- Douglas, G. W.; Bliss, L. C. 1977. Alpine and high subalpine plant communities of the north Cascades Range, Washington and British Columbia. *Ecological Monographs*. 47: 113-150.
- EBMUD. 2006. East Bay Municipal Utility District Rangeland Resource Management Plan, Section 2 Grazing and Water Quality. Internet site http://www.ebmud.com/water & environment/environmental_protection/east_bay/default.htm
- Eddleman, L. E.; Ward, R. T. 1984. Phytoedaphic relationships in alpine tundra of north-central Colorado, USA. *Arctic and Alpine Research*. 16: 343-359.
- Edlund, S. A. 1985. Lichen-free zones as neoglacial indicators on western Melville Island, District of Franklin. Paper 85-1A. *Current Research, Part A, Geological Survey of Canada*. 709-712.
- Federal Interagency Stream Restoration Work Group. 1998. Stream corridor restoration, principles, processes, and practices.
- Flock, J. W. 1978. Lichen-bryophyte distribution along a snow cover-soil-moisture gradient, Niwot Ridge, Colorado. *Arctic and Alpine Research*. 10: 31-47.
- Goodrich, S. 2003. West Fk-Blacks Fk Alpine Plant Communities, Power Point Presentation of unpublished report. U.S. Department of Agriculture, Forest Service.
- Goodrich, S. 2003. West Fk-Blacks Fk Stream Condition, Power Point Presentation of unpublished report. U.S. Department of Agriculture, Forest Service.
- Goodrich, S. 2004. Unpublished report "Alpine Vegetation, Uinta Mountains" U.S. Department of Agriculture, Forest Service.
- Goodrich, S. 2005-Jan. Alpine vegetation, Uinta Mountains. Unpublished paper on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest, Supervisors Office, Vernal, UT.
- Goodrich, S. 2005-CN. Black alpine sedge (*Carex nigricans*) communities in the Uinta Mountains. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest.
- Goodrich, S. 2006a. Biological Evaluation and Biological Assessment for Endangered, Threatened, Proposed, and Sensitive Plant Species, Trailing Route of West Fk Blacks Fk Allotment Sheep Herd, Evanston District, Wasatch-Cache National Forest. U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest, Evanston District.
- Goodrich, S. 2006b. Biological Evaluation and Biological Assessment for Endangered, Threatened, Proposed, and Sensitive Plant Species, West Fk Blacks Fk Allotment, Wasatch-Cache National Forest. U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

- Goodrich, S. 2006-AS. Alpine snowbeds Uinta Mountains. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest.
- Goodrich, S. 2006-KL. Kidney Lake Exclosure, USDA Forest Service, Ashley National Forest. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest.
- Goodrich, S. 2006-LP. Leidy Peak condition and trend, Vernal District, Ashley National Forest, Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest.
- Goodrich, S. 2006-PG. Distribution and abundance of pocket gophers in the Uinta Mountains in context of livestock grazing and other factors. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest.
- Goodrich, S. 2006-RC. Response to Carter (2002). Unpublished paper on file at: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest, Evanston District, Evanston, WY.
- Goodrich, S. 2006-RR. Alpine vegetation response to rest from livestock grazing in the Uinta Mountains. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest.
- Goodrich, S. 2006-TF. Tall forb communities in the Uinta Mountains. Unpublished paper on file at: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest, Evanston District, Evanston, WY.
- Goodrich, S.; Huber, A. 2005-FC. Fall Creek Allotment, rangeland condition and trend. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest.
- Goodrich, S.; Huber, A. 2005-JP. Parry rush and sibbaldia plant communities and pocket gopher activity in the Uinta Mountains. Power Point Presentation Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest.
- Goodrich, S.; Huber, A. 2005-PT. Painter & Tungsten allotments, Roosevelt District, Ashley National Forest, condition and trend. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest.
- Goodrich, S.; Huber, A.; Zobell, R. 2005. Alpine Conditions and Trends, Uinta Mountains. Power Point Presentation on file at: U.S. Department of Agriculture, Forest Service, Ashley National Forest, Supervisors Office, Vernal, UT.
- Goodrich, S.; Zobell, R. 2003. West Fork Blacks Fork Stream Channel Condition. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.
- Goodrich, S.; Zobell, R. 2005-HF. Condition and trend Henrys Fork Allotment, Mountain View District, Wasatch-Cache National Forest. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

- Goodrich, S.; Zobell, R. 2006-Jan. West Fork Blacks Fork Allotment, summary of classification and monitoring studies. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest, Evanston District, Evanston, WY.
- Goodrich, S.; Zobell, R. 2006-Feb. Plant Communities and Pocket Gophers, West Fork Blacks Fork; Uinta Mountains. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest, Mountain View District.
- Goodrich, S.; Zobell, R. 2006-BF. West Fork Blacks Fork Allotment, Wasatch-Cache National Forest. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Wasatch- Cache National Forest.
- Goodrich, S.; Zobell, R. 2006-SC. West Fork Blacks Fork Stream Channel Condition, Wasatch-Cache National Forest. Power Point Presentation. Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Wasatch- Cache National Forest.
- Graham, Russell T.; Rodriguez, R.L.; Paulin, K.M.; Player, R.L.; Heap, A.P.; Williams, R. 1999. The northern goshawk in Utah: Habitat assessment and management recommendations. Gen. Tech. Rep. RMRS-GTR-22. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Ogden, Utah.
- Helm, D. 1982. Multivariate analysis of alpine snow-patch vegetation cover near Milner Pass, Rocky Mountain National Park, Colorado, U.S.A. *Arctic and Alpine Research*. 14: 87-95.
- Hickman, T.; Raleigh, R. F. 1982. Habitat suitability index models: Cutthroat trout. FWS/OBS-82/10.5. U.S. Department of the Interior, Fish and Wildlife Service.
- Hilfiker, E.L. 1991. Beaver – water, wildlife, and history. Interlaken, NY: Windswept Press.
- Johnson et al. 1996. Visitor perceptions of livestock grazing in five U.S. Wilderness Areas. Colorado State University. *International Journal of Wilderness*. Vol. 3, No. 2.
- Johnson, P. L.; Billings, W. D. 1962. The alpine vegetation of the Beartooth Plateau in relation to cryopedogenic processes and patterns. *Ecol. Monog.* 32: 105-135.
- Krebs, Charles J.; Boonstra, R.; Nams, V.; O'Donoghue, M.; Hodges, K.E.; Boutin, S. 2001. Estimating snowshoe hare population density from pellet plots: a further evaluation. *Canada Journal of Zoology*. 79: 1-4.
- Lewis, M. E. 1970. Alpine rangelands of the Uinta Mountains; Ashley and Wasatch National Forests. Ogden, UT: U. S. Department of Agriculture, Forest Service, Intermountain Region. 75 p.
- Marr, J. W. 1961. Ecosystems of the east slope of the Front Range in Colorado. University of Colorado Studies, Series in Biology. 8: 1-134.
- Ministry of Environment, Lands, and Parks Resources Inventory Branch for the Terrestrial Ecosystems Task Force. 1998. Inventory Methods for Beaver and Muskrats. British Columbia.
- Molinar, F.; Galt, D.; Holecheck, J. 2001. Managing for mulch. *Rangelands*. 23: 3-7.

- Munroe, J. S.; Duque, J. F. M.; Douglass, D. C. 1998. Landsystems inventory of the north slope of the Uinta Mountains: landform classification with geological and geomorphological description.
- National Research Council. 2002. Riparian areas: functions and strategies for management. Washington, DC: National Academy Press.
- Olson, R.; Hubert, W. A. 1994. Beaver: Water resources and riparian habitat manager. University of Wyoming, Laramie, WY.
- Osburn, W. S. Jr. 1958. Ecology of winter snow-free areas of the alpine tundra of Niwot Ridge, Boulder County, Colorado. Boulder, CO: University of Colorado. Thesis. 77 p.
- Overton, C. K.; McIntyre, J. D.; Armstrong, R.; Whitwell, S. L.; Duncan, K. A. 1995. User's guide to fish habitat: Descriptions that represent natural conditions in the Salmon River Basin, Idaho. Gen. Tech. Rep. INT-GTR-322. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station.
- Overton, C.K.; Wollrab, S.P.; Roberts, B.C.; Radko, M.A. 1997. R1/R4 (Northern/Intermountain Regions) Fish and fish habitat standard inventory procedures handbook. Gen. Tech. Rep. INT-GTR-346. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station.
- Personal Communication with Dale Booth (WS), March 14, 2006.
- Proven, Timothy H. 1980. Utah furbearer harvest report and management recommendations, 1979-1980. Utah Division of Wildlife Resources. Salt Lake City, Utah.
- Public Law 88-577. The Wilderness Act of 1964.
- Public Law 96-560, sec 108. Congressional Grazing Guidelines. 11/14/79.
- Public Law 98-428. Utah Wilderness Act of 1984.
- RHEIS, Rangeland Health EIS, Wasatch-Cache N.F., 1996.
- Ruggiero, L.F.; Aubry, K.B.; Buskirk, S.W.; Koehler, G.M.; Krebs, C.J.; McKelvey, K.S.; Squires, J.R. 1999. Ecology and conservation of lynx in the United States. Gen. Tech. Rep. RMRS-GTR-30WWW. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Seastedt, Timothy R. 2001. Structure and function of an alpine ecosystem. Bowman, William D., Seastedt, Timothy R., eds. Oxford University Press: Soils Chapter 7.
- Sherrod, S.K.; Seastedt, T.R. 2000. The northern pocket gopher (*Thomomys talpoides*) as an organizer of alpine ecosystem and plant community structure. 85th meeting of the Ecological Society of America. August 6-10, Snowbird, Utah. Abstract.
- Shiozawa, D. K.; Evans, R. P. 1998. Genetic relationships of nineteen cutthroat trout populations from Utah streams in the Colorado River and Bonneville drainages. Utah Division of Wildlife Resources. Contract No's 94-2377 and 96-2377 (in part).
- Stanton, M. L.; Rejmdnek, M.; Galen, C. 1994. Changes in vegetation and soil fertility along a predictable snowmelt gradient in the Mosquito Range, Colorado, U.S.A. Arctic and Alpine Research. 26: 364-374.

- Sigler, W. F.; Sigler, J. W. 1996. Fishes of Utah. University of Utah Press
- Thompson, J. W. 1984. American arctic lichens. Columbia University Press. 504 p.
- Thompson, P. 1999. Colorado River cutthroat trout (*Oncorhynchus clarki pleuriticus*) surveys, 1998. Utah Division of Wildlife Resources. Ogden, Utah.
- UDWR. 2003b. Gray Wolves in Utah. Utah Division of Wildlife Resources, Salt Lake City, Utah.
- UDWR. 2004. Bighorn Sheep Unit Management Plan, Year 2004 to 2010, Unit #8 North Slope, Uinta Mountains. Utah Division of Wildlife Resources, Ogden, Utah.
- UDWR. 2005. Utah's Comprehensive Wildlife Conservation Strategy (CWCS).
- USDI. 2005a. Federally Listed and Proposed (P), Endangered (E), Threatened (T) and Candidate (C) Species and Habitat in Utah by County. U.S. Fish and Wildlife Service, Utah Field Office, Salt Lake City, Utah.
- USDA Forest Service, Actual Use Reports, 1999 thru 2005 West Fk-Blacks Fk Allotment, Wasatch-Cache National Forest. U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.
- USDA Forest Service, Unit Examination Reports 1997 thru 2003 (R4 2200-15), West Fk-Blacks Fk Allotment, Wasatch-Cache National Forest. U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.
- USDA Forest Service. 1961. R4 2200-13 Site Analysis, R4 2200-10 Ocular Analysis, West Fk Blacks Fk Allotment, Wasatch-Cache National Forest. U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.
- USDA Forest Service. 1990. Forest Service Manual. Chapter 2320 – Wilderness Management.
- USDA Forest Service. 1993. Special Order #04 19 43. High Uintas Wilderness, Ashley National Forest/Wasatch-Cache National Forest. Susan Giannettino, Duane Tucker.
- USDA Forest Service. 1995. Inland native fish strategy environmental assessment, decision notice and finding of no significant impact. USDA Forest Service, Intermountain, Northern and Pacific Northwest Regions.
- Environmental Impact Statement for Management USDA Forest Service. 1997. "High Uintas Wilderness Management Plan" and "Final of the High Uintas Wilderness"
- USDA Forest Service. 1998. Intermountain Region protocol: Rangeland capability and suitability determinations for forest plan revisions. U.S. Department of Agriculture, Forest Service, Intermountain Region Office, Ogden, UT.
- USDA Forest Service. 2000. 2210/1950. Zobel Range Specialist Report, Memo to Steve Ryberg, District Ranger. U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.
- USDA Forest Service. 2003. Forest Service Handbook 2509.18. Soil Management Handbook, Chapter 2 Soil Quality Monitoring. FSH R4 2509.18, January 2003.
- USDA Forest Service. 2003. "Revised Forest Plan Wasatch-Cache National Forest" and "Final Environmental Impact Statement Wasatch-Cache National Forest".

- USDA Forest Service. 2004. 2210/1950. Zobel Range Specialist Report, Memo to Steve Ryberg, District Ranger. USDA Forest Service.
- USDA Forest Service. 2005. Annual Operating Instructions, West Fk Blacks Fk Allotment.
- USDA Forest Service. 2005. Oprandy, Christy; Flood, Paul. Unpublished report, Soils Specialist Report. U.S. Department of Agriculture, Forest Service.
- USDA Forest Service, Wasatch-Cache National Forest. 2006. Management indicator species of the Wasatch-Cache National Forest. Salt Lake City, Utah. Version 2006-1.
- USDI. 2003a. Notice of remanded determination of status for the contiguous United States distinct population segment of the Canada lynx; Clarification of Findings; Final Rule. Federal Register. Washington D.C.
- USDI. 2005b. Letter dated March 25, 2005. U.S. Fish and Wildlife Service, Ecological Services. Cheyenne, Wyoming.
- Utah Division of Wildlife Resources (1997): Fish stocking and transfer procedures. State of Utah, Division of Wildlife Resources, Aquatics, No. W2ADM-1.
- Walker, D. A.; Halfpenny, J.C.; Walker, M. D.; Wessman, C. A. 1993. Long-term studies of snow-vegetation interactions. *Bioscience*. 43: 287-301.
- Walker, Marilyn D.; Webber, Patrick, J.; Arnold, Elizabeth H.; Elbert-May, Diane. 1994. Effects of interannual climate variation of above ground phytomass in alpine vegetation. *Ecology*. 75: 393-408.
- Walker, Marilyn D.; Ingersoll, Richard C.; Webber, Patrick, J. 1995. Effects of interannual climate variation on phenology and growth of two alpine forbs. *Ecology*. 76: 1067-1083.
- Wasatch-Cache National Forest. 2005-1. Management Indicator Species of the Wasatch-Cache National Forest. U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest, Salt Lake City, Utah.
- Wasatch-Cache National Forest. 2006. Management Indicator Species of the Wasatch-Cache National Forest. U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest, Salt Lake City, Utah.
- Wasniewski, L. W. 2000. West Fork Blacks Fork Allotment Hydrologist Report.
- Weichman, J. D. 1995. Raw data from Northern Region, Utah Division of Wildlife Resources, Ogden, Utah
- Wiechman, J. D.; Pettengill, T. D. 1989. Phase 3 and experimental fisheries surveys in the Uinta Mountains: Blacks Fork Drainage, 1986-93.
- Wildlife Services Management Work Plan, Wastach-Cache National Forest, 2004.
- Willard, B. E. 1979. Plant sociology of alpine tundra, Trail Ridge, Rocky Mountain National Park, Colorado. *Colorado School of Mines Quarterly*. 74: 119 p.
- Willard, Beatrice E.; Marr, John W. 1971. Recovery of alpine tundra under protection after damage by human activities in the Rocky Mountains of Colorado. *Biological Conservation*. 3:181-190.

Winward, A.H. 2000. Monitoring vegetation resources in riparian areas, Rocky Mountain Research Station.

Wolfe, Michael L.; Maxfield, B. D. 1999. Utah furbearer harvest report, 1998-1999. Publication No. 02-06. Utah Division of Wildlife Resources. Salt Lake City, Utah.

Wolff, Jerry O. 1978. Food habits of snowshoe hares in Interior Alaska. *Journal of Wildlife Management*. 42 (1):1978.

Wyoming Department of Agriculture. 1992. Contribution of Federal Lands to Wyoming Range Livestock Production.

Zobell, R. 2005. Unpublished report, Upland species composition review, Richard Zobell. U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

Zobell, R.; Goodrich, S. 2005. All Studies Pertaining to West Fork Blacks Fork Allotment. Unpublished Report. U.S. Department of Agriculture, Forest Service.