

TABLE PURSUANT TO CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Contract Road Maintenance Requirements Summary

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications												
	From	To		T-811	T-813	T-831	T-834	T-836	T-839							
6200000	6231000	6206000	20.99	P												
6200029	6200000	6209000	0.39			P	P	P								
6200090	6200000	End	1.16			P	P	P								
6206000	6200000	Pvt. Bndry.	1.22			P	P	P								
6208000	6200000	6206000	2.20		P	P	P	P								
6209000	6200029	End	4.32		P	P	P	P								
6209200	6200029	MP 0.62	0.62			P	P	P								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications												
	From	To		T-811	T-831	T-834	T-836	T-839								
6200000	6231000	6206000	20.99	P												
6200029	6200000	6209000	0.39		P	P	P									
6200090	6200000	End	1.16		P	P	P									
6206000	6200000	Pvt. Bndry.	1.22		P	P	P									
6208000	6200000	6206000	2.20		P	P	P									
6209000	6200029	End	4.32		P	P	P									
6209200	6200029	MP 0.62	0.62		P	P	P									

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications												
	From	To		T-811	T-831	T-834	T-836	T-839								
6200000	6231000	6206000	20.99	P												
6200029	6200000	6209000	0.39		P	P	P									
6200090	6200000	End	1.16		P	P	P									
6206000	6200000	Pvt. Bndry.	1.22		P	P	P									
6208000	6200000	6206000	2.20		P	P	P									
6209000	6200029	End	4.32		P	P	P									
6209200	6200029	MP 0.62	0.62		P	P	P									

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Contract Road Maintenance Requirements Summary

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications										
	From	To		T-811	T-813	T-831	T-834	T-836	T-839					
6214000	6200000	End	4.97			P	P							
6200031	6200000	End	0.70			P	P			P				
6200032	6200031	6200035	0.57			P	P			P				
6200035	6200000	6208000	2.16			P	P			P				
6200155	6200000	6200000	0.92			P	P			P				
6200168	6200000	MP 1.16	1.16			P	P			P				
6206020	6206000	End	0.52			P	P			P				

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications										
	From	To		T-811	T-831	T-834	T-836	T-839						
6214000	6200000	End	4.97		P	P								
6200031	6200000	End	0.70		P	P			P					
6200032	6200031	6200035	0.57		P	P			P					
6200035	6200000	6208000	2.16		P	P			P					
6200155	6200000	6200000	0.92		P	P			P					
6200168	6200000	MP 1.16	1.16		P	P			P					
6206020	6206000	End	0.52		P	P			P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications										
	From	To		T-811	T-831	T-834	T-836	T-839						
6214000	6200000	End	4.97		P	P								
6200031	6200000	End	0.70		P	P			P					
6200032	6200031	6200035	0.57		P	P			P					
6200035	6200000	6208000	2.16		P	P			P					
6200155	6200000	6200000	0.92		P	P			P					
6200168	6200000	MP 1.16	1.16		P	P			P					
6206020	6206000	End	0.52		P	P			P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Contract Road Maintenance Requirements Summary

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications									
	From	To		T-811	T-813	T-831	T-834	T-836	T-839				
6206040	6206000	End	1.13			P	P		P				
6208200	6208000	End	1.51		P	P	P		P				
6208250	6208000	MP 0.55	0.55			P	P		P				
6208290	6208000	End	0.37			P	P		P				
6214010	6214000	End	1.02			P	P		P				
6214020	6214000	End	1.34			P	P		P				
6214021	6214020	End	1.09			P	P		P				

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications									
	From	To		T-811	T-831	T-834	T-836	T-839					
6206040	6206000	End	1.13		P	P		P					
6208200	6208000	End	1.51		P	P		P					
6208250	6208000	MP 0.55	0.55		P	P		P					
6208290	6208000	End	0.37		P	P		P					
6214010	6214000	End	1.02		P	P		P					
6214020	6214000	End	1.34		P	P		P					
6214021	6214020	End	1.09		P	P		P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications									
	From	To		T-811	T-831	T-834	T-836	T-839					
6206040	6206000	End	1.13		P	P		P					
6208200	6208000	End	1.51		P	P		P					
6208250	6208000	MP 0.55	0.55		P	P		P					
6208290	6208000	End	0.37		P	P		P					
6214010	6214000	End	1.02		P	P		P					
6214020	6214000	End	1.34		P	P		P					
6214021	6214020	End	1.09		P	P		P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Contract Road Maintenance Requirements Summary

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications									
	From	To		T-811	T-813	T-831	T-834	T-836	T-839				
6214022	6214020	End	0.27		P	P	P		P				
6214023	6214020	End	0.54		P	P	P		P				
6214030	6214000	End	1.79			P	P		P				
6214031	6214030	End	0.43			P	P		P				
6214048	6214000	End	1.96			P	P		P				
6214049	6214048	End	0.40			P	P		P				
6214060	6214000	End	0.43			P	P		P				

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications									
	From	To		T-811	T-831	T-834	T-836	T-839					
6214022	6214020	End	0.27		P	P		P					
6214023	6214020	End	0.54		P	P		P					
6214030	6214000	End	1.79		P	P		P					
6214031	6214030	End	0.43		P	P		P					
6214048	6214000	End	1.96		P	P		P					
6214049	6214048	End	0.40		P	P		P					
6214060	6214000	End	0.43		P	P		P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications									
	From	To		T-811	T-831	T-834	T-836	T-839					
6214022	6214020	End	0.27		P	P		P					
6214023	6214020	End	0.54		P	P		P					
6214030	6214000	End	1.79		P	P		P					
6214031	6214030	End	0.43		P	P		P					
6214048	6214000	End	1.96		P	P		P					
6214049	6214048	End	0.40		P	P		P					
6214060	6214000	End	0.43		P	P		P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Contract Road Maintenance Requirements Summary

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications									
	From	To		T-811	T-813	T-831	T-834	T-836	T-839				
6214130	6214020	End	0.24			P	P		P				
6214040	6214000	End	1.00			P	P		P				
6214041	6214040	End	0.38			P	P		P				
6214044	6214040	MP 0.16	0.16			P	P		P				
6231000	6200000	FS Bndry	4.71			P	P	P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications									
	From	To		T-811	T-831	T-834	T-836	T-839					
6214130	6214020	End	0.24		P	P		P					
6214040	6214000	End	1.00		P	P		P					
6214041	6214040	End	0.38		P	P		P					
6214044	6214040	MP 0.16	0.16		P	P		P					
6231000	6200000	FS Bndry	4.71		P	P	P						

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications									
	From	To		T-811	T-831	T-834	T-836	T-839					
6214130	6214020	End	0.24		P	P		P					
6214040	6214000	End	1.00		P	P		P					
6214041	6214040	End	0.38		P	P		P					
6214044	6214040	MP 0.16	0.16		P	P		P					
6231000	6200000	FS Bndry	4.71		P	P	P						

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brush And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
6200000 6206000 to 6208000	T-811-01F	EX	AI	A		D					JU		
6200000 6208000 to 6214000	T-811-01F	EX	AI	A		D					JU		
6200000 6214000 to 6231000	T-811-01F	EX	AI	A		D					JU		
6200029 6200000 to 6209000	T-834-01F									W	JU		
6200090 6200000 to End	T-834-01F									W	JU		
6206000 6200000 to Pvt. Bndry.	T-834-01F									W	JU		

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brush And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
6208000 6200000 to 6206000	T-813-01F T-813-02F T-834-01F	EX	AI	B						W	JU		
6209000 6200029 to End	T-813-01F T-813-02F T-834-01F	EX	AI	B						W	JU		
6209200 6200029 to MP 0.62	T-834-01F									W	JU		
6214000 6200000 to End	T-834-01F									W	JU		
6200031 6200000 to End	T-834-01F T-839-01F									W	TS	P	
6200032 6200031 to 6200035	T-834-01F T-839-01F									W	TS	P	

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brush And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
6200035 6200000 to 6208000	T-834-01F T-839-01F									W	TS	P	
6200155 6200000 to 6200000	T-834-01F T-839-01F									W	TS	P	
6200168 6200000 to MP 1.16	T-834-01F T-839-01F									W	TS	P	
6206020 6206000 to End	T-834-01F T-839-01F									W	TS	P	
6206040 6206000 to End	T-834-01F T-839-01F									W	TS	P	
6208200 6208000 to End	T-813-01F T-813-02F T-834-01F T-839-01F	EX	AI	B						W	TS	P	

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brush And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
6208250 6208000 to MP 0.55	T-834-01F T-839-01F									W	TS	P	
6208290 6208000 to End	T-834-01F T-839-01F									W	TS	P	
6214010 6214000 to End	T-834-01F T-839-01F									W	TS	P	
6214020 6214000 to End	T-834-01F T-839-01F									W	TS	P	
6214021 6214020 to End	T-834-01F T-839-01F									W	TS	P	
6214022 6214020 to End	T-813-01F T-813-02F T-834-01F T-839-01F	EX	AI	B						W	TS	P	

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brush And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
6214023 6214020 to End	T-813-01F T-813-02F T-834-01F T-839-01F	EX	AI	B						W	TS	P	
6214030 6214000 to End	T-834-01F T-839-01F									W	TS	P	
6214031 6214030 to End	T-834-01F T-839-01F									W	TS	P	
6214048 6214000 to End	T-834-01F T-839-01F									W	TS	P	
6214049 6214048 to End	T-834-01F T-839-01F									W	TS	P	
6214060 6214000 to End	T-834-01F T-839-01F									W	TS	P	

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brush And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
6214130 6214020 to End	T-834-01F T-839-01F									W	TS	P	
6214040 6214000 to End	T-834-01F T-839-01F									W	TS	P	
6214041 6214040 to End	T-834-01F T-839-01F									W	TS	P	
6214044 6214040 to MP 0.16	T-834-01F T-839-01F									W	TS	P	
6231000 6200000 to FS Bndry	T-834-01F										JU		

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Column No.	Heading	Entry	Explanation
	Any	Blank	Except as otherwise described, no entry indicates Purchaser is not authorized or required to perform the work item(s).
	Any	RC	This work requirement applies only when haul of sale related construction materials occurs.
2	Special Project Specification	Number	Entry indicates Special Project Specification which applies.
3	Travel Way	EX Numbers IS, C, OS, F, or AI A or B	Purchaser shall maintain the traveled way to the width existing upon entry, or at the completion of Specified Road work. Purchaser shall maintain the traveled way to the standard width indicated by the entry, plus curve widening, in accordance with Section T-811. If required, the road template shall be shaped to this width and to the designated cross slope before haul and during recurring maintenance. Cross slopes are designated as: IS (Inslope), C (Crown), OS (Outslope), F (Flat), AI (As Is). If compaction is required.
4	Brush and Log Out	Numeric & R and/or L As Staked OPT H	Purchaser shall remove brush for specified width on either or both the right (R) side or left (L) side of road. Limits of brushing are as staked or marked in the field. Purchaser may use hand or mechanical means of brushing. Only hand brushing may be used.

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Column No.	Heading	Entry	Explanation
5	Surfacing	Aggregate Grading	Purchaser shall place surfacing on roads listed according to the grading indicated.
		D	Contractor is to make deposits for listed road maintenance, including surface rock replacement.
6	Dust Abatement	OPT	Product selection is Purchaser's choice from those listed in Section T-812.
		Product Abbr.	Unless otherwise agreed, Purchaser is restricted to product listed corresponding to the abbreviation shown in Section T-812; (i.e., LigS = Lignon Sulfonate) Application rates are estimated amounts.
		EX	Purchaser shall abate dust on the existing width
		Numbers	Purchaser shall abate dust to the width indicated by entry.
7	Seasonal Maintenance	W	Waterbars and/or crossditching shall be required prior to expected seasonal precipitation.
		B	Entrance barriers shall be installed by Purchaser prior to nonuse periods.
8	Snow Removal	TS	Snowplowing authorized for Purchaser's Operations without recreation access being provided per Section T-803 requirements.
		JU	Snowplowing authorized, but must provide for recreation joint use per Section T-803 requirements.
		Blank	Snowplowing is not authorized. Forest Service may authorize plowing by permit when not in conflict with other uses.
9	Post Haul	P	P denotes that work is Purchaser's Responsibility to perform.