

Bear View Thin STWD Roads

Specified Road Reconstruction Plans

10 pages

Costing

1 page Cost Summary

Specifications

1 pages Schedule of Items

2 pages Specifications Listing

65 pages FSSS Specifications Package

79 pages total

**Bear View Thin STWD Roads Cost
Summary**

Road	TS Cost	PW Cost
51	\$ 156,519.47	\$ 165,503.64
DRES	←	\$ 24,100.00
Totals	\$ 180,619.47	\$ 189,603.64

SCHEDULE OF ITEMS

Bear View Thin STWD
Siuslaw National Forest
Lincoln County

Road Number 51
Mile post 12.62 to Mile post 8.77

TS COSTS

Pay Item	Item Description	Pay Unit	Estimated Quantity	Unit Price	Total
15101	Mobilization	Lump Sum	All	\$ 14,229.04	\$ 14,229.04
15713	Soil Erosion & Pollution Control	Lump Sum	All	\$ 810.00	\$ 810.00
20301	Removal of culvert	Each	1	\$ 200.00	\$ 200.00
20303	Removal of asphalt	Square Yard*	1516	\$ 5.30	\$ 8,034.80
209A62A	Structual excavation	Cubic Yard*	743	\$ 9.00	\$ 6,687.00
209A62B	Structual excavation	Cubic Yard*	537	\$ 11.90	\$ 6,390.30
209A62C	Structual excavation	Cubic Yard*	334	\$ 15.30	\$ 5,110.20
23051	Roadside Brushing	Mile	3.85	\$ 743.75	\$ 2,863.44
25101	Keyed riprap, class 3	Cubic Yard*	15	\$ 76.50	\$ 1,147.50
30359	Roadway reconditioning, compaction method E	Mile	3.85	\$ 455.40	\$ 1,753.29
32203	Aggregate base, grading D, compaction method B	Cubic Yard*	531	\$ 49.50	\$ 26,284.50
40451	ODOT 1/2" dense graded HMA, level II, asphalt cement PG 64-22	Ton	435	\$ 185.00	\$ 80,475.00
6027818	18 Inch corrugated polyethylene pipe, type S, method B	Foot	32	\$ 61.60	\$ 1,971.20
6065418	18-inch full circle polyethylene outlet pipe, type C	Foot	20	\$ 28.16	\$ 563.20
					\$ 156,519.47

FP-03 SPECIFICATIONS LIST FOR Bear View Thin STWD Roads

All specifications not included in the specification listing, but included by reference, are applicable. "X" denotes applicable standard and/or supplemental specification. The supplementals shown on the specification list are physically attached.

	<u>Title</u>	<u>Revised</u>	<u>Road Number</u>
Preface	Preface		51
101	Terms Format, and Definitions	3/15/2004	X
		FP03	X
101 01	Meaning of Terms	1/22/2009	X
101 01	Meaning of Terms	1/22/2009	X
101 03	Abbreviations	6/16/2006	X
101 04	Definitions	3/29/2007	X
102	Bid, Award, and execution of Contract		
		FP03	X
102 00	Bid, Award, and execution of Contract	2/16/2005	X
103	Scope of Work		
		FP03	X
103 00	Deletions	2/16/2005	X
104	Control of work		
		FP03	X
104 00	Deletions	6/16/2006	X
104 03	Specifications and Drawings	1/22/2009	X
104 03	Specifications and Drawings	2/22/2005	X
104 06	Use of Roads by Contractor	2/17/2005	X
105	Control of Material		
		FP03	X
105 02	Material Sources	1/18/2007	X
105 05	Use of Material Found in the Work	5/12/2004	X
106	Acceptance of Work		
		FP03	X
106 07	Delete	5/11/2004	X
107	Legal Regulations and responsibility to Public		
		FP03	X
107 05	Responsibility for Damage Claims	5/11/2004	X
107 06	Contractor's Responsibility for Work	6/16/2006	X
107 08	Sanitation, Health, and Safety	3/29/2005	X
107 09	Legal Relationship of the Parties	6/16/2006	X
107 10	Environmental Protection	6/16/2006	X
108	Prosecution and Progress		
		FP03	X
108 00	108 Delete	2/16/2005	X
109	Measurement and Payment		
		FP03	X
109 00	Deletions	2/17/2005	X
109 02	Measurement Terms and Definitions	6/16/2006	X
151	Mobilization		
		FP03	X
152	Construction Surveying and Staking		
		FP03	X
152 00	Construction Surveying and Staking	8/5/2005	X
153	Contractor Quality Control		
		FP03	X
153 04	Records	10/24/2007	X
155	Schedules for Construction Contracts		
		FP03	X
155 00	Delete	5/11/2004	X
156 00	Complete Specification	4/17/2014	X

FP-03 SPECIFICATIONS LIST FOR Bear View Thin STWD Roads

All specifications not included in the specification listing, but included by reference, are applicable. "X" denotes applicable standard and/or supplemental specification. The supplementals shown on the specification list are physically attached.

<u>Title</u>	<u>Revised</u>	<u>Road Number</u>
157		51
Soil Erosion Control	FP03	X
157 03 General	2/24/2005	X
170 00 Develop Water Supply and Watering	3/26/2007	X
201	FP03	X
Clearing and Grubbing	2/18/2005	X
201 01 Description	2/22/2005	X
201 04 Clearing	2/18/2005	X
201 06 Disosal	2/18/2005	X
203	FP03	X
Removal of Structures and Obstructions	2/25/2005	X
203 01 Description	2/18/2005	X
203 04 Removing Material	3/26/2007	X
203 05 Disposing of Material	2/24/2005	X
203 08 Payment	3/26/2009	X
204 00 Complete Specification		X
209	FP03	X
Structure Excavation and Backfill	3/24/2008	X
209A Structure Excavation and Backfill for Select Minor Structures	10/23/2007	X
209 10 Backfill	2/24/2005	X
209 11 Compacting	5/9/2012	X
209 13 Measurement and Payment	3/26/2007	X
230 00 Complete Specification	FP-03	X
251	FP03	X
Riprap	3/2/2005	X
303	FP03	X
Road Reconditioning	3/2/2005	X
303 01 Work	3/2/2005	X
303 07 Roadway Reconditioning	3/26/2007	X
303 10 Measurement	10/14/2011	X
322 00 Minor Aggregate Coarses	FP03	X
404	FP03	X
Minor Hot Asphalt Concrete	6/9/2006	X
404 02 Composition	6/9/2007	X
404 03 Surface Preperation	3/2/2005	X
404 04 Weather Limitations	3/2/2005	X
404 06 Placing	3/2/2005	X
404 07 Compaction	3/2/2005	X
404 09 Acceptance	3/2/2005	X
602	FP03	X
Culverts and Drains	9/6/2005	X
602 03 General	8/5/2009	X
602 06 Laying Plastic pipe	FP03	X
635	FP03	X
Temporary Traffic Control	5/13/2004	X
635 03 General	FP03	X
703	FP03	X
Aggregate	8/14/2009	X
703 05 Subbase, Base, Surface Coarse, and Screened Aggregate	4/11/2011	X
703 10 Flakiness Index		X

Preface

Preface_wo_03_15_2004_m

Delete all but the first paragraph and add the following:

The Forest Service, US Department of Agriculture has adopted FP-03 for construction of National Forest System Roads.

101 - Terms, Format, and Definitions

101.01_nat_us_01_22_2009

101.01 Meaning of Terms

Delete all references to the TAR (Transportation Acquisition Regulations) in the specifications.

101.01_nat_us_01_22_2009

101.01 Meaning of Terms

Delete all references to the FAR (Federal Acquisition Regulations) in the specifications.

101.03_nat_us_06_16_2006

101.03 Abbreviations.

Add the following to (a) Acronyms:

AFPA	American Forest and Paper Association
MSHA	Mine Safety and Health Administration
NIST	National Institute of Standards and Technology
NESC	National Electrical Safety Code
WCLIB	West Coast Lumber Inspection Bureau

Add the following to (b) SI symbols:

mp	Milepost
ppm	Part Per Million

101.04_nat_us_03_29_2007

101.04 Definitions.

Delete the following definitions and substitute the following:

Bid Schedule--The Schedule of Items.

Bridge--No definition.

Contractor--The individual or legal entity contracting with the Government for performance of prescribed work. In a timber sale contract, the contractor is the "purchaser".

Culvert--No definition.

Right-of-Way--A general term denoting (1) the privilege to pass over land in some particular line (including easement, lease, permit, or license to occupy, use, or traverse public or private lands), or (2) Real property necessary for the project, including roadway, buffer areas, access, and drainage areas.

Add the following:

Adjustment in Contract Price--"Equitable adjustment," as used in the Federal Acquisition Regulations, or "construction cost adjustment," as used in the Timber Sale Contract, as applicable.

Change--"Change" means "change order" as used in the Federal Acquisition Regulations, or "design change" as used in the Timber Sale Contract.

Design Quantity--"Design quantity" is a Forest Service method of measurement from the FS-96 *Forest Service Specifications for the Construction of Roads and Bridges*. Under these FP specifications this term is replaced by the term "Contract Quantities".

Forest Service--The United States of America, acting through the Forest Service, U.S. Department of Agriculture.

Neat Line--A line defining the proposed or specified limits of an excavation or structure.

Pioneer Road--Temporary construction access built along the route of the project.

Purchaser--The individual, partnership, joint venture, or corporation contracting with the Government under the terms of a Timber Sale Contract and acting independently or through agents, employees, or subcontractors.

Protected Streamcourse--A drainage shown on the plans or timber sale area map that requires designated mitigation measures.


Road Order--An order affecting and controlling traffic on roads under Forest Service jurisdiction. Road Orders are issued by a designated Forest Officer under the authorities of 36 CFR, part 260.

Schedule of Items--A schedule in the contract that contains a listing and description of construction items, quantities, units of measure, unit price, and amount.

Utilization Standards--The minimum size and percent soundness of trees described in the specifications to determine merchantable timber.

Add Figure 101-1—Illustration of road structure terms:

Figure 101-1—Illustration of road structure terms.



Note:
 Shapes and dimensions will vary to fit local conditions.
 See drawings for typical sections.
 X and Y denote clearing outside of the final design cross section.



102 - Bid, Award, and Execution of Contract

102.00_nat_us_02_16_2005

102 Bid, Award, and Execution of Contract

Delete Section 102 in its entirety.



103 - Scope of Work

103.00_nat_us_02_16_2005

Deletions

Delete all but subsection 103.01 Intent of Contract.

104 - Control of Work

104.00_nat_us_06_16_2006

Deletions

Delete Sections 104.01, 104.02, and 104.04.

104.03_nat_us_02_22_2005

104.03 Drawings and Specifications

Delete subsection 104.03

104.03_nat_us_01_22_2009

104.03 Specifications and Drawings.

Delete 104.03.

104.06_nat_us_02_17_2005

Add the following subsection:

104.06 Use of Roads by Contractor

The Contractor is authorized to use roads under the jurisdiction of the Forest Service for all activities necessary to complete this contract, subject to the limitations and authorizations designated in the Road Order(s) or described in the contract, when such use will not damage the roads or national forest resources, and when traffic can be accommodated safely.

105 - Control of Material

105.02_nat_us_01_18_2007

105.02 Material Sources.

105.02(a) Government-provided sources.

Add the following:

Comply with the requirements of 30 CFR 56, subparts B and H. Use all suitable material for aggregate regardless of size unless otherwise designated. When required, re-establish vegetation in disturbed areas according to section 625.

105.05_nat_us_05_12_2004

105.05 Use of Material Found in the Work.

Delete 105.05 (a) and (b) and the last sentence of the second paragraph and substitute the following:

Materials produced or processed from Government lands in excess of the quantities required for performance of this contract are the property of the Government. The Government is not obligated to make reimbursement for the cost of producing these materials.

106 - Acceptance of Work

106.07_nat_us_05_11_2004

106.07 Delete

Delete subsection 106.07.

107 - Legal Relations and Responsibility to the Public

107.05_nat_us_05_11_2004

107.05 Responsibility for Damage Claims.

Delete the entire subsection.

107.06_nat_us_06_16_2006

107.06 Contractor's Responsibility for Work.

Delete the following from the first paragraph.

“except as provided in Subsection 106.07”.

107.08_nat_us_03_29_2005

107.08 Sanitation, Health, and Safety

Delete the entire subsection.

107.09_nat_us_06_16_2006

107.09 Legal Relationship of the Parties.

Delete the entire subsection.

107.10_nat_us_06_16_2006

107.10 Environmental Protection.

Add the following:

Design and locate equipment repair shops, stationary refueling sites, or other facilities to minimize the potential and impacts of hazardous material spills on Government land.

Before beginning any work, submit a Hazardous Spill Plan. List actions to be taken in the event of a spill. Incorporate preventive measures to be taken, such as the location of mobile refueling facilities, storage and handling of hazardous materials, and similar information. Immediately notify the CO of all hazardous material spills. Provide a written narrative report form no later than 24 hours after the initial report and include the following:

- Description of the item spilled (including identity, quantity, manifest number, and other identifying information).
- Whether amount spilled is EPA or state reportable, and if so whether it was reported, and to whom.

- Exact time and location of spill including a description of the area involved.
- Containment procedures.
- Summary of any communications the Contractor had with news media, Federal, state and local regulatory agencies and officials, or Forest Service officials.
- Description of clean-up procedures employed or to be employed at the site including final disposition and disposal location of spill residue.

When available provide copies of all spill related clean up and closure documentation and correspondence from regulatory agencies.

The Contractor is solely responsible for all spills or leaks that occur during the performance of this contract. Clean up spills or leaks to the satisfaction of the CO and in a manner that complies with Federal, state, and local laws and regulations.

108 - Prosecution and Progress

108.00_nat_us_02_16_2005

108 Delete.

Delete Section 108 in its entirety.

109 - Measurement and Payment

109.00_nat_us_02_17_2005

109 Deletions

Delete the following entire subsections:

109.06 Pricing of Adjustments.

109.07 Eliminated Work.

109.08 Progress Payments.

109.09 Final Payment.

109.02_nat_us_06_16_2006

109.02 Measurement Terms and Definitions.

(b) Contract quantity.

Add the following:

Contract quantities will be adjusted only when there are errors in the original design of 15% or more.

Change the following:

“(b) Cubic yard” to “(c) Cubic yard”.

Add the following definition:

(p) Thousand Board Feet (Mbf). 1,000 board feet based on nominal widths, thickness, and extreme usable length of each piece of lumber or timber actually incorporated in the job. For glued laminated timber, 1,000 board feet based on actual width, thickness, and length of each piece actually incorporated in the job.

152 - Construction Survey and Staking

152.00_nat_us_08_05_2005

Description

152.01(c) Material.

Add the following:

Use required stake dimensions and materials. Pre-paint the top 2 inches of all stakes and lath, or mark them with plastic flagging. Use designated colors for paint or flagging. Mark all stakes with a stake pencil that leaves a legible imprint, or with waterproof ink.

Do not use aerosol spray paints.

Use moisture-resistant paper for survey notes. Keep notes in books with covers that will protect the contents and retain the pages in numerical sequence.

Construction Requirements

152.02 General.

Delete the first two sentences.

Add the following:

When indicated on the plans, a preliminary survey line has been established on the ground. The project location line is established by offsets from this preliminary line.

Delete second sentence in second paragraph and replace with the following:

Reestablish missing reference, control lines, or stakes as necessary to control subsequent construction staking operations

152.03 Survey and Staking Requirements.

(b) Roadway cross-sections.

Replace the first two sentences with the following:

Take roadway cross-sections normal to centerline. When the centerline curve radius is less than or equal to 200 feet, take cross-sections at a maximum centerline spacing of 25 feet. When the centerline curve radius is greater than 200 feet take cross-sections at a maximum centerline spacing of 80 feet.

c) Slope Stakes & References:

Replace section with the following:

Slope stakes and references. When required, locate slope stakes on designated portions of the road. Locate the slope stake catch points and use them to establish clearing limits and slope stake references.

Mark slope stakes with the station, the amount of cut or fill, the horizontal distance to centerline, and the slope ratios.

Place slope reference stakes at least 10 feet outside the clearing limit and mark with the offset distance to the slope stake. Place sight stakes when required.

Prior to clearing and grubbing operations, move the slope stake outside the clearing limit to the slope reference stake. After clearing and grubbing and before excavation, reset the slope stakes in their original position.

Use the designated method to establish the slope stake catchpoint.

- **Method I—Computed Method.** Use the template information shown in the plans or other Government-provided data to calculate the actual location of the catchpoint. The slope stake “catchpoint distance” provided may be used as a trial location to initiate slope staking. Recatch slope stakes on any section that does not match the staking report within the tolerances established in Table 152-2.
- **Method II—Catchpoint Measurement Method.** Determine the location of slope stake catchpoints by measuring the catchpoint distances shown in the plans or other Government-provided data.

(d) Clearing and grubbing limits.

Add the following:

Establish clearing limits on each side of the location line by measuring the required horizontal or slope distances shown in the stake notes. Mark the clearing limits with flagging or tags on trees to be left standing, or on lath. Make markings intervisible, and no more than 90 feet apart.

After establishing clearing limits, move the location line stake outside the clearing limits for station identification purposes, and mark it with horizontal distance to location line

(e) Centerline reestablishment.

Replace with the following:

Reestablish centerline from instrument control points. The maximum spacing between centerline points is 25 feet when the centerline curve radius is less than or equal to 200 feet. When the centerline curve radius is greater than 200 feet, the maximum distance between centerline points is 80 feet.

(g) Culverts.

Replace subsection with the following:

Set culvert reference stakes at all culvert locations. Set a culvert reference stake on the centerline of the culvert 10 feet from each end or beyond the clearing limit, whichever is greater. Record the following on culvert reference stakes:

- (1) Diameter, actual field measured length, and type of culvert.
- (2) The vertical and horizontal distance from the reference stake to the invert at the ends of the culvert.
- (3) Station of actual point where culvert intersects centerline.

When required, stake headwall for culverts by setting a hub with a guard stake on each side of the culvert on line with the face of the headwall. Perform this work after clearing is completed.

152.03 (l) Miscellaneous Survey and Staking.

Add the following:

- (11) Cattleguards
- (12) Drain Dips
- (13) Erosion Control Measures

Replace Table 152-1 with the following two tables:

Table 152-1 Tolerances for reestablishing P-line, traverse, and elevations.

Precision Class	Minimum Position Closure	Angular Accuracy (\pm)	L-Line Tangent Control Points ^a (\pm)	Vertical Closure ^b (\pm)
A (Bridges)	1/10,000	2 sets, direct/reverse 10 second rejection limit	N/A	0.02 ft or 0.02ft/1000ft ^c
B	1/5,000	2 sets, direct/reverse 20 second rejection limit	0.1 ft	0.02 ft or 0.02ft/1000ft ^c
C	1/1,000	1 set, direct/reverse 1 minute rejection limit	0.2 ft	0.5ft/1000ft ^c
D	1/300	Foresight and backsight; 15 minute rejection limit ^c	0.4 ft	1.0ft/1000ft ^c
E	1/100	Foresight and backsight; 30 minute rejection limit ^c	0.8 ft	1.0ft/1000ft ^c

a. Accuracy of offset measurement.

b. Determine vertical closures at intervals not to exceed 2000 ft as measured along centerline.

c. Use greater value.

Table 152-2 Cross section and slope stake tolerances.

Item	Tolerances				
	A	B	C	D	E
Allowable deviation of cross-section line projection from a true perpendicular to tangents, a true bisector of angle points, or a true radius of curves	(±)2°	(±)3°	(±)3°	(±)5°	(±)5°
Take cross-sections topography measurements so that variations in ground from a straight line connecting the cross-section points will not exceed	0.5 ft	1.0 ft	2.0 ft	2.0 ft	3.0 ft
Horizontal and vertical accuracy for cross-sections, in feet or percentage of horizontal distance measured from traverse line, whichever is greater.	0.1 ft or 0.4%	0.15 ft or 0.6%	0.2 ft or 1.0%	0.2 ft or 1.0%	0.3 ft or 1.0%
Horizontal and vertical accuracy for slope stake, slope stake references, and clearing limits. In feet or percentage of horizontal distance measured from centerline or reference stake, whichever is greater.					
Slope reference stakes and slope stakes.	0.1 ft or 0.4%	0.15 ft or 0.6%	0.2 ft or 1.0%	0.2 ft or 1.0%	0.3 ft or 1.0%
Clearing limits	1.0 ft	1.0 ft	1.0 ft	1.5 ft	2.5 ft

153 - Contractor Quality Control

153.04_nat_us_10_24_2007

153.04 Records.

Delete all but the first sentence

155 - Schedules for Construction Contracts

155.00_naf_us_05_11_2004

155 Delete.

Delete Section 155 in its entirety.

156 - Public Traffic

156.00_nat_us_04_17_2007

Delete Section 156 in its entirety and replace with the following:

Description

156.01 This work consists of controlling and protecting public traffic adjacent to and within the project.

Material

156.02 Conform to the MUTCD and the following Sections and Subsections:

Construction sign panels	633
Retro-reflective sheeting	718.01
Temporary concrete barrier	618
Temporary plastic fence	710.11
Temporary traffic control devices	718.22

156.03 General. Unless otherwise provided for in Table 156-1, keep existing roads open to all traffic during road improvement work, and maintain them in a condition that will adequately accommodate traffic. Delays may not exceed 60 minutes at any one time followed by an open period of no less than 15 minutes.

Perform no work that interferes or conflicts with traffic or existing access to the roadway surface until a traffic control plan has been approved. Post construction signs and traffic control devices in conformance with MUTCD. All required signs will be in place and approved prior to beginning work on project.

If the Contractor agrees in writing to allow public traffic to use a new road being constructed prior to completion, it will be considered an existing road for traffic control purposes.

156.04 Temporary Traffic Control. Install and maintain temporary traffic control devices adjacent to and within the project as required by the approved traffic control plan and the MUTCD. Install and maintain traffic control devices as follows:

- (a) Furnish and install traffic control devices before the start of construction operations.
- (b) All detours outside of clearing limits will be approved in writing by the Contracting Officer as part of the traffic control plan.
- (c) Install only those traffic control devices needed for each stage or phase.
- (d) Relocate temporary traffic control devices as necessary.
- (e) Remove devices that no longer apply to the existing conditions.
- (f) Immediately replace any device that is lost, stolen, destroyed, or inoperative.
- (g) Keep temporary traffic control devices clean.
- (h) Remove all temporary traffic control devices upon contract completion or when approved.
- (i) When required, use flaggers certified by the American Traffic Safety Services Association, the National Safety Council, the International Municipal Signal Association, a state agency, or other acceptable organization. Perform the work described under MUTCD Part 6. Use type III, VII, VIII, or IX retroreflective sheeting on flagger paddles. Do not use flags. Flaggers must wear high visibility safety apparel as required by MUTCD 6E.02.

156.05 Temporary Closures. Road segments may be closed as shown in Table 156-1. The maximum consecutive days of closure shall be followed by a minimum number of consecutive days open to traffic as shown. Maintain traffic control devices during closure period(s). Appropriate barricades and signs will be erected and maintained as shown in the traffic control plan or as otherwise designated.

Prior to closing roads during construction, give written notice to the Contracting Officer at least 10 days in advance.

**Table 156-1
Temporary Road Closures**

Road Number	From Terminus	To Terminus	Maximum Consecutive Days of Closure	Minimum Consecutive Days Open
51	12.62	8.77	4	3

156.06 Acceptance. Public traffic work will be evaluated under Subsection 106.02.

Measurement and Payment

156.07 Do not measure Public Traffic for payment. Compensation is made as an indirect payment.

157 - Soil Erosion Control

157.03_nat_us_02_24_2005

157.03 General

Delete the entire subsection and replace with the following:

Prior to the start of construction, submit a written plan that provides permanent and temporary erosion control measures to minimize erosion and sedimentation during and after construction. Do not begin work until the necessary controls for that particular phase of work have been implemented. Do not modify the type, size, or location of any control. An alternate erosion control plan with all necessary permits may be submitted 30 days before intended use.

Incorporate all permanent erosion control features into the project at the earliest practicable time, as outlined in the approved plan.

When erosion control measures are not functioning as intended, immediately take corrective action.

170 - Develop Water Supply and Watering

170.00_0618_us_03_26_2007

Description

170.01 This work consists of developing an acceptable water supply, furnishing, hauling, and applying water.

Materials

170.02 Conform to the following subsection.

Water 725.01.

Construction Requirements

170.03 Development of Supply & Access. Develop water supplies and access to the water supplies as required. Use designated water sources or other approved water sources. Before using non-designated water sources, obtain all necessary permissions, water rights, and permits.

170.04 Equipment.

(a) Water tanks. Provide mobile watering equipment with watertight tanks of known capacity. Provide for positive control of water application from the driver's position.

(b) Juvenile fish protection. All draft hoses being used to withdraw water from any live flowing stream or pond will utilize one of the following methods of screening.

(1) Perforated plate: Screen opening shall not exceed 3/32 or 0.0938-inches.

(2) Profile bar screen: The narrowest dimension in the screen openings shall not exceed 0.0689-inches in the narrowest direction.

(3) Woven wire screen: Screen openings shall not exceed 3/32 or 0.0938-inches in the narrow direction.

All methods shall be cleaned frequently with either wire brushing, flushing or other acceptable method.

170.05 Application. Apply water uniformly without ponding or washing.

170.06 Acceptance. Developing water supplies and watering will be evaluated under Subsections 106.02 and 106.04.

Measurement and Payment

170.07 See Subsection 109.05.

Do not measure develop water supply and watering for payment.

201 - Clearing and Grubbing

201.01_nat_us_02_18_2005

201.01 Description

Replace with the following

This work consists of clearing and grubbing within clearing limits and other designated areas.

201.04_nat_us_02_22_2005

201.04 Clearing. (c)

Delete paragraph (c) and replace with the following:

(c) In areas outside the excavation, embankment, and slope rounding limits, cut stumps to within 12 inches or one-third of the stump diameter of the ground, whichever is higher, measured on the side adjacent to the highest ground. For timber sales, stump heights will meet the requirements of the Timber Sale contract.

201.04 Clearing.

Delete subsection (d) and replace with the following:

(d) Do not cut vegetation less than 3 feet tall and less than 3 inches in diameter, that is within the clearing limits but beyond the roadway and not in a decking area, and that does not interfere with sight distance along the road.

Add the following:

(e) Trim branches of remaining trees or shrubs to give a clear height of 14 feet above the roadbed unless otherwise indicated. Trim tree limbs as near flush with the trunk as practicable.

(f) Remove brush from log decks. Deck logs so that logs are piled parallel to one another; can be removed by standard log loading equipment; will not damage standing trees; will not interfere with drainage, and will not roll. Keep logs in log decks free of brush and soil.

201.06 Disposal.

Delete the first sentence of this subsection and substitute the following:

Dispose of merchantable timber designated for removal according to the provisions of the timber sale contract.

203 - Removal of Structures and Obstructions

203.01_nat_us_02_25_2005

203.01 Description.

Delete and replace with the following:

This work consists of disposing of construction slash and debris, salvaging, removing, and disposing of buildings, fences, structures, pavements, culverts, utilities, curbs, sidewalks, and other obstructions.

203.04_nat_us_02_18_2005

203.04 Removing Material.

Replace the fourth and fifth paragraphs with the following:

Where part of an existing culvert is removed, remove the entire culvert upstream from the removal. The remaining downstream culvert may be left in place if no portion of the culvert is within 12 inches of the subgrade, embankment slope, or new culvert or structure; and the culvert ends are sealed with concrete.

Remove structures and obstructions in the roadbed to 12 inches below subgrade elevation. Remove structures and obstructions outside the roadbed to 12 inches below finished ground or to the natural stream bottom.

203.05_nat_us_02_18_2005

203.05 Disposing of Material.

Add the following:

(e) Windrowing Construction Slash. Place construction slash outside the roadway in neat, compacted windrows approximately parallel to and along the toeline of embankment slopes. Do not permit the top of the windrows to extend above subgrade. Use construction equipment to matt down all material in a windrow to form a compact and uniform pile. Construct breaks of at least 15 feet at least every 200 feet in a windrow. Do not place windrows against trees. Obtain approval for pioneer roads. A pioneer road may be constructed to provide an area for placement of windrows, provided the excavated material is kept within the clearing limits and does not adversely affect the road construction.

(f) Scattering. Scatter construction slash outside the clearing limits without damaging trees. Limb all logs. Place logs and stumps away from trees, positioned so they will not roll, and are not on top of one another. Limb and scatter other construction slash to reduce slash concentrations.

(g) Chipping or Grinding. Use an approved chipping machine to grind slash and stumps greater than 3 inches in diameter and longer than 3 feet. Deposit chips or ground woody material on embankment slopes or outside the roadway to a loose depth less than 6 inches. Minor amounts of

chips or ground woody material may be permitted within the roadway if they are thoroughly mixed with soil and do not form a layer.

(h) Debris Mat. Use tree limbs, tops, cull logs, split stumps, wood chunks, and other debris to form a mat upon which construction equipment is operated. Place stumps upside down and blend stumps into the mat.

(i) Decking Firewood Material. Remove brush from decks. Limb and deck logs that do not meet Utilization Standards according to Subsection 201.04 as directed by the CO. Cut logs to lengths less than 30 feet. Ensure that logs stacks are stable and free of brush and soil.

(j) Removal to designated locations. Remove construction slash to designated locations.

(k) Piling. Pile construction slash in designated areas. Place and construct piles so that if the piles are burned, the burning will not damage remaining trees. Keep piles free of dirt from stumps. Cut unmerchantable logs into lengths of less than 20 feet.

(l) Placing Slash on Embankment Slopes. Place construction slash on completed embankment slopes to reduce soil erosion. Place construction slash as flat as practicable on the completed slope. Do not place slash closer than 2 feet below subgrade. Priority for use of available slash is for: (1) through fills; (2) insides of curves; and (3) ditch relief outlets.

(m) Hydrological Sensitive Placement. Where required use this method in combination with other designated methods to dispose of material to reduce erosion and to aid in re-vegetation:

1. Place windrow segments on contours, wrap in type I geotextile.
2. Place logs as log erosion barriers on contours. Place logs so that 80% of their length is on the ground surface.
3. Scatter slash on bare or disturbed areas within or outside the clearing limits as directed.
4. Scatter chips or ground woody material on bare or disturbed areas within or outside the clearing limits as directed.

Place stumps in swales or on sites to form planting pockets. Place windrow segments on contours, wrap in type I geotextile.

203.08_nat_us_02_24_2005

203.08 Payment

Add the following:

Disposal of construction slash will be compensated under the designated pay item in Section 201.

204 - Excavation and Embankment

204.00_nat_us_03_26_2009

Replace Section 204 in its entirety with the following:

Description

204.01 This work consists of excavating material and constructing embankments. This includes furnishing, hauling, stockpiling, placing, disposing, sloping, shaping, compacting, and finishing earthen and rocky material.

204.02 Definitions.

(a) Excavation. Excavation consists of the following:

(1) Roadway excavation. All material excavated from within the right-of-way or easement areas, except subexcavation covered in (2) below and structure excavation covered in Sections 208 and 209. Roadway excavation includes all material encountered regardless of its nature or characteristics.

(2) Subexcavation. Material excavated from below subgrade elevation in cut sections or from below the original groundline in embankment sections. Subexcavation does not include the work required by Subsections 204.05, 204.06(b), and 204.06(c).

(3) Borrow excavation. Material used for embankment construction that is obtained from outside the roadway prism. Borrow excavation includes unclassified borrow, select borrow, and select topping.

(b) Embankment construction. Embankment construction consists of placing and compacting roadway or borrow excavation. This work includes:

- (1)** Preparing foundation for embankment;
- (2)** Constructing roadway embankments;
- (3)** Benching for side-hill embankments;
- (4)** Constructing dikes, ramps, mounds, and berms; and
- (5)** Backfilling subexcavated areas, holes, pits, and other depressions.

(c) Conserved topsoil. Excavated material conserved from the roadway excavation and embankment foundation areas that is suitable for growth of grass, cover crops, or native vegetation.

(d) Waste. Excess and unsuitable roadway excavation and subexcavation that cannot be used.

Material

204.03 Conform to the following Subsections:

Backfill material	704.03
Select borrow	704.07
Select topping	704.08
Topping	704.05
Unclassified borrow	704.06
Water	725.01

Construction Requirements

204.04 Preparation for Roadway Excavation and Embankment Construction. Clear the area of vegetation and obstructions according to Sections 201 and 203.

204.05 Reserved.

204.06 Roadway Excavation. Excavate as follows:

(a) General. Do not disturb material and vegetation outside the construction limits. Incorporate only suitable material into embankments. Replace any shortage of suitable material caused by premature disposal of roadway excavation. Dispose of unsuitable or excess excavation material according to Subsection 204.14.

At the end of each day's operations, shape to drain and compact the work area to a uniform cross-section. Eliminate all ruts and low spots that could hold water.

Retrieve material deposited outside of the clearing limits as directed by the CO. Place unsuitable material in designated areas.

(b) Rock cuts. Blast rock according to Section 205. Excavate rock cuts to 6 inches below subgrade within the roadbed limits. Backfill to subgrade with topping or with other suitable material. Compact the material according to Subsection 204.11

(c) Earth cuts. Scarify earth cuts to 6 inches below subgrade within the roadbed limits. Compact the scarified material according to Subsection 204.11.

(d) Pioneer Roads. Road pioneering, slash disposal, and grubbing of stumps may proceed concurrently with excavation. Conduct excavation and placement operations so material to be treated under Section 201 will not be incorporated into the roadway unless specified in the slash treatment method. Maintain drainage during pioneering operations.

Remove snow and ice in advance of the work and deposit beyond the roadway limits in a manner that will not waste material or generate sediment. Do not incorporate snow and ice into embankments. Place snow or ice in a manner to prevent resource damage.

204.07 Subexcavation. Excavate material to the limits designated by the CO. Take cross-sections according to Section 152. Prevent unsuitable material from becoming mixed with the backfill. Dispose of unsuitable material according to Subsection 204.14. Backfill the subexcavation with topping, or other suitable material. Compact the material according to Subsection 204.11.

204.08 Borrow Excavation. Use all suitable roadway excavation in embankment construction. Do not use borrow excavation when it results in excess roadway excavation. Deduct excess borrow excavation from the appropriate borrow excavation quantity.

Obtain borrow source acceptance according to Subsection 105.02. Develop and restore borrow sources according to Subsection 105.03. Do not excavate beyond the established limits. When applicable, shape the borrow source to permit accurate measurements when excavation is complete.

204.09 Preparing Foundation for Embankment Construction. Prepare foundation for embankment construction as follows:

(a) **Embankment less than 4 feet high over natural ground.** When designated, remove topsoil and break up the ground surface to a minimum depth of 6 inches by plowing or scarifying. Compact the ground surface according to Subsection 204.11.

(b) **Embankments over an existing asphalt, concrete, or gravel road surface.** Scarify gravel roads to a minimum depth of 6 inches. Scarify or pulverize asphalt and concrete roads to 6 inches below the pavement. Reduce all particles to a maximum size of 6 inches and produce a uniform material. Compact the surface according to Subsection 204.11.

(c) **Embankment across ground not capable of supporting equipment.** Dump successive loads of embankment material in a uniformly distributed layer to construct the lower portion of the embankment. Limit the layer thickness to the minimum depth necessary to support the equipment.

(d) **Embankment on an existing slope steeper than 1V:3H.** Cut horizontal benches in the existing slope to a sufficient width to accommodate placement and compaction operations and equipment. Bench the slope as the embankment is placed and compacted in layers. Begin each bench at the intersection of the original ground and the vertical cut of the previous bench.

204.10 Embankment Construction. Incorporate only suitable roadway excavation material into the embankment. When the supply of suitable roadway excavation is exhausted, furnish unclassified borrow to complete the embankment. Obtain written approval before beginning construction of embankments over 6 feet high at subgrade centerline. Construct embankments as follows:

(a) **General.** At the end of each day's operations, shape to drain and compact the embankment surface to a uniform cross-section. Eliminate all ruts and low spots that could hold water.

During all stages of construction, route and distribute hauling and leveling equipment over the width and length of each layer of material.

Compact embankment side slopes flatter than 1V:1.75H with a tamping type roller or by walking with a dozer. For slopes 1V:1.75H or steeper, compact the slopes as construction of the embankment progresses.

Where placing embankment on one side of abutments, wing walls, piers, or culvert headwalls, compact the material using methods that prevent excessive pressure against the structure.

Where placing embankment material on both sides of a concrete wall or box structure, conduct operations so compacted embankment material is at the same elevation on both sides of the structure.

Where structural pilings are placed in embankment locations, limit the maximum particle size to 4 inches.

(b) Embankment within the roadway prism. Place embankment material in horizontal layers not exceeding 12 inches in compacted thickness. Incorporate oversize boulders or rock fragments into the 12-inch layers by reducing them in size or placing them individually as required by (c) below. Compact each layer according to Subsection 204.11 before placing the next layer.

Material composed predominately of boulders or rock fragments too large for 12-inch layers may be placed in layers up to 24 inches thick. Incorporate oversize boulders or rock fragments into the 24-inch layer by reducing them in size or placing them individually according to (c) below. Place sufficient earth and smaller rocks to fill the voids. Compact each layer according to Subsection 204.11 before placing the next layer.

(c) Individual rock fragments and boulders. Place individual rock fragments and boulders greater than 24 inches in diameter as follows:

- (1) Reduce rock to less than 48 inches in the largest dimension.
- (2) Distribute rock within the embankment to prevent nesting.
- (3) Place layers of embankment material around each rock to a depth not greater than that permitted by (b) above. Fill all the voids between rocks.
- (4) Compact each layer according to Subsection 204.11 before placing the next layer.

(d) Embankment outside of roadway prism. Where placing embankment outside the staked roadway prism, place material in horizontal layers not exceeding 24 inches in compacted thickness. Compact each layer according to Subsection 204.11.

204.11 Compaction. Compact the embankment using one of the following methods as specified:

(a) Compaction A. Use AASHTO T 27 to determine the amount of material retained on a Number 4 sieve. If there is more than 80 percent retained on the No. 4 sieve use procedure (1).

If there is 50 to 80 percent retained on the No. 4 sieve use procedure (2). If there is less than 50 percent retained on the No. 4 sieve use procedure (3).

(1) Adjust the moisture content to a level suitable for compaction. Fill the interstices around rock with earth or other fine material as practical. Use compression-type rollers at speeds less than 6 feet per second and vibratory rollers at speeds less than 3 feet per second. Compact each layer of material full width with one of the following and until there is no visible evidence of further consolidation.

(a) Four roller passes of a vibratory roller having a minimum dynamic force of 40,000 pounds impact per vibration and a minimum frequency of 1000 vibrations per minute.

(b) Eight roller passes of a 20-ton compression-type roller.

(c) Eight roller passes of a vibratory roller having a minimum dynamic force of 30,000 pounds impact per vibration and a minimum frequency of 1000 vibrations per minute.

Increase the compactive effort for layers deeper than 12 inches as follows:

- For each additional 6 inches or fraction thereof, increase the number of roller passes in (a) above by four passes.
- For each additional 6 inches or fraction thereof, increase the number of roller passes in (b) and (c) above, by eight passes.

(2) Use AASHTO T 99 to determine the optimum moisture content of the portion of the material passing a No. 4 sieve. Multiply this number by the percentage of material passing a No. 4 sieve, and add 2 percent to determine the optimum moisture content of the material. Adjust the moisture content of material classified A-1 through A-5 to a moisture content suitable for compaction. Adjust the moisture content of material classified A-6 and A-7 to within 2 percent of the optimum moisture content.

Use compression-type rollers at speeds less than 6 feet per second and vibratory rollers at speeds less than 3 feet per second. Compact each layer of material full width according to (1) above.

(3) Classify the material according to AASHTO M 145. For material classified A-1 or A-2-4, determine the maximum density according to AASHTO T 180, method D. For other material classifications, determine the optimum moisture content and maximum density according to AASHTO T 99, method C.

Adjust the moisture content of material classified A-1 through A-5 to a moisture content suitable for compaction. Adjust the moisture content of material classified A-6 and A-7 to within 2 percent of the optimum moisture content.

Use compression-type or vibratory rollers. Compact each layer of material full width to at least 95 percent of the maximum density. Determine the in-place density and moisture content according to AASHTO T 310 or other approved test procedures. When required, use AASHTO T 224 to correct for coarse particles.

(b) **Compaction B.** Place material by end dumping to the minimum depth needed for operation of spreading equipment. Adjust the moisture content of the material to obtain a mass that will not visibly deflect under the load of the hauling and spreading equipment. Operate compaction equipment over the full width of each layer until there is no visible evidence of further consolidation or, if when a sheepsfoot roller is used, the roller “walks out” of the layer. Make at least three complete passes.

(c) **Compaction C.** Place material by end dumping to the minimum depth needed for operation of spreading equipment. Level and smooth each embankment layer before placing the next layers. Operate hauling and spreading equipment uniformly over the full width of each layer. Construct a solid embankment with adequate compaction by working smaller rock and fines in with the larger rocks to fill the voids, and by operating hauling and spreading equipment uniformly over the full width of each layer as the embankment is constructed.

204.12 Ditches. Slope, grade, and shape ditches. Remove all projecting roots, stumps, rock, or similar matter. Maintain all ditches in an open condition and free from leaves, sticks, and other debris.

Form furrow ditches by plowing or using other acceptable methods to produce a continuous furrow. Place all excavated material on the downhill side so the bottom of the ditch is approximately 18 inches below the crest of the loose material. Clean the ditch using a hand shovel, ditcher, or other suitable method. Shape to provide drainage without overflow.

204.13 Sloping, Shaping, and Finishing. Complete slopes, ditches, culverts, riprap, and other underground minor structures before placing aggregate courses. Slope, shape, and finish as follows:

(a) **Sloping.** Leave all earth slopes with uniform roughened surfaces, except as described in (b) below, with no noticeable break as viewed from the road. Except in solid rock, round tops and bottoms of all slopes including the slopes of drainage ditches. Round material overlaying solid rock to the extent practical. Scale all rock slopes. Slope rounding is not required on tolerance class D though M roads.

If a slide or slipout occurs on a cut or embankment slope, remove or replace the material, and repair or restore all damage to the work. Bench or key the slope to stabilize the slide. Reshape the cut or embankment slope to an acceptable condition.

(b) **Stepped slopes.** Where required by the contract, construct steps on slopes of 1½V:1H to 1V:2H. Construct the steps approximately 18 inches high. Blend the steps into natural ground at the end of the cut. If the slope contains nonrippable rock outcrops, blend steps into the rock. Remove loose material found in transitional area. Except for removing large rocks that may fall, scaling stepped slopes is not required.

(c) **Shaping.** Shape the subgrade to a smooth surface and to the cross-section required. Shape slopes to gradually transition into slope adjustments without noticeable breaks. At the ends of

cuts and at intersections of cuts and embankments, adjust slopes in the horizontal and vertical planes to blend into each other or into the natural ground.

(d) Finishing. Finish the roadbed to be smooth and uniform, and shaped to conform to the typical sections. Remove unsuitable material from the roadbed and replace it with suitable material. Finish roadbeds to the tolerance class shown in table 204-2. Ensure that the subgrade is visibly moist during shaping and dressing. Scarify to 6 inches below the bottom of low sections, holes, cracks, or depressions and bring back to grade with suitable material. Maintain proper ditch drainage.

For surfaced roads, remove all material larger than 6 inches from the top 6 inches of the roadbed.

For unsurfaced roads, use one of the following methods to finish the roadbed:

(1) Method A. Remove all material larger than 6 inches from the top 6 inches of the roadbed and replace with suitable material.

(2) Method B. Use a vibratory grid roller or approved equal with a minimum weight of 10 tons. Roll at least 5 full-width passes or until there is no visible evidence of further consolidation.

(3) Method C. For roads designated as Construction Tolerance Class K, L, or M, finish the roadbed by spreading the excavation. Eliminate rock berms.

204.14 Disposal of Unsuitable or Excess Material. Dispose of unsuitable or excess material at designated sites or legally off of the project.

When there is a pay item for waste, shape and compact the waste material in its final location. Do not mix clearing or other material not subject to payment with the waste material.

204.15 Acceptance. See Table 204-1 for sampling and testing requirements.

Material for embankment and conserved topsoil will be evaluated under Subsections 106.02 and 106.04.

Excavation and embankment construction will be evaluated under Subsections 106.02 and 106.04.

Clearing and removal of obstructions will be evaluated under Sections 201 and 203.

Measurement

204.16 Measure the Section 204 items listed in the bid schedule according to Subsection 109.02 and the following as applicable.

(a) Roadway excavation. Measure roadway excavation in its original position as follows:

(1) Include the following volumes in roadway excavation:

- (a) Roadway prism excavation;
- (b) Rock material excavated and removed from below subgrade in cut sections;
- (c) Unsuitable material below subgrade and unsuitable material beneath embankment areas when a pay item for subexcavation is not shown in the bid schedule;
- (d) Ditches, except furrow ditches measured under a separate bid item;
- (e) Topsoil;
- (f) Borrow material used in the work when a pay item for borrow is not shown in the bid schedule;
- (g) Loose scattered rocks removed and placed as required within the roadway;
- (h) Conserved material taken from stockpiles and used in Section 204 work; and
- (i) Slide and slipout material not attributable to the Contractor's method of operation.

(2) Do not include the following in roadway excavation:

- (a) Overburden and other spoil material from borrow sources;
- (b) Overbreakage from the backslope in rock excavation;
- (c) Water or other liquid material;
- (d) Material used for purposes other than required;
- (e) Roadbed material scarified in place and not removed;
- (f) Material excavated when stepping cut slopes;
- (g) Material excavated when rounding cut slopes;
- (h) Preparing foundations for embankment construction;
- (i) Material excavated when benching for embankments;
- (j) Slide or slipout material attributable to the Contractor's method of operation;
- (k) Conserved material taken from stockpiles constructed at the option of the Contractor; and
- (l) Material excavated outside the established slope limits.

(3) When both roadway excavation and embankment construction pay items are shown in the bid schedule, measure the following as roadway excavation only:

- (a) Unsuitable material below subgrade in cuts and unsuitable material beneath embankment areas when a pay item for subexcavation is not shown in the bid schedule;
- (b) Slide and slipout material not attributable to the Contractor's method of operations; and
- (c) Drainage ditches, channel changes, and diversion ditches.

(b) Unclassified borrow, select borrow, and select topping. When measuring by the cubic yard measure in its original position. If borrow excavation is measured by the cubic yard in place, take initial cross-sections of the ground surface after stripping overburden. Upon completion of excavation and after the borrow source waste material is returned to the source, retake cross-sections before replacing the overburden.

Do not measure borrow excavation used in place of excess roadway excavation.

(c) Embankment construction. Measure embankment construction in its final position. Do not make deductions from the embankment construction quantity for the volume of minor structures.

(1) Include the following volumes in embankment construction:

- (a) Roadway embankments;*
- (b) Material used to backfill subexcavated areas, holes, pits, and other depressions;*
- (c) Material used to restore obliterated roadbeds to original contours; and*
- (d) Material used for dikes, ramps, mounds, and berms.*

(2) Do not include the following in embankment construction:

- (a) Preparing foundations for embankment construction;*
- (b) Adjustments for subsidence or settlement of the embankment or of the foundation on which the embankment is placed; and*
- (c) Material used to round fill slopes.*

(d) Rounding cut slopes. Measure rounding cut slopes horizontally along the centerline of the roadway if a pay item for slope rounding is included in the bid schedule. If a pay item for slope rounding is not included in the bid schedule slope rounding will be considered subsidiary to excavation.

(e) Waste. Measure waste by the cubic yard in its final position. Take initial cross-sections of the ground surface after stripping over burden. Upon completion of the waste placement, retake cross-sections before replacing overburden.

(f) Slope scaling. Measure slope scaling by the cubic yard in the hauling vehicle.

Payment

204.17 The accepted quantities will be paid at the contract price per unit of measurement for the Section 204 pay items listed in the bid schedule. Payment will be full compensation for the work prescribed in this Section. See Subsection 109.05.

Table 204-1
Sampling and Testing Requirements

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Test Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time
Topping (704 05) & unclassified borrow (704 06)	Measured and tested for conformance (106 04)	Classification	—	AASHTO M 145	1 per soil type	Processed material before incorporating in work	Yes, when requested	Before using in work
		Moisture-density	—	AASHTO T 180, method D ⁽¹⁾ or T 99, method C ⁽¹⁾	1 per soil type but not less than 1 per	"	"	"
		Compaction	—	AASHTO T 310 or other approved procedures	1 per 6000 yd ² but not less than 1 per layer	In-place	—	Before placing next layer
Select borrow (704 07 & Select topping (704 08)	Measured and tested for conformance (106 04)	Classification	—	AASHTO M 145	1 per soil type but not less than 1 for each day of production	Processed material before incorporating	Yes, when requested	Before using in work
		Gradation	—	AASHTO T 27	"	"	"	"
		Liquid limit	—	AASHTO T 89	"	"	"	"
		Moisture-density	—	AASHTO T 180, method D ⁽¹⁾ or T 99, method C ⁽¹⁾	1 per soil type but not less than 1 per	"	"	"
		Compaction	—	AASHTO T 310 or other approved procedures	1 per 6000 yd ² but not less than 1 per layer	In-place	—	Before placing next layer

(1) Minimum of 5 points per proctor

Table 204-1 (continued)
Sampling and Testing Requirements

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Test Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time
Earth embankment (204.11, Compaction A)	Measured and tested for conformance (106.04)	Classification	—	AASHTO M 145	1 per soil type	Source of Material	Yes, when requested	Before using in work
		Moisture-density	—	AASHTO T 180, method D ⁽¹⁾ or T 99, method C ⁽¹⁾	1 per soil type but not less than 1 per 13,000 yd ³	"	"	"
		Compaction	—	AASHTO T 310 or other approved procedures	1 per 3500 yd ² but not less than 1 per layer	In-place	—	Before placing next layer
Top of subgrade (204.11, Compaction A)	Measured and tested for conformance (106.04)	Compaction	—	AASHTO T 310 or other approved procedures	1 per 2500 yd ²	In-place	—	Before placing next layer

(1) Minimum of 5 points per proctor.

Table 204-2
Construction Tolerances

	Tolerance Class ^(a)												
	A	B	C	D	E	F	G	H	I	J	K	L	M
Roadbed width (ft)	+0.5	+0.5	+1.0	+1.0	+1.0	+1.0	+1.5	+1.0	+2.0	+2.0	+2.0	+2.0	+2.0
Subgrade elevation (ft)	±0.1	±0.2	±0.2	±0.5	±0.5	±1.0	±1.0	±1.5	±2.0	±3.0	±2.0	±3.0	(c)
Centerline alignment (ft)	±0.2	±0.2	±0.5	±0.5	±1.0	±1.0	±1.5	±1.5	±2.0	±3.0	±3.0	±5.0	(c)
Slopes, excavation, and embankment (% slope) ^(b)	±3	±5	±5	±5	±5	±5	±10	±10	±10	±10	±20	±20	±20

(a) Maximum allowable deviation from construction stakes and drawings.

(b) Maximum allowable deviation from staked slope measured from slope stakes or hinge points.

(c) Unless otherwise shown the centerline alignment and subgrade elevation, as built, have no horizontal curves with a radius of less than 80 feet, and no vertical curves with a curve length of less than 80 feet when the algebraic difference in the grade change is less than 10 percent, or a curve length of less than 100 feet when the algebraic difference of the grade change is greater than or equal to 10 percent. The centerline grade is not to exceed 20 percent in 100 feet of length.

209 - Structure Excavation and Backfill

209.00_nat_us_03_24_2008

Section 209A. — STRUCTURE EXCAVATION AND BACKFILL FOR SELECTED MINOR STRUCTURES

Description

209A.01 This work consists of excavating, preparing foundations, backfilling, and subsequent removal of safety features for the construction of selected structures with or without a geogrid reinforcing mesh and welded wire facing.

Material

209A.02 Conform to the following Subsections:

Crushed Aggregate	703.06
Backfill Material	704.03
Structural backfill	704.04
Geotextile type I-D	714.01
Geogrids, Category 1, 2, 3, 4, 5 or 6	714.03
Welded wire form	720.01(b)

Construction Requirements

209A.03 Preparation for Structure Excavation. Clear the area of vegetation and obstructions according to Sections 201 and 203.

209A.04 General. Excavate trenches or foundation pits to a width and length that allows room for work. When excavation is complete obtain written approval of the foundation. Ensure the foundation is firm with uniform density throughout its length and width. Foundation grade is the elevation at the bottom of any bedding for installing the structure.

Where necessary to blast rock, blast according to Section 205.

Follow OSHA safety regulations (29 CFR, Part 1926, Subpart P, Excavation) for sloping the sides of excavations, using shoring and bracing, and for using other safety features. When sides of excavations are sloped for safety considerations, provide one copy of the design that demonstrates conformity with OSHA regulations. Where support systems, shield systems, or other protective systems are to be used, design the shoring according to Section 562 and submit working drawings and construction details according to Subsection 104.03.

Remove safety features when no longer necessary. Remove shoring and bracing to at least 2 feet below the surface of the finished ground.

Saw cut or mill existing pavements or concrete structures adjacent to the area to be excavated that are designated to remain.

Do not deposit excavated material in or near a waterway. Do not stockpile excavated material or allow equipment closer than 2 feet from the edge of the excavation.

Dispose of unsuitable or excess material at designated sites or legally off the project. If approved, suitable excavated material may be used as backfill material or structural backfill.

Remove all water as necessary to perform work.

Survey minor structures according to Subsection 152.03 (e) and (i), and verify the limits of the structure. Survey and establish controls within ± 0.16 feet. Grade the foundation for a width equal to the length of the bottom geogrid layer.

209A.05 Foundation Preparation. Excavate any unsuitable material below foundation grade, and replace it with backfill material. Place backfill material in horizontal layers that, when compacted, do not exceed 6 inches in depth. Compact each layer according to Subsection 210.07.

Compact the foundation prior to placing backfill in Subsection 210.06

209A.06 Backfill. Place leveling course with crushed aggregate on the foundation grade when required. Backfill with structural backfill material. Place backfill in horizontal layers that do not exceed 6 inches in compacted thickness. Compact each layer according to Subsection 210.07.

Bring structural backfill up evenly on all sides of the structure as appropriate. Extend each layer to the limits of the excavation or to natural ground.

Ensure when placing the geotextile or geogrid layers that there are no voids below the layer. When placing geotextiles overlap the geotextile a minimum of one foot. When placing geogrid no overlap is required but ensure no gap between adjoining sheets is larger than one-inch. Do not operate equipment directly on top of or damage the welded wire form facing, geotextile, or geogrid elements. Place the geotextile and geogrid smooth and free of wrinkles or folds. Correct all damaged, misaligned, or distorted structure elements. Repair all damage to galvanized coating before installation.

Do not deviate from the design batter of the welded wire form by more than 1 inch per 10 feet of structure height.

209A.07 Compacting. Determine optimum moisture content and maximum density according to AASHTO T 99, method C. Adjust the moisture content of the backfill material to a moisture content suitable for compaction.

Compact material placed in all layers to at least 95 percent of the maximum density. Determine the in-place density and moisture content according to AASHTO T 310 or other approved test procedures.

Do not apply density requirements as measured by AASHTO T 310 to material that is incapable of being tested or compacted to maximum values determined by AASHTO T 99. For these materials, fill the voids around the rock in each layer with earth or other fine material. Compact each layer, full width, until there is no visible evidence of further consolidation, with a vibratory steel wheeled roller with a mass of at least 8 tons.

In places not accessible to the rollers compact with alternative equipment to obtain the required compaction requirements.

209A.08 Acceptance. See Table 210-1 for sampling and testing requirements.

Clearing and removal of obstructions will be evaluated under Sections 201 and 203.

Survey work will be evaluated under Subsection 106.02 and 106.04.

Material for the backfill material and structural backfill will be evaluated under Subsections 106.02 and 106.04.

Structure excavation and backfill work will be evaluated under Subsections 106.02 and 106.04.

Shoring and bracing will be evaluated under Subsections 106.02 and 106.04.

Welded wire forms, geotextiles, and geogrids will be evaluated under Subsection 106.02 and 106.03.

Placement of welded wire forms, geotextiles, and geogrids will be evaluated under Subsection 106.02 and 106.04.

Measurement

209A.09 Measure the Section 210 items listed in the bid schedule according to Subsection 109.02 and the following.

Measure structural excavation by the cubic yard in its original position according to Subsections 204.16 (a) (1) and (2). Do not include the following volumes in structure excavation:

- (a) Any material included within the staked limits of the excavation, such as contiguous channel changes and ditches, for which measurement is covered under other sections; or
- (b) Material rehandled, except when the contract specifically requires excavation after embankment placement.

Measure backfill material and structural backfill by the cubic yard in place for the volume placed according to Subsection 204.16 (c).

Measure geotextile by the horizontal and vertical dimensions.

Payment

209A.10 The accepted quantities measured as provided in Subsection 109.02 and above, will be paid at the contract price per unit of measurement for the Section 210 pay items listed in the bid schedule. Payment will be full compensation for the work prescribed in this Section. See Subsection 109.05.

Payment for structure excavation, shoring, and bracing will be full compensation for excavation to a depth of 6 feet below the lowest elevation shown on the plans for each minor structure. When the excavation exceeds 6 feet, either the Contractor or the CO may request an equitable price adjustment for the depth in excess of 6 feet.

209.10 Backfill.

(a) General.

Add the following:

Replace any pipe that is distorted by more than 5 percent of nominal dimensions, or that is ruptured or broken.

Do not place or backfill pipe that meets any of the following conditions until the excavation and foundation have been approved in writing by the CO:

- Embankment height greater than 6 feet at subgrade centerline.
- Installation in a protected streamcourse.
- Round pipe with a diameter of 48 inches or greater.
- Pipe arches with a span of 50 inches or greater.
- Any box culvert of structure other than pipe culverts.

(b) Pipe culverts.

(1) Pipe culverts with compacted backfill.

Add the following:

Excavate an area on each side of the pipe as needed to effectively achieve compaction requirements. Backfill without damaging or displacing the pipe. Complete backfilling of the trench with suitable material.

209.11 Compacting.

Delete the subsection and add the following:

Compact backfill using designated compaction method A, B, or C:

Method A. Ensure that backfill density exceeds the density of the surrounding embankment.

Method B. Adjust the moisture content of the backfill material to a moisture content suitable for compaction. Compact each layer using appropriate compaction equipment until visual displacement ceases. For compaction under sections 252, 254, 255, 257, 258 and 262 compact with a vibratory steel wheeled roller with a mass of at least 8 tons.

Method C. Determine optimum moisture content and maximum density according to AASHTO T 99 method C. Adjust the moisture content of the backfill material to a moisture content suitable for compaction. Compact material placed in all layers to at least 95 percent of the maximum density. Determine the in place density and moisture content according to AASHTO T 310 or other approved test procedures.

Table 209-1 Sampling and Testing Requirements

Add the following:

(2) Compaction methods (A) and (B) do not require AASHTO T-99 or T-310 test methods for foundation fill.

209.13_0618_us_05_09_2012

209.13 Measurement and Payment

Delete subsection 209.13 and substitute the following:

Measurement and Payment

209.13 The accepted quantities measured as provided in Subsection 109.02 and above, will be paid at the contract price per unit of measurement for the Section 209 pay items listed in the bid schedule. Payment will be full compensation for the work prescribed in this Section. See Subsection 109.05.

Payment for structure excavation, shoring and bracing, and cofferdams will be full compensation for excavation to a depth of 6 feet below the lowest elevation shown on the plans for each foundation structure. When the excavation exceeds 6 feet, either the Contractor or the CO may request an equitable price adjustment for the depth in excess of 6 feet.

230 - Roadside Brushing

230.00_0618_us_03_26_2007

230 - ROADSIDE BRUSHING

Description

230.01 This work consists of removing limbs, residual slash, live roadside brush, and small trees between, or obtruding into the designated brushing limits. Brushing areas include turnouts.

Construction Requirements

230.02 Brushing. Cut all brush and small trees (6 inches diameter, or less, at the point of cut) inside the brushing limits and outside the roadbed no higher than 6 inches above ground level. If rocks or other obstructions are encountered, cut no higher than 6 inches above the obstruction. Limb live trees with a diameter larger than 4 inches to a height of 14 feet above the road surface.

Cut all brush and trees located on the roadbed. Grub and haul stumps to designated waste area or as designated by CO.

230.03 Windfalls. Limb windfalls lying within or across the brushing limits to a horizontal distance of 10 feet from each shoulder or at the brushing limit, whichever is least. Dispose of windfall material as slash.

230.04 Road Junctions. Do not deposit brushing debris on the roadway of adjoining roads.

230.05 Slash Treatment. Scatter all slash outside the brushing limits without damaging residual trees. Slash is defined as any material cut that has a length greater than 36 inches with a diameter greater than 3 inches at any point. Do not deposit any material in streams, streambeds, culvert inlets or outlets, drainage ways, or cattleguards.

Measurement

230.06 Linear measurements will be horizontal along the road centerline regardless of the amount of work required. Measure the Section 230 items listed in the bid schedule according to Subsection 109.02.

Payment

230.07 The accepted quantities will be paid for at the contract unit price for the Section 230 pay items listed in the bid schedule. Payment will be full compensation for the work prescribed in this Section. See Subsection 109.05.

Quantities will be the number of miles and fractions thereof along the road centerline, regardless of the amount of work required.

303 - Road Reconditioning

303.01_nat_us_03_02_2005

303.01 Work.

Delete and add the following:

This work consists of reconditioning ditches, shoulders, roadbeds, cattleguards, asphalt surfaces, and aggregate surfaces.

303.07_nat_us_03_02_2005

303.07 Roadway Reconditioning.

Add the following:

Remove cattleguard decks. Clean the deck and the area beneath the cattleguard of soil and other material to the bottom of the original foundation over the entire width of the installation. Reinstall the cattleguard deck.

303.11_nat_us_03_29_2005

303.10 Measurement

Modify the second paragraph as follows:

Measure ditch reconditioning and shoulder reconditioning by the mile, station, or foot horizontally along the centerline of the roadway for each side of the roadway.

322 - Minor Aggregate Courses

322.00_nat_us_10_14_2011

Description

322.01 This work consists of constructing one or more courses of aggregate on a prepared surface. Work includes producing aggregate by grid rolling, screening, or crushing methods, or placing pit-run or Government-furnished aggregate.

Surface aggregate grading is designated as shown in Table 703-3.

Subbase and base aggregate grading is designated as shown in Table 703-2.

Screened aggregate grading is designated as shown in Table 703-16.

Material

322.02 Conform to the following Subsections:

Aggregate	703.05
Water	725.01

Construction Requirements

322.03 General. Prepare the surface on which the aggregate course is placed according to Section 204 or 303 as applicable.

Request approval of the roadbed in writing before placing aggregate.

Develop, haul, and apply water in accordance to Section 170.

Submit target values within the gradation ranges shown in Table 703-2 or 703-3 for the required grading. After reviewing the proposed target values the CO will determine the final values for the gradation and notify the Contractor in writing.

No quality requirements or gradation other than maximum size will be required for pit run and grid-rolled material. For grid rolling, use all suitable material that can be reduced to maximum size.

After processing on the road, remove all oversize material from the road and dispose of it as directed by the CO.

If the aggregate is produced and stockpiled before placement, handle and stockpiled according to Section 320. Establish stockpile sites at approved locations.

322.04 Mixing and Spreading. Mix the aggregate and adjust the moisture content to obtain a uniform mixture with a moisture content suitable for the specified compaction method. Spread and shape the mixture on the prepared surface in a uniform layer with no segregation of size, and to a loose depth that will provide the required compacted thickness.

Do not place in layers exceeding 6 inches in compacted thickness for aggregate base and surface courses or twice the maximum particle size for screened aggregate. When more than one layer is necessary, compact each layer according to Subsection 322.05 before placing the next layer. Route hauling and leveling equipment uniformly over the full width.

When placing aggregate over geotextile, place aggregate in a single lift to the full depth specified.

322.05 Compacting. Compact each layer full width. Roll from the sides to the center, parallel to the centerline of the road. Along curbs, headers, walls, and all places not accessible to the roller, compact the material with approved tampers or compactors.

Compact the aggregate using one of the following methods as specified:

Compaction A. Operating spreading and hauling equipment over the full width of the travelway.

Compaction B. Operate rollers and compact as specified in Subsection 204.11(a)(1).

Compaction C. Moisten or dry the aggregate to a uniform moisture content between 5 and 7 percent based on total dry weight of the mixture. Operate rollers and compact as specified in Subsection 204.11(a)(1).

Compaction D. Compact to a density of at least 95 percent of the maximum density, as determined by AASHTO T 99, method C or D.

Compaction E. Removed.

Compaction F. Compact to a density of at least 95 per-cent of the maximum density, as determined by AASHTO T 180, method C or D.

Compaction G. Removed.

For all compaction methods, blade the surface of each layer during the compaction operations to remove irregularities and produce a smooth, even surface. When a density requirement is specified, determine the in place density and moisture content according to AASHTO T 310 or other approved test procedures.

322.06 Construction Tolerance. If grade finishing stakes are required, finish the surface to within ± 0.10 feet from staked line and grade elevation.

If grade finishing stakes are not required, shape the surface to the required template and check the surface with a 10-foot straightedge. Defective areas are surface deviations in excess of $1/2$ inch in 10 feet between any two contacts of the straightedge with the surface.

Correct all defective areas by loosening the material, adding or removing material, reshaping, and compacting.

Ensure that the compacted thickness is not consistently above or below the specified thickness. The maximum variation from the compacted specified thickness is $1/2$ inch.

Ensure that the compacted width is not consistently above the specified width. The maximum variation from the specified width will not exceed +12 inches at any point.

322.07 Maintenance. Maintain the aggregate course to the correct line, grade, and cross-section by blading, watering, rolling, or any combination thereof until placement of the next course. Correct all defects according to Subsection 322.06.

322.08 Acceptance. See Table 322-1 or Table 322-2 as applicable, for sampling and testing requirements.

Aggregate gradation and surface course plasticity index will be evaluated under Subsection 106.04. If the aggregate is obtained from a Government stockpile then the above characteristics will be evaluated under Subsection 106.02. Other aggregate quality properties will be evaluated under Subsections 106.02 and 106.04. Placement of aggregate courses will be evaluated under Subsections 106.02 and 106.04.

The allowable upper and lower aggregate gradation limits are the Target Value plus or minus the allowable deviations shown in Tables 703-2 and 703-3.

The allowable upper and lower Plasticity index limits for surface courses are stated in 703.05(b).

Preparation of the surface on which the aggregate course is placed will be evaluated under Section 204 or 303 as applicable.

Measurement

322.09 Measure the Section 322 items listed in the bid schedule according to Subsection 109.02 and the following as applicable.

Measure square yard width horizontally to include the top of aggregate width including designed widening. Measure the square yard length horizontally along the centerline of the roadway.

If the measurement for aggregate is by cubic yard using contract quantities then measure aggregate by the cubic yard in-place once compacted, otherwise measurement for aggregate by the cubic yard is measured by the cubic yard in the hauling vehicle.

Measure thickness perpendicular to the grade of the travelway.

Measure width perpendicular to the centerline.

Payment

322.10 The accepted quantities will be paid at the contract price per unit of measurement for the Section 322 pay items listed in the bid schedule. Payment will be full compensation for the work prescribed in this Section. See Subsection 109.05.

**Table 322-1
Sampling and Testing Requirements**

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Test Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time
Aggregate source quality 703.05	Measured and tested for conformance (106.04 & 105)	LA abrasion (course)	—	AASHTO T 96	1 per type & source of material	Source of material	Yes, when requested	Before using in work
		Sodium sulfate soundness loss (course & fine)	—	AASHTO T 104	"	"	"	"
		Durability index (course & fine)	—	AASHTO T 210	"	"	"	"
		Fractured faces	—	ASTM D 5821	"	"	"	"
Subbase, Base, and Surface courses	Measured and tested for conformance (106.04)	Sample	—	AASHTO T 2	2 per day	From windrow or roadbed after processing or from approved crusher sampling device	Yes	48 hours

**Table 322-1 (continued)
Sampling and Testing Requirements**

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Test Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time
Subbase, Base, and Surface	Measured and tested for conformance (106.04)	Moisture-density Method D	—	AASHTO T 99 ⁽¹⁾	1 per type and source of material	Source of material	Yes, when requested	Before using in work
		Moisture-density Method F	—	AASHTO T 180 ⁽¹⁾	"	"	"	"
		In-place density & moisture content	—	AASHTO T 310 or other approved procedures	3 per day	In-place	"	Before placing next layer

**Table 322-2
Sampling and Testing Requirements**

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Test Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time
Screened Aggregate	Measured and tested for conformance (106.04)	Sample	—	AASHTO T 2	2 per day	From windrow or roadbed after processing or from approved crusher sampling device	Yes	48 hours

404 - Minor Hot Asphalt Concrete

404.02_nat_us_06_09_2006

404.02 Composition of Mix (Job-Mix Formula).

Delete the second paragraph and replace with the following:

Submit a job-mix formula and supporting documentation, test results, and calculations for the material to be incorporated into the work. Include copies of laboratory test results and mix design data that demonstrate that the properties of the aggregate, additives, and mixture meet the current requirements and criteria of Federal or state agencies. Ensure that the job-mix formula was performed no more than one year prior to placing the hot asphalt concrete. After reviewing the Contractor's proposed job-mix formula, the CO will determine the final values for the job-mix formula to be used and notify the Contractor in writing.

404.03_0618_us_06_09_2007

404.03 Surface Preparation.

Change the following:

"Subsection 410.05" to "Subsection 401.06"

Add the following:

Apply an asphalt prime coat to contact surfaces of aggregate base according to Section 411.

404.04_nat_us_03_02_2005

404.04 Weather Limitations.

Change 35° F to 45° F:

404.06_nat_us_03_02_2005

404.06 Placing.

Add the following:

Do not place asphalt until the CO has approved in writing the area where it will be placed.

Delete the last sentence and replace with the following:

Offset the longitudinal joint of one layer at least 6 inches from the joint in the layer immediately below. Make the longitudinal joint in the top layer along the centerline of two-lane roadways or

at the lane lines of roadways with more than two lanes. Offset transverse joints in succeeding layers and in adjacent lanes at least 10 feet, where possible.

404.07_nat_us_03_02_2005

404.07 Compacting (b).

Delete and replace with the following:

(b) Non-roadway paving. Compact by rolling with a hand-operated roller with a mass of least 1 ton. Perform initial compaction while the mixture is above 250 °F and continue until no roller tracks remain.

404.07_nat_us_03_02_2005

404.07 Compacting (a).

Delete and replace with the following:

(a) Roadway paving. Thoroughly and uniformly compact the surface a minimum of three passes with rollers that meet one of the following requirements:

(1) Steel-wheeled rollers, other than vibratory type, capable of exerting a force of not less than 1.5 ton/feet of width of the compression roll or rolls.

(2) Vibratory steel-wheel rollers with a minimum mass of 5 ton, equipped with amplitude and frequency controls, and designed to compact asphalt concrete.

(3) Pneumatic-tire rollers with smooth tread tires of equal size that provide a uniform compacting pressure for the full width of the roller and capable of exerting a ground pressure of at least 80 lbf/in².

Perform initial compaction while the mixture is above 250 °F. Perform finish rolling with steel-wheel rollers and continue until no roller tracks remain.

404.09 Acceptance.

Add the following to the second paragraph:

See Table 404-1 for sampling and testing requirements.

Table 404-1. Delete and replace with the following:

Table 404-1. Sampling and Testing Requirements.

Material or Product	Type of Acceptance (Subsection)	Characteristic	Category	Sampling Methods Specifications	Sampling Frequency	Point of Sampling	Split Sample	Reporting Time
Asphalt Mixture (404.09)	-	-	-	AASHTO T 168	Three minimum per project and at least one per 500 Cubic yards	Roadway prior to compaction	yes	As soon as sampled

602 - Culverts and Drains

602.03_nat_us_09_06_2005

602.03 General.

Add the following:

Ensure that the final installed alignment of all pipe allows no reverse grades, and does not permit horizontal and vertical alignments to vary from a straight line drawn from center of inlet to center of outlet by more than 2 percent of pipe center length or 1.0 feet, whichever is less.

602.06_nat_us_08_05_2009

602.06 Laying Plastic Pipe.

Delete the second paragraph and substitute the following:

Provide soil-tight bell and spigot joints for plastic pipe culverts.

635 - Temporary Traffic Control

635.03_nat_us_05_13_2004

635.03 General.

Add the following:

Install temporary traffic control signs to temporary posts or approved temporary sign mounts.

703 - Aggregate

703.05_nat_us_08_14_2009

Delete 703.05 and replace with the following:

703.05 Subbase, Base, Surface Course, and Screened Aggregate.

(a) Subbase or base aggregate. Furnish hard, durable particles or fragments of crushed stone, crushed slag, or crushed gravel conforming the following:

(1) Gradation	Table 703-2
(2) Liquid limit, AASHTO T 89	25 max.
(3) Plastic limit, AASHTO T 90	Nonplastic
(4) Los Angeles abrasion, AASHTO T 96	40% max.
(5) Sodium sulfate soundness loss (5 cycles), AASHTO T 104	12% max.
(6) Durability index (coarse), AASHTO T 210	35 min.
(7) Durability index (fine), AASHTO T 210	35 min.
(8) Fractured faces, ASTM D 5821	50% min.
(9) Free from organic matter and lumps or balls of clay	

Do not use material that breaks up when alternately frozen and thawed or wetted and dried.

Obtain the aggregate gradation by crushing, screening, and blending processes as necessary. Fine aggregate, material passing the No. 4 sieve, shall consist of natural or crushed sand and fine mineral particles.

(b) Surface course aggregate. Furnish hard, durable particles or fragments of crushed stone, crushed slag, or crushed gravel conforming the following:

(1) Gradation	Table 703-3
(2) Liquid limit, AASHTO T 89	35 max.
(3) Plastic Index, AASHTO T 90	
a) If the percent passing the No. 200 sieve is less than 12%	2 to 9
b) If the percent passing the No. 200 sieve is greater than 12%	Less than 2
(4) Los Angeles abrasion, AASHTO T 96	40% max.
(5) Sodium sulfate soundness loss (5 cycles), AASHTO T 104	12% max.
(6) Durability index (coarse), AASHTO T 210	35 min.
(7) Durability index (fine), AASHTO T 210	35 min.
(8) Fractured faces, ASTM D 5821	75% min.
(9) Free from organic matter and lumps or balls of clay	

Do not use material that breaks up when alternately frozen and thawed or wetted and dried.

Do not furnish material that contains asbestos fibers.

Obtain the aggregate gradation by crushing, screening, and blending processes as necessary. Fine aggregate, material passing the No. 4 sieve, shall consist of natural or crushed sand and fine mineral particles.

(c) **Screened aggregate** – Furnish hard, durable particles or fragments of stone, slag, or gravel conforming the following:

- | | |
|--|--------------|
| (1) Gradation | Table 703-16 |
| (2) Plastic Index, AASHTO T 90 | Less than 9 |
| (3) Los Angeles abrasion, AASHTO T 96 | 55% max. |
| (4) Free from organic matter and lumps or balls of clay. | |

Do not use material that breaks up when alternately frozen and thawed or wetted and dried.

Obtain the aggregate gradation by crushing, screening, and blending processes as necessary.

Delete Table 703-2 and replace with the following:

**Table 703-2
Target Value Ranges for Subbase and Base Gradation
Percent by Mass Passing Designated Sieve (AASHTO T 27 and T 11)**

Sieve Size	Grading Designation				
	A (Subbase)	B (Subbase)	C (Base)	D (Base)	E (Base)
2½ inch	100				
2 inch	97 - 100	100			
1½ inch		97 - 100			
1 inch	65 - 79 (6)		80 - 100 (6)	100	
¾ inch			64 - 94 (6)	86 - 100 (6)	100
½ inch	45 - 59 (7)				
⅜ inch					
No. 4	28 - 42 (6)	40 - 60 (8)	40 - 69 (6)	51 - 82 (6)	62 - 90 (6)
No. 40	9 - 17 (4)		31 - 54 (6)	36 - 64 (6)	36 - 74 (6)
No. 200	4.0 - 8.0 (3)	4.0 - 12.0 (4)	4.0 - 7.0 (3)	12 - 26 (4)	12 - 26 (4)
				4.0 - 7.0 (3)	4.0 - 7.0 (3)

() The value in the parentheses is the allowable deviation (±) from the target values.

Delete Table 703-3 and replace with the following:

**Table 703-3
Target Value Ranges for Surface Gradation
Percent by Mass Passing Designated Sieve (AASHTO T 27 and T 11)**

Sieve Size	Grading Designation					
	F	G	H	S	T	U
1 1/2 inch	100			100		
1 inch	97-100	100				
3/4 inch	76-89 (6)	97 - 100	97 - 100	72 - 92 (6)	100	
1/2 inch						100
3/8 inch	56-68 (6)	70 - 80 (6)	80 - 92 (6)	51 - 71 (6)	71 - 91 (6)	
No. 4	43-53 (7)	51 - 63 (7)	58 - 70 (7)	36 - 53 (7)	43 - 60 (7)	71 - 90 (6)
No. 8				26 - 40 (6)	30 - 46 (6)	50 - 68 (7)
No. 16	23-32 (6)	28 - 39 (6)	28 - 40 (6)			34 - 51 (6)
No. 40	15-23 (5)	19 - 27 (5)	16 - 26 (5)	14 - 25 (5)	16 - 28 (5)	19 - 30 (5)
No. 200	10.0-16.0 (4)	10.0 - 16.0 (4)	9.0 - 14.0 (4)	8.0 - 15.0 (4)	8.0 - 15.0 (4)	8.0 - 15.0 (4)

() The value in the parentheses is the allowable deviation (±) from the target values.
If the plasticity index (PI) is greater than 0, the TV range for the No. 200 sieve size is 8-12 (4).

Add Table 703-16:

Table 703-16

Gradation Requirements for Screened Aggregate

Sieve Size	Percent by Mass Passing Designated Sieve (AASHTO T 27 and T 11)						
	Grading Designation						
	L	M	N	O	P	Q	R
6 inch	100	100					
4 inch			100	100			
3 inch					100	100	
2 inch							100
No. 4		15-45		15-45		15-45	

703.10_nat_us_04_11_2011

703.10(e) Flakiness Index.

Delete and replace with the following:

Flakiness Index, FLH T 508 30% max.

703.10(i) Adherent Coating.

Add the following:

Adherent coating on the aggregate, FLH T 512 0.5% max.

Sale Name: Bear View Thin STWD Roads

IDENTIFY FACILITIES - ADVR102

Spec Facilities

Facility Type	Facility ID	Name	Purchaser Estimated Cost	Public Works Cost
Road	5100000R		\$156,519.47	\$165,503.64

Spec Segments

Termini in KM	Length (KM)	Work Class	Traffic Service Level	Maintenance Level	Design Class	Sheet Number	Approval Date	Survey	Responsibility	Completion Date
From 20.31	14.11	Reconstruction	C	2/1	S15	1-10	11/2015	FS	Design FS	10/30/2017
Supplemental Funds										
Description										
Quantity										
Value										
Forest Service Engineering										
Type of Work										
Completion Date										

Spec Facilities

Facility Type	Facility ID	Name	Purchaser Estimated Cost	Public Works Cost
Road				

Spec Segments

Termini in KM	Length (KM)	Work Class	Traffic Service Level	Maintenance Level	Design Class	Sheet Number	Approval Date	Survey	Responsibility	Completion Date
From									Design	
Supplemental Funds										
Description										
Quantity										
Value										
Forest Service Engineering										
Type of Work										
Completion Date										

Spec Facilities

Facility Type	Facility ID	Name	Purchaser Estimated Cost	Public Works Cost

Spec Segments

Termini in KM	Length (KM)	Work Class	Traffic Service Level	Maintenance Level	Design Class	Sheet Number	Approval Date	Survey	Responsibility	Completion Date
From									Design	
Supplemental Funds										
Description										
Quantity										
Value										
Forest Service Engineering										
Type of Work										
Completion Date										

Road Turnback Option

Method FS will use to build road if turned back: Government Constructions (Force Account) OR Contract (Public Works)

Delay in days to obtain bid on Public Works contract: 60 Days

Governing Road Specifications: FP03E

RECONSTRUCTION DEPOSITS AND COST SHARE ROAD CREDITS - ADVR106

Sale Name: Bear View Thin STWD Roads

Reconstruction Deposits

Reconstruction Deposit Type (DRES or DAR)	Description	Amount
DRES	Deposits for engineering services	\$24,100.00

Scheduled Reconstruction Engineering Services (DRES) *(This block is optional, and only required if there is still uncompleted FS work.)*

Specified Facility Type	Road or Facility Number	Termini From	Termini To	Eng. Services Completion Date

Schedule for Actual Reconstruction (DAR) *(do not include purchaser constructed road segments)*

Specified Facility Type	Road or Facility Number	Termini From	Termini To	Reconstruction Completion Date

Cost Share Road Credits

Cost Share Lump Sum Payment

Cost Share Agreement Date

Cooperator's Name

C(T)5.221# - Material Sources

If material source is not from FS, enter location/name of commercial source for the prospectus statement:

The Forest Service has appraised local material source from Cedar Creek Quarry

and time material will be available. Bidders must make their own determination of price, availability, quantity,

If FS sources are available, attach a completed C(T)5.221#.

UNITED STATES DEPARTMENT OF AGRICULTURE

FOREST SERVICE - REGION SIX SIUSLAW NATIBEAR VIEWL FOREST CENTRAL COAST RANGER DISTRICT




PLANS FOR PROPOSED BEAR VIEW THIN STWD ROADS LINCOLN COUNTY


INDEX OF SHEETS	
SHEET NO	DESCRIPTION
1	TITLE SHEET
2	VICINITY MAP
3	ESTIMATE OF QUANTITIES
4	ROAD STRUCTURE DETAIL AND DRAINAGE LISTING
5	BRUSHING AND VEGETATION REMOVAL TYPICAL
6	DRAINAGE CONSTRUCTION DETAILS
7-8	FILL REPAIR DETAILS AND SCHEDULE
9-10	RECONSTRUCTION LOGS

FS ROAD NO.	TERMINI (MP to MP)	LENGTH (MILES)	TYPE OF WORK
51	12.62-8.77	3.85	RECONSTRUCTION

Plan In Hand Review: December 15, 2015



Designed by:	<i>J. Latham</i>	12/15/2015
Designer (J. Latham)		Date
Reviewed by:	<i>R. Sanders</i>	1/12/2015
Reviewer (R. Sanders)		Date
Development Engineer (J. Caswell)	<i>J. Caswell</i>	1/13/2015
		Date
Recommended by:	<i>J. Acosta</i>	12/15/15
Zone Engineer (J. Acosta)		Date
Approved by:	<i>Gary R. Bauer</i>	12/15/15
Line Officer		Date
Forest Engineer	<i>Gary R. Bauer</i>	Jan 12, 2016
		Date



BEAR VIEW THIN STAND ROADS

VICINITY MAP



U.S.D.A. FOREST SERVICE
PACIFIC NORTHWEST REGION

SHEET NUMBER	TOTAL SHEETS
2	10

Road Number		81		Payment will be made on actual work performed as described in FP-03 109.01 unless otherwise noted.
Length		3.85		
Item No	DESCRIPTION	Unit		Remarks
15101	Mobilization	Lump Sum	All	Covers entire project. Traffic control, hazardous spill equipment, equipment washing, fire prevention, and sign installation are included by indirect payment.
15713	Soil Erosion & Pollution Control	Lump Sum	All	Covers entire project. Use Certified weed free straw or other approved erosion control materials as needed.
20301	Removal of culvert	Each	1	Dispose of legally off National Forest lands.
20303	Removal of asphalt	Square Yard*	1516	Dispose of legally off National Forest lands.
209A62A	Structural excavation	Cubic Yard*	743	Includes all work and materials associated with Method A fill repairs
209A62B	Structural excavation	Cubic Yard*	537	Includes all work and materials associated with Method B fill repairs
209A62C	Structural excavation	Cubic Yard*	334	Includes all work and materials associated with Method C fill repairs
23051	Roadside Brushing	Mile	3.85	Scatter outside of clearing limits
25101	Keyed riprap, class 3	Cubic Yard*	15	Commercial Source.
30356	Roadway reconditioning	Mile	3.85	Asphalt surface cleaning and ditchline reconditioning
32203	Aggregate base, grading D, compaction method B	Cubic Yard*	531	Commercial Source. Includes material testing per FP-03 703.05.
40451	ODOT 1/2" dense graded HMA, level II, asphalt cement PG 64-22	Ton	435	Commercial source. Includes material testing per FP-03 404.09.
6027818	18 inch corrugated polyethylene pipe, type S, method B	Foot	32	Includes excavation and embankment
6085418	18-inch full circle polyethylene outlet pipe, type C	Foot	20	Includes all installation hardware and anchors

Disposal Area: 6' maximum height of material, 1V:2H slopes, shape to drain & reconstruct ditchline between road and disposal site. Disposal areas will be flagged by CO prior to material placement.

Use contract provisions and specifications for daily and seasonal restrictions.

All utility locates, permits, and water rights are the responsibility of the purchaser.

* Denotes Contract Quantities

BEAR VIEW THIN STWD ROADS

ESTIMATE OF QUANTITIES

PACIFIC NORTHWEST REGION

U.S.D.A. FOREST SERVICE



3

10

10' HORIZONTAL
DISTANCE

6' HORIZONTAL
DISTANCE



BEAR VIEW THIN STWD ROADS

BRUSHING AND VEGETATION REMOVAL TYPICAL


PACIFIC NORTHWEST REGION

U.S.D.A. FOREST SERVICE




SHEET NUMBER	TOTAL SHEETS
5	10

CULVERT INSTALLATION TYPES




NOTE - THE LOWEST FINISH ELEVATION OF THE CULVERT AT ANY SELECTED POINT.


OUTLET DITCH




SECTION A-A



CULVERT INSTALLATION DETAIL




ANCHOR DETAILS




NOTE: 3 FT DIAMETER AND LARGER DOWNPIPE SHALL BE HALF BURIED. ANCHOR SETS SHALL CONSIST OF TWO 4 FT STEEL FENCE POSTS (ALBERTO M 881) AND NO. 9 GALVANIZED WIRE. 3 STRANDS OF WIRE SHALL BE TWISTED TOGETHER AND ENCOMPASS THE ENTIRE CIRCUMFERENCE OF THE PIPE.

DITCH DAM PLAN VIEW




FLEX ELBOW




ALL FASTENERS SHALL BE GALVANIZED

OUTLET DISSIPATER DETAIL



SKEW DIAGRAM



B.O.P. = BEGINNING OF PROJECT
E.O.P. = END OF PROJECT


BEAR VIEW THIN STWD ROADS

DRAINAGE CONSTRUCTION DETAILS


PACIFIC NORTHWEST REGION

U.S.D.A. FOREST SERVICE







**METHOD A
SUBGRADE REPLACEMENT**
(NOT TO SCALE)



**METHOD C DETAIL
2-LAYER REINFORCEMENT WRAPPED FACE**
(NOT TO SCALE)





**METHOD B
SUBGRADE REPLACEMENT WITH GEOGRID**
(NOT TO SCALE)



GEOGRID & FORMING DETAILS
(NOT TO SCALE)

- NOTES:**
- 1) ALL TYPICALS ARE SECTION VIEW UNLESS NOTED OTHERWISE.
 - 2) DIMENSIONS ARE GIVEN ON ATTACHED SCHEDULE FOR FILL REPAIR.
 - 3) DIMENSIONS MARKED WITH AN ASTERISK MAY BE ADJUSTED BY THE C.O. IN ORDER TO FIT THE EXISTING SITE GEOMETRY.
 - 4) STRUCTURAL BACKFILL SHALL COMPLY WITH THE REQUIREMENTS OF SECTION 704.04 OR AN ALTERNATIVE APPROVED BY THE C.O.
 - 5) GEOGRIDS SHALL COMPLY WITH SUPPLEMENTARY SECTION 714.03. PHYSICAL STRENGTH CATEGORY 4, GEOTEXTILE BACKING AT FACE SHALL CONFORM WITH SECTION 714, TYPE 1-D.
 - 6) METHOD "C" INCLUDES ALL ITEMS SHOWN FOR METHOD "B".
 - 7) ANY METHOD (A, B, OR C) MAY INCLUDE AN UNDERDRAIN AS SHOWN ON THE ATTACHED SCHEDULE.



BEAR VIEW THIN STWD ROADS

FILL REPAIR TYPICALS

USDA FOREST SERVICE
PACIFIC NORTHWEST REGION



SHEET NUMBER	TOTAL SHEETS
7	10

ROAD 81

MP	Remarks	Pay Item	Quantity
12.620	BOP- Junction N. Bayview Road		
	Roadside brushing, disposal method 1		
	Begin roadway reconditioning including asphalt surface cleaning	23051	3.85
12.320	Construct Method A Fill repair, Full width by 100', as marked on the ground.	30359	3.85
	Removal of Asphalt	209A62A	207
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	189
	ODOT 1/2" dense graded HMAC, Level II, asphalt cement PG 64-22	32203	65
12.263	Construct Method B Fill repair, Full width by 85', as marked on the ground. Includes geogrid material and placement.	40451	42
	Removal of Asphalt	209A62B	157
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	142
	ODOT 1/2" dense graded HMAC, Level II, asphalt cement PG 64-22	32203	49
12.235	Construct Method A Fill repair, Full width by 85', as marked on the ground.	40451	32
	Removal of Asphalt	209A62A	148
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	132
	ODOT 1/2" dense graded HMAC, Level II, asphalt cement PG 64-22	32203	48
12.198	Construct Method A Fill repair, Full width by 80', as marked on the ground.	40451	29
	Removal of Asphalt	209A62A	130
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	116
	ODOT 1/2" dense graded HMAC, Level II, asphalt cement PG 64-22	32203	40
12.149	Construct Method A Fill repair, Full width by 75', as marked on the ground.	40451	28
	Removal of Asphalt	209A62A	130
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	117
	ODOT 1/2" dense graded HMAC, Level II, asphalt cement PG 64-22	32203	41
12.127	Construct Method A Fill repair, Full width by 55', as marked on the ground.	40451	26
	Removal of Asphalt	209A62A	88
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	79
	ODOT 1/2" dense graded HMAC, Level II, asphalt cement PG 64-22	32203	28
11.486	Construct Method B Fill repair, Full width by 150', as marked on the ground. Includes geogrid material and placement.	40451	18
	Removal of Asphalt	209A62B	312
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	283
	ODOT 1/2" dense graded HMAC, Level II, asphalt cement PG 64-22	32203	98
10.689	Replace existing culvert with 18"X32' CPP with dissipater and outlet pipe. Aggregate base 12 inch depth, AC 4 inch depth. Asphalt repair area is 14'X50'.	40451	63
	Single wall outlet pipe with all installation hardware and anchors	6027818	32
	Roadway excavation, compaction method E	6085418	20
	Placed Riprap, class 3 to armor slopes	209A62A	40
	Placed Riprap, class 3 as dissipator	25101	12
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	25101	3
	Removal of culvert	32203	32
	Removal of asphalt	20301	1
	ODOT 1/2" dense graded HMAC, Level II, asphalt cement PG 64-22	20303	78
		40451	17

BEAR VIEW THIN STWD ROADS

RECONSTRUCTION LOGS

PACIFIC NORTH-WEST REGION
U.S.D.A. FOREST SERVICE



SHEET NUMBER	TOTAL SHEETS
9	10

Road 51

MP	Remarks	Pay Item	Quantity
10.122	Construct Method B Fill repair, Full width by 40', as marked on the ground. Includes geogrid material and placement.	209A62B	68
	Removal of Asphalt		
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	62
	ODOT 1/2" dense graded H/MAC, Level II, asphalt cement PG 64-22	32203	22
9.850	Construct Method C Fill repair, Full width by 160', as marked on the ground. Includes geogrid, basket form materials, and placement.	40451	14
	Removal of Asphalt	209A62C	334
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	302
	ODOT 1/2" dense graded H/MAC, Level II, asphalt cement PG 64-22	32203	105
9.778	H/MAC patch 240' in length.	40451	87
	Removal of Asphalt	40451	101
	Crushed aggregate 1 foot depth for base, 6 inch depth for shoulder material.	20303	16
8.770	EOP- End of asphalt surface. End all work items	32203	5

BEAR VIEW THIN STWD ROADS

RECONSTRUCTION LOGS

PACIFIC NORTHWEST REGION
USDA, FOREST SERVICE



SHEET NUMBER	TOTAL SHEETS
10	10