

U.S. DEPARTMENT OF AGRICULTURE FOREST SERVICE INTEGRATED RESOURCE CONTRACT (Applicable to Contracts with Measurement after Harvest)		Name of Contractor	
National Forest Eldorado	Ranger District Georgetown	Region Pacific S-West	Contract Number
Contract Name Pliny Fire Salvage Stewardship		Award Date	Termination Date 12/31/2017

The parties to this contract are The United States of America, acting through the Forest Service, United States Department of Agriculture, hereinafter called Forest Service, and _____ hereinafter called Contractor.

Unless provided otherwise herein, Forest Service agrees to sell and permit Contractor to cut and remove Included Timber and Contractor agrees to purchase, cut, and remove Included Timber and complete required stewardship projects.

IN WITNESS WHEREOF, the parties hereto have executed this contract as of the award date.

UNITED STATES OF AMERICA

Two Witnesses: 2/

(Name)

(Address)

(Name)

(Address)

By: _____
Contracting Officer

(Title)

(Contractor) 3/

By: _____

(Title)

(Business Address)

I, 4/ _____, certify that I am the _____
 Secretary of the corporation named as Contractor herein; that _____
 who signed this contract on behalf of Contractor, was then _____
 of the corporation; that the contract was duly signed for and in behalf of the corporation by authority of its governing body, and is
 within the scope of its corporate powers.

**CORPORATE
SEAL 5/**

INSTRUCTIONS:

1/ If Contractor is a corporation, state a "corporation organized and existing under the laws of the State of _____" and specify the State; if Contractor is a partnership, state a "partnership consisting of _____" and specify the names of each partner; and if Contractor is a sole proprietor doing business under an assumed name, state "(n) individual doing business under the name of _____ City of _____, State of _____."

2/ The signatures and addresses of two witnesses are required if Contractor is other than a corporation.

3/ If Contractor is a co-partnership, the signatures should be: XYZ Company, by John Doe, a member of the firm. If Contractor is a corporation, form of signature should be: XYZ Company, by John Doe, President (or other officer or agent) and the seal of the corporation must be impressed or indicated.

4/ The certificate must be completed if Contractor is a corporation.

5/ For companies incorporated in States that require a corporation seal, if the corporation has no corporate seal that fact shall be stated, in which case a scroll or adhesive seal shall follow the corporate name.

EXAMPLE 1/

Subcontractor Certification
Regarding Debarment, Suspension, Ineligibility, and Voluntary Exclusion

Contract Name: _____
National Forest: _____

The prospective subcontractor (participants in lower tier covered transactions) certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this contract by any Federal department or agency.

Where the prospective subcontractor is unable to certify to any of the statements in this certification, such prospective subcontractor shall attach an explanation to this proposal.

Name of Subcontractor: _____
Business Address: _____

_____ Date _____ Signature

1/ It is the Contractor's responsibility to have subcontractors complete this certification and to maintain a file of completed certifications. This certification does not need to be returned to the Forest Service, except at the written request of the Contracting Officer.

A.4 - Timber Payment Rates, applicable to D.1 and E.0

A.4.1 - Escalated Rates, applicable for Species and Products to be Paid for at Rates Escalated under D.2

Species	Product	Unit of Measure	Rates per Unit of Measure				Required Deposits Slash Disposal \$	Base Index
			Base \$	Advertised \$	Bid Premium \$	Bid (Tentative) \$		
Not Applicable								

A.4.2 - Flat Rates, applicable for Species and Products to be Paid for at Flat Rates

Species	Product	Unit of Measure	Rates per Unit of Measure				Required Deposits Slash Disposal \$
			Base \$	Advertised \$	Bid Premium \$	Bid (Flat) \$	
Douglas Fir	Sawtimber	MBF	.00	6.00			.00
Incense Cedar	Sawtimber	MBF	.00	10.00			.00
Ponderosa Pine	Sawtimber	MBF	.00	10.00			.00
Sugar Pine	Sawtimber	MBF	.00	10.00			.00
White Fir	Sawtimber	MBF	.00	6.00			.00

For purposes of convenience in collection and bookkeeping, Bid Rates stated in A.4 include payment of deposits for contract area betterment required pursuant to 16 USC 576b. Such deposits are not included as Required Deposits defined hereunder.

A.4.3 - Stewardship Credits, applicable E.2.2 and K-G.9#

Mandatory Stewardship Projects					
Project Number	Project Description	Units of Measure	Quantity	Bid Rate \$	Total Credits
1	Biomass Cutting and Removal	Acres	477.00		
2	Machine Piling By the Hour	Each	100.00		

Optional Stewardship Projects						
Priority	Project Number	Project Description	Units of Measure	Quantity	Bid Rate \$	Total Credits
2	4	Grapple Piling By the Hour	Each	50.00		
3	3	Biomass Cutting and Removal	Acres	1,242.00		

The following definitions are established for the terms used in A.4:

Base Rates are the lowest rates of payment for timber that are authorized by this contract. Base Rates remain constant throughout the life of this contract and are not subject to change by rate redetermination, except for reduction under D.3.1, D.3.2, or D.3.3.

Advertised Rates are the minimum acceptable Bid Rates for timber, exclusive of Required Deposits. These rates are those indicated by appraisal, with a cost allowance made for construction of Specified Roads listed in A.7, but are never less than Base Rates.

Bid Premium Rates are the amounts by which Contractor's bid is in excess of Advertised Rates. The Bid Premium Rates are constant during this contract, except as provided in D.3.1, D.3.2, and D.3.3.

Bid Rates are the rates bid by Contractor (exclusive of Required Deposits for slash disposal, road maintenance, and contract scaling) and are the sum of Advertised Rates and Bid Premium Rates. Until a rate redetermination becomes effective, the Bid Rate for species and products in A.4.1 is the Tentative Rate that is subject to quarterly adjustment under D.2; for species and products in A.4.2, the Bid Rate is the Flat Rate.

Required Deposits are deposits that Contractor may be required to pay for slash disposal (16 USC 490), road maintenance (16 USC 537), and contract scaling (1994 Appropriations Act). Required Deposits may be adjusted as part of a rate redetermination or a Contract Term Extension. The table shows only Required Deposits for slash disposal; road maintenance deposits, if any, are given in K-F.3.2#; and contract scaling deposits, if any, are given in K-G.8.1.6#.

Base Index is the specified average of the lumber or other product selling value index used as the basis for computing adjustment in rates for variance in product selling value, as provided in D.2.

A.5 - Indices Used in Quarterly Adjustment, applicable to D.2

Species	Index Name and Date
Not Applicable	

A.6 - High Stumps, applicable to G.4.1.2

Species	Product	Maximum Stump Height * (inches)
All	Sawtimber	12

* Stump height shall be 1/3 the stump diameter to a maximum of 12"

A.7 - Specified Roads, applicable to F.2Name and Date of Governing Road Specifications: Federal Highway Administration Standard Specifications for Construction of Roads and Bridges on Federal Highway Projects(2003)-english

Project		Design Class	Appro. Length (mi./km.)	Sheet Numbers and Approval Date	Performance Responsibility		
Road No.	Name				Survey	Design	Construction Staking 1/
13N73A_T	TEMP ROAD (C) (segment 0 to .68)	Single Lane - 5 mph	.68 / 1.09	17 03/25/2016	FS	FS	FS BC
14N12BA	12BA (R) (segment 0 to .64)	Single Lane - 5 mph	.64 / 1.03	26 03/25/2016	FS	FS	FS BC
13N42EA	42EA (R) (segment 0 to .21)	Single Lane - 5 mph	.21 / .34	14 03/25/2016	FS	FS	FS BC
14N08E	BELIX SPRING (R) (segment 0 to 1.7)	Single Lane - 5 mph	1.7 / 2.74	19 03/25/2016	FS	FS	FS BC
14N08F	BELIX TRAIL (R) (segment 0 to 1.76)	Single Lane - 5 mph	1.76 / 2.83	20-21 03/25/2016	FS	FS	FS BC
13N73	BIG GRIZZLY CAN NO SPUR (R) (segment 0 to 1.07)	Single Lane - 5 mph	1.07 / 1.72	15 03/25/2016	FS	FS	FS BC
14N09	CHIPMUNK RIDGE (R) (segment 0 to 1.44)	Single Lane - 5 mph	1.44 / 2.32	22 03/25/2016	FS	FS	FS BC
14N19A	COLD SPR WATERHOLE (R) (segment 0 to .04)	Single Lane - 5 mph	.04 / .06	28 03/25/2016	FS	FS	FS BC
14N19	DESERT COLD SPRINGS (R) (segment 0 to 1.19)	Single Lane - 5 mph	1.19 / 1.92	27 03/25/2016	FS	FS	FS BC
13N74	DEVIL PEAK (R) (segment 0 to 1.82)	Single Lane - 5 mph	1.82 / 2.93	18 03/25/2016	FS	FS	FS BC
14N10E	EAST LITTLE WALLACE CAN (R) (segment 0 to 2.6)	Single Lane - 5 mph	2.6 / 4.18	23 03/25/2016	FS	FS	FS BC
13N73A	GRIZZLY TERRACE (R) (segment 0 to .68)	Single Lane - 5 mph	.68 / 1.09	16 03/25/2016	FS	FS	FS BC
13N42E	INDIAN ROCK (R) (segment 0 to .75)	Single Lane - 5 mph	.75 / 1.21	13 03/25/2016	FS	FS	FS BC
14N12	LONG JOHN CREEK (R) (segment 0 to .82)	Single Lane - 5 mph	.82 / 1.32	24 03/25/2016	FS	FS	FS BC
14N12B	LONG JOHN SPUR (R) (segment 0 to .5)	Single Lane - 5 mph	.5 / .8	25 03/25/2016	FS	FS	FS BC
13N39	MCCULLOH RIDGE (R) (segment 0 to 3.2)	Single Lane - 5 mph	3.2 / 5.15	10-11 03/25/2016	FS	FS	FS BC
ALL	MOBILIZATION (R) (segment 0 to .1)	Single Lane - 5 mph	.1 / .16	0 03/25/2016	FS	FS	FS BC
13N10	NEVADA POINT WEST (R) (segment 0 to 1.41)	Single Lane - 5 mph	1.41 / 2.27	9 03/25/2016	FS	FS	FS BC
13N42	UPPER ROOST CANYON (R) (segment 0 to 2.58)	Single Lane - 5 mph	2.58 / 4.15	12 03/25/2016	FS	FS	FS BC
14N53	WALLACE CANYON (R) (segment 0 to 1.33)	Single Lane - 5 mph	1.33 / 2.14	29 03/25/2016	FS	FS	FS BC

1/ Indicate timing, i.e., before clearing (BC) or after clearing (AC). Applicable to F.2.1.2.

A.8 - Forest Service Engineering Completion Schedule, applicable to F.2.1

Road No.	Road Name	Type of Work	Completion Date
	Not Applicable		

A.9 - Scaling Instructions and Specifications, applicable to G.8

Name and Date of Governing Instructions: National Forest Log Scaling Handbook, FSH 2409.11, as amended. Cubic Taper 4 as authorized by Regional Forester, February 2001

Scaling Specifications					
Species	Product	Maximum Scaling Length (feet)	Trim Allowance		
			Diameter Range (inches)	Length Range (feet)	Trim Allowance (inches)
All	Sawtimber	20	ALL	ALL	6

A.10 - Scaling Services, applicable to G.8.1

Species	Product	Unit of Measure	Site and Geographic Location	Method	Standard Estimated Cost per Unit \$
All	Sawtimber	MBF	Forest Service Location 12N29N, T13N, R11E, Section 32 MDB&M	Conventional (100%) Log Scale	.00

A.11 - Minimum Scaling Volumes, applicable to G.8.1

Minimum volume for Continuous Scaling Services in two-week period 0 MBF per scaler

Minimum volume for Intermittent Scaling Services 0 MBF on a MONTH basis

A.12 - Fire Precautionary Period, applicable to H.2

May 01 to December 01, inclusive

A.13 - Contractor's Responsibility to Furnish Crews and Equipment for:

Initial Fire Suppression, applicable to H.3

Within 25 road miles

Fire Suppression Reinforcement, applicable to H.3.1.2 and H.3.1.3

Within 100 road miles

A.14 - Contractor's Obligation per Operations Fire, applicable to H.4.1Maximum Amount: \$ \$79,500.00**A.15 - Termination Date**, applicable to 1.2December 31, 2017**A.16 - Normal Operating Season**, applicable to G.3.1, G.6.6, 1.2.1 and J.3

First Period: May 01 to October 15, inclusive
 Second Period: _____ to _____, inclusive

A.17 - Performance Bond Amount, applicable to J.1Performance Bond Amount: N/A**A.18 - Downpayment**, applicable to E.2.1.1Downpayment Amount: Not Applicable**A.19 - Periodic Payment Amount**, applicable to E.2.1.3

	<u>Periodic Payment Determination Date</u>	<u>Amount</u>
Initial Payment:	<u>N/A</u>	<u>N/A</u>
Additional Payment:	<u>N/A</u>	<u>N/A</u>

A.20 - Market-Related Contract Term Addition Producer Price Index, applicable to 1.2.1.2Index Name: Not Applicable Index Number: N/A**A.21 - Inapplicable Provisions**

The following listed provisions - are hereby made inapplicable. (Instructions: List by reference number and title.)

E.4 PAYMENTS NOT RECEIVED

A.22 - List of Special Provisions in Part K

The following listed special provisions are attached to and made a part of this contract. Provisions with reference numbers followed by # contain blanks into which data have been entered for this contract. (Instructions: List by reference number, title, and date.)

K-C.3.5#	DESIGNATION OF TIMBER, CUTTING UNIT BOUNDARIES, AND SUDIVISION/PAYMENT UNIT BOUNDARIES (06/2012)
K-C.3.5.3#	DESIGNATION BY DAMAGE CLASS (09/2004)
K-E.4	PAYMENTS NOT RECEIVED (08/2012)
K-F.1.1#	REQUIREMENTS OF RIGHTS-OF-WAY AND LAND USE AGREEMENTS (05/2008)
K-F.1.2.5#	SHARE COST ROAD LIABILITY INSURANCE (02/2005)
K-F.1.3#	ROAD COMPLETION DATE (09/2004)
K-F.3.1#	ROAD MAINTENANCE REQUIREMENTS (09/2004)
K-F.3.2#	ROAD MAINTENANCE DEPOSIT SCHEDULE (09/2004)
K-F.3.5#	ROAD AND WATER SUPPLY USE (05/2008)
K-G.2.4#	SITE SPECIFIC SPECIAL PROTECTION MEASURES (09/2004)
K-G.3.1.5#	PROJECT OPERATIONS SCHEDULE (12/2006)
K-G.3.3.1	LOG TRUCKING (02/2005)
K-G.3.7	SUBSTITUTE METHODS (02/2005)
K-G.4.1#	FELLING, BUCKING, AND LIMBING (08/2007)
K-G.4.2#	GROUND BASED SKIDDING (12/2006)

The following listed special provisions are attached to and made a part of this contract. Provisions with reference numbers followed by # contain blanks into which data have been entered for this contract. (Instructions: List by reference number, title, and date.)

K-G.5	STREAMCOURSE PROTECTION (02/2005)
K-G.6#	EROSION PREVENTION AND CONTROL (05/2008)
K-G.7#	SLASH TREATMENT (12/2006)
K-G.8.1.5	THIRD PARTY SCALING SERVICES (09/2004)
K-G.9#	STEWARDSHIP PROJECTS (09/2004)
K-H.2#	SPECIFIED FIRE PRECAUTIONS (06/2012)
K-H.2.2#	EMERGENCY PRECAUTIONS (06/2012)
K-I.6.8# (Option 1)	USE OF TIMBER (09/2004)