





POWER LAKE TIMBER SALE VICINITY MAP



LEGEND






-  COUNTY ROADS
-  RECONSTRUCTION
-  EXISTING ROADS
-  CREEK
-  WATER SOURCE

GATE DETAIL TYPE II



NOTES

1. EXTERIOR METAL EPOXY PAINT, COCOA BROWN UNLESS OTHERWISE APPROVED BY THE ENGINEER.
2. ALL WELDS REQUIRED TO MANUFACTURE GATE, UNLESS OTHERWISE SHOWN, SHALL BE FILLET AND SHALL BE OF THE SAME SIZE AS THE THICKNESS OF THE SMALLER OF THE TWO PIECES BEING JOINED.
3. ALL SIGNS SHALL MEET MUTCD REQUIREMENTS.
4. BARRICADE MARKERS SHALL BE SHEETED WITH HI-INTENSITY PRISMATIC SHEETING ON ALUMINIUM SUBSTRATE. THEY SHALL BE 8"x24" WHEN APPROACH SPEEDS ARE 35MPH OR LESS AND 11"x36" WHEN APPROACH SPEEDS ARE GREATER THAN 35MPH. COLOR IS RED AND WHITE ALTERNATING STRIPES. ALL STRIPES ARE TO BE POINTED DOWN AND TO THE CENTER OF THE TRAVELWAY. 4 SIGNS REQUIRED - 2 FBM-L TO THE CENTER OF THE TRAVELWAY
5. TYPE 2 OBJECT MARKERS (OM2-2V) SHALL BE SHEETED WITH HI-INTENSITY PRISMATIC SHEETING ON ALUMINIUM SUBSTRATE (6 REQUIRED)
6. ALL SIGNS SHALL BE MOUNTED IN A WAY THAT DOES NOT INTERFERE WITH THE OPERATION OF THE GATE AND WILL ALLOW FOR EASY REMOVAL/REPLACEMENT OF DAMAGED SIGNS. DO NOT WELD NUTS AND BOLTS.



WORK SUMMARY

ROAD 3520250R

STA	WORK ITEMS
0+00	Begin establishing clearing limits at south timber sale unit boundary #66 Begin clearing and grubbing Begin constructing 14' roadbed
6+20	Jct w/3520260R
13+50	EOP

ROAD 3520260R

STA	WORK ITEMS
0+00	Jct w/3520270R Begin establishing clearing limits Begin clearing and grubbing Begin constructing 14' roadbed
8+00	EOP Jct w/3520250R

ROAD 3520270R

STA	WORK ITEMS
0+00	Jct w/3520260R Begin establishing clearing limits Begin clearing and grubbing Begin constructing 14' roadbed
16+00	EOP Jct w/3520330R

ROAD 3520330R

STA	WORK ITEMS
0+00	Jct w/52000 Begin establishing clearing limits Begin clearing and grubbing Begin constructing 14' roadbed
9+00	Forest Boundary install type II gate on Forest Service side of boundary
31+00	EOP- Jct W/3520270R **NOTE: Timber from DNR lands to stay decked along roadway STA 0+00 to 9+00