


# MCKENZIE RIVER RANGER DISTRICT FIREWOOD PERMIT REQUIREMENTS

The following are special conditions and restrictions. A permit is not considered valid unless accompanied by a map and/or specified area printed on the permit. Cutting is **only** allowed in areas designated on your permit. Additional restrictions are also listed on the permit. Review permit and attached map carefully before cutting.

## SLASH


Cut and scatter limbs and tops so they are not more than 12" depth from ground level. This reduces potential for wildfire.

Be sure to remove all slash from the cut bank, ditch, and roadway.



## LOAD TAGS

COMPLETELY REMOVE the current day and month



**ATTACH ONE CURRENT YEAR'S LOAD TAG FOR EACH 1/2 cord or portion thereof.** Previous years' tags are not valid. Fill out Product Removal Record on permit before leaving the cutting site.

SECURELY ATTACH all required load tags to the back of your load in a highly visible location.

## FIRE PRECAUTIONARY REQUIREMENTS

Fire precautionary period is normally from mid-May to mid-October. During the precautionary period, check the fire precaution level for the district on which you plan to cut. The daily Fire Precaution Level can be determined by calling our office at (541) 822-3381, or log on to the Willamette National Forest Website at: <http://www.fs.fed.us/r6/willamette/> or by checking the Smokey the Bear sign in front of the McKenzie River Ranger Station.

For further firewood information contact **Shadie Nimer** at the **McKenzie River Ranger District**, 541-822-7271 or [snimer@fs.fed.us](mailto:snimer@fs.fed.us).

Industrial Fire Precaution Levels				
I	II	III	IV	
X	X			Carry equipment listed below.
X	X			Stay in area for one hour after power saw is shut off to watch for fire starts.
	X			Shut down power saws at 1 p.m.
		X	X	All woodcutting activity prohibited.

The following equipment is **required** while using a power saw.

- **SAW:** Exhaust system must be in good repair with a screen-type spark arrestor of 0.023" or less and qualified under USDA Forest Service standards.
- **SHOVEL:** Long handled round point with an 8" blade (size "0") in possession of operator.
- **FIRE EXTINGUISHER:** Pressurized chemical of not less than 8 oz. capacity by weight and in possession of operator.