

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN



BEAVER CREEK COMMUNICATIONS SITE
MANAGEMENT PLAN

WHITE RIVER NATIONAL FOREST
EAGLE/HOLY CROSS RANGER DISTRICT
MINTURN, COLORADO

Submitted By:	<u><i>E. W. J.</i></u> District Ranger	<u>6/2/16</u> Date
Recommended By:	<u><i>S. Swartz</i></u> Forest Supervisor	<u>6/3/16</u> Date
Approved By:	<u><i>M. Gustafson</i></u> for Regional Forester	<u>6/18/16</u> Date

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN



**BEAVER CREEK COMMUNICATIONS SITE
MANAGEMENT PLAN**

**WHITE RIVER NATIONAL FOREST
EAGLE/HOLY CROSS RANGER DISTRICT
MINTURN, COLORADO**

Submitted By: _____ Date _____
District Ranger

Recommended By: _____ Date _____
Forest Supervisor

Approved By: _____ Date _____
Regional Forester

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Table of Contents

I.	DEFINITIONS	3
II.	NARRATIVE	4
	A. Site Description.....	4
	B. Existing Site Development.....	5
	C. Objectives.....	6
III.	AUTHORITY AND JURISDICTION	7
	A. Authority.....	7
	B. Jurisdiction.....	7
IV.	RIGHTS AND RESPONSIBILITIES.....	8
	A. The Forest Service	8
	B. Facility Owners and Facility Managers	8
	C. Tenants and Customers	9
V.	USE OF THE SITE.....	10
	A. Multiple-Use Facilities.....	10
VI.	RENTAL FEES.....	10
VII.	CONDITIONS FOR NEW CONSTRUCTION AND MODIFICATION OR EXPANSION OF A FACILITY	11
	A. New Construction, Modification, and Expansion Responsibilities	11
	B. Construction Methods and Resource Protection.....	12
	C. Construction Inspection	13
	D. New or Remodeled or Expanded Buildings.....	13
	E. New or Remodeled/Expanded Towers	15
VIII.	GENERAL OPERATION AND MAINTENANCE	16
	A. Special Environmental and/or Biological Considerations	16
	B. Wiring and Grounding	16
	C. Communications Equipment.....	17
	D. Cables and Transmission Lines	19
	E. Radiation	20
	F. Utilities.....	21
	G. Sanitary Facilities.....	21
	H. Security and Law Enforcement.....	21
	I. Site Maintenance.....	22
	J. Inspections	23
	K. Fire Prevention and Hazard Reduction Requirements.....	23
	L. Access	24
IX.	SITE ASSOCIATION AND ADVISORY GROUP	25
X.	APPENDICES	26
	APPENDIX A – Location Maps.....	26
	APPENDIX B – Authorized Facilities	29
	APPENDIX C – Facility Photographs.....	30
	APPENDIX D – Inspection Checklist	32

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN**I. DEFINITIONS**

Authorization Holder. An individual, business, organization, or an agency that has been issued a Communications Use Lease or Special Use Permit which allows occupancy, use, rights, or privileges of National Forest System (NFS) land.

Authorized Officer. The Forest Service employee with the delegated authority to issue and manage communications uses. The authorized officer is usually the District Ranger or Forest Supervisor of the unit on which the communications site is located.

Co-location. Installation of telecommunications equipment in or on an existing communications facility or other structure.

Communications Site. An area of NFS lands designated as an electronic site through the Forest Land and Resource Management planning process for telecommunications uses. A communications site may be limited to a single communications facility, but most often encompasses more than one. Each site is identified by name, usually denoting a local prominent landmark, such as Bald Mountain Communications Site.

Customer. An individual, business, organization, or an agency that operates telecommunication equipment within a facility, but does not broadcast or resell communications services to others.

Distributed Antenna System (DAS). A network of spatially or geographically separated antenna nodes that are connected to a common source through a transport or communication medium in order to provide wireless communication service in a specific locality or building.

Facility. A building, tower, or other physical improvement (buildings and towers do not have to be combined to be considered a facility) that is built or installed to house and support authorized communications equipment.

Facility Manager. The holder of a Forest Service communications use authorization who (1) owns a communications facility on NFS lands, (2) rents space in or on their facility to other communications users, but (3) does not own or operate their own communications equipment and they do not directly provide communications services to third parties. Persons or entities that manage or administer a communications facility on NFS lands for a facility owner or a facility manager are not facility managers for purposes of this Communications Site Management Plan.

Facility Owner. The holder of a Forest Service communications use authorization who (1) owns a communications facility on NFS lands, (2) may or may not be renting space or equipment to other communications users in or on their facility, and (3) owns and operates their own communications equipment in their facility.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Multiple-Use Facility. A communications site facility that has multiple communications uses operated directly by the facility owner or has customers or tenants in or on that facility.

Node. A separate site facility housing the antennas for a Distributed Antenna System (DAS) within the communication site complex.

Ranally Metro Area. Geographic areas in the United States identified by Rand McNally in its Commercial Atlas and Marketing Guide that define population centers of 50,000 or more. There are approximately 450 Ranally Metro Areas (RMAs) in the United States.

Senior Use. A communications use that predates another communications use. The most senior use or uses form the basis for the communications site designation.

Single-Use Facility. A communications site facility that contains only the single communications use of the facility owner and no tenants or customers in or on the facility.

Tenant. An individual, business, organization, or an agency that operates telecommunication equipment within a facility, for the purpose of broadcasting or reselling communications services to others.

II. NARRATIVE

A. Site Description

Beaver Creek Communications Site is located on the Eagle/Holy Cross Ranger District of the White River National Forest, Eagle County, Colorado; and portions of Section 30, T. 5 S., R. 81 W., Section 25, T. 5 S., R. 82 W., and Section 1, T. 6 S., R. 82 W., 6th Principal Meridian. The Beaver Creek Communications Site includes the entire permitted ski area boundary plus the Holy Cross Energy location just south of the ski area boundary. The total acreage for this communications site is approximately 3,850 acres. The Holy Cross Energy location is at Latitude 39° 33' 31" North, Longitude 106° 30' 31" West, with an approximate elevation of 11,534 feet and an approximate size of 0.9 acre. There are three Distributed Antenna System (DAS) nodes located within the communications site: at Spruce Saddle on a mono pine west of the Lodge and just east of the lift; at Talon's Restaurant on the side of the building; and at Patrol Headquarters (PHQ) on a mono pine just southwest of the chairlift. There is also Sprint cellular equipment on Garnsey's Cabin (a Vail Resorts-owned building).

This site does not serve a Ranally Metro Area (RMA). The population of the largest community is less than 25,000. The population identified for this area is updated annually by the Forest Service, Washington Office, Director of Lands, and is used to determine the annual rental fee due the Forest Service. Zone #9 in the national communication fee schedule will be used for fee calculation purposes for this site.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Directions to Beaver Creek Communications site are from Interstate 70 at exit 167 at Avon. Travel south on Avon Road which becomes Village road south of US 6. Village Road becomes Elk Track Road approximately 2.46 miles south of US 6. Elk Track road becomes Bottom Lift 10 Road approximately 1 mile south. Continue on Bottom Lift 10 Road approximately 2.41 miles to where it intersects with Beaver Creek Road. Continue on Beaver Creek Road past Spruce Saddle and PHQ to the Holy Cross Electric site at approximately 4.47 miles.

Access to the mountain is controlled by a locked gate and the Ski Area. All users must check in with Beaver Creek Security prior to going to any communications facilities. The combination to the gate changes weekly and if the users are not familiar with the mountain, they will be escorted. During the winter users will use the lifts or trams and/or be escorted via snow taxi as needed. All users must comply with both summer and winter restricted access conditions to protect both resource and public safety concerns at the Ski Area.

B. Existing Site Development

This Communications Site Management Plan has been developed to document and evaluate the existing communications facilities at the Beaver Creek Communications Site and to provide the outline for any future development of the site in an orderly manner and in accordance with the White River National Forest Land and Resource Management Plan and EIS which was approved in 2002.

The Holy Cross Electric site was developed in 1995.

The Sprint cellular equipment at Garnsey's Cabin was first added to the site in 2009.

In 2015, Vail Associates contracted with American Tower to design and construct a Distributed Antenna System (DAS) throughout the ski area to provide cellular and ISP coverage. The DAS "hub" and four nodes are located on private lands within the ski area boundary, while three other nodes are located on the National Forest within the ski area boundary as shown on the attached site map. Fiber optic lines, 7123' buried and 3305' aerial as shown and described on the attached site map connect the DAS hub to the Nodes.

Space in existing facilities is limited by building and/or tower capacity, but should be adequate for the foreseeable demand. Any new facilities must be submitted according to the direction in this plan and be evaluated according to this plan, be consistent with the White River National Forest Land and Resource Management Plan and EIS, the Beaver Creek Ski Area Master Plan, and appropriate NEPA. All future facilities must be coordinated and designed so as not to materially interfere with senior uses.

See Appendix B for a current list of authorized facilities.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

C. Objectives

The primary objectives of the Beaver Creek Communications Site Management Plan are to:

1. Document current policies, procedures, and standards used to administer the Beaver Creek Communications Site.
2. All current locations are established for low-power non-broadcast uses including two-way radio, microwave, and cellular. This site is to be used for low power communications uses only. The maximum power output expressed as Effective Radiated Power (ERP) is typically based on height above average terrain (HAAT) to set the maximum radiated power levels allowed for two-way radio under the Federal Communications Commission's rules at Title 47, Code of Federal Regulations, Part 90. As of the 2003 regulation, Part 90 levels are limited to 500 watts ERP. Each use must operate at or below the power level authorized by their respective FCC license as long as it does not exceed the site limitation of 500 watts ERP. Cellular Mobile Data Service is exempt from this site ERP limitation as long as the use does not exceed the ERP limitations as described in the applicable FCC regulations at Title 47, Code of Federal Regulations, Part 22, Subpart H or Part 27, Subpart C. In addition, point to point microwave (FCC Part 101) is exempt from this site ERP limitation as long as non-occupational human radiation exposure levels are not exceeded by FCC regulation. Continuously transmitting use (other than FCC Part 101) shall be limited to 500 watts ERP.
3. Accommodate the optimum/maximum use of the site by compatible communications uses consistent with Forest Land and Resource Management Plans, contiguous National Forest uses, natural resource management and objectives, good communications management practices, and public needs.
4. Keep all activities consistent with the management direction, including standards and guidelines outlined in the White River National Forest Land and Resource Management Plan, dated 2002. In order to minimize the visual impact to adjacent landowners and travel corridor user; plans and applications for building and tower modifications/reconstruction or new construction must include assurances that scenery resource guidelines and considerations have been thoroughly analyzed. Wherever possible, negative visual impacts should be avoided or at least minimized and potential opportunities for visual enhancement incorporated into the design. Careful consideration must be given to building and tower siting, use of land form and existing vegetation for visual screening, configuration, line, exterior color, and texture of facilities, and the overall concept of efficient land use through building consolidation and shared use of towers. Any future proposed expansion of facilities into presently undeveloped areas must be planned in a like manner.

Careful site planning along with adherence to the requirements found in the "Buildings" and "Antenna Support Structures" sections of this plan will contribute to

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

the long-term protection of the scenery resource and assure minimal visual detracting at the site.

5. The overall appearance of the site and the integrity of the natural environment shall be improved through stringent maintenance requirements, consolidation of ancillary structures, and selection of authorized paint colors.
6. On site activities, facilities and access especially during the winter must be coordinated with the Beaver Creek Ski Area Master Plan and annual ski area operations, maintenance, and safety considerations.
7. All facilities shall be managed to reduce the impacts on other resources as specifically identified in the Forest Land and Resource Management Plan or other applicable NEPA analysis and resulting decisions.
8. Document site management policy, procedures and standards, which are not already specified in the standard communications use authorization.

III. AUTHORITY AND JURISDICTION

A. Authority

Forest Service authority to authorize and manage communications uses on National Forest System lands derives from the Federal Land Policy and Management Act of 1976 (43 U.S.C. 1761-1771); Title 36, Code of Federal Regulations, part 251, subpart B (36 CFR 251, subpart B); Forest Service Manual (FSM) 2700; and Forest Service Handbook (FSH) 2709.11, chapter 90.

B. Jurisdiction

The Forest Service has jurisdiction over the use and occupancy of National Forest System (NFS) lands for communications purposes under the National Forest Management Act (NFMA) of 1976 (16 U.S.C. 1600 et seq.); the Federal Land Policy and Management Act (FLPMA) of 1976 (43 U.S.C. 1701 et seq.), and Title 36, Code of Federal Regulations, part 251, Subpart B (36 CFR part 251, subpart B).

The Federal Communications Commission (FCC) has jurisdiction over the use of non-Federal channels of radio and television transmission under licenses granted by the FCC. The National Telecommunications and Information Administration (NTIA) has jurisdiction over the use of Federal channels of radio transmission under authorizations granted by the NTIA.

The issuance of an FCC license or NTIA authorization does not authorize the use and occupancy of NFS lands. A Forest Service special use authorization is required for the use and occupancy of NFS lands for communications purposes.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

The Forest Service has jurisdiction over resolution of conflicts associated with the use and occupancy of NFS lands, such as those involving location and re-radiation. The FCC and NTIA are not responsible for resolving occupancy conflicts associated with the use and occupancy of NFS lands or the resolution of other conflicts when entities are operating within the limits of their FCC license or NTIA authorization. However, the FCC or the NTIA may be useful in assisting in the resolution of interference problems or other frequency conflicts.

IV. RIGHTS AND RESPONSIBILITIES

A. The Forest Service

The Forest Service retains the responsibility for issuing and amending authorizing instruments to Facility Owners and Facility Managers for the authorized improvements. The issuance of a FCC license (authorization), or frequency assignment, does not authorize occupancy of National Forest System lands. Granting occupancy and use of National Forest System lands rest exclusively with the Forest Service. This includes:

1. Amend or modify this site plan as deemed appropriate.
2. Approve new facilities, including those constructed within an authorization holder's authorized area.
3. Approve assignment of a communications use lease.

B. Facility Owners and Facility Managers Are Responsible for:

1. Complying with the terms and conditions of their communications use authorization and this site plan.
2. Ensuring that all new facilities, expansions, or improvements are consistent with the White River National Forests Land and Resource Management Plan, environmental documentation and decisions affecting the use of this site, and the provisions of this site plan.
3. May rent building and tower space to tenants and customers without prior written approval from the Forest Service, as long as that tenant or customer use is an approved communications use as designated in this Communications Site Management Plan and does not interfere with other existing uses at the site. Form FS-2700-10, Technical Data for Communication Type Land Use, or equivalent information from prospective tenants or customers seeking to co-locate in an existing communications facility may be required prior to co-location.
4. May not place any unreasonable restrictions on potential or existing tenants and customers.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

5. Ensuring that facilities and equipment not complying with Federal, State, and local laws, regulations, and ordinances will be removed or modified within one year of approval of this site plan. Modifications require the pre-approval of the authorized officer.
6. Keeping all facilities within the established limits of their authorized area. The Facility owner or manager may not, for itself or for any customer or tenant, authorize construction of any equipment shelter or tower, or manipulation of the site or vegetation in any way, without specific authorization from the Forest Service (See sec. VII).
7. Providing the authorized officer the name, address, and telephone number of a local contact. The facility owner or the facility manager and the local contact person may be the same individual. The local contact shall be available for emergencies and shall have the authority to make decisions about construction issues, facility maintenance, and all equipment within the facility.
8. Ensuring that all communications facilities and equipment are properly installed, operated, and maintained in accordance with industry standards such as Motorola R-56. These standards may be waived by the Forest Service authorized officer when recommended by a site user association or similar technical committee or upon request of a facility owner/manager when equivalent measures would achieve similar results.
9. Providing to the authorized officer by October 15th of each year, a certified statement listing their type or types of communications uses they provide and the business names of all occupants and their type of communications use in the facility on September 30th of that year.
10. Treat and control noxious weeds on and adjacent to their permitted area, access, and parking areas. Treatment requirements and standards must be according to applicable regulations. Standards and application procedures may be obtained from the Forest Office.

C. Tenants and Customers:

May co-locate in an existing facility when their communications use is an approved use in the site plan. Co-location in a non-Federal communications facility does not require a Forest Service authorization. Tenants and customers who co-locate in a Federal facility shall first be issued a special use permit from the authorized officer before locating in that Federal facility.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN**V. USE OF THE SITE****A. Multiple-Use Facilities**

Co-location, when practical, shall be required. Site applicants shall take the lead in this area and shall design their proposals to accommodate multiple uses of facilities and improvements. This includes the multiple-use of buildings, towers, solar generating systems, back-up generators, grounding systems, fuel containers, access ways, and parking areas.

Due to the limited development space at the site and coordination with Ski Area purposes, new facilities or major modifications to existing facilities shall be designed to accommodate additional users even if other users are, or could be, competitors.

Facility owners and facility managers are not required to lease facility space to others if they can demonstrate to the authorized officer that:

1. Space is not available;
2. The use is incompatible with the existing communications uses at the site. For example, the proposed use is not compatible with other uses as provided for in FSH 2709.11, section 97, exhibit 05;
3. Additional space is needed by the facility owner or the facility manager; or
4. Additional users would compromise security of the facility or communications systems located in that facility.

VI. RENTAL FEES

Unless specified differently in the communications use authorization, the Forest Service shall charge facility owners and facility managers of non-Federal facilities and tenants and customers in Federal facilities an annual rental fee based on the fee schedule for communications uses on National Forest System lands contained in FSH 2709.11, section 95. The rental rates shall be adjusted annually using the Consumer Price Index-Urban (CPI-U), and the population figures are adjusted annually based on the most recent Rand McNally Commercial Atlas and Marking Guide (for RMAs) and Rand McNally Road Atlas for non-RMA communities.

Rental fees that facility owners and facility managers may charge their tenants and customers shall be:

1. Reasonable and commensurate with the use and occupancy of the facilities and services provide to tenants and customers; and
2. Consistent with other fees charged for similar facilities.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN**VII. CONDITIONS FOR NEW CONSTRUCTION AND MODIFICATION OR EXPANSION OF A FACILITY****A. New Construction, Modification, and Expansion Responsibilities**

Construction space at the site is limited for future additional facilities. If new facilities are proposed, or if existing facilities need modification, the following guidelines shall apply.

In addition to the responsibilities listed in Section IV, applicants, facility owners, and facility managers seeking to construct a new facility or modify or expand an existing facility are responsible for:

1. Submitting a complete application to the authorized officer prior to any new construction, modification, or expansion of a facility. The application shall include:
 - a. A copy of the approved site plan base map showing all of the proposed new, modified, or expanded facilities, including structures, towers, and auxiliary equipment;
 - b. Completed drawings or plans prepared by a professional engineer or architect;
 - c. Identification of any proposed point-to-point microwave paths, a plot of their azimuth, and their proposed elevation on the tower; and
 - d. Documentation showing that the proposed facilities will not obstruct or interfere with any existing uses, including fixed point-to-point antennas, omni-directional broadcast antennas, or point-to-point microwave paths.
2. Demonstrating that the new facility will make the most efficient use of the limited amount of space at the site and will provide for future uses without additional construction.
3. Providing engineering and geotechnical investigations for development of specific foundation designs and grading plans.
4. Providing an erosion control plan prior to construction. At a minimum, the erosion control plan shall include sediment control; stipulations that cut and fill slopes will be graded and contoured to prevent erosion and excessive runoff, and recommendations for temporary erosion control measures, such as netting, silt fences, swales, sediment collection areas, and so forth.
5. Coordinating with other Federal and local governments and securing all pertinent permits and approvals from those agencies.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

6. Providing 30 days' notice to all facility owners and facility managers at the site, as well as the Forest Service, of all new frequencies, either for themselves or their tenants and customers, proposed for the site. A completed FS-2700-10 shall be sent with the 30 day notice to allow for comment of potential interference. If there is a reply to the request for comments that suggests that there may be physical interference, electronic incompatibility, or potential radio frequency interference to existing uses, the Facility Owner or Facility Manager must address those concerns with a sufficiently detailed response that the existing use will withdraw its objections to the new use or special terms and conditions must be created to address those concerns. Copies of any response under this paragraph, positive or negative, must be provided to the Forest Service.

B. Construction Methods and Resource Protection

Plans submitted by a proponent, facility owner, or a facility manager for construction, modification, or expansion of a facility shall provide for soil rehabilitation measures, including soil replacement and stabilization and proper handling of runoff from buildings, parking areas, access roads, and undeveloped common areas. The authorized officer must approve all cutting or trimming of vegetation.

During construction, modification, or expansion of facilities, facility owners and facility managers shall:

1. Identify, avoid, and protect sensitive resource areas identified by the Forest Service.
2. Comply with the erosion control plan.
3. Notify the Forest Service authorized officer prior to commencing any approved ground-disturbing activities.
4. During construction and/or maintenance, paintbrushes will not be cleaned off on rocks. No marks of any kind, including survey marks, will be permitted on rocks.
5. Minimize, to the greatest extent possible, ground disturbance and vegetation removal.
6. Re-vegetate extensive cut and fill slopes with native vegetation as soon as possible after construction. All re-vegetation must have prior written approval of the authorized officer.
7. Not cast off grading material. Excess soil can be used as fill material for roads, buildings and towers.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

8. Obtain prior written approval of the authorized officer for temporary, on-site storage of construction materials.
9. Not leave hazardous materials, including fuels, oils, and lubricants unattended at the site at any time. Hazardous materials shall be removed from the site at the end of each workday or temporarily stored inside a locked and posted building until the following workday. Construction materials and supplies other than hazardous materials may be left unattended at the construction site at the end of each workday at the owner's risk.
10. Remove surplus construction materials and waste debris from the site no later than 30 days after construction has been completed.
11. To prevent the spread of noxious weeds into the area, power wash off any earth-moving or heavy equipment, such as dozers, graders, cranes, backhoes, and so forth before it is brought onto National Forest System lands.

C. Construction Inspection

1. All new construction, modification, and expansion of facilities shall conform to established technical standards and accepted engineering practices, such as the Uniform Building Code, Occupational Safety & Health Administration (OSHA), National Fire Protection Association (NFPA), National Electrical Code (NEC), Electronic Industries Alliance/Telecommunication Industries Association (EIA/TIA) codes and standards, and state regulations.
2. Any construction inspections required by other agencies are the responsibility of the holder. Copies of completed inspections shall be provided to the Authorized Officer, either as they occur or as part of the final as-built plan. Inspection information shall become a permanent part of the holder's special-use file.
3. Corrective work required as a result of Forest Service or other agency inspections shall be completed by the date specified in the inspection report to the satisfaction of the inspecting official.
4. A final set of as-built plans shall be submitted to the Authorized Officer within 90 days of acceptance of a structure (if the construction was contracted) or of its completion date (if the construction was not contracted).

D. New or Remodeled or Expanded Buildings

1. Any new buildings shall be designed to accommodate multiple users and shall be consistent with a site-specific environmental analysis conducted at the time of the proposal.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

2. Building height will be restricted to a single story unless specifically authorized for two stories or with a snow vestibule. The roof shall be non-reflective metal or other non-reflective fire resistant material approved by the Forest Service. Roofs can be equipped with antenna support structures, such as poles and railings that can extend up to 25 feet above ground level.
3. Facility owners and facility managers are encouraged to construct the interior of their buildings in a modular fashion, so that they can:
 - a. Sublease sections to others;
 - b. Provide tenants and customers with internal separation and security;
 - c. Reduce physical interference; and
 - d. Increase management effectiveness.
4. The following materials are approved for construction of new buildings:
 - a. Floors: Concrete slab with drainage or as part of a non-flammable pre-fabricated structure.
 - b. Walls: Concrete block, metal, or pre-fabricated concrete.
 - c. Roofs: Concrete, corrosion resistant metal (if painted to eliminate shiny surfaces), or other fireproof material approved by the Forest Service. Proposals for wooden roofs will not be approved.
 - d. Partitions: Fire resistant material, such as reinforced concrete or properly grounded expanded metal.
 - e. Color: Color used on all exterior building surfaces must have prior written approval of the authorized officer. The goal of color selection is to make buildings as inconspicuous as possible when viewed from a distance. The intent is to reduce or eliminate glare from reflective and/or illuminated surfaces such as windowpanes, sheeting and reflective paints. Non-reflective, Forest Service approved dark gray to green colors shall be used on equipment buildings.
 - f. Building entry lights must:
 - i. Only light the immediate area in the vicinity of the door;
 - ii. Be motion-activated and have a limited time duration of 3 to 5 minutes; and
 - iii. Have a shielded beam that is pointed at the building door.

Requests for all-night (dusk-to-dawn) lighting or entry lighting that would be visible from outside the site will not be approved.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN**E. New or Remodeled/Expanded Towers**

1. All construction, modification, and expansion of towers shall have the prior written approval of the authorized officer.
2. It is the applicant and holder's responsibility to ensure that new, modified, or expanded towers will not unduly interfere electronically or physically with any existing equipment at the site. Towers shall be spaced so as to prevent ground level radiation and interference problems. Compliance with these requirements shall be demonstrated in writing to the authorized officer prior to issuance of a lease, permit, or amendment.
3. All new towers shall comply with current structural and safety specifications and design standards, including safety-climbing devices. Towers should be as narrow and "open" as safety and structural integrity allow. New towers should be designed using maximum wind, snow, and tower loading anticipated for the site.
4. All new towers shall not exceed the current height of 80 feet at the Holy Cross Energy location and the height of existing towers or buildings when utilizing ski area owned structures at other locations. Generally towers may not exceed 20' above the adjacent tree canopy without specific approval resulting from the NEPA process. The average tree canopy height at the time of this plan was 50-60 feet. The analysis will require the applicant to demonstrate an alternative which achieves the telecommunication goals with the minimum tower height.
5. To avoid possible impacts to birds or bats, structures under this section must comply with the most current version of the U.S. Fish & Wildlife Service's Interim Guidelines on the Siting, Construction, Operation and Decommissioning of Communication Towers (available at <http://www.fws.gov/habitatconservation/communicationtowers.html>).
6. All towers shall be left unpainted if they are made of dull galvanized steel or Cor-Ten steel. Paint is required only if the tower has a shiny or reflective surface. Non-reflective, Forest Service approved dark gray, dark green, or black colors meeting the Munsell reflectivity of 4.5 or less will be approved unless the FAA requires aviation orange and white tower striping.
7. No lights, beacons, signs or strobes shall be allowed on new towers unless specifically required by the FCC/FAA.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN**VIII. GENERAL OPERATION AND MAINTENANCE****A. Special Environmental and/or Biological Considerations**

Scenic resource quality objectives as seen from Ski Area and Interstate 70 are of special concern. Standards in this plan are designed to help reduce or minimize the visual impacts. There are no other currently identified special resource coordination considerations with on-site or adjacent resource values. Should additional special conditions arise through the revision process of the land use plan or other situations, this site plan will be amended accordingly. Compliance with colors of buildings or antenna and tower heights shall be achieved when maintenance or replacement is necessary, when modifications are proposed by the lease holder, or prior to a new authorization when the current term has expired.

B. Wiring and Grounding

1. All equipment shall be installed in metal cabinets or open frame equipment racks that are grounded and shielded. Grounding is to be installed in accordance with manufacturer's recommendations and accepted industry standards.
2. All building electrical wiring and grounding shall meet the NEC and applicable state and local codes. All permanent wiring shall be installed in metallic conduit and shall include a separate safety ground conductor. Electrical metallic tubing (EMT) raceway in and of itself shall not be used as a ground return. Exception: If galvanized rigid conduit (GRC) is employed, it shall be acceptable for use as a ground return.
3. Every effort shall be made to protect the equipment from lightning damage. Lightning protectors should be used on all coaxial cable connections to equipment enclosures. Inert gas gap or metal oxide varistor (MOV), silicon avalanche diode (SAD), or transient voltage surge protectors (TVSS) should be used on all control, audio, and power lines. Failsafe modes shall be employed in the TVSS to protect wiring and shelter from fire damage. All TVSS equipment shall be UL1449 listed or approved.
4. All new building and/or tower structures shall have its own separate station ground mat system for all users in that site and solidly bonded (such as exothermic weld, not brazing) to the electrical service entrance grounding conductor or grounding electrode. Wherever practical, interconnection of individual station ground mats and/or the simultaneous placement of large sized copper ground wire with any new grounding systems that are buried on the site shall be encouraged.
5. Grounding shall be installed in accordance with accepted practices and standards, such as but not limited to, Motorola, Inc. "Standards and

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Guidelines for Communications Sites R-56 Issue B”, and NEC Articles 250, 810, and 820. Ground enhancement materials using bentonite clay is currently the only approved method for chemical grounding. Other types of chemical grounding shall require completion of NEPA documentation by the applicant prior to consideration for approval by the authorized officer.

C. Communications Equipment**1. Equipment Ownership**

All equipment shall be labeled with:

- a. The owner’s name;
- b. Applicable transmitter frequencies;
- c. The applicable FCC license or NTIA authorization;
- d. Transmitting power outputs; and
- e. A current 24-hour telephone contact number.

2. Transmitting Equipment

All transmitters shall have protective devices built into them or externally installed to prevent interference with other uses. All transmitters shall meet FCC/NTIA requirements and be FCC type accepted for use in the licensed (or license exempt) application.

The re-radiation of intercepted signals from any unprotected transmitter and its associated antenna system shall be prevented by the use of appropriate filters, typically bandpass filters, circulators (isolators), and/or 2nd harmonic filters.

The direct radiation of out-of-band emissions (noise or spurious harmonics) shall be reduced to a level such that it may not be identified as a source of interference as defined in FCC Regulations (47 CFR 90.209(e)). If site noise (electromagnetic noise) becomes an issue, noise threshold limits shall be established, and amended into the Site Plan.

All transmitters not in immediate use and not specifically designated as standby equipment shall be removed. Loads connected to circulators shall be capable of dissipating the total power output of the transmitter.

Where duplexing is used, a notch-type filter device by itself shall be avoided. In situations where a notch-type device is used, a bandpass filter shall be used on both the receiver and transmitter. Transmitter multi-channel hybrid

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

combining equipment should be avoided unless additional protection is provided to ensure hybrid balance and minimize the chance for intermodulation products being produced. A post combining bandpass or lowpass filter is required after the basic hybrid combiner to block undesired 2nd harmonics from being radiated.

3. Receiving Equipment

A bandpass device, such as a cavity or crystal filter, is recommended at the input of all receiving devices. Cavity filters or other protective devices may be used at receiver inputs to reduce interference.

Where duplexing is used, a notch-type device should be avoided. In situations where a notch-type device is used, a bandpass filter shall be used on both the receiver and transmitter.

4. Antennas

- a. Microwave (dish) antennas and other than ground-mounted satellite dishes shall not exceed the minimum diameter necessary to meet path performance and reliability criteria. Tower-mounted microwave antennas shall not exceed four feet (4') in diameter. Ground-mounted satellite dish antennas shall not exceed ten feet (10') in diameter. Replacement antennas must comply with these dimension requirements.
- b. All antennas shall meet all OSHA safety standards. If an antenna is operating in excess of the Federal Communications Commission (FCC) public or occupations standards, steps will be taken, such as fencing, posting of signs, relocation, lowering power levels, within 24 hours to bring it into compliance. Ground measurements of Radio Frequency Radiation (RFR) levels will be taken before mitigation measures are implemented.
- c. Colors for dish antennas or covers shall be pre-approved by the authorized officer. White dish antennas and covers will not be approved. Existing white dishes and covers shall be repainted or replaced as repairs or replacement become necessary.
- d. Antennas shall be treated to reduce or eliminate reflected glare.
- e. Low-powered transmit and receive antennas may be located low on the tower or on the ground.

5. Interference

The responsibility for correcting interference problems lies with the holder of the communications use authorization for the facility, the user causing the

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

interference, and the affected parties. Generally, the first users at a site have seniority with respect to resolution of interference complaints. Senior users have an obligation to maintain their equipment to current industry standards, to operate their systems in accordance with the terms of both the FCC license and the NTIA/Interdepartment Radio Advisory Committee (IRAC) frequency authorization, and to comply with the Forest Service communications use authorization. New users at a site shall correct, at their expense, interference problems that they create. If it can be demonstrated that the senior user's equipment is at fault because of poor technical performance (does not meet, for instance, current Association of Public-Safety Communications Officials (APCO) or EIA/TIA technical standards for receiver performance), it will be necessary for the senior user to bring the poor performing receiving equipment up to current standards. The new user, in any event, shall cease operation of the suspect equipment until the problem is corrected, or as in the case of a poorly performing senior user receiver, the senior user must formulate an action plan for correcting the deficiency as soon as possible and be acceptable to both parties. If interference problems cannot be resolved or corrected within a reasonable time, the new use that is causing the interference may be terminated and the equipment removed.

If a Site Users Association is formed, all users shall cooperate with the Forest Service in the identification and correction of any interference. The Forest Service does not have any responsibility for correcting interference problems, but can act as a mediator to help all affected parties. Interference problems, whether theoretical, calculated, or measured (before and after licenses are granted) should be coordinated and resolved with the FCC or NTIA, as appropriate.

Interference with Public Safety, Critical Infrastructure, and any other emergency communications facility shall be corrected immediately. Operation of equipment covered by this site plan shall not interfere with Federal Government radio or electronic operations already in existence on NFS lands within two miles of the Beaver Creek Communications Site. The user causing this interference shall at their own expense take all actions necessary to prevent or eliminate the interference. If they do not eliminate the interference within ten (10) days after receipt of notice from the Forest Service to do so, their use will be terminated.

If electromagnetic noise becomes an issue, noise thresholds shall be established and incorporated as an amendment to this site plan. The cost of such analysis is the responsibility of the authorization holders.

D. Cables and Transmission Lines

All new outdoor cabling shall be jacketed and 100 percent shielded and shall either be flexible or semi-rigid. Cables shall be properly installed, strapped, and fastened down.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Cable runs should be consistent with applicable engineering standards when attaching cables onto a tower.

All transmission lines (including wave guide) shall be supported in accordance with manufacturer's specifications. Unjacketed transmission lines or unjacketed cables of any type are prohibited. No transmission lines shall be left unterminated. Lightning protection ground down conductors on towers shall be insulated from the tower steel and considered no different than transmission lines. Bonding of this down conductor to tower steel shall be done with NEC approved connectors that are also galvanically compatible (bronzed or tin plated) with the structural galvanized steel of the tower.

Double-shielded braided (98 percent or better) or solid-shielded cable shall be used inside of buildings. No RG-8 or RG-58 type class of cable is permitted. No connector-type adapters shall be used on transmission lines. Only correct connectors that will mate to connected devices may be used.

Conduits shall be shared as allowed for under the NEC when they service common areas and shall be buried where possible.

Existing cables and transmission lines that do not meet the above requirements shall be upgraded as repairs or replacement become necessary.

E. Radiation

All communications uses shall meet FCC, NTIA, and OSHA regulations, policy, guidelines, and standards concerning radiation limitations.

All antenna radiation zones shall meet all OSHA safety standards. If an antenna radiation zone is operating in excess of FCC public or occupational standards, steps will be taken, such as fencing, posting of signs, relocation, lowering of power levels, etc. within 24 hours to bring the zone into compliance. Ground measurements of RFR levels will be taken before mitigation measures are implemented. It is recommended that each Facility Owner or Manager, in accordance with FCC regulations 47 CFR sections 1.1307(b), 1.1310, and 2.1093, properly monitor Maximum Permissible Exposure (MPE) to electromagnetic fields for their site.

Monitoring radiation levels at the site is the responsibility of all site users and shall occur at intervals to comply with FCC regulations and guidelines. A copy of the monitoring report shall be provided to the Forest Service within 30 days of its completion.

Security fences with RFR notice signs are required around areas that exceed public use levels. All fencing location and design shall be pre-approved by the Forest Service.

Warning signs shall comply with American National Standards Institute (ANSI) C95.2 color, symbol, and content conventions. Contact information, including name and telephone number will also be included on warning signs.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Any identified RFR radiation problems that are, or could be, a public health hazard must be corrected within 24 hours after measurement tests have been completed or be removed from the site by the site user(s). If the proposed corrective action involves any new ground disturbance, it must be pre-approved by the Forest Service.

F. Utilities

Site users shall pay for the cost to install and maintain utilities, including any resource surveys and reports needed for environmental compliance. For visual reasons, new overhead utility poles are not authorized.

1. Commercial Electrical Power

Commercial electrical power is supplied by Holy Cross Energy. The power lines are buried to this site. Backup generators are propane powered.

2. Telephone Service

Buried telephone and fiber cable service is provided to this site by Vail PBX.

3. Fuel Storage

Facility owners and facility managers are responsible for providing fuel storage (propane and diesel) and emergency power for their tenants and customers. No tenants or customers will be authorized to have separate fuel tanks and/or generators. Each facility owner will preferably consolidate fuel storage into a tank large enough in size to accommodate all tenants and customers within their facility. At a minimum, tanks will be grouped together in a consolidated area adjacent to their facilities. All fuel, storage tanks (e.g. LPG, propane and diesel) must meet current fire department, Federal, State and local government safety and hazardous materials requirements. Propane is the preferred fuel for future generators. Enclosures, vegetative screening, or berms may be required to reduce visual impacts.

G. Sanitary Facilities

Sanitation facilities exist at this site. Any new sanitary facilities shall be pre-approved by the Forest Service. If it is determined by the authorized officer that the user needs such facilities, they will be provided by the applicant/holder in a manner and location satisfactory to the authorized officer and requirements of the local health department.

H. Security and Law Enforcement

Eagle County Sheriff's Department are the principal law enforcement agencies for the area in which the Beaver Creek Communications Site is located. Generally, the County Sheriff are responsible for civil and criminal law enforcement. Generally, the Forest Service is responsible for enforcing Federal laws applicable to NFS lands, such as

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

resource protection. Patrol and policing for security purposes is the holder's responsibility.

None of the facilities at Beaver Creek Communications Site are fenced. If fencing is ever deemed necessary for security purposes at other facilities on the site, it must meet the following criteria:

1. All fences must meet health and safety requirements.
2. All fence locations and design require Forest Service pre-approval.
3. The standard fencing type will be chain-link (i.e. cyclone).
4. The standard fence height will be eight (8) feet.
5. Fencing will be designed, maintained, and of a type to minimize interference issues. All fencing materials shall be hot-dip galvanized coated to minimize corrosion and dissimilar metal contacts.
6. Fencing shall be grounded at regular intervals not to exceed 20 feet to the station ground mat. The purpose of this requirement is to lower its conductivity to RF signals and shunt those RF signals to ground and prevent re-radiation.
7. Fences will be signed with RFR notices if RFR is above public levels.

Buildings shall be posted with a 24-hour contact phone number(s) on the main door(s) into the building where appropriate.

I. Site Maintenance

The objectives of site maintenance are to present a clean, neat, and orderly appearance at the site and to have all the authorized improvements at the site be safe for workers and the public. All users are responsible for maintaining the overall appearance of the site.

Miscellaneous debris remaining after any construction or installation, removal or modification of equipment is not only a hazard but can cause interference or intermodulation problems. All loose debris must be removed from the site within 30 days after completing construction, reconstruction, or other activities. In particular, all loose wire or metal objects shall be removed from the site. The users of the site shall remove graffiti within ten working days of finding it. If graffiti is on natural features, such as rocks and trees, site users will remove graffiti using a method approved by the authorized officer.

Holders may not leave or dispose of trash, garbage, or cut brush on NFS lands. No outside trash or litter containers are allowed. Site users shall remove all trash and litter from the site as it is produced. Policing of litter in common areas, such as the areas

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

between buildings and developed sites, is the shared responsibility of those holders bordering these areas.

Peeling paint on buildings and towers shall be re-painted within thirty days of discovery or as soon as possible as allowed by weather conditions.

J. Inspections

Unless waived in writing by the authorized officer, the holder shall have conducted annually a certified inspection of the facilities and equipment covered by the authorization. The inspection shall include a technical review that should ensure that all authorized equipment is operating in accordance with requirement of this site plan, the applicable FCC license or NTIA authorization, ANSI standards, and the manufacturer's specifications. In addition, the inspection should ensure that the authorized equipment is secure, free of rust, properly grounded, and otherwise properly operated and maintained. A copy of the inspection report, certified by a telecommunication specialist, shall be provided to the authorized officer within 30 days of completion of the inspection. The Forest Service may also conduct periodic reviews to monitor for authorization compliance.

K. Fire Prevention and Hazard Reduction Requirements

Facility owners and facility managers will be required to control vegetation within the fenced or immediate area around their facilities. Gravel/mineral soil (i.e. bare ground or mowed vegetation) must be maintained to a minimum of thirty (30) feet clearance around buildings and a minimum of thirty (30) feet clearance around any propane tank. Identified threatened, endangered, or sensitive plant species must remain within the minimum clearance areas.

Smoking is prohibited in flammable vegetation areas.

Roof structures shall be kept reasonably clear of debris at all times.

No explosives will be stored at this site. Flammable materials shall be stored in conformance with the requirements of local fire regulations. Flammables will be placed in closed containers and stored away from sources of ignition and combustible materials. If flammables are stored within a building, the building will be locked, properly signed and well ventilated.

Approved spark arresters will be required and maintained on all internal combustion engines.

At least one (1) U.L. rated 20 lb. A:B:C dry chemical fire extinguisher is required inside each building. Prior to each June, fire extinguisher(s) shall be inspected by holders and refilled, if necessary.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Any fire will be immediately reported to “911”, the nearest Forest Service office and/or Eagle County Sheriff’s Office.

Forest Service Officers may make periodic fire prevention inspections. They will call to the holder’s attention any lack of compliance with the above regulations, plus any other existing hazards. Compliance with these inspections is required within the time limits specified in the inspection report.

All fire protection standards must be accomplished by the beginning of fire season unless otherwise agreed to, and then maintained throughout the fire season.

For new construction, the Forest Service will provide the Holder with a separate Construction Fire Plan which will be prepared at that time as applicable. State and local laws/regulations must be followed for the diesel tank installation.

To avoid possible impacts to birds or bats, structures under this section must comply with the most current version of the U.S. Fish & Wildlife Service’s Guidelines on the Siting, Construction, Operation and Decommissioning of Communication Towers (available at <http://www.fws.gov/birds/management/project-assessment-tools-and-guidance/communication-towers-gd.php>).

L. Access

1. Road

Holders who damage the access road, or any of its associated improvements, such as ditches, culverts, roadside vegetation, signs, and underground utilities and facilities, shall be required to repair the road to conditions equal to or superior to those prior to any damage or disturbance.

2. Internal Roads and Parking Areas

Internal roads and parking areas within the communications site are the responsibility of the site users. Interior roads and parking areas shall be planned and approved by the authorized officer in conjunction with establishment of new facilities. Interior roads shall be maintained so as to allow only one entrance to the site. The intent is to discourage off-road vehicle use in and around the site.

3. Road Closures

Forest Service roads are subject to periodic closures to entry during periods of extreme fire danger, inclement weather, or wetness. Site users may access the site during these closures if they have prior, written approval from the authorized officer.

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN**IX. SITE ASSOCIATION AND ADVISORY GROUP**

A Site Users' association is probably not needed at this time. If development were to increase, a users' association may become desirable. Leadership would need to come from one of the users. As needed in the future, the site association would be responsible for obtaining and maintenance of an administrative access and upkeep of internal roads and parking areas. The site association would also be responsible for ensuring cooperation between users for on-tower access. A site safety officer would be identified within the site association. The site association would be expected to develop a Radio Frequency Radiation Plan/Agreement and recommend measures to reduce interference issues (e.g., through use of filters).


The goal of the site association would also be to maximize the effective use of the site. The objective of a sanctioned association will be to represent all site users as a group when dealing with the Forest Service on matters relating to the site administration. The association would be able to work in cooperation with the Forest Service to identify problems or opportunities and make recommendations to the Forest Service for any changes in management strategies at the site. The association could also provide input to the Forest Service regarding the future addition of equipment and facilities at the site. While the advice and recommendations of the association would not be binding on the Forest Service, the Forest Service could use the input for administration of the site. The Forest Service would be a member of such a group and would help jointly develop the charter (i.e., the ground rules).

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

X. APPENDICIES


APPENDIX A – Location Maps

Overview Map of Beaver Creek Comm Site




BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Site Map for Facility 1 (Vail Resorts Inc DAS Network)



BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Site Map for Facility 2 (Holy Cross Energy)



Data use subject to license.
© Delorme, Topo North America™ 9
www.delorme.com



BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

APPENDIX B – Authorized Facilities

Facility	Auth ID	Use	Building	Tower	Other
Facility 1 Vail Resorts Inc.	(lease currently under development)	FAM CEL ISP	two 3'x6' log shelters (DAS) Talon's Restaurant (DAS) Garnsey's Cabin (Sprint CEL/ISP)	two 30' mono-pines (DAS)	Fiber optic cable to connect to DAS nodes to hub 7123' buried and 3305' feet aerial on lift towers
Facility 2 Holy Cross Energy	HOL402525	PMRS	10'x 20' aggregate	80' lattice	2- 500 gallon buried propane tanks 1350' buried power line 1000' access road

BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

APPENDIX C – Facility Photographs

Vail Resorts (typical DAS node facility)



BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

Holy Cross Electric facility



BEAVER CREEK COMMUNICATIONS SITE MANAGEMENT PLAN

APPENDIX D – Inspection Checklist

“Beaver Creek Annual Technical Inspection”

Date Inspected: _____ Time Inspection: _____

Authorization Holder: _____ Authorization # _____

Site Technician: _____ Phone # _____

Number of Transmitters _____ License Posted _____

Please mark the following Items as Acceptable (A) or Unacceptable (U).

Electrical Wiring ----- (A) (U) Grounding ----- (A) (U)

Equipment Installation ----- (A) (U) Housekeeping ----- (A) (U)

Building Repair ----- (A) (U) Tower Repair ----- (A) (U)

Please mark the following Items as Yes (Y) or NO (N) or (NA)

Isolators ----- (Y) (N) (NA) Circulators ----- (Y) (N) (NA)

Cavities ----- (Y) (N) (NA) Terminators ----- (Y) (N) (NA)

Filters ----- (Y) (N) (NA) Lightning Protection ----- (Y) (N) (NA)

Comments:

Recommended Corrective Action:

Required Corrective Action To Be Taken:

Committee Representatives:

Forest Service Representatives:

*Please make the required corrective action within the next 120 days.
Please make a written report of corrective action taken and submit to the FS. If you should have any questions, please call the Forest Service office.*

New_Codi_site_code	site_name	year	ward	drainage	no_ept	no_eph	hbi	bci	p_scr	
capMIS	Capitol Creek	2006	1		29.5	18	9	5.072979798	8.18989899	2.828282828
bfishMIS	Big Fish Creek MIS	2003	3		22.5	23	9	4.486021505	7.588817204	9.247311828
bfishMIS	Big Fish Creek MIS	2006	3		22.5	26	9	2.324632953	4.807830343	29.03752039
bfishMIS	Big Fish Creek MIS	2007	3		22.5	18	5	1.97	4.28	58.77
bfishMIS	Big Fish Creek MIS	2008	3		22.5	19	7	2.247374696	3.765214684	43.77807947
bfishMIS	Big Fish Creek MIS	2009	3		22.5	23	8	3.181114971	5.858549328	20.72885543
bfishMIS	Big Fish Creek MIS	2010	3		22.5	19	7	3.601886792	6.089811321	9.056603774
EmaroMIS	East Maroon Creek	2006	1		42.7	16	7	4.466475879	6.90212592	18.86753884
EmaroMIS	East Maroon Creek	2007	1		42.7	17	6	2.74	3.67	53.91
EmaroMIS	East Maroon Creek	2008	1		42.7	15	6	2.939034046	3.923317498	40.38004751
EmaroMIS	East Maroon Creek	2009	1		42.7	17	7	3.102373879	4.510782151	37.11148483
EmaroMIS	East Maroon Creek	2010	1		42.7	20	7	3.666439316	4.868356892	46.61726294
Pine4b	Piney River	2006	1		33	24	8	3.696116051	6.934581189	13.00889097
Pine4b	Piney River	2007	1		33	18	8	5.78	8.6	4.18
Pine4b	Piney River	2008	1		33	15	6	3.193302857	5.633447205	12.45350939
Pine4b	Piney River	2009	1		33	17	6	2.697719716	6.171865601	12.16730527
Pine4b	Piney River	2010	1		33	23	8	3.335727969	5.391056034	7.722701149
snowm	Snowmass Creek MIS	2004	1		56.9	17	9	2.312814557	4.228571429	42.9345722
snowm	Snowmass Creek MIS	2007	1		56.9	23	9	2.47	3.86	27.96
snowm	Snowmass Creek MIS	2008	1		56.9	21	10	1.127591707	2.240031898	51.67464115
snowm	Snowmass Creek MIS	2009	1		56.9	22	8	1.652173913	2.865028355	53.68620038
snowm	Snowmass Creek MIS	2010	1		56.9	23	9	1.630926331	3.034245077	51.42231947
MFderbMIS	Middle Fork Derby Creek	2009	0		38.6	21	8	4.408745247	7.833041825	8.55513308
MFderbMIS	Middle Fork Derby Creek	2010	0		38.6	23	9	4.114539798	6.696451587	14.75752959
count					24	24	24	24	24	24
average					19.917	7.70833	3.175749666	5.330959355	27.9523246	
SD					3.1473	1.30148	1.152510441	1.775740794	18.85000968	
max					26	10	5.78	8.6	58.77	
min					15	5	1.127591707	2.240031898	2.828282828	
median					19.5	8	3.141744425	5.129706463	24.34442772	
Robust 74% of ref					14.43	5.92			18.01487651	

120% BCI, Diptera, HBI

Diminished BCI, HBI, Diptera

Diminished all others

3.958597975 6.463430144

4.461277083 7.284183178

11.31 4.64

14.11976808

New_Cod_site_code	site_name	year	ward	drainage	no_ept	no_eph	hbi	bci	p_scr
EFER-0.00 EFER1	East Fork Eagle River	2011		49.47	20	12	3.71	6.4	15.83
EFER-0.00 EFER1	East Fork Eagle River	2014			20	12	4.901595745	8.231117021	4.255319149
EFER-1.06 cmphale3	East Fork Eagle River	2005		48.7	24	14	3.460202605	5.345441389	25.03617945
EFER-1.06 cmphale3	East Fork Eagle River	2011		48.7	24	13	3.64	6.35	14.1
EFER-1.06 cmphale3	East Fork Eagle River	2014		48.7	22	14	3.267786561	5.172134387	25.79051383
EFER-1.06 cmphale3	East Fork Eagle River	2015		48.7	24	13	2.88399625	4.565177976	34.169086
EFEagle	East Fork Eagle River	2011		39.63	28	15	3.33	6.72	14.07
EFEagle	East Fork Eagle River	2014			20	12	3.282758621	5.180114943	40.68965517
SFER-0.05 cmphale1	South Fork Eagle River	2005		49.64	15	5	4.547999018	7.175767248	5.867910631
SFER-0.05 cmphale1	South Fork Eagle River	2011		49.64	18	9	4.45	7.83	5.9
SFER-0.05 cmphale1	South Fork Eagle River	2014			15	11	4.879213483	8.243258427	4.213483146
SFER-0.05 cmphale1	South Fork Eagle River	2015			19	8	3.3915528	5.879230889	22.00625863

New_Code	site_code	site_name	year	Ward	drainage	no_ept	no_eph	hbi	bci	p_scr
	avaMIS	Avalanche Creek MIS 200:	2003	1		90.2	18	2.725663717	4.624483776	51.91740413
	avaMIS	Avalanche Creek MIS 200:	2005	1		90.2	21	1.985195155	3.547510094	49.93270525
	castlMIS	Castle Creek MIS	2007	3		98.68	20	2.61	5.97	29.49
	Pine2	Piney River	2004	1		94.6	18	2.620115528	4.356574924	7.135575943
	Pine2	Piney River	2005	1		94.6	23	2.73512476	4.477159309	21.6890595
	Pine2	Piney River	2006	1		94.6	19	2.209181495	4.857010676	13.333333333
	Pine2	Piney River	2007	1		94.6	19	1.85	3.85	22.92
	Pine2	Piney River	2008	1		94.6	24	1.863437728	3.417443554	23.67079388
	Pine2	Piney River	2009	1		94.6	20	1.964221825	4.062075134	30.59033989
	Pine2	Piney River	2010	1		94.6	20	2.499392958	4.576932416	39.05301497
	SFWitMIS	South Fork White River	2007	3		90.1	18	2.35	5.34	48.14

count	11	11	11	11	11	11	11	11	11	11
average	20	8	2.310212106	4.461744535	30.71565699					
SD	2	1	0.349770095	0.755897431	14.97829582					
max	24	10	2.73512476	5.97	51.91740413					
min	18	7	1.85	3.417443554	7.135575943					
median	20	8	2.35	4.477159309	29.49					
Robust 74% of ref	14.8	5.92			21.8226					
120% BCI, Diptera, HBI			2.961	5.641220729						
Diminished BCI, HBI, Diptera			3.337	6.357566219						
Diminished all others	11.6	4.64			17.1042					

New_Code	site_code	site_name	year	Ward	drainage	no_ept	no_eph	hbi	bci	p_scr	
EAGL-58.97	Eagle 96	Eagle at baily	2011			108.26	22	12	4.37	8.53	4.24
EAGL-58.97	Eagle 96	Eagle at baily	2014				27	8	5.989176944	7.538384093	9.061162849

New_Code	site_code	site_name	year	ward	drainage	no_ept	no_eph	hbi	bci	p_scr	
	chamMIS	Chapman Gulch	2007	3		167.57	25	11	3.77	7.53	10.49
	Pine1	Piney River	2004	1		142.3	23	8	2.003601441	3.820288115	45.0180072
	Pine1	Piney River	2005	1		142.3	18	7	2.871428571	4.817857143	31.25
	Pine1	Piney River	2006	1		142.3	20	7	1.814149947	3.606335797	44.77296727
	Pine1	Piney River	2007	1		142.3	23	8	1.84	3.68	47.29
	Pine1	Piney River	2008	1		142.3	21	5	1.380119947	2.840657827	49.69714315
	Pine1	Piney River	2009	1		142.3	19	7	1.225176343	2.849918611	69.83179598
	Pine1	Piney River	2010	1		142.3	25	6	1.887032243	3.935208284	53.42433514
	roarfk2	Roaring Fork River 2	2005	3		160.8	17	9	5.262831554	9.259421288	4.650361695
	roarfk3	Roaring Fork River 3	2005	3		160	21	12	4.14024976	7.899711816	11.52737752

count	10	10	10	10	10
average	21.2	8	2.619458981	5.023939888	36.7951988
SD	2.7809	2.16025	1.347394612	2.320803338	21.52587945
max	25	12	5.262831554	9.259421288	69.83179598
min	17	5	1.225176343	2.840657827	4.650361695
median	21	7.5	1.945316842	3.8777482	44.89548723
Robust 74% of ref	15.54	5.55			33.22266055
120% BCI, Diptera, HBI			2.451099221	4.885962732	
Diminished BCI, HBI, Diptera			2.762349915	5.506402444	
Diminished all others	12.18	4.35			26.0393826

New_Code	site_code	site_name	year	ward	drainage	no_ept	no_eph	hbi	bci	p_scr	
EAGL-57.82	cmphale2	Eagle River below Res	2005	5		158.2	24	9	3.876935292	7.736482731	4.962286622
EAGL-57.82	cmphale2	Eagle River below Res	2011	5		158.2	22	11	4	8.35	4.67
EAGL-57.82	cmphale2	Eagle River below Res	2014				18	10	4.061577935	7.546375882	9.300833868
EAGL-57.82	cmphale2	Eagle River below Res	2015				25	14	3.530864198	5.77037037	27.77777778

