

Acres of Forest Service Land within the Foothills Landscape

District	Acres
Blue Ridge	17,296
Chattooga River	72,511
Conasauga	53,407
Foothills Total	143,214

Acres


Geology	Blue ridge	Chattooga River	Conasauga	Geology Total
bg1: Biotite Gneiss (Precambrian-Paleozoic)	1,944	1,384		3,329
Ccls: Conasauga Group; Middle unit; Limestone unit (Cambrian)			1	1
Ccs: Conasauga Group; Lower unit; shale and sandstone unit (Cambrian)			29	29
Ccsl: Conasauga Group; Upper unit; limestone and shale unit (Cambrian)			3	3
fg1: Biotite Gneiss/ Feldspathic Biotite Gneiss (Precambrian-Paleozoic)			344	344
fg3: Biotitic Gneiss / Mica Schist/ Amphibolite (Precambrian-Paleozoic)		1,195		1,195
gg1: Granitic Gneiss undifferentiated (Precambrian-Paleozoic)		960		960
mm1: Amphibolite (Precambrian-Paleozoic)	13			13
mm3: Hornblende Gneiss/ Amphibolite (Precambrian-Paleozoic)		1,380		1,380
Oa: Chickamauga Group; Middle Ordovician rocks; Athens Shale (Middle Ordovician)			31	31
Och: Chickamauga Group; Chota Formation (Ordovician)			277	277
Ock: Knox Group undifferentiated (Ordovician-Cambrian)			55	55
pa1: Aluminous Schist (Precambrian-Paleozoic)		14,940		14,940
pa2: Sillimanite Schist (Precambrian-Paleozoic)		99		99
pm2: Metagraywacke/ Mica Schist (Precambrian-Paleozoic)	699	23,977		24,676
pm3a: Metagraywacke/ Mica Schist-Quartzite/ Amphibolite (Precambrian-Paleozoic)	7,859		4,175	12,034
pm5: Slate/ Quartzite/ Conglomerate (Precambrian-Paleozoic)			35,910	35,910
pm6: Conglomerate (Precambrian-Paleozoic)			1,834	1,834
pms3: Mica Schist/ Gneiss (Precambrian-Paleozoic)	6,729			6,729
pp3: Phyllite and Quartzite (Precambrian-Paleozoic)			6,145	6,145
q1: Quartzite (Precambrian-Paleozoic)		24,798		24,798
q1c: Quartzite/ Metagraywacke (Precambrian-Paleozoic)			4,999	4,999
um: Ultramafic rocks undifferentiated (Precambrian-Paleozoic)	313	548	129	989
water: water (Holocene)		77		77
Location Total	17,557	69,358	53,931	140,846

Percent

Geology	Blue ridge	Chattooga River	Conasauga	Geology Total
bg1: Biotite Gneiss (Precambrian-Paleozoic)	11.07	2.00	-	2.36
Ccls: Conasauga Group; Middle unit; Limestone unit (Cambrian)	-	-	0.00	0.00
Ccs: Conasauga Group; Lower unit; shale and sandstone unit (Cambrian)	-	-	0.05	0.02
Ccsl: Conasauga Group; Upper unit; limestone and shale unit (Cambrian)	-	-	0.01	0.00
fg1: Biotite Gneiss/ Feldspathic Biotite Gneiss (Precambrian-Paleozoic)	-	-	0.64	0.24
fg3: Biotitic Gneiss / Mica Schist/ Amphibolite (Precambrian-Paleozoic)	-	1.72	-	0.85
gg1: Granitic Gneiss undifferentiated (Precambrian-Paleozoic)	-	1.38	-	0.68
mm1: Amphibolite (Precambrian-Paleozoic)	0.08	-	-	0.01
mm3: Hornblende Gneiss/ Amphibolite (Precambrian-Paleozoic)	-	1.99	-	0.98
Oa: Chickamauga Group; Middle Ordovician rocks; Athens Shale (Middle Ordovician)	-	-	0.06	0.02
Och: Chickamauga Group; Chota Formation (Ordovician)	-	-	0.51	0.20
Ock: Knox Group undifferentiated (Ordovician-Cambrian)	-	-	0.10	0.04
pa1: Aluminous Schist (Precambrian-Paleozoic)	-	21.54	-	10.61
pa2: Sillimanite Schist (Precambrian-Paleozoic)	-	0.14	-	0.07
pm2: Metagraywacke/ Mica Schist (Precambrian-Paleozoic)	3.98	34.57	-	17.52
pm3a: Metagraywacke/ Mica Schist-Quartzite/ Amphibolite (Precambrian-Paleozoic)	44.76	-	7.74	8.54
pm5: Slate/ Quartzite/ Conglomerate (Precambrian-Paleozoic)	-	-	66.58	25.50
pm6: Conglomerate (Precambrian-Paleozoic)	-	-	3.40	1.30
pms3: Mica Schist/ Gneiss (Precambrian-Paleozoic)	38.33	-	-	4.78
pp3: Phyllite and Quartzite (Precambrian-Paleozoic)	-	-	11.39	4.36
q1: Quartzite (Precambrian-Paleozoic)	-	35.75	-	17.61
q1c: Quartzite/ Metagraywacke (Precambrian-Paleozoic)	-	-	9.27	3.55
um: Ultramafic rocks undifferentiated (Precambrian-Paleozoic)	1.78	0.79	0.24	0.70
water: water (Holocene)	-	0.11	-	0.05
Location Total	100.00	100.00	100.00	100.00


Aspect

District	Acres Hot	Acres Cool	Total Acres	Percent Hot	Percent Cool	MEAN	STD
Blue Ridge	9,138	8,198	17,319	53	47	0.9491	0.7286
Conasauga	30,301	23,639	53,835	56	44	0.9009	0.6863
Chattooga River	38,766	33,516	72,266	54	46	0.9432	0.6931




Elevation

District	MIN	MAX	RANGE	MEAN	STD
Blue Ridge	400	788	388	508	41
Chattooga River	266	1,047	781	592	110
Conasauga	250	1,127	877	530	166




Precipitation

District	MIN	MAX	RANGE	MEAN	STD	VARIETY	MAJORITY	MINORITY	MEDIAN
Blue Ridge	65	77	12	66.3	1.56	7	65	77	67
Chattooga River	61	77	16	69.5	3.61	9	71	77	69
Conasauga	55	83	28	64.9	5.63	15	61	83	63



Slope

District	MIN	MAX	RANGE	MEAN	STD
Blue Ridge	-	100	100	26	13
Chattooga River	0	100	100	33	16
Conasauga	-	100	100	36	17




Variable	Min	Max	Range	Mean
Precipitation (Inches)	55	83	28	67
Slope (Percent)	-	100	100	33
Aspect*	1	2	1	1.5
Elevation (meters)	250	1,127	877	559

* Modified Aspect on a scale from 0 (Hot) to 2 (Cool)

Rx	Management Prescription	Blue Ridge	Chattooga River	Conasauga	Total
0	 0 Custodial Management		536	766	1,301
1.A	 1.A Designated Wilderness	10	93	3	106
1.B	 1.B Recommended Wilderness Study Areas			2	2
2.A.1	 2.A.1 Designated Wild Rivers		3,104		3,104
2.A.2	 2.A.2 Designated Scenic Rivers		252		252
2.B.1	 2.B.1 Recommended Wild Rivers			747	747
2.B.2	 2.B.2 Recommended Scenic Rivers			341	341
2.A.3	 2.A.3 Designated Recreational Rivers		892		892
2.B.3	 2.B.3 Recommended Recreational Rivers			74	74
3.C	 3.C National Recreation Areas	231			231
3.D	 3.D Proposed National Recreation Areas	29			29
4.D	 4.D Botanical and Zoological Areas			278	278
4.F	 4.F Scenic Areas	1,298	2,032		3,330
4.F.1	 4.F.1 Scenic and Wildlife Management Areas	1,136			1,136
4.H	 4.H Outstandingly Remarkable Streams		1,030		1,030
6.B	 6.B Areas Managed to Restore or Maintain Old Growth Characteristics	14	5,605	2,365	7,984
7.B	 7.B Scenic Corridors and Sensitive Viewsheds			8,934	8,934
7.E.1	 7.E.1 Dispersed Recreation Areas	1,771	9,585	1,611	12,967
9.A.1	 9.A.1 Source Water Protection Watersheds	1,797			1,797
9.F	 9.F Rare Communities		54	28	82
8.A.1	 8.A.1 Mid- to Late-Successional Forest Emphasis		20,370		20,370
7.E.2	 7.E.2 Dispersed Recreation Areas with Vegetation Management			7,440	7,440
9.A.3	 9.A.3 Watershed Restoration Areas		7,958		7,958
9.H	 9.H Management, Maintenance, and Restoration of Plant Associations	10,962	20,997	30,179	62,139
5.A	 5.A Administrative Sites	47	2	23	72
8.E.3	 8.E.3 High Elevation Early Successional Habitat			614	614
Total		17,296	72,511	53,407	143,214

District	Little Veg Mgt	Some Veg Mgt	Veg Mgt	More Intense Veg Mgt	Total
Blue ridge	10	6,277	10,962	47	17,296
Chattooga River	3,986	19,199	49,325	2	72,511
Conasauga	1,859	13,291	37,620	637	53,407
Foothills Total	5,855	38,767	97,907	686	143,214




Acres

Ecozone	Blue Ridge	Chattooga River	Conasauga	Ecozone Total
Acidic Cove Forest	1,190	4,946	2,355	8,491
Alluvial Forest	446	509	898	1,854
Dry Calcareous Forest and Woodland	1	0	109	110
Dry Oak Deciduous Heath Forest and Woodland	28	954	2,048	3,030
Dry Oak Evergreen Heath Forest and Woodland	3,493	4,029	3,155	10,677
Dry-Mesic Calcareous Forest			517	517
Dry-Mesic Oak Hickory Forest	8,290	30,258	10,934	49,482
Floodplain Forest	96	217	230	543
High Elevation Red Oak Forest and Woodland		0.29		0
Mixed Oak / Rhododendron Forest	165	2,762	625	3,552
Montane Oak-Hickory Cove Forest / Mesic Oak Hickory	273	2,715	12,082	15,070
Montane Oak-Hickory Ridge Forest Rich			69	69
Montane Oak-Hickory Slope Forest		0	2,775	2,775
Montane Oak-Hickory Slope Forest Rich	6	537		543
Montane White Oak Forest and Woodland			235	235
Northern Hardwood Cove Forest		0.005		0
Northern Hardwood Slope Forest		4	48	52
Pine-Oak Heath Ridge	376	732	108	1,216
Pine-Oak Heath Slope	1,209	102	8,632	9,942
Pine-Oak Heath Woodland		839		839
Pitch Pine-Oak Heath-tertiary ridge	1	1,029	102	1,131
Pitch-Pine-Oak Heath primary ridge	22	1,253	94	1,369
Reservoirs and Ponds		8		8
Rich Cove Forest	49	45	1,205	1,299
Rich Slope Forest		0.02	1,422	1,422
Shortleaf Pine-Oak	1,694	21,383	6,243	29,320
Total	17,336	72,324	53,884	143,544

Percent

Ecozone	Blue Ridge	Chattooga River	Conasauga	Ecozone Total
Acidic Cove Forest	6.86	6.84	4.37	5.92
Alluvial Forest	2.57	0.70	1.67	1.29
Dry Calcareous Forest and Woodland	0.00	0.00	0.20	0.08
Dry Oak Deciduous Heath Forest and Woodland	0.16	1.32	3.80	2.11
Dry Oak Evergreen Heath Forest and Woodland	20.15	5.57	5.86	7.44
Dry-Mesic Calcareous Forest	-	-	0.96	0.36
Dry-Mesic Oak Hickory Forest	47.82	41.84	20.29	34.47
Floodplain Forest	0.55	0.30	0.43	0.38
High Elevation Red Oak Forest and Woodland	-	0.00	-	0.00
Mixed Oak / Rhododendron Forest	0.95	3.82	1.16	2.47
Montane Oak-Hickory Cove Forest / Mesic Oak Hickory	1.58	3.75	22.42	10.50
Montane Oak-Hickory Ridge Forest Rich	-	-	0.13	0.05
Montane Oak-Hickory Slope Forest	-	0.00	5.15	1.93
Montane Oak-Hickory Slope Forest Rich	0.03	0.74	-	0.38
Montane White Oak Forest and Woodland	-	-	0.44	0.16
Northern Hardwood Cove Forest	-	0.00	-	0.00
Northern Hardwood Slope Forest	-	0.01	0.09	0.04
Pine-Oak Heath Ridge	2.17	1.01	0.20	0.85
Pine-Oak Heath Slope	6.97	0.14	16.02	6.93
Pine-Oak Heath Woodland	-	1.16	-	0.58
Pitch Pine-Oak Heath-tertiary ridge	0.00	1.42	0.19	0.79
Pitch-Pine-Oak Heath primary ridge	0.13	1.73	0.17	0.95
Reservoirs and Ponds	-	0.01	-	0.01
Rich Cove Forest	0.28	0.06	2.24	0.90
Rich Slope Forest	-	0.00	2.64	0.99
Shortleaf Pine-Oak	9.77	29.57	11.59	20.43
Total	100.00	100.00	100.00	100.00




Acres

Forest Group	Blue ridge	Chattooga River	Conasauga	Type Total
Hardwood	3,023	19,473	15,291	37,787
Hardwood-Pine	2,192	6,513	3,606	12,311
Hardwood-White Pine	1,533	3,048	6,157	10,738
Hemlock			122	122
Hemlock-Hardwood		96	118	214
Pine	4,193	23,189	16,859	44,241
Pine-Hardwood	2,789	9,817	5,279	17,885
White Pine	2,060	6,697	2,141	10,898
White Pine-Hardwood	964	1,960	2,198	5,122
White Pine-Hemlock	86	145	52	283
NA	446	1,273	1,284	3,003
Area Total	17,286	72,211	53,108	142,605


Percent

Forest Group	Blue ridge	Chattooga River	Conasauga	Type Total
Hardwood	17.49	26.97	28.79	26.50
Hardwood-Pine	12.68	9.02	6.79	8.63
Hardwood-White Pine	8.87	4.22	11.59	7.53
Hemlock	-	-	0.23	0.09
Hemlock-Hardwood	-	0.13	0.22	0.15
Pine	24.26	32.11	31.75	31.02
Pine-Hardwood	16.14	13.59	9.94	12.54
White Pine	11.91	9.27	4.03	7.64
White Pine-Hardwood	5.57	2.71	4.14	3.59
White Pine-Hemlock	0.50	0.20	0.10	0.20
NA	2.58	1.76	2.42	2.11

Seral Stage	Blue ridge	Chattooga River	Conasauga	Seral Stage Total
E		64	208	272
S	4,101	11,616	7,842	23,559
M	2,436	5,591	12,280	20,307
L	6,937	36,397	27,545	70,878
O	3,614	18,174	4,457	26,245
Area Total	17,088	71,842	52,331	141,261



Seral Stage Total



Soil Type	Blue Ridge	Chattooga River	Conasauga	Soil Total
Alberville silt loam, 6 to 15 percent slopes			14	14
Allen loam, 15 to 30 percent slopes			8	8
Allen loam, 2 to 6 percent slopes			1	1
Allen loam, 6 to 15 percent slopes			109	109
Alluvial land		235		235
Alluvial land, cobbly			27	27
Alluvial land, wet		123		123
Altavista fine sandy loam, 2 to 6 percent slopes		29		29
Ashe and Edneyville stony loams, 10 to 25 percent slopes			77	77
Ashe and Edneyville stony loams, 25 to 60 percent slopes	27		837	864
Ashe association, stony, very steep		261		261
Ashe stony loam, 60 to 80 percent slopes			250	250
Ashe stony loam, 60 to 90 percent slopes	23			23
Ashe-Porters association, moderately steep		31		31
Augusta fine sandy loam, 2 to 6 percent slopes	3			3
Bradson fine sandy loam, 10 to 25 percent slopes		7,306		7,306
Bradson fine sandy loam, 2 to 10 percent slopes		192		192
Bradson loam, 10 to 25 percent slopes			91	91
Brevard loam, 15 to 25 percent slopes			1	1
Buncombe loamy sands		23		23
Cartecay complex	270			270
Cataska channery silt loam, 25 to 45 percent slopes			118	118
Cataska channery silt loam, 45 to 70 percent slopes			4,181	4,181
Cataska channery silt loam, 5 to 25 percent slopes			44	44
Cataska-Rock outcrop complex, 65 to 90 percent slopes			1	1
Cecil sandy clay loam, 10 to 15 percent slopes, severely eroded		14		14
Cecil sandy clay loam, 15 to 25 percent slopes, severely eroded		4		4
Cecil sandy clay loam, 6 to 10 percent slopes, severely eroded		1		1
Cecil sandy loam, 10 to 15 percent slopes		617		617
Cecil sandy loam, 10 to 15 percent slopes, eroded		44		44
Cecil sandy loam, 15 to 25 percent slopes		1,430		1,430
Cecil sandy loam, 15 to 25 percent slopes, eroded		145		145
Cecil sandy loam, 6 to 10 percent slopes		16		16
Cecil sandy loam, 6 to 10 percent slopes, eroded		16		16
Cecil sandy loam, thin solum, 25 to 60 percent slopes		1,699		1,699
Cecil stony sandy loam, 15 to 25 percent slopes		142		142
Cecil stony sandy loam, thin solum, 25 to 60 percent slopes		1,542		1,542
Chandler loam, 15 to 25 percent slopes		71		71
Chandler loam, 25 to 60 percent slopes		693		693
Chandler loam, 60 to 95 percent slopes		155		155
Chatuge loam		70		70
Cheoah-Edneytown complex, 15 to 35 percent slopes			1,197	1,197
Chewacla fine sandy loam		94		94
Chewacla silt loam		17		17
Chewacla-Cartecay complex			28	28
Citico channery silt loam, 35 to 65 percent slopes			0	0
Clifton-Davidson complex, 15 to 25 percent slopes		45		45
Clifton-Davidson stony complex, 15 to 25 percent slopes		39		39
Clifton-Davidson stony complex, 25 to 60 percent slopes		168		168
Clifton-Davidson stony complex, 60 to 90 percent slopes		55		55
Clifton-Evard complex, 10 to 25 percent slopes			97	97
Congaree and Starr soils	56	3		60
Congaree silt loam		27		27
Congaree soils, local alluvium		1		1
Cowee-Evard complex, 25 to 45 percent slopes			75	75
Craigsville gravelly sandy loam, 0 to 5 percent slopes, occasionally flooded			1,135	1,135
Cunningham silt loam, 6 to 15 percent slopes			40	40
Cunningham silt loam, 15 to 30 percent slopes			1	1
Cunningham silt loam, 2 to 6 percent slopes			0	0
Davidson loam, thin solum, 10 to 15 percent slopes, eroded		8		8
Davidson loam, thin solum, 15 to 25 percent slopes		35		35

Soil Type	Blue Ridge	Chattooga River	Conasauga	Soil Total
Davidson loam, thin solum, 25 to 60 percent slopes		105		105
Dillard sandy loam, 2 to 6 percent slopes		16		16
Docena-Conasauga complex, 2 to 6 percent slopes			1	1
Dyke loam, 10 to 25 percent slopes		4		4
Edneytown loam, 25 to 45 percent slopes, rubbly			145	145
Edneytown loam, 45 to 70 percent slopes, rubbly			3,569	3,569
Edneyville and Porters loams, 15 to 25 percent slopes	47			47
Edneyville and Porters loams, 25 to 60 percent slopes	869	95		964
Edneyville and Porters loams, 60 to 80 percent slopes	57			57
Edneyville sandy loam, 10 to 25 percent slopes		1,841		1,841
Edneyville-Ashe association, stony, steep		5,592		5,592
Evard association, steep		3,675		3,675
Evard fine sandy loam, 25 to 50 percent slopes		0		0
Fannin fine sandy loam, 10 to 25 percent slopes	1,040	169		1,209
Fannin fine sandy loam, 6 to 10 percent slopes	32			32
Fannin sandy clay loam, 10 to 25 percent slopes, eroded	12			12
Fannin soils, 25 to 60 percent slopes		477		477
Gullied land	15	2		17
Habersham fine sandy loam, 10 to 15 percent slopes, eroded		156		156
Habersham fine sandy loam, 6 to 10 percent slopes		122		122
Habersham fine sandy loam, 6 to 10 percent slopes, eroded		60		60
Halewood fine sandy loam, 10 to 15 percent slopes		30		30
Halewood fine sandy loam, 15 to 25 percent slopes		57		57
Halewood fine sandy loam, 25 to 60 percent slopes		352		352
Halewood fine sandy loam, 6 to 10 percent slopes		13		13
Hayesville and Rabun loams, 10 to 15 percent slopes	52			52
Hayesville and Rabun loams, 25 to 60 percent slopes	202	14		216
Hayesville and Rabun loams, 6 to 10 percent slopes	6			6
Hayesville fine sandy loam, 10 to 25 percent slopes		7,552	4	7,556
Hayesville fine sandy loam, 2 to 10 percent slopes		38		38
Hayesville sandy clay loam, 10 to 25 percent slopes, severely eroded	128			128
Hayesville sandy clay loam, 6 to 10 percent slopes, severely eroded	3			3
Hayesville sandy loam, 10 to 25 percent slopes	3,290	311		3,600
Hayesville sandy loam, 2 to 6 percent slopes	2			2
Hayesville sandy loam, 6 to 10 percent slopes	45	17		62
Hiwassee fine sandy clay loam, 10 to 15 percent slopes, severely eroded		5		5
Hiwassee fine sandy loam, 10 to 15 percent slopes, eroded		105		105
Hiwassee fine sandy loam, 6 to 10 percent slopes, eroded		9		9
Hiwassee loam, 10 to 15 percent slopes	167	43		210
Hiwassee loam, 15 to 40 percent slopes	52			52
Hiwassee loam, 2 to 10 percent slopes	13	17		30
Holston fine sandy loam, 6 to 15 percent slopes			0	0
Jefferson gravelly sandy loam, 25 to 45 percent slopes			219	219
Jefferson gravelly sandy loam, 45 to 70 percent slopes, very stony			919	919
Junaluska fine sandy loam, 35 to 65 percent slopes			2	2
Junaluska loam, 25 to 45 percent slopes			6,229	6,229
Junaluska loam, 45 to 70 percent slopes			8,342	8,342
Junaluska loam, 5 to 25 percent slopes			5,827	5,827
Junaluska-Brasstown complex, 15 to 35 percent slopes			0	0
Junaluska-Citico complex, 35 to 65 percent slopes			0	0
Junaluska-Tsali complex, 10 to 25 percent slopes			388	388
Junaluska-Tsali complex, 25 to 45 percent slopes			5,094	5,094
Junaluska-Tsali complex, 5 to 25 percent slopes			4,088	4,088
Lily fine sandy loam, 10 to 25 percent slopes		1,070		1,070
Lily fine sandy loam, 5 to 25 percent slopes, rubbly			117	117
Lloyd loam, 10 to 15 percent slopes, eroded		9		9
Louisa fine sandy loam, 15 to 25 percent slopes		13		13
Louisa fine sandy loam, 25 to 60 percent slopes		1,040		1,040
Louisa fine sandy loam, 60 to 90 percent slopes		19		19
Louisburg-Habersham stony fine sandy loams, 10 to 15 percent slopes		137		137
Louisburg-Habersham stony fine sandy loams, 10 to 15 percent slopes, severely eroded		93		93

Soil Type	Blue Ridge	Chattooga River	Conasauga	Soil Total
Louisburg-Habersham stony fine sandy loams, 15 to 25 percent slopes		191		191
Louisburg-Habersham stony fine sandy loams, 25 to 60 percent slopes		127		127
Madison fine sandy clay loam, 10 to 15 percent slopes, severely eroded		11		11
Madison fine sandy clay loam, 15 to 25 percent slopes, severely eroded		23		23
Madison fine sandy clay loam, 6 to 10 percent slopes, severely eroded		9		9
Madison fine sandy loam, 10 to 15 percent slopes		222	4	227
Madison fine sandy loam, 10 to 15 percent slopes, eroded		21		21
Madison fine sandy loam, 15 to 25 percent slopes		642		642
Madison fine sandy loam, 15 to 25 percent slopes, eroded		58		58
Madison fine sandy loam, 25 to 60 percent slopes		663		663
Madison fine sandy loam, 6 to 10 percent slopes, eroded		12		12
Masada fine sandy loam, 10 to 15 percent slopes, eroded	4			4
Masada fine sandy loam, 2 to 6 percent slopes	2	6	3	11
Masada fine sandy loam, 2 to 6 percent slopes, eroded	3			3
Masada fine sandy loam, 6 to 10 percent slopes, eroded	42	38		79
Montevallo very channery loam, 30 to 60 percent slopes			18	18
Montevallo-Townley complex, 15 to 30 percent slopes			165	165
Montevallo-Townley complex, 6 to 15 percent slopes			9	9
Musella cobbly loam, 10 to 25 percent slopes			0	0
Musella cobbly loam, 25 to 70 percent slopes	114			114
Musella cobbly loam, 6 to 25 percent slopes	66			66
Musella gravelly clay loam, 10 to 25 percent slopes, eroded	20			20
Nauvoo fine sandy loam, 15 to 35 percent slopes			223	223
Nauvoo fine sandy loam, 6 to 15 percent slopes			125	125
Needmore silt loam, 12 to 25 percent slopes			0	0
Needmore silt loam, 5 to 12 percent slopes			1	1
Nella gravelly fine sandy loam, 15 to 30 percent slopes			51	51
Nella gravelly fine sandy loam, 6 to 15 percent slopes			114	114
Not Complete			52	52
Panama very gravelly fine sandy loam, 30 to 60 percent slopes			20	20
Pigeonroost-Cheoah complex, 5 to 15 percent slopes			488	488
Porters association, stony, steep		2,748		2,748
Porters association, stony, very steep		1,423		1,423
Porters loam, 10 to 15 percent slopes		257		257
Porters loam, 15 to 25 percent slopes		167		167
Porters loam, 25 to 60 percent slopes		1,383		1,383
Porters loam, 60 to 80 percent slopes		139		139
Porters-Ashe stony loams, 15 to 25 percent slopes		41		41
Porters-Ashe stony loams, 25 to 60 percent slopes		542		542
Porters-Ashe stony loams, 60 to 95 percent slopes		254		254
Rabun clay loam, 10 to 15 percent slopes, severely eroded	9			9
Rabun clay loam, 15 to 25 percent slopes, severely eroded	8			8
Rabun loam, 10 to 25 percent slopes		6		6
Rabun loam, 15 to 25 percent slopes	131			131
Rabun stony loam, 25 to 50 percent slopes		1		1
Ramsey-Lily association, stony, steep		1,006		1,006
Rock land	0			0
Rock outcrop		32		32
Saluda and Ashe stony soils, very steep		2,049		2,049
Saluda association, moderately steep		2,030		2,030
Saluda association, steep		7,123		7,123
Saunook-Evard complex, 25 to 45 percent slopes, stony			86	86
Sequatchie loam, 0 to 2 percent slopes, occasionally flooded			0	0
Sequatchie loam, 2 to 6 percent slopes			4	4
Shellbluff silt loam, 0 to 2 percent slopes, occasionally flooded			10	10
Shelocta channery loam, 2 to 15 percent slopes			38	38
Starr fine sandy loam	17			17
Suches loam, 0 to 2 percent slopes, occasionally flooded			167	167
Suches loam, occasionally flooded			0	0
Talladega channery loam, 10 to 25 percent slopes			148	148
Talladega channery loam, 25 to 60 percent slopes			2,492	2,492

Soil Type	Blue Ridge	Chattooga River	Conasauga	Soil Total
Talladega flaggy loam, 60 to 80 percent slopes			397	397
Tallapoosa cobbly fine sandy loam, 6 to 25 percent slopes	95	13		108
Tallapoosa cobbly sandy loam, 10 to 25 percent slopes			18	18
Tallapoosa cobbly sandy loam, 25 to 60 percent slopes			891	891
Tallapoosa fine sandy loam, 15 to 25 percent slopes			23	23
Tallapoosa soils, 25 to 70 percent slopes	6,463	505		6,968
Toccoa complex			10	10
Toccoa fine sandy loam		230		230
Toccoa soils	623	98		721
Townley silt loam, 15 to 30 percent slopes			36	36
Townley silt loam, 2 to 6 percent slopes			1	1
Townley silt loam, 30 to 45 percent slopes			4	4
Townley silt loam, 6 to 15 percent slopes			38	38
Toxaway silt loam		9		9
Transylvania-Toxaway complex		95		95
Tsali channery loam, 25 to 45 percent slopes			3,210	3,210
Tsali channery loam, 45 to 70 percent slopes			1,189	1,189
Tsali channery loam, 5 to 25 percent slopes			52	52
Tusquee loam, 10 to 15 percent slopes		291		291
Tusquee loam, 10 to 15 percent slopes, eroded		327		327
Tusquee loam, 10 to 25 percent slopes	943	2,355	68	3,367
Tusquee loam, 2 to 6 percent slopes		99	20	119
Tusquee loam, 25 to 60 percent slopes	38			38
Tusquee loam, 4 to 10 percent slopes		57		57
Tusquee loam, 6 to 10 percent slopes	116	385	9	510
Tusquee loam, 6 to 10 percent slopes, eroded		37		37
Tusquee stony loam, 10 to 15 percent slopes		116		116
Tusquee stony loam, 10 to 25 percent slopes	24	17	240	281
Tusquee stony loam, 25 to 60 percent slopes	50			50
Tusquee stony loam, 6 to 10 percent slopes		69		69
Tusquee-Haywood association, steep		7,002		7,002
Wallen channery sandy loam, 15 to 65 percent slopes			2	2
Watauga loam, 15 to 25 percent slopes		147		147
Watauga loam, 25 to 60 percent slopes		146		146
Water	7	295	41	342
Wax fine sandy loam, 2 to 6 percent slopes			25	25
Whitwell silt loam, 0 to 2 percent slopes, occasionally flooded			0	0
Wickham fine sandy loam, 10 to 25 percent slopes	2,101	43		2,145
Wickham fine sandy loam, 10 to 25 percent slopes, eroded			30	30
Wickham fine sandy loam, 2 to 6 percent slopes			33	33
Wickham fine sandy loam, 2 to 6 percent slopes, eroded		7		7
Wickham fine sandy loam, 25 to 50 percent slopes	8			8
Wickham fine sandy loam, 6 to 10 percent slopes	24			24
Wickham fine sandy loam, 6 to 10 percent slopes, eroded		93	3	96
Location Total	17,319	72,265	53,835	143,419

Number of Stream Crossings

Blue Ridge

50

Chattooga River

83

Conasauga

75



Total

208

Trail Type	Blue ridge	Chattooga River	Conasauga	Grand Total
	0.50	0.45	0.17	1.12
Bike		13.32	5.96	19.28
Hike	0.69	34.24	33.20	68.13
Horse	21.73	16.68	17.63	56.04
OHV	11.17	9.91	25.22	46.30
Grand Total	34.09	74.60	82.17	190.85

Road Type	Blue ridge	Chattooga River	Conasauga	Grand Total
Open Road	14	59	54	127
Seasonally Open Road	13	15	23	51
Gated Road	18	32	38	88
Non-Forest Service Road	65	163	65	293
Total Miles	109	270	180	559

Trail System	Blue Ridge	Chattooga River	Conasauga	Total
Angel Falls		1.10		1.10
Barnes Creek			0.05	0.05
Bartrum		19.36		19.36
Bear Creek			5.96	5.96
Bull Mountain Trail System	22.23			22.23
Chattooga River Trail		9.68		9.68
Cochran Creek Falls	0.69			0.69
Cohutta Overlook			0.09	0.09
Dick's Creek Falls		0.19		0.19
East Cowpen			0.35	0.35
Emery Creek			6.04	6.04
Grassy Mtn Tower			1.94	1.94
Hickory Creek			1.04	1.04
Horseshoe Bend			0.95	0.95
Iron Mountain			7.11	7.11
Jacks River			0.07	0.07
Lake Conasauga			0.99	0.99
Licklog		0.63		0.63
Milma Creek			3.52	3.52
Minnehaha		0.19		0.19
Murray's Lake			0.82	0.82
Oakey Mountain		10.36		10.36
Parking Lot			0.17	0.17
Peeples Lake			0.36	0.36
Pinhoti			21.47	21.47
Rabun Beach		0.47		0.47
Raven Rock		0.85		0.85
Rice Camp			0.03	0.03
Rock Creek ATV			4.67	4.67
Rocky Flats			3.36	3.36
Songbird			1.37	1.37
Stonewall		9.09		9.09
Sumac Creek			8.15	8.15
Sutton Hole		0.30		0.30
Tatum Lead OHV			4.88	4.88
Tibbs			4.38	4.38
Twister		4.22		4.22
Warwoman		1.05		1.05
Watergauge		0.42		0.42
Whissenhunt	11.17			11.17
Willis Knob		16.68		16.68
Windy Gap			4.39	4.39
Total Miles	34.09	74.60	82.17	190.85



Type	BRRD	CRD	CRRD	Totals
Campground		3	2	5
Camping Area	1	2		3
Day Use Area		2		2
Fishing Site	1	1		2
Group Picnic Area			1	1
Horse Camp		1	1	2
Observation Point		2		2
Picnic Site		2		2
Target Range		1		1
Trailhead	4	16	9	29