

Sale Name: Jedi

CT2.11# - TIMBER SUBJECT TO AGREEMENT (06/1972)

In addition, there is within Sale Area an unestimated quantity of:

Species	Product
All Species	Grn Bio Cv

that shall be Included Timber upon written agreement.

CT2.3# - RESERVE TREES (04/2004)

Notwithstanding the designations for cutting under BT2.31, BT2.32, BT2.33, or BT2.34, live or dead Genetic reserve trees or groups of reserve trees within such cutting units or clearings shall be left uncut. Such Reserve trees are identified by white paint and/or metal sign and shall be protected in accordance with CT6.32#. Units with reserve trees are shown on the Sale Area Map.

CT2.35# (OPTION 1) - INDIVIDUAL TREE DESIGNATION (06/2008)

All trees Marked with blue paint above and below stump height in Payment Units 3,5,7,8,9,11,21,27,29,30,32,36,37,39,41,42,44,50,51,52,53,55,56, and 62; all live trees not Marked with orange paint above and below stump height, which are greater than 5.0" at DBH, and which meet minimum requirements in AT2 in Payment Units 1,4,12,28,31,35,47,54,58, and 61; All live trees not Marked with pink paint above and below stump height, which are 5.0" or greater at DBH, and which meet minimum requirements in AT2 in Payment Units 6, and 33; All live trees not Marked with orange paint above and below stump height, which are 7.0" or greater at DBH, and which meet minimum requirements in AT2 in Payment Unit 45; All live trees not Marked with pink paint above and below stump height, which are greater than 7.0" DBH, and which meet minimum requirements in AT2 in Payment Unit 57 which meet the minimum tree diameter stated on Page 1 are designated for cutting. Additional timber to be cut, if any, will be designated for cutting in accordance with BT2.37.

Leave trees, Marked with orange paint above and below stump height and blue boundary tags paint, or identified by the description in the attached table, are not to be cut, unless designated by the Forest Service.

Table Pursuant to CT2.35# (Option1) - Individual Tree Designation(06/2008)

<u>Harvest Unit</u>	<u>Designation</u>	<u>Description of Included Timber</u> (see Definitions Below)
3, 5, 7, 8, 9, 11, 21, 27, 29, 30, 32, 36, 37, 39, 41, 42, 44, 50, 51, 52, 53, 55, 56, 62	ITM	All trees Marked with blue paint above and below stump height.
1, 4, 12, 28, 31, 35, 47, 54, 58, 61	LTM (5.0" min)	All live trees not Marked with orange paint, which are 5.0" or greater at DBH.
45	LTM (7.0" min)	All live trees not Marked with orange paint, which are 7.0" or greater at DBH.
6 and 33	LTM (5.0" min)	All live trees not Marked with pink paint, which are 5.0" or greater at DBH.
57	LTM (7.0" min)	All live trees not Marked with pink paint, which are 7.0" or greater at DBH.
10, 13, 16, 40	D x D (5.0" min)	All live lodgepole pine and all live white fir with a minimum DBH of 5.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 5.0", a stump diameter* less than 26.4", and within 22' of a live ponderosa pine with a larger stump diameter*.
2, 34, 38	D x D (7.0" min)	All live lodgepole pine and all live white fir with a minimum DBH of 7.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 7.0", a stump diameter* less than 26.4", and within 22' of a live ponderosa pine with a larger stump diameter*

20	D x D (Patch Cuts) (7.0" min)	All live lodgepole pine and all live white fir with a minimum DBH of 7.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 7.0", a stump diameter* less than 26.4", and within 22' of a live ponderosa pine with a larger stump diameter*. Within Special Treatment Area Boundary, all live trees not Marked with white paint.
48, 49, 59, 60	D x D (Blue Supplemental Marking) (7.0" min)	All live lodgepole pine and all live white fir with a minimum DBH of 7.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 7.0", a stump diameter* less than 26.4", and within 22' of a live ponderosa pine with a larger stump diameter*. All ponderosa pine trees Marked with blue paint. Disregard trees Marked with blue paint in D x D spacing.
15, 18	D x D (Blue Supplemental Marking and Patch Cuts) (7.0" min)	All live lodgepole pine and all live white fir with a minimum DBH of 7.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 7.0", a stump diameter* less than 26.4", and within 22' of a live ponderosa pine with a larger stump diameter*. All ponderosa pine trees Marked with blue paint. Disregard trees Marked with blue paint in D x D spacing. Within Special Treatment Area Boundary, all live trees not Marked with white paint.

<p>17,19,63</p>	<p>D x D (Blue Supplemental Marking) (5.0" min)</p>	<p>All live lodgepole pine and all live white fir with a minimum DBH of 5.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 5.0", a stump diameter* less than 26.4", and within 22' of a live ponderosa pine with a larger stump diameter*. All ponderosa pine trees Marked with blue paint.</p>
<p>14,22,23</p>	<p>D x D (Pink Signal Trees) (5.0" min)</p>	<p>All live lodgepole pine and all live white fir with a minimum DBH of 5.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 5.0", a stump diameter* less than 26.4", within 22' of a live ponderosa pine with a larger stump diameter*, and greater than 20' from any tree Marked with pink paint.</p>
<p>26</p>	<p>D x D (Pink Signal Trees and Patch Cuts) (5.0" min)</p>	<p>All live lodgepole pine and all live white fir with a minimum DBH of 5.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 5.0", a stump diameter* less than 26.4", within 22' of a live ponderosa pine with a larger stump diameter*, and greater than 20' from any tree Marked with pink paint. Within Special Treatment Area Boundary, all live trees not Marked with white paint.</p>

<p>25</p>	<p>D x D (Pink Signal Trees) (7.0" min)</p>	<p>All live lodgepole pine and all live white fir with a minimum DBH of 7.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 7.0", a stump diameter* less than 26.4", within 22' of a live ponderosa pine with a larger stump diameter*, and greater than 20' from any tree Marked with pink paint.</p>
<p>43</p>	<p>D x D (Yellow Supplemental marking) (7.0" min)</p>	<p>All live lodgepole pine and all live white fir with a minimum DBH of 7.0" and a stump diameter* less than 26.4". All live ponderosa pine with a minimum DBH of 7.0", a stump diameter* less than 26.4", and within 22' of a live ponderosa pine with a larger stump diameter*. All trees Marked with double bands of yellow paint.</p>

For All Units:

*Stump diameter is measured at 4.0" from the forest floor on the uphill side.

Boundary trees for all units are Marked with orange paint and identified with blue tags. Boundary trees shall not be cut.

All Designated Timber must meet minimum AT2 Utilization Standards.

Trees designated with paint are Marked at DBH and above and below stump height using Tracer Paint.

Wildlife Reserve Trees are identified by an orange "W" and shall be protected in accordance with CT6.32#

In all D x D Units:

Trees Marked with an orange "W" shall not be cut and shall not be used in determining spacing. For all intended purposes treat them as if they do not exist.

In Patch Cut Units:

Boundary trees for patch cuts are marked with orange paint and identified with red Special Treatment Area tags. Boundary trees shall not be cut.

Sale Name: Jedi

CT4.211 - DOWNPAYMENT (06/2007)

The downpayment amount shown in AT15 may not be applied toward any other payment required under the provisions of this contract, except damages determined pursuant to BT9.4, transferred to other timber sales, or refunded until (a) stumpage value representing 25 percent of the total bid value of the timber sale is shown on Timber Sale Account to have been cut, removed, and paid for, or (b) the estimated value remaining to be cut and removed, as shown on Timber Sale Account, is equal to or less than the amount of the downpayment, or (c) if 36 CFR 223.49(e) is applicable, the estimated value remaining to be cut and removed, as shown on Timber Sale Account, is equal to or less than the amount of the downpayment. For lump sum timber sales, the downpayment may be applied to payment for release of the single payment unit.

If Forest Service makes a determination that this contract should not have been included under increased downpayment requirements (36 CFR 223.49(e)), the downpayment shall be revised and applied in accordance with 36 CFR 223.49(f).

CT4.212 - TEMPORARY REDUCTION OF DOWNPAYMENT (08/2009)

Notwithstanding BT4.211 or CT4.211, upon the Purchaser's written request Forest Service may temporarily reduce the downpayment when Purchaser's scheduled operations are delayed or interrupted for 30 or more consecutive days, or the contract term is extended for 30 or more consecutive days for any of the following reasons:

- (1) Forest Service requests or orders Purchaser to delay or interrupt scheduled operations for reasons other than breach;
- (2) Purchaser interrupts or delays scheduled operations to work on a sale designated by the Forest Service as in urgent need of harvesting; or
- (3) An adjustment of the contract term authorized upon a determination of substantial overriding public interest, including a market-related contract term addition, or an urgent removal contract term extension under 36 CFR 223.53.

When Purchaser is not cutting or removing timber under contract during a qualifying period of delay, interruption, or extension listed above the downpayment may be reduced to \$1000 or 2 percent of the downpayment amount stated in the contract, whichever is greater. The Purchaser must restore the downpayment to the full amount stated in the contract within 15 days from receipt of the bill for collection and written notice from the Contracting Officer that the basis for temporarily reducing the downpayment no longer exists. Purchaser shall not cut or remove timber on a contract where the downpayment has been temporarily reduced until the downpayment amount stated in the contract is fully restored.

Sale Name: Jedi

CT4.4 - PAYMENTS NOT RECEIVED (08/2012)

(a) Payments are due and payable on the date of issue indicated on the bill for collection. When a payment for timber cut and other charges is not received at the location designated by Forest Service by the date specified in the bill for collection, Contracting Officer will suspend all or any part of Purchaser's Operations until payment or acceptable payment guarantee is received. Other charges include, but are not limited to:

- (i) Slash disposal and road maintenance deposits;
- (ii) Cooperative work at rates established by specific agreement under BT4.218;
- (iii) Damages pursuant to BT9.4;
- (iv) Road use fees;
- (v) Restoration of downpayment pursuant to BT4.22;
- (vi) Periodic payments pursuant to BT4.213;
- (vii) Extension Deposits pursuant to BT4.217; and
- (viii) Other mandatory deposits.

(b) Failure to pay amounts due by the date specified in the bill for collection shall be considered a breach under BT9.3. The 30-day notice period prescribed therein shall begin to run as of the end of business on the date specified for receipt of payments. If the performance or payment is guaranteed by surety bond, the surety will receive a copy of the written notification of breach. Demand will be made on the surety or other institution providing the guarantee or bond instrument for immediate payment 10 days after issuance of written notification of the breach.

(c) Pursuant to the Debt Collection Improvement Act of 1996, as amended, if payment is not received by Forest Service within 15 days after the date of issue indicated on the bill for collection:

(i) Simple interest shall be assessed at the Current Value of Funds Rate as established by the Secretary of the Treasury. Interest will begin to accrue as of the date of issue indicated on the initial bill for collection.

(ii) Debtors will be assessed administrative charges, in addition to the delinquent amount due. Administrative charges are those additional costs incurred by the Government in processing, handling, and collecting delinquent debts.

(iii) A penalty charge of six (6) percent per annum will be assessed on any portion of a debt delinquent more than 90 days. This penalty charge is in addition to interest and administrative charges under paragraphs (c)(i) and (c)(ii). The penalty charge shall accrue from the date of issue indicated on the bill for collection and shall be assessed on all outstanding amounts, including interest and administrative costs assessed under paragraphs (c)(i) and (c)(ii).

(iv) Payments will be credited on the date received by the Federal Depository or Collection Officer designated on the bill for collection.

(d) Forest Service remedies for Purchaser's failure to make payment for timber cut and other charges when due, except for accrual of interest, suspension of all or any part of Purchaser's Operations, and administrative offset, shall be stayed for so long as:

- (i) A bona fide dispute exists as to Purchaser's obligation to make such payment and
- (ii) Purchaser files and prosecutes a timely Claim.

Sale Name: Jedi

CT5.12# - USE OF ROADS BY PURCHASER (06/1999)

Purchaser's use of existing roads identified on Sale Area Map by the following codes is prohibited or subject to restrictive limitations, unless agreed otherwise:

Code	Use Limitations
X	Hauling prohibited
R	Hauling restricted
U	Unsuitable for hauling prior to completion of agreed reconstruction
P	Use prohibited
A	Public use restriction
W	Regulation waiver

Roads coded A will be signed by the Forest Service to inform the public of use restrictions. Purchaser's use of roads coded R, A, or W shall be in accordance with the following restrictions:

See Restricted Road List Table.

CT5.12# - USE OF ROADS BY PURCHASER. (01/2003)

Restricted Road List

Road Number	Road Name	Termini		Map Legend	Description of Restrictions
		From	To		
9710240	N/A	MP 1.04	MP 1.08	U	Insufficient Pipeline Cover. Unsuitable for haul until Reconstruction Complete.
9711000	N/A	MP 0.64	MP 0.68	U	Insufficient Pipeline Cover. Unsuitable for haul until Reconstruction Complete.
9711200	N/A	MP 1.50	MP 1.54	U	Insufficient Pipeline Cover. Unsuitable for haul until Reconstruction Complete.
9721000	N/A	MP 1.08	MP 1.12	U	Insufficient Pipeline Cover. Unsuitable for haul until Reconstruction Complete.

Title and Date of Governing Road Rules Document

Deschutes NF, Road Rules for
Commercial Users

Commercial Road Rules

June 2009

Effective Date

Sale Name: Jedi

CT5.213# - DEPOSIT FOR RECONSTRUCTION ENGINEERING SERVICES (04/2004)

Purchaser shall make a cash deposit for engineering services (preconstruction and construction) provided by Forest Service for reconstruction of National Forest system roads necessary to accommodate Purchaser's use under this contract, pursuant to 16 USC 537.

The total amount to be deposited by Purchaser for reconstruction related engineering services to be completed by Forest Service personnel or by public works contract is \$3,071.90. Purchaser shall make this deposit at the end of the first full Normal Operating Season or 12 months from contract award, whichever occurs first. In the event a different deposit schedule is agreed to, such deposit shall be due within 15 days after the date of issue indicated on the initial bill for collection, pursuant to BT4.4.

The amount of the required deposit will be shown as an associated charge on Purchaser's Timber Sale Account. Forest Service shall retain any unexpended deposit for reconstruction related engineering services.

The deposit for reconstruction related engineering services shall be commensurate with project need and Purchaser's road use. Forest Service shall complete reconstruction related engineering services on the following schedule unless a different completion schedule is agreed in writing:

Road or Facility No.	Termini		Engineering Services Completion Date
	From	To	
Road-9701014	0	.52	09/15/2017
Road-9710	0	2.56	05/01/2017
Road-9710240	1.04	1.08	09/15/2017
Road-9711000	.64	.68	09/15/2017
Road-9711200	1.5	1.54	09/15/2017
Road-9721000	1.08	1.12	09/15/2017

Reconstruction related engineering services may consist of some or all of the engineering work and expense of: preparing, setting out, controlling, inspecting, and measuring the reconstruction of a National Forest system road.

Sale Name: Jedi

CT5.221# - MATERIAL SOURCES (04/2004)

Sources of local materials are designated on Plans and Sale Area Map. Forest Service assumes responsibility for the quality and quantity of material in designated sources. Purchaser shall determine the equipment and work required to produce the specified product, including the selection of acceptable material that is reasonably available in the source that meets specifications. The designation of source includes the rights of Purchaser to use certain area(s) for plant site, stockpiles, and haul roads.

Should the designated source, due to causes beyond the control of Purchaser, contain insufficient acceptable material, Forest Service will provide another source with adjustment in accordance with BT5.253.

When Purchaser elects not to use designated sources, Purchaser shall furnish the specified product with no adjustment in unit rates. Quality testing shall be the responsibility of Purchaser. Test results shall be furnished to Forest Service.

When Purchaser elects not to use designated sources and the Schedule of Items lists pit development separately, cost allowance will be reduced under BT5.253 when Forest Service determines the work will not be required.

When materials are subject to a weight measurement, the specific gravity or weight/volume relationship used as a basis for determination of estimated quantities shall be:

Source I N/A, Source II N/A, and Source III N/A.

Purchaser may, when agreed in writing, use on the project such suitable stone, gravel, and sand, or other material found in the excavation, and will earn a cost allowance for the excavation of such materials at the corresponding contract unit price and for the pay items for which the excavated material is used. Purchaser shall replace, without additional cost allowance, sufficient suitable materials to complete the portion of the work, which was originally contemplated to be constructed with such material. Purchaser shall not excavate or remove any material, except that which is within the excavation limits, without written authorization from Forest Service.

When material is appraised from non-National Forest designated sources, owner charges for the material in terms of unit cost for royalties, purchase of raw materials, or finished products shall be as follows until N/A:

See Material Source Table.

Should quantity vary from that estimated, payment to owners shall be for units actually obtained. Purchaser shall make arrangements with owner(s) for measurement and payment for royalties, purchase of raw materials, or finished products, as shown above.

Materials produced or processed from National Forest lands in excess of the quantities required for performance of this contract are the property of Forest Service, unless prior written agreement has been obtained to use excess material on other National Forest sales. Forest Service is not obligated to reimburse Purchaser for the cost of their production.

Materials shall be stored to assure the preservation of their quality and fitness for the work. Stored materials shall be located to facilitate their prompt inspection. Sites on Forest Service administered land, approved by Forest Service, may be used for storage purposes and for the placing of Purchaser's plant equipment. All storage sites provided by Forest Service shall be restored at Purchaser's expense. Purchaser shall be responsible for making arrangements for storage on other than Forest Service adminis-

Sale Name: Jedi

tered lands.

When the construction of the portion of the project for which Temporary Roads used for hauling materials is completed, all such Temporary Roads shall be restored as nearly as practicable to their original ground profile, unless otherwise agreed in writing.

MATERIAL SOURCE TABLE PURSUANT TO CT5.221# - MATERIAL SOURCES
(04/2004)

Material	Type of Purchase	Owner (s)	Unit of Measure	Unit Price	Estimated Quantity	Total
N/A						

Sale Name: Jedi

CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Purchaser shall maintain roads in accordance with the following Contract Road Maintenance Requirements Summary:

See Contract Road Maintenance Requirements Summary Table.

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

Road	Termini		Miles	Applicable Pre-Haul Road Maintenance Specifications											
	From	To		T-803	T-811	T-831	T-832	T-834	T-838	T-839	T-851	T-891			
1801850	9701	Unit 8	1.20	P		P		P		P		P			
9700040	Hwy 97	9700060	0.20	P		P	P	P	P			P			
9700050	9700056	9700060	1.12	P		P	P	P	P			P			
9700054	9700050	Unit 36	0.25	P		P	P	P	P			P			
9700060	9700040	9700070	2.15	P		P	P	P	P			P			
9700063	9700050	9700060	0.40	P		P	P	P	P			P			
9700070	9700072	Unit 35	0.20	P		P	P	P	P			P			
9700072	Hwy 97	9700070	0.15	P		P	P	P	P			P			
9701	9710	9711200	2.80	P	P	P	P	P			P	P			
9701014	9701	9711	1.02	P		P	P	P	P			P			
9701500	9701	971012	0.68	P		P	P	P	P			P			
9703	Hwy 97	9721240	1.14	P		P	P	P			P				
9710	Hwy 97	9710012	2.56	P	P	P	P	P			P	P			
9710012	9711	Unit 38	2.07	P		P	P	P	P			P			
9710013	9710	9710250	0.66	P		P	P	P	P			P			
9710014	9710	9710100	0.95	P		P	P	P	P			P			
9710020	9710	9710014	1.05	P		P	P	P	P			P			
9710100	9710	9710014	1.33	P		P	P	P	P			P			
9710140	9710100	9710100	0.76	P		P	P	P	P			P			
9710200	9710	9710240	1.55	P		P	P	P	P			P			
9710215	9710200	9710012	0.42	P		P	P	P	P			P			
9710220	9710200	9710	0.91	P		P	P	P	P			P			
9710240	9710200	9703	1.20	P		P	P	P	P			P			
9710250	9710200	Unit 22	0.28	P		P	P	P	P			P			
9711	9710	9711012	2.00	P	P	P	P	P			P	P			
9711012	9711	9711150	0.92	P		P	P	P	P			P			
9711013	9711	9710	0.28	P		P	P	P	P			P			
9711014	9711	9710	0.1	P		P	P	P	P			P			
9711100	9711	End	0.45	P		P	P	P	P			P			
9711150	9711	9711012	0.91	P		P	P	P	P			P			
9711200	9711	9701	1.91	P		P	P	P	P			P			
9711500	9710012	9710200	0.37	P		P	P	P	P			P			
9720	Hwy 97	MP 0.71	0.71	P		P	P	P			P				
9720	MP 0.71	9721012	2.47	P	P	P	P	P			P	P			
9720400	9720	9720420	0.34	P		P		P		P		P			
9720420	9720400	9721800	0.53	P		P	P	P	P			P			
9720440	9721400	9721012	0.21	P		P	P	P	P			P			
9721	9720	9721700	2.57	P	P	P	P	P			P	P			
9721012	9720	9720440	0.34	P		P	P	P	P			P			
9721013	9721	End	2.46	P		P	P	P	P			P			
9721200	9721	End	0.28	P		P	P	P	P			P			
9721300	9721	9703	0.88	P	P	P	P	P			P	P			
9721330	9721600	9710240	1.66	P		P		P		P		P			
9721335	9721330	9721600	0.18	P		P		P		P		P			
9721500	9721	9720	0.72	P		P	P	P	P			P			
9721560	9721500	9721	0.61	P		P	P	P	P			P			

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

Road	Termini		Miles	Applicable <u>Pre-Haul</u> Road Maintenance Specifications (Cont.)											
	From	To		T-803	T-811	T-831	T-832	T-834	T-838	T-839	T-851	T-891			
9721600	9721	9721330	2.65	P		P		P		P		P			
9721650	9721600	End	0.47	P		P		P		P		P			
9721700	9721	9721800	2.20	P		P	P	P	P				P		
9721790	9721700	9721560	1.42	P		P	P	P	P				P		
9721800	9720	9721700	0.15	P		P	P	P	P				P		

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party, OPT = Optional, SPS = Special Project Specification, EOU = End Of Unit

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
 CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

Road	Termini		Miles	Applicable During-Haul Road Maintenance Specifications										
	From	To		T-803	T-811	T-812	T-831	T-832	T-834	T-838	T-839	T-851	T-854	T-891
1801850	9701	Unit 8	1.20	P		P	P		P		P		P	P
9700040	Hwy 97	9700060	0.20	P		P	P	P	P	P			P	P
9700050	9700056	9700060	1.12	P		P	P	P	P	P			P	P
9700054	9700050	Unit 36	0.25	P		P	P	P	P	P			P	P
9700060	9700040	9700070	2.15	P		P	P	P	P	P			P	P
9700063	9700050	9700060	0.40	P		P	P	P	P	P			P	P
9700070	9700072	Unit 35	0.20	P		P	P	P	P	P			P	P
9700072	Hwy 97	9700070	0.15	P		P	P	P	P	P			P	P
9701	9710	9711200	2.80	P	P	P	P	P	P			P	P	P
9701014	9701	9711	1.02	P		P	P	P	P	P			P	P
9701500	9701	971012	0.68	P		P	P	P	P	P			P	P
9703	Hwy 97	9721240	1.14	P		P	P	P	P			P	P	
9710	Hwy 97	9710012	2.56	P	P	P	P	P	P			P	P	P
9710012	9711	Unit 38	2.07	P		P	P	P	P	P			P	P
9710013	9710	9710250	0.66	P		P	P	P	P	P			P	P
9710014	9710	9710100	0.95	P		P	P	P	P	P			P	P
9710020	9710	9710014	1.05	P		P	P	P	P	P			P	P
9710100	9710	9710014	1.33	P		P	P	P	P	P			P	P
9710140	9710100	9710100	0.76	P		P	P	P	P	P			P	P
9710200	9710	9710240	1.55	P		P	P	P	P	P			P	P
9710215	9710200	9710012	0.42	P		P	P	P	P	P			P	P
9710220	9710200	9710	0.91	P		P	P	P	P	P			P	P
9710240	9710200	9703	1.20	P		P	P	P	P	P			P	P
9710250	9710200	Unit 22	0.28	P		P	P	P	P	P			P	P
9711	9710	9711012	2.00	P	P	P	P	P	P			P	P	P
9711012	9711	9711150	0.92	P		P	P	P	P	P			P	P
9711013	9711	9710	0.28	P		P	P	P	P	P			P	P
9711014	9711	9710	0.1	P		P	P	P	P	P			P	P
9711100	9711	End	0.45	P		P	P	P	P	P			P	P
9711150	9711	9711012	0.91	P		P	P	P	P	P			P	P
9711200	9711	9701	1.91	P		P	P	P	P	P			P	P
9711500	9710012	9710200	0.37	P		P	P	P	P	P			P	P
9720	Hwy 97	MP 0.71	0.71	P		P	P	P	P			P	P	
9720	MP 0.71	9721012	2.47	P	P	P	P	P	P			P	P	P
9720400	9720	9720420	0.34	P		P	P		P		P		P	P
9720420	9720400	9721800	0.53	P		P	P	P	P	P			P	P
9720440	9721400	9721012	0.21	P		P	P	P	P	P			P	P
9721	9720	9721700	2.57	P	P	P	P	P	P			P	P	P
9721012	9720	9720440	0.34	P		P	P	P	P	P			P	P
9721013	9721	End	2.46	P		P	P	P	P	P			P	P
9721200	9721	End	0.28	P		P	P	P	P	P			P	P
9721300	9721	9703	0.88	P	P	P	P	P	P			P	P	P
9721330	9721600	9710240	1.66	P		P	P		P		P		P	P
9721335	9721330	9721600	0.18	P		P	P		P		P		P	P
9721500	9721	9720	0.72	P		P	P	P	P	P			P	P
9721560	9721500	9721	0.61	P		P	P	P	P	P			P	P

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

Road	Termini		Miles	Applicable During-Haul Road Maintenance Specifications (Cont.)										
	From	To		T-803	T-811	T-812	T-831	T-832	T-834	T-838	T-839	T-851	T-854	T-891
9721600	9721	9721330	2.65	P		P	P		P		P		P	P
9721650	9721600	End	0.47	P		P	P		P		P		P	P
9721700	9721	9721800	2.20	P		P	P	P	P	P			P	P
9721790	9721700	9721560	1.42	P		P	P	P	P	P			P	P
9721800	9720	9721700	0.15	P		P	P	P	P	P			P	P

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party, OPT = Optional, SPS = Special Project Specification, EOU = End Of Unit

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
CTS.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

Road	Termini		Miles	Applicable Post-Haul Road Maintenance Specifications											
	From	To		T-811	T-835	T-838	T-839	T-891							
1801850	9701	Unit 8	1.20		P		P	P							
9700040	Hwy 97	9700060	0.20			P		P							
9700050	9700056	9700060	1.12			P		P							
9700054	9700050	Unit 36	0.25			P		P							
9700060	9700040	9700070	2.15			P		P							
9700063	9700050	9700060	0.40			P		P							
9700070	9700072	Unit 35	0.20			P		P							
9700072	Hwy 97	9700070	0.15			P		P							
9701	9710	9711200	2.80	P				P							
9701014	9701	9711	1.02			P		P							
9701500	9701	971012	0.68			P		P							
9703	Hwy 97	9721240	1.14												
9710	Hwy 97	9710012	2.56	p				P							
9710012	9711	Unit 38	2.07			P		P							
9710013	9710	9710250	0.66			P		P							
9710014	9710	9710100	0.95			P		P							
9710020	9710	9710014	1.05			P		P							
9710100	9710	9710014	1.33			P		P							
9710140	9710100	9710100	0.76			P		P							
9710200	9710	9710240	1.55			P		P							
9710215	9710200	9710012	0.42			P		P							
9710220	9710200	9710	0.91			P		P							
9710240	9710200	9703	1.20			P		P							
9710250	9710200	Unit 22	0.28			P		P							
9711	9710	9711012	2.00	P				P							
9711012	9711	9711150	0.92			P		P							
9711013	9711	9710	0.28			P		P							
9711014	9711	9710	0.1			P		P							
9711100	9711	End	0.45			P		P							
9711150	9711	9711012	0.91			P		P							
9711200	9711	9701	1.91			P		P							
9711500	9710012	9710200	0.37			P		P							
9720	Hwy 97	MP 0.71	0.71												
9720	MP 0.71	9721012	2.47	P				P							
9720400	9720	9720420	0.34		P			P	P						
9720420	9720400	9721800	0.53			P		P							
9720440	9721400	9721012	0.21			P		P							
9721	9720	9721700	2.57	P				P							
9721012	9720	9720440	0.34			P		P							
9721013	9721	End	2.46			P		P							
9721200	9721	End	0.28			P		P							
9721300	9721	9703	0.88	P				P							
9721330	9721600	9710240	1.66		P			P	P						
9721335	9721330	9721600	0.18		P			P	P						
9721500	9721	9720	0.72			P		P							
9721560	9721500	9721	0.61			P		P							

CONTRACT ROAD MAINTENANCE REQUIREMENTS SUMMARY TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

Road	Termini		Miles	Applicable Post-Haul Road Maintenance Specifications (Cont.)									
	From	To		T-811	T-835	T-838	T-839	T-891					
9721600	9721	9721330	2.65		P		P	P					
9721650	9721600	End	0.47		P		P	P					
9721700	9721	9721800	2.20			P		P					
9721790	9721700	9721560	1.42			P		P					
9721800	9720	9721700	0.15			P		P					

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party, OPT = Optional, SPS = Special Project Specification, EOU = End Of Unit

Description of work required by the above listed T-specs is shown in the following ROAD MAINTENANCE REQUIREMENTS SPECIFICATION table, and included in the timber sale contract.

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

1 Road No. and Termini	2 Special Project Specifi- cation	3 Travel Way		4 Brushing And Log Out	5 Surfacing	6 Dust Abatement		7 Seasonal Mainte- nance	8 Snow Removal	9 Post Haul	
		Width	Slope			Product	Rate				Width
9701 9710 To 9711200	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F	EX	C	A	4 Ft. Lt. and Rt.	Surface Rock Deposit See CT5.32#	OPT	EX	W	JU	PR
9701014 9701 To 9711	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT	EX	W	TS	PR
9701500 9701 To 9710012	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT	EX	W	TS	PR
9703 Hwy 97 To 9721240	T-803-01F T-832-01F T-834-01F	EX	AI		4 Ft. Lt. and Rt.	Asphalt Surface Deposit See CT5.32#	OPT	EX		JU	PR
9710 Hwy 97 To 9710012	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F	EX	C	A	4 Ft. Lt. and Rt.		OPT	EX	W	JU	PR
9710012 9711 To Unit 38	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT	EX	W	TS	PR
9710013 9710 To 9710250	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT	EX	W	TS	PR
9710014 9710 To 9710100	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT	EX	W	TS	PR

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
 CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

1	Road No. and Termini	2	Special Project Specification	3		4	5	6			7	8		9																																		
				Travel Way	Width			Abatement	Product	Rate		Width	Seasonal Maintenance		Snow Removal	Block	Treat	Post Haul																														
				X	Slope	Comp	Brushing And Log Out	Surfacing	Product	Rate	Width	Seasonal Maintenance	Snow Removal	Block	Treat	Post Haul																																
9710020 9710 To 9710014	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F						T-838		OPT		EX	W	TS		PR																																	
																	9710100 9710 To 9710014	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F					T-838		OPT		EX	W	TS		PR																	
																																	9710140 9710100 To 9710100	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F					T-838		OPT		EX	W	TS		PR	
9710215 9710200 To 9710012	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F						T-838		OPT		EX	W	TS		PR																																	
																	9710220 9710200 To 9710	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F					T-838		OPT		EX	W	TS		PR																	
																																	9710240 9710200 To 9703	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F					T-838		OPT		EX	W	TS		PR	

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
 CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

1	Road No. and Termini	2	Special Project Specification	3		4	5	6		7	8	9			
				Travel Way	Width			Abatement	Product			Rate	Width	Seasonal Maintenance	Snow Removal
				X	Slope	Comp	Brushing And Log Out	Surfacing	Product	Rate	Width	Seasonal Maintenance	Snow Removal	Block	Post Haul Treat
	9711 9710 To 9711012		T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F		C	A	4 Ft. Lt. and Rt.		OPT		EX	W	JU		PR
	9711012 9711 To 9711150		T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT		EX	W	TS		PR
	9711013 9711 To 9710		T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT		EX	W	TS		PR
	9711014 9711 To 9710		T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT		EX	W	TS		PR
	9711100 9711 To End		T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT		EX	W	TS		PR
	9711150 9711 To 9711012		T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT		EX	W	TS		PR
	9711200 9711 To 9701		T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT		EX	W	TS		PR
	9711500 9710012 To 9710200		T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F				T-838		OPT		EX	W	TS		PR

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION TABLE PURSUANT TO
 CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

1 Road No. and Termini	2 Special Project Specifi- cation	3 Travel Way		4 Brushing And Log Out	5 Surfacing	6 Dust Abatement		7 Seasonal Mainte- nance	8 Snow Removal	9 Post Haul	
		Width	X Slope			Comp	Product			Rate	Width
9720 Hwy 97 To MP 0.71	T-803-01F T-832-01F T-834-01F	EX	AI		Asphalt Surface Deposit See CT5.32#	OPT		EX	JU		PR
9720 MP 0.71 To 9721012	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F	EX	C	A	Surface Rock Deposit See CT5.32#	OPT		EX	JU		PR
9720400 9720 To 9720420	T-803-01F T-812-01F T-834-01F T-835-01F T-891-01F					OPT		EX	TS	PR	
9720420 9720400 To 9721800	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F					OPT		EX	TS		PR
9720440 9721400 To 9721012	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F					OPT		EX	TS		PR
9721 9720 To 9721700	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F	EX	C	A	Surface Rock Deposit See CT5.32#	OPT		EX	JU		PR
9721012 9720 To 9720440	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F					OPT		EX	TS		PR
9721013 9721 To End	T-803-01F T-812-01F T-832-01F T-834-01F T-891-01F					OPT		EX	TS		PR

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

Column No.	Heading	Entry	Explanation
	Any	Blank	Except as otherwise described, no entry indicates Purchaser is not authorized or required to perform the work item(s).
	Any	RC	This work requirement applies only when haul of sale related construction materials occurs.
2	Special Project Specification	Number	Entry indicates Special Project Specification which applies.
3	Travel Way	EX	Purchaser shall maintain the traveled way to the width existing upon entry, or at the completion of Specified Road work.
		Numbers	Purchaser shall maintain the traveled way to the standard width indicated by the entry, plus curve widening, in accordance with Section T-811. If required, the road template shall be shaped to this width and to the designated cross slope before haul and during recurring maintenance.
		IS, C, OS, F, or AI	Cross slopes are designated as: IS (Inslope), C (Crown), OS (Outslope), F (Flat), AI (As Is).
		A or B	If compaction is required.
4	Brush and Log Out	Numeric & R and or L	Purchaser shall remove brush for specified width on either or both the right (R) side or left (L) side of road.
		As Staked	Limits of brushing are as staked or marked in the field.
		OPT	Purchaser may use hand or mechanical means of brushing.
		H	Only hand brushing may be used.

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (01/2003)

Column No.	Heading	Entry	Explanation
5	Surfacing	Aggregate Grading	Purchaser shall place surfacing on roads listed according to the grading indicated.
6	Dust Abatement	OPT	Product selection is Purchaser's choice from those listed in Section T-812.
		Product Abbr.	Unless otherwise agreed, Purchaser is restricted to product listed corresponding to the abbreviation shown in Section T-812; (i.e., LigS = Lignon Sulfonate) Application rates are estimated amounts.
		EX	Purchaser shall abate dust on the existing width
		Numbers	Purchaser shall abate dust to the width indicated by entry.
7	Seasonal Maintenance	W	Waterbars and/or crossditching shall be required prior to expected seasonal precipitation.
		B	Entrance barriers shall be installed by Purchaser prior to nonuse periods.
8	Snow Removal	TS	Snowplowing authorized for Purchaser's Operations without recreation access being provided per Section T-803 requirements.
		JU	Snowplowing authorized, but must provide for recreation joint use per Section T-803 requirements.
		Blank	Snowplowing is not authorized. Forest Service may authorize plowing by permit when not in conflict with other uses.
9	Post Haul	PR	PR denotes that work is Purchaser's Responsibility to perform.

Sale Name: Jedi

CT5.32# - ROAD MAINTENANCE DEPOSIT SCHEDULE (08/2012)

Other provisions herein notwithstanding, when Forest Service requests payment in lieu of Purchaser's performance of road maintenance, Purchaser shall make Required Deposits (16 USC 537) for current and/or deferred road maintenance. Such deposits are based on the estimated volume and distance hauled and Purchaser's commensurate use of each road listed in the Road Maintenance Plan in CT5.31#.

Purchaser and Forest Service may agree in writing on adjustment of such rates. If Purchaser uses roads under jurisdiction of Forest Service other than those listed in the Road Maintenance Plan, Forest Service shall establish rates commensurate with Purchaser's use of such roads.

The Required Deposits for Forest Service work in lieu of Purchaser performance are \$.21 per CCF for recurrent maintenance, and N/A per CCF for deferred maintenance.

The following table lists who Purchaser will make deposits for road maintenance to, and the rate per unit of measure of the deposit. The Road Maintenance Agreement is available for inspection at the Forest Supervisor's office.

Deposit Made To	Rate	Unit of Measure
N/A		

CT6.315# - SALE OPERATION SCHEDULE (06/1994)

Unless otherwise agreed to in writing between Purchaser and Forest Service, Purchaser's Operations shall be performed in accordance with the following schedule.

See attached schedule.

SCHEDULE PURSUANT TO CT6.315# - SALE OPERATION SCHEDULE (06/19/1994)

<u>Harvest Unit</u>	<u>Operating Conditions</u>	<u>Purpose</u>
1-6,8,9,11,15,17- 23,25,26,38,39,45,47,48 50	No operations from December 1st Through April 1st annually unless otherwise agreed to in writing by Forest Service.	Protection of big game winter range.
27 & 30	No operations from May 1 st thru September 1 st annually unless otherwise agreed to in writing by Forest Service.	Protection and maintenance of cave resources, recreation, and scenic values.

Sale Name: Jedi

CT6.32# - PROTECTION OF RESERVE TREES (04/2004)

Purchaser's damage or destruction of reserve trees described in CT2.3# will cause serious and substantial silvicultural or other damage to the National Forest. It will be difficult if not impossible to determine the amount of such damage. Therefore, Purchaser shall pay as fixed, agreed, and liquidated damages \$ 500 for each Genetic reserve tree and \$ 300 for each Wildlife reserve tree damaged or destroyed by Purchaser's Operations, in addition to amounts payable under BT3.44 and BT3.45.

Damage, as used herein, includes any injury to the living crown, bole, or roots of reserve trees. If areas are marked on the ground around such reserve trees, operation of heavy equipment or skidding of products within the area shall be considered to be damage to the tree.

CT6.405 - ALTERNATE REMOVAL OF INCLUDED TIMBER (05/2005)

Purchaser and Forest Service may agree to alternate removal requirements of Included Timber contained in AT2. Alternate removal requirements are to be set forth in an agreement signed by both Purchaser and Contracting Officer. The terms of the agreement binds both parties and becomes part of the timber sale contract.

The development and execution of the agreement is based upon the determination by the Contracting Officer that removal of Included Timber is economically impractical if Purchaser has no ready market for such logs in the tributary area. A tributary area is defined as the area in which the Purchaser and competitors regularly deliver saw logs, or 200 miles from the Sale Area, whichever distance is greater.

The agreement for alternate removal requirements shall be executed prior to removing any timber from the Payment Units included in the agreement. Alternate removal requirements shall apply only to whole units and not to portions of units. All material meeting alternate removal specifications shall be cut and removed to locations designed in the agreement.

Volumes of material with alternate removal requirements will be determined from the National Cruise report for the sale. Purchaser will be charged for the following:

- a) stumpage value at current contract rates of the alternatively removed timber;
- b) plus the cost of other work required by the Forest Service to dispose of alternatively removed material;
- c) plus the difference between the appraised transportation cost of the Sawtimber and/or Nonsawtimber material involved and the appraised transportation cost of the alternative.
- d) Minus any work required to be completed by the Purchaser associated with alternate removal requirements.

Charges will be debited to the Purchaser's timber sale account.

Upon acceptance of the alternate removal requirements, the Payment Unit will be removed from the Sale Area under BT6.36.

Title to material included in the alternate removal agreement shall remain with the Forest Service.

Sale Name: Jedi

CT6.41# - SPECIFIC REQUIREMENTS (01/2000)

Notwithstanding BT6.41, BT6.411, BT6.5, and BT6.61, felling objectives shall be accomplished by the type of felling methods and equipment listed herein. Methods or equipment other than those specified may be approved. For Payment Units shown in the following table, Purchaser shall submit a cutting plan for Forest Service acceptance, prior to the start of felling operations.

See attached table.

TABLE PURSUANT TO CT6.41# - SPECIFIC REQUIREMENTS

(05/2005)

<u>FELLING METHODS</u>	<u>HARVEST UNITS</u>
Mechanized felling equipment will operate in a manner which will minimize detrimental soil disturbance and minimize damage to residual trees.	ALL
Mechanized felling equipment may leave main skid trails at average 30 foot intervals and make two roundtrips.	ALL
Mechanized felling equipment prohibited on slopes greater than 30%. Avoid operation in units with slopes 20% or greater during periods when soils are extremely dry or as agreed to in writing.	ALL
Along scenic travel corridors (Forest Roads 9703, 9710, 9711, 9720, 9721, and 9723) and access to developed recreation sites, flush cut stumps visible in the immediate Foreground areas (0'-300') to 6" or less	03, 08, 32, 33, 44, 55, 56
Along scenic travel corridors (Forest Roads 9703, 9710, 9711, 9720, 9721, and 9723) and access to developed recreation sites, flush cut stumps visible in the immediate Foreground areas (0'-300') to a minimum of 6" but no less than 4"	14, 34, 40, 43
<u>FELLING EQUIPMENT</u>	<u>HARVEST UNITS</u>
Any ground based felling equipment capable of Operating as stated above, or approved by Forest Service.	ALL

Sale Name: Jedi

CT6.42# - YARDING/SKIDDING REQUIREMENTS (06/2010)

Purchaser shall submit for Forest Service approval a Yarding/Skidding Plan prior to the start of felling operations. Requirements other than those specified in the following table may be approved. When appropriate, such approval shall include adjustments in Current Contract Rates and revision of the Sale Area Map. In no such case shall the adjustments result in Current Contract Rates less than Base Rates.

Location of all skid roads and trails, tractor roads, skyline corridors, mechanized harvester trails, forwarder roads, and other log skidding facilities, shall be approved prior to felling, construction or use.

See attached table for requirements.

TABLE PURSUANT TO CT6.42# - YARDING/SKIDDING REQUIREMENTS

(05/2005)

<u>YARDING/SKIDDING REQUIREMENTS</u>	<u>HARVEST UNITS</u>
Leading end of log shall be suspended while skidding on skid road/trails.	ALL
Skidding equipment shall stay on approved Forest Service skid roads/trails.	ALL
Distance between skid roads/trails shall be on average 100 feet apart or greater.	ALL
Yarding equipment is prohibited on slopes greater than 30%. Avoid operations in units with slopes 20% or greater during periods when soils are extremely dry or as agreed to in writing.	ALL
Equipment is not to be operated outside of Harvest Unit Boundaries. When Operator is moving equipment between Harvest Units, equipment will be restricted to existing roadways unless otherwise agreed.	ALL

Sale Name: Jedi

CT6.6# - EROSION CONTROL AND SOIL TREATMENT BY PURCHASER (04/2014)

Erosion prevention and control work required by BT6.6, shall be completed within 15 calendar days after yarding/skidding operations related to each landing are substantially completed or after Forest Service designation on the ground of work where such designation is required hereunder. Said time limit shall be exclusive of full days lost in Purchaser's Operations due to causes beyond Purchaser's control. Such on the ground designation shall be done as promptly as feasible unless it is agreed that the location of such work can be established without marking on the ground. After September 15, and as long thereafter as operations continue, the work shall be done as promptly as practicable. Damage resulting from Purchaser's Operations due to failure to perform required work shall be repaired by Purchaser.

On slopes greater than N/A percent, erosion control measures will be done with methods other than mechanized equipment, unless otherwise agreed.

Where soil has been disturbed or displaced on Sale Area by Purchaser's Operations and where measures described in BT6.6 will not result in satisfactory erosion control or where subsoiling is shown on Sale Area Map, the following shall be performed. If applicable, timing of the work shall be coordinated with required scarification or subsoiling.

(a) Where staked or otherwise marked on the ground by Forest Service, seed, fertilizer, and mulch will be applied as indicated in the attached seeding, fertilizing, and mulching schedule. All applications shall be current and done during the period from 10/1 to 05/31, unless otherwise agreed to. Applications shall be done only during favorable conditions. If Purchaser and Forest Service agree, seed can be applied and covered within 10 days of ground disturbance, and may be done outside the required periods.

(b) Where shown on Sale Area Map, landings, Temporary Roads and/or skidtrails/roads shall be scarified to a depth of 20 inches to provide a seedbed for grass seed, fertilizer, and mulch. Seed, fertilizer, and mulch shall be spread evenly at the rates shown in the table. When the seed, fertilizer, and mulch are applied in separate operations, the second or third operations shall be within 10 days of the first or second.

(c) Where shown on Sale Area Map, landings, Temporary Roads, and skid trails/roads used by Purchaser shall be subsoiled to a minimum depth of 20 inches, except that Forest Service may agree to lesser depths. Each subsoiler shank shall be equipped with a shoe and wings which has a total width of at least 18 inches. The design of the shank and wings will be such that the treated, compacted soil is slightly lifted and well-fractured rather than plowed, mixed, or displaced. The distance between subsoiler shank passes shall not exceed 36 inches. Treated areas shall span the total width of compaction. Subsoiling shall be kept reasonably current and shall be done during Normal Operating Season unless otherwise agreed.

(d) When agreed to, Purchaser may use alternate methods of erosion control.

Seed shall meet current Forest Service requirements, with the additional requirement that no seed containing any noxious weed seed in excess of established state limitations as listed in the current "State Noxious Weed Requirements Recognized in the Administration of the Federal Seed Act" publication will be used (commonly referred to as the "all states" noxious weed seed list). Seed shall be furnished separately or in mixture in standard containers clearly marked with: (1) seed name; (2) lot number; (3) net weight; (4) percentages of purity and of germination (in case of legumes, percentage of germination to include hard seed); (5) percentage of weed seed content; and (6) certification that no noxious weed seeds in excess of established state standards are present. The contractor shall furnish the Government duplicate signed copies of a certificate, signed by a Registered Seed Technologist or Seed Analyst (certified through either the Association of Official Seed Analysis or the Society of Commercial Seed Technologists), certifying that each lot of seed has been tested in accordance with the Association of Official Seed Analysts Standards within 12 months prior to date of application. This certificate shall include (1) name and address of laboratory, (2) date of test, (3) lot number for each kind of seed, (4) name of seed, (5) percentage of germination, (6) percentage of purity, (7) percentage of weed seed content, and (8) certification that no

Sale Name: Jedi

noxious weed seeds in excess of established state limitations are present in any kind of seed.

Legume seed shall be inoculated with approved cultures in accordance with the instructions of the manufacturer.

No seed may be applied without prior written approval by the government.

(e) Purchaser may be required to seed areas disturbed by harvest activities to prevent the spread of noxious weeds, or the establishment of new areas.

See attached application schedule.

APPLICATION SCHEDULE PURSUANT TO CT6.6# - EROSION CONTROL AND SOIL TREATMENT
BY Purchaser (04/2014)

PAYMENT UNIT OR UNIT NUMBER	AREAS A) SKID TRAILS B) FIRELINES C) TEMP. ROADS D) LANDINGS E) OTHER	SEED		FERTILIZER		MULCH	
		APPLICATION		APPLICATION		APPLICATION	
		SPECIES 1/ MIXTURE	LBS/AC	TYPE 2/	LBS/AC	TYPE 3/	LBS/AC
03,11,12, 14,17,19, 23,26,27, 29,30,31, 33,37,42, 43,44,51, 55	A)	N/A	10- 15lbs/ AC	N/A	N/A	N/A	N/A
<p>Scarification and seeding is required on first 100' of the skid trails from the landings. Scarification depth shall be 8"-12". This supersedes (b) on page 159.</p> <p>Forest Service will provide premixed seed. Purchaser shall pay a co-op deposit of \$0.04/CCF for the cultivation and harvest of native seed.</p>							

Erosion Control Measures	Units
Slash surfacing for erosion control will be used in lieu of water bar requirements on all skid trails for the first 100 feet from landings.	All
Slash surfacing for erosion control will be used in in lieu of water bar requirements throughout entire unit	09,10,13,34

The Purchaser will be required to pay a co-op deposit of \$0.04/CCF for the cultivation and harvest of replacement seed of native species for use on future contracts.

1/ For projects in Oregon, the seed shall meet the State certification specifications. Seed must be packaged in containers carrying official certification labels sewn in, glued to, or printed upon the container, with the following information:

1. Variety (if certified as to variety) and kind.
2. Quantity of seed (pounds or bushels).

3. Class of certified seed (blue tags for certified seed).
4. Inspection or lot number traceable to the certifying agency's records.

For projects in Washington, the seed shall be labeled as "Prohibited and Restricted Noxious Weed Free for the State of Washington." The Contractor shall furnish a copy of the seed analysis.

For state of California lands in Region 6, seed must be certified by the state of California, or by an independent agency or company that is approved by the state of California for "prohibited and restricted noxious weed free for the state of California."

For mixtures of seed, each ingredient in excess of 5 percent must be listed with its percentage by weight and its germination percentage.

Legumes must be inoculated with nitrogen fixing bacteria before planting. The label must show the expiration date of the inoculant.

All seed treated with a fungicide or pesticide must be labeled that it is "treated" giving the name of the chemical used, and an appropriate warning or a caution statement.

2/ Fertilizer shall be a standard commercial fertilizer with guaranteed analysis of contents clearly marked on containers.

3/ Mulch shall meet the appropriate State's certification specifications, with evidence of its certification traceable to the certifying agency's records.

Sale Name: Jedi

CT6.7 - SLASH DISPOSAL (06/2008)

As used in the following Subsections, the term "slash" is vegetative debris including, but not limited to, cull logs, blasted or pushed-out stumps, chunks, broken tops, limbs, branches, rotten wood, damaged brush, damaged or destroyed reproduction, saplings or poles, resulting from Purchaser's Operations.

Any burning of slash or refuse by Purchaser is subject to CT7.201.

Forest Service may agree to substitute methods of slash disposal if such substitute methods will give equally satisfactory results.

Forest Service may waive specific slash treatment requirements. Purchaser's Timber Sale Account will be charged for any slash treatment requirements waived or for work taken over by Forest Service. The amount of such charges will be determined by Forest Service if Purchaser has not begun felling operations. If felling operations have begun, charges will be determined by mutual agreement.

Forest Service may enter into a written agreement with the Purchaser for the Purchaser to complete slash disposal work originally scheduled to be done by the Forest Service. The agreement will describe the work to be completed by the Purchaser, and the value of such work. Value of the work to be done will be based upon the slash disposal plan in which the cooperative deposits were calculated, and will include Forest Service overhead. Any deposits paid by the Purchaser for this work will be credited to the Purchaser's timber sale account. This work is in addition to that required by CT6.74#.

Forest Service may also enter into a written agreement with Purchaser for the Purchaser to remove slash from landings, subject to BT3.41. Brush disposal deposits paid by the Purchaser for the Forest Service to burn landing piles will be credited to the Purchaser's timber sale account in the amount shown in the brush disposal plan, less the amount needed by the Forest Service for final cleanup of the landings following removal of the landing slash piles by the Purchaser. The credit will be made following the final removal by the Purchaser of all Included Timber, and slash piles, from the Sale Area.

CT6.74# - SLASH TREATMENT REQUIREMENTS (02/2002)

Purchaser shall pile, burn, yard, construct firelines or otherwise treat slash defined in CT6.7, within designated areas. Work required of Purchaser shall be in accordance with the following slash plan and specifications, and the Sale Area Map.

Unless otherwise agreed, or shown in attached slash plan or specifications, when Included Timber is removed during Normal Operating Season, required slash work shall be completed within 30 days of removal of approximately three-quarters of the volume in the unit. When Included Timber is removed outside Normal Operating Season, required work will be completed within 30 days of the beginning of the next Normal Operating Season.

See following specifications.

SPECIFICATIONS PURSUANT TO CT6.74# - SLASH TREATMENT REQUIREMENTS (02/02)Slash Plans and Specifications for Piling and/or Decking Slash on Landings and Temporary Roads (Pursuant to CT6.7 and CT6.74#)1. Slash to be Piled and/or Decked

- a. Slash resulting from the construction of landings and temporary roads, and slash accumulated on the landings from the logging operation shall be piled and/or decked. Partially pushed out stumps are considered to be included as pushed out stumps in the CT6.7 definition of Slash.
- b. Slash created in this operation which lies outside the posted cutting area is not required to be piled unless within a landing or temporary road. However, such slash shall be pulled inside the posted cutting area boundary.
- c. Chips created and not removed from chipping operations on the landings are to be scattered across the entire area of the landings to a depth of no more than 3".

2. Construction and Location of Piles and/or Decks

- a. Slash piles shall be located at least 25 feet from the crown or drip line of any dead or live tree or equal distance between standing dead or live trees, whichever is greater. These piles shall be a minimum of 6 feet in height and 12 feet in diameter, if sufficient slash is available.
- b. All piles shall be compact and free of dirt and rocks.
- c. All material extending beyond the general contour of the piled slash shall be trimmed off and added to the pile.

3. Equipment Requirements

- a. Machines used for piling slash shall be approved by the Forest Service.
- b. Chipping operations are prohibited except at locations designated by Forest Service. Roads within the Sale Area shall not be altered to allow chippers and chip vans access.

SPECIFICATIONS PURSUANT TO CT6.74#-SLASH TREATMENT REQUIREMENTS (02/02)

Slash Plans and Specifications
for Whole Tree Yarding and Leave Tops Attached Yarding

1. Whole Tree Yarding

All trees meeting Utilization Standards which are less than 60 feet in length are required to be Whole Tree Yarded to the landing. Any portions of live trees required to be removed, which break during falling or yarding, and are 8 feet or more in length shall be yarded to the landing.

2. Leave Top Attached Yarding

All trees meeting Utilization Standards which are 60 feet in length and greater are required to have tops and limbs attached to the last log while being yarded to the landing. Any portions of live trees required to be removed, which break during felling or yarding, and are 8 feet or more in length shall be yarded to the landing.

3. Applicable Area

Purchaser shall yard and dispose of slash, in accordance with specifications, where shown on the Sale Area and Slash Disposal Map.

4. Disposal of Yarded Material

Tops yarded to the landing, as defined in CT6.7, shall be considered landing slash and shall be disposed of as such.

Sale Name: Jedi

CT6.8 - MEASURING (08/2000)

The estimated quantity of timber in AT2 was determined in advance of advertisement. Any timber subsequently added or deleted under BT2.13, BT2.14, BT2.15, BT2.31, BT2.32, BT2.33, BT2.34, BT2.35, or BT2.37 will be measured by the Forest Service and formulated using Forest Service Handbook 2409.12, Timber Cruising Handbook Standards, unless otherwise agreed to in writing.

CT6.84 - ACCOUNTABILITY (06/2006)

The following requirements are applicable to product removal permits:

1. Forest Service will issue to Purchaser or designated representative(s) serially numbered Product Removal Permit Books for use only on this sale. Product Removal Permit Books, whether used or unused, shall be returned to issuing Forest Service Office in accordance with instructions contained on cover of each book.

2. All permits shall be completed and attached to load by an individual named in writing, other than the truck driver in accordance with the instructions on the inside cover of the Product Removal Permit Book. Product Removal Permit will be attached prior to removal from the immediate vicinity where loading is done. The permit will remain attached until the load is decked at the delivery point.

When products are manufactured on site and removed as chips, the permit shall be attached to a 12" x 18" vertically mounted board on the front panel on the driver's side of the conveyance unit. The previously validated Product Removal Permit shall be removed from the board before attaching a new permit. The board's texture, density, and thickness shall be such as to accommodate construction type staples and be of durable material for securing the attached permits.

3. Purchaser shall require truck drivers to stop when requested by Forest Service for purposes of monitoring accountability when products are in transit. Methods to be used to alert drivers of an impending stop shall be agreed to in advance of hauling products.

CT6.84 (OPTION 1) - USE OF PAINT BY PURCHASER (05/2005)

Notwithstanding BT6.81, use of paint by the Purchaser within the Sale Area in the color(s) used by the Forest Service in the preparation of the sale and administration of the contract will be by written approval of the Forest Service.

Sale Name: Jedi

CT7.1 - PLANS (09/2004)

The plan shall state how Purchaser's representative or alternates will be contacted in a fire emergency, both during periods of operation and at other times such as evenings or weekends. Purchaser shall certify compliance with specific fire precautionary measures included as Subsections under CT7.2 - Specific Fire Precautions, before beginning operations during Fire Precautionary Period (closed season) and shall update such certification when operations change.

If helicopter yarding is required, the plan shall include a schedule of rates mutually agreed to for computing Purchaser costs incurred toward meeting Purchaser's obligations under AT11, or for paying for helicopters controlled by Purchaser and used under Forest Service direction for suppressing Operations Fires or other fires on Sale Area, excluding Negligent Fires.

Sale Name: Jedi

CT7.2 - SPECIFIC FIRE PRECAUTIONS (09/2002)

When the industrial fire precautions level is I or higher, unless waiver is granted under CT7.22, specific required fire precautionary measures are as follows:

A. Fire Security.

Purchaser will designate in writing a person or persons who shall perform fire security services listed below on Sale Area and vicinity. The designated person will be capable of operating Purchaser's communications and fire fighting equipment specified in the contract, excluding helicopters, and of directing the activities of Purchaser's personnel on Forest fires. Such person must report any fire detected to Forest Service within 15 minutes of detection. In lieu of having the designated person perform the required supervisory duties, Purchaser may provide another person meeting the qualifications stated above to direct the activities of Purchaser's personnel and equipment during all fire fighting activities.

Services described shall be for at least 1 hour from the time Purchaser's Operations are shut down. For the purposes of this provision, personnel servicing equipment, and their vehicles, who are not engaged in cutting or welding metal are excluded.

Fire security services shall consist of moving throughout the operation area or areas constantly looking, reporting, and taking suppression action on any fires detected. Where possible, the designated person shall observe inaccessible portions of helicopter operating areas from vantage points within or adjacent to Sale Area.

Purchaser shall furnish fire security services based on the predicted industrial precaution level, obtained by Purchaser from the appropriate Ranger District Headquarters. If predictions made after 6:00 p.m. local time, are significantly different than originally estimated, Forest Service will inform Purchaser when changes in fire security services are indicated.

B. Fire Extinguishers and Equipment (on Trucks, Tractors Power Saws, etc.).

(a) Each yarder or loader equipped with an internal combustion engine or other spark emitting source shall be equipped with a readily accessible fire extinguisher, with an Underwriter's Laboratory (UL) Rating of at least 5 B,C.

(b) All power-driven equipment operated by Purchaser on National Forest land, except portable fire pumps, shall be equipped with one fire extinguisher having a UL rating of at least 5 B,C and one "D" handled or long handled round point shovel, size 0 or larger. In addition, each motor patrol, truck and passenger-carrying vehicle shall be equipped with a double-bit axe or Pulaski, 3-1/2 pounds or larger.

(c) Equipment required in (a) and (b) shall be kept in a serviceable condition and shall be readily available.

(d) Each gasoline power saw operator shall be equipped with a pressurized chemical fire extinguisher of not less than 8-ounce capacity by weight, and one long handled round point shovel, size 0 or larger, except at a landing where a suitable fire extinguisher and shovel are immediately available. The extinguisher will be kept in possession of the saw operator at all times. The shovel shall be accessible to the operator within 1 minute.

(e) Each helicopter shall be equipped with one fire extinguisher having a UL rating of at least 5 B,C mounted inside the aircraft within reach of the pilot's operating position.

(f) One refill for each type or one extra extinguisher sufficient to replace each size extinguisher required on equipment shall be safely stored in the fire tool box or other agreed upon place on Sale Area that is protected and readily available.

Sale Name: Jedi

(g) At each area where helicopters are being serviced or supplied, a carbon dioxide fire extinguisher with a UL rating of at least 20 B,C will be provided on the site and placed where it is available for immediate use.

C. Spark Arresters and Mufflers.

Each internal combustion engine shall be equipped with a spark arrester qualified and rated under USDA Forest Service Standard 5100-1a as shown in the National Wildfire Coordination Group Spark Arrester Guide, unless it is:

(a) Equipped with a turbine-driven exhaust supercharger such as the turbochargers. There shall be no exhaust bypass.

(b) A multi-position engine, such as on power saws which must meet the performance levels set forth in the Society of Automotive Engineers (SAE) "multi-positioned small engine exhaust fire ignition standard, SAE recommended practice J335B" as now or hereafter amended.

(c) A passenger carrying vehicle or light truck, or medium truck up to 40,000 GVW, used on roads and equipped with a factory designed muffler complete with baffles and an exhaust system in good working condition.

(d) A heavy duty truck, such as a dump or log truck, or other vehicle used for commercial hauling, used only on roads and equipped with a factory designed muffler and with a vertical stack exhaust system extending above the cab.

Exhaust equipment described in this Subsection, including spark arresters and mufflers, shall be properly installed and constantly maintained in serviceable condition.

D. Fire Tools.

Purchaser shall furnish serviceable fire fighting tools in a readily accessible fire tool box or compartment of sound construction with a hinged lid and hasp so arranged that the box can be secured or sealed. The box shall be red and marked "Fire Tools" in letters at least 1 inch high. It shall contain a minimum of:

- (a) Two axes or Pulaskis with a 32 inch handle.
- (b) Three adze eye hoes. One Pulaski may be substituted for one adze eye hoe.
- (c) Three long handled, round point shovels, size 0 or larger.

E. Tank Truck.

Purchaser shall provide a tank truck or trailer, containing not less than 300 gallons of water, during yarding, skidding, loading, land clearing, right-of-way clearing, mechanical falling, and mechanical treatment of slash. Such tank truck or trailer shall be maintained in a serviceable condition and located within 10 minutes, round trip, from each operating side during Fire Precautionary Period (closed season), except as provided under BT7.21.

The tank truck or trailer shall be equipped with a pump capable of discharging 20 gallons of water per minute, using a 1/4 inch nozzle tip, through a 50 foot length of rubber or poly lined hose. In addition, 500 feet of serviceable hard rubber poly or rubber lined or FJRL hose of not less than 1 inch outside diameter, fitted with a nozzle capable of discharging a straight stream of 1/4 inch diameter and a spray pattern shall be immediately available for use. The tank, pump, nozzle and at least 250 feet, of the total 500 feet of hose, shall be connected and ready for use at all times. Synthetic hoses may be used by

Sale Name: Jedi

agreement.

If a trailer is used, it shall be equipped with a hitch to facilitate prompt movement. A serviceable tow vehicle shall be immediately available for attachment to the trailer and must meet the time requirements stated above. Such truck or trailer shall be equipped to operate for a minimum of 8 hours.

Where designated on Sale Area Map, Purchaser shall provide a tank trailer or water source and pumping equipment, including accessories, which can be lifted and transported by the yarding system. The component parts shall meet all specifications above. The tank trailer or water supply and pumping accessories shall be deliverable to a fire, in area of operations, within 15 minutes of detection.

In lieu of the above tank trailer or water supply for helicopter operations, Purchaser may provide a suitable helicopter water bucket with a 300 gallon capacity. When Purchaser provides a water bucket, a water source shall be provided within 5 minutes round trip flight time from operating side.

F. Communications.

During Purchaser's Operations, excluding powersaw falling and bucking, Purchaser shall provide adequate two-way communication facilities to report a fire to Forest Service within 15 minutes of detection. Citizen band radios (CB's) are not considered adequate two-way communications because FCC Regulations prohibit commercial use.

G. Smoking and Open Fire Restrictions. Smoking and fires shall be permitted only at the option of Purchaser. Purchaser shall not permit open fires on Sale Area without advance permission in writing from Forest Service.

H. Blasting.

Blasting shall be permitted only for road construction purposes unless advance permission is obtained from Forest Service.

Whenever the Industrial Fire Precaution Level is II or greater, a fire security person equipped with a long handled round point No. 0 or larger shovel and a 5 gallon backpack pump can filled with water, will stay at location of blast for 1 hour after blasting is done. Blasting may be suspended by Forest Service, in areas of high rate of spread and resistance to control.

Fuses shall not be used for blasting. Explosive cords shall not be used without permission of Forest Service, which may specify conditions under which such explosives may be used and precautions to be taken.

I. Compliance with State Fire Laws.

Listing of specific fire precautionary measures in the foregoing Subsections is not intended to relieve Purchaser in any way from compliance with State fire laws covering fire prevention and suppression equipment, applicable to Purchaser's Operations.

J. Aircraft Communications.

Every aircraft used in conjunction with Purchaser's Operations shall be equipped with an operable radio system. The radio system shall be capable of transmitting and receiving on VHF frequency 122.85 Megahertz (MHz) with a minimum output of 5 watts at the transmitter. The system shall be located and installed so that the pilot can operate it while flying. A shielded all-weather broad-band antenna shall be part of the system. Radio and antenna shall be properly installed and maintained.

Upon discovery or notification of a fire on Sale Area, all aircraft pilots controlled by Purchaser shall monitor VHF frequency 122.85 MHz when within 5 miles of a fire and broadcast their intentions.

Sale Name: Jedi

K. Logging Block Equipment.

Purchaser shall provide a serviceable 5 gallon backpack pump full of water, one axe, and one long handled round point shovel, size 0 or larger, at each haulback block through which a running line passes.

The area below such blocks must be kept clear of all flammable debris under 4 inches in diameter for a distance of 6 feet in all directions. Material larger than 4 inches that poses a fire risk, such as punky logs, must also be removed.

Purchaser shall avoid line-rub on rocks or woody material which may result in sparks or sufficient heat to cause ignition of fire.

CT7.201 - BURNING BY PURCHASER (01/1993)

Notwithstanding the Fire Precautionary Period limitation of BT7.2, the Purchaser is required to obtain written permission from the Forest Service prior to any burning on the National Forest Lands.

Sale Name: Jedi

CT7.22 - EMERGENCY FIRE PRECAUTIONS (09/2004)

Purchaser shall restrict operations in accordance with the Industrial Fire Precaution Levels attached. Forest Service may change the Industrial Fire Precaution Levels to other values upon revision of the National Fire Danger Rating System and may change the specific Industrial Fire Precaution Levels when such changes are necessary for the protection of the National Forest. When sent to Purchaser, the revised Industrial Fire Precaution Levels will supersede the attached levels.

INDUSTRIAL FIRE PRECAUTIONS SCHEDULE

LEVEL INDUSTRIAL FIRE PRECAUTION

I. Closed Season - Fire precaution requirements are in effect.
A Fire Watch/Fire Security is required at this and all higher levels unless otherwise waived.

II. Partial Hootowl - The following may operate only between the hours of 8 p.m. and 1 p.m. local time:

power saws, except at loading sites;
cable yarding;
blasting;
welding or cutting of metal.

III. Partial shutdown - The following are prohibited:

cable yarding - except that gravity operated logging systems employing non-motorized carriages may be operated between the hours of 8 p.m. and 1 p.m. local time when all blocks and moving lines are 10 feet or more above the ground, excluding the line between the carriage and the choker.

power saws - except at loading sites and on tractor/skidder operations between the hours of 8 p.m. and 1 p.m. local time.

In addition, the following are permitted between the hours of 8 p.m. and 1 p.m. local time:

tractor, skidder, feller-buncher, forwarder, or shovel logging operations where tractors, skidders or other equipment with a blade capable of constructing fireline are immediately available to quickly reach and effectively attack a fire start;
mechanized loading and hauling;
blasting;
welding or cutting of metal;
any other spark-emitting operation not specifically mentioned.

IV. General shutdown - All operations are prohibited.

The following definitions shall apply to these Industrial Fire Precaution Levels:

Cable yarding systems: A yarding system employing cables and winches in a fixed position.

Sale Name: Jedi

Closed Season (Fire Precautionary Period): That time period each year when a fire hazard exists as described in AT9.

Hauling: Where hauling involves transit through more than one shutdown zone/regulated use area, the precaution level at the woods site shall govern the level of haul restrictions, unless prohibited by other than the Industrial Fire Precaution Level system.

Loading sites/woods site: A place where any product or material (including but not limited to logs, firewood, slash, soil, rock, poles, posts, etc.) is placed in or upon a truck or other vehicle.

Advance written waiver of the above precautions may be issued by the Contracting Officer or Forest Service Representative.

Such waiver, or substitute precautions under BT7.21, shall prescribe measures to be taken by Purchaser to reduce the risk of ignition, and/or the spread of fire. The Contracting Officer or Forest Service Representative shall consider site specific weather factors, fuel conditions, and specific operations that result in less risk of fire ignition and/or spread than contemplated when precaution level was predicted. Consideration shall also be given to measures that reduce the precaution levels above. Purchaser shall assure that all conditions of such waivers or substitute precautions are met.

Purchaser shall obtain the predicted Industrial Fire Precaution Level from the appropriate Ranger District headquarters. If predictions made after 6:00 p.m., local time, are significantly different than originally estimated, Forest Service will inform Purchaser when changes in restrictions or industrial precautions are indicated.

CT8.13 - DISCLAIMER OF EXPRESSED OR IMPLIED WARRANTY (09/2004)

Purchaser and Forest Service hereby agree, acknowledge, and accept that there is no expressed or implied warranty provided by the Forest Service that guarantees the Purchaser will be allowed to complete the removal of products sold under the terms of the contract. Upon execution of the contract, Purchaser hereby acknowledges the acceptance of the risk that this contract is subject to interruption or termination as a result of litigation associated with the environmental analysis process used by the Forest Service in the planning of this timber sale. If such interruption or termination occurs due to litigation, Purchaser agrees to accept as full compensation for such interruption remedies pursuant to BT8.33, or for termination remedies pursuant to BT8.34.

Sale Name: Jedi

CT8.212 - MARKET-RELATED CONTRACT TERM ADDITION (11/2008)

The term of this contract may be adjusted when a drastic reduction in wood product prices has occurred in accordance with 36 CFR 223.52. The Producer Price Index used to determine when a drastic reduction in price has occurred is stated in AT17. Purchaser will be notified whenever the Chief determines that a drastic reduction in wood product prices has occurred. If the drastic reduction criteria specified in 36 CFR 223.52 are met for 2 consecutive calendar quarters, after contract award date, Contracting Officer will add 1 year to the contract term, upon Purchaser's written request. For each additional consecutive quarter such a drastic reduction occurs, Contracting Officer will, upon written request, add an additional 3 months to the term during Normal Operating Season, except that no single 3-month addition shall extend the term of the contract by more than one year. Contracting Officer must receive Purchaser's written request for a market-related contract term addition before the expiration of this contract.

No more than 3 years shall be added to a contract's term by market-related contract term addition unless the following conditions are met:

(i) The sale was awarded after December 31, 2006; and

(ii) A drastic reduction in wood product prices occurred in at least ten of twelve consecutive quarters during the contract term, but not including the quarter in which the contract was awarded.

For each qualifying quarter meeting the criteria in paragraphs (i) and (ii) of this provision, the Forest Service will, upon the Purchaser's written request, add an additional 3 months during the normal operating season to the contract, except no single 3-month addition shall extend the term of a contract by more than 1 year.

In no event shall a revised contract term exceed 10 years as a result of market-related contract term addition.

Additional contract time may not be granted for those portions of the contract that have a required completion date or for those portions of the contract where Contracting Officer determines that the timber is in need of urgent removal or that timber deterioration or resource damage may result from delay.

Sale Name: Jedi

CT8.66# (Option 1) - USE OF TIMBER (04/2004)

(a) This contract is subject to the Forest Resources Conservation and Shortage Relief Act of 1990, as amended (16 USC 620, et seq.).

(b) Except for None determined pursuant to public hearing to be surplus, unprocessed Included Timber shall not be exported from the United States nor used in direct or indirect substitution for unprocessed timber exported from private lands by Purchaser or any person as defined in the Act (16 USC 620e).

(c) Timber in the following form will be considered unprocessed:

(i) Trees or portions of trees or other roundwood not processed to standards and specifications suitable for end product use;

(ii) Lumber, construction timbers, or cants intended for remanufacturing not meeting standards defined in the Act (16 USC 620e); and

(iii) Aspen or other pulpwood bolts exceeding 100 inches in length.

(d) Unless otherwise agreed in writing, unprocessed Included Timber shall be delivered to a domestic processing facility and shall not be mixed with logs intended for export.

(e) Prior to award, during the life of this contract, and for a period of 3 years from Termination Date, Purchaser shall furnish to Forest Service, upon request, records showing the volume and geographic origin of unprocessed timber from private lands exported or sold for export by Purchaser or affiliates.

(f) Prior to delivering unprocessed Included Timber to another party, Purchaser shall require each buyer, exchangee, or recipient to execute an acceptable agreement that will:

(i) Identify the Federal origin of the timber;

(ii) Specify domestic processing for the timber involved;

(iii) Require the execution of such agreements between the parties to any subsequent transactions involving the timber;

(iv) Require that all hammer brands and/or yellow paint must remain on logs until they are either legally exported or domestically processed, whichever is applicable; and

(v) Otherwise comply with the requirements of the Act (16 USC 620d).

(g) No later than 10 days following the execution of any such agreement between Purchaser and another party, Purchaser shall furnish to Forest Service a copy of each such agreement. Purchaser shall retain, for 3 years from Termination Date, the records of all sales, exchanges, or dispositions of all Included Timber.

(h) Upon request, all records dealing with origin and disposition of Included Timber shall be made available to Contracting Officer.

(i) For breach of this Subsection, Forest Service may terminate this contract and take such other action as may be provided by statute or regulation, including the imposition of penalties. When terminated by Forest Service under this Subsection, Forest Service will not be liable for any Claim submitted by Purchaser relating to the termination.

Sale Name: Jedi

CT8.71 - TRIPARTITE LAND EXCHANGE (04/1999)

Purchaser agrees that timber values for which cash payment is required under BT4.0 may be applied to any land exchange transaction authorized by law under which the owner of offered lands agrees to accept the money value of timber sold for the value of land granted to the United States.

CT8.72 - BIPARTITE LAND EXCHANGE (04/2004)

Purchaser has offered to exchange land owned by Purchaser, as described in a separate exchange agreement. When title to offered land has been accepted by the United States, Forest Service agrees that the value of the offered land is a land exchange credit and shall be applied to charges for timber in lieu of cash deposits under BT4.21. If Purchaser desires to cut timber prior to acceptance of title by the United States, cash deposits shall be refunded when title to an equivalent value of land is accepted, to the extent such deposits are not needed to satisfy other charges.