

CT5.31# – ROAD MAINTENANCE REQUIREMENTS. (7/01) Purchaser shall maintain roads in accordance with the following Contract Road Maintenance Requirements Summary:

Contract Road Maintenance Requirements Summary

Road	From	To	Miles	Applicable PREHAUL Road Maintenance Specifications														
				T-803	T-811	T-812	T-813	T-831	T-832	T-834	T-836	T-838	T-839	T-842	T-851	T-854	T-891	
2640	HWY 26	JCT 2652	10.30	P												p	p	
2652 Seg. 1	FSR 2640	MP 2.6	2.60	P												p	p	
2652 Seg. 2	MP 2.6	JCT 6005	7.60	P				p		p	p						p	
6005 Seg. 1	JCT CO RD 600	JCT 6015	2.97	P												p	p	
6005 Seg. 2	JCT 2652	JCT 6015	7.88	p				p		p	p						p	

Road	From	To	Miles	Applicable DURING Road Maintenance Specifications													RSR Collect	
				T-803	T-811	T-812	T-813	T-831	T-832	T-834	T-836	T-838	T-839	T-842	T-851	T-854		
2640	HWY 26	JCT 2652	10.30	p												p	p	D
2652 Seg. 1	FSR 2640	MP 2.6	2.60	p												p	p	D
2652 Seg. 2	MP 2.6	JCT 6005	7.60	p				p		p	p						p	
6005 Seg. 1	JCT CO RD 600	JCT 6015	2.97	p												p	p	D
6005 Seg. 2	JCT 2652	JCT 6015	7.88	p				p		p	p						p	

Road			Miles	Applicable POST-HAUL Road Maintenance Specifications													
	From	To		T-803	T-811	T-812	T-813	T-831	T-832	T-834	T-836	T-838	T-839	T-842	T-851	T-854	T-891
2640	HWY 26	JCT 2652	10.30		p										p	p	p
2652 Seg. 1	FSR 2640	MP 2.6	2.60		p										p	p	P
2652 Seg. 2	MP 2.6	JCT 6005	7.60					p		p	p					p	
6005 Seg. 1	JCT CO RD 600	JCT 6015	2.97		p										p	p	p
6005 Seg. 2	JCT 2652	JCT 6015	7.88					p		p	p					p	

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION
TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS
(07/2001)

1	2	3			4	5	6			7	8	9	
Road No. and Termini	Special Project Specifi- cation	Travel Way			Brush And Log Out	Surfacing	Dust Abatement			Seasonal Mainte- nance	Snow Removal	Post Haul	
		Width	X Slope	Comp			Product	Applic Rate	Width			Block	Treat
2640		EX	AI	A	6' L, 6' R	D	All				TS		p
2652 Seg. 1		EX	AI	A	6' L, 6' R	D					TS		p
2652 Seg. 2		EX	AI								TS		p WB-6
6005 Seg. 1		EX	AI	A	6' L, 6' R	D	All				TS		p
6005 Seg. 2		EX	AI								TS		p

[1] ALL LOG OUT AND HAZARD TREES SHALL BE DECKED IN AREAS APPROVED BY F.S. IN ACCORDANCE TO UTILIZATION STANDARDS SHOWN IN THE CONTRACT.

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Column No.	Heading	Entry	Explanation
	Any	Blank	Except as otherwise described, no entry indicates Purchaser is not authorized or required to perform the work item(s).
	Any	RC	This work requirement applies only when haul of sale related construction materials occurs.
2	Special Project Specification	Number	Entry indicates Special Project Specification which applies.
3	Travel Way	EX	Purchaser shall maintain the traveled way to the width existing upon entry, or at the completion of Specified Road work.
		Numbers	Purchaser shall maintain the traveled way to the standard width indicated by the entry, plus curve widening, in accordance with Section T-811. If required, the road template shall be shaped to this width and to the designated cross slope before haul and during recurring maintenance.
		IS, C, OS, F, or AI	Cross slopes are designated as: IS (Inslope), C (Crown), OS (Outslope), F (Flat), AI (As Is).
		A or B	If compaction is required.
4	Brush and Log Out	Numeric & R and or L	Purchaser shall remove brush for specified width on either or both the right (R) side or left (L) side of road.
		As Staked	Limits of brushing are as staked or marked in the field.
		OPT	Purchaser may use hand or mechanical means of brushing.
		H	Only hand brushing may be used.

ROAD MAINTENANCE REQUIREMENTS SPECIFICATION CODES TABLE PURSUANT TO
CT5.31# - ROAD MAINTENANCE REQUIREMENTS (07/2001)

Column No.	Heading	Entry	Explanation
5	Surfacing	Aggregate Grading	Purchaser shall place surfacing on roads listed according to the grading indicated.
		D	Contractor is to make deposits for listed road maintenance, including surface rock replacement.
6	Dust Abatement	OPT	Product selection is Purchaser's choice from those listed in Section T-812.
		Product Abbr.	Unless otherwise agreed, Purchaser is restricted to product listed corresponding to the abbreviation shown in Section T-812; (i.e., LigS = Lignon Sulfonate) Application rates are estimated amounts.
		EX	Purchaser shall abate dust on the existing width
		Numbers	Purchaser shall abate dust to the width indicated by entry.
7	Seasonal Maintenance	W	Waterbars and/or crossditching shall be required prior to expected seasonal precipitation.
		B	Entrance barriers shall be installed by Purchaser prior to nonuse periods.
8	Snow Removal	TS	Snowplowing authorized for Purchaser's Operations without recreation access being provided per Section T-803 requirements.
		JU	Snowplowing authorized, but must provide for recreation joint use per Section T-803 requirements.
		Blank	Snowplowing is not authorized. Forest Service may authorize plowing by permit when not in conflict with other uses.
9	Post Haul	P	P denotes that work is Purchaser's Responsibility to perform.