

APPENDIX L

Bibliography

(material cited in text of EA or appendices)

Andrews, Robert and Robert Righter. 1992. Colorado Birds; A Reference to Their Distribution and Habitat. Denver Museum of Natural History. 442pp. Denver, CO.

Arapaho/Roosevelt National Forests and Pawnee National Grassland Revised Forest Plan. 1997. Fort Collins, CO.

Ball, Mark. 2000. Personal communication with Mark Ball, wildlife biologist, Pawnee National Grasslands. Greeley, CO. April 25, 2000.

Bratton, Susan P. 1982. The effects of exotic plant and animal species on nature preserves. Natural areas journal. 2(3): 3-13.

Brittell, J.D. et al. 1989. Native Cats of Washington Section III: Lynx. Washington State Department of Wildlife. Olympia, Washington.

Colorado Department of Agriculture, Division of Plant Industry. 1996. Colorado Noxious Weed Act, Title 35 Article 5.5. 10 pages.

Colorado Department of Agriculture, Division of Plant Industry. 1997. Rules Pertaining to the Colorado Noxious Weed Act; The State Noxious Weed List. 4 pages.

Colorado Department of Agriculture, Division of Plant Industry. 1995. Rules and Regulations Pertaining to the Administration and Enforcement of the Pesticide Applicator Act. 15 pages.

Colorado Native Plant Society (CoNPS). 1997, Rare Plants of Colorado, second edition. 1997. Falcon Press Publishing Co. Inc., Helena, Montana and Rocky Mountain Nature Association, Estes Park, Colorado.

Colorado Natural Heritage Program (CNHP). 1996. Pike and San Isabel National Forest and Comanche and Cimarron National Grasslands. Rare, threatened, endangered and sensitive species overlays and accompanying reports. College of Natural Resources, 103 Natural Resources, Fort Collins, CO 80523.

DeGraaf, R.M. 1991. Forest and Rangeland Birds of the United States: Natural History and Habitat Use. Agricultural Handbook 688.

DeMott, S.L. and G.P Lindsey. 1975. Pygmy shrew, *Microsorex hoyi*, in Gunnison County, Colorado. Southwestern Nat. 20: 417-418.

DOW. 1994. Colorado Division of Wildlife. Least tern and piping plover recovery plan. Denver, Colorado. 28pp.

- Duncan, Celestine. 1997. Environmental benefits of weed management: A technical summary. Weed Management Services, Helena, MT.
- EXTOXNET Extension Toxicology Network Pesticide Information Profiles. 1996. 2,4-D. <http://ace.orst.edu/info/extoxnet/pips/>. 4 pages.
- EXTOXNET Extension Toxicology Network Pesticide Information Profiles. 1996. Picloram. <http://ace.orst.edu/info/extoxnet/pips/>. 4 pages.
- Fitzgerald, James P., Carron Meaney, and David M. Armstrong. 1994. Mammals of Colorado. Denver Museum of Natural History. Denver, Colorado.
- Freeman, G.E. 1984. Ecomorphological analysis of an assemblage of bats: resources partitioning and competition. Unpubl. Ph.D. dissert., Univ. Colorado, Boulder, 131pp.
- Graul, W.D. 1973. Adaptive Aspects of Mountain Plover Social Systems. *Living Bird*:69-94.
- Hammerson, Geoffery A.. 1982. Amphibians and Reptiles in Colorado. Colorado Division of Wildlife Publication No. DOW-M-I-27-82, 131 pp.
- Harris, P. and R. Cranston. 1988. An economic evaluation of control methods for diffuse and spotted knapweed in western Canada. *Canadian journal of plant science* 59: 375-382.
- Hazlett, D.L. 1999. The Possible Introduction of *Gaura neomexicana* ssp. *coloradoensis* (Colorado butterfly plant) on to the Pawnee National Grassland. Unpublished report prepared for the Arapaho-Roosevelt National Forest and Pawnee National Grassland.
- Hoffman, R.S. and J.G. Owen. 1980. *Sorex tenellus* and *Sorex nanus*. *Mamm. Species*, 131:1-4.
- Hueneke, L. 1996. Ecological impacts on invasive plants on natural resource areas. *Proceedings: Western Society of Weed Science* 49: 119-121.
- IPM Cooperative Research Report (IPM). Date unknown. Ecological implications of Russian knapweed infestations: small mammal and habitat associations.
- Irvine, A.M., J.C. Forbes, and S.R. Draper. 1977. Effects of 2,4 D on the water-soluble carbohydrate content of ragwort (*Senecio jacobaea* L) leaves. *Weed Research* 17: 169-172.
- Johnson, K.H., R.A. Olson, T.D. Whitson, R.J. Swearingen, and G.L. Kurz. 1994. Ecological implications of Russian knapweed infestations: small mammal and habitat associations. *Proceedings of the Western Society of Weed Science* 47: 98-101.
- Jones, J.K. Jr., D.M. Armstrong, R.S. Hoffmand, and C. Jones. 1983. Mammals of the northern Great Plains. University of Nebraska Press. Lincoln, NE. 477pp.

Koehler, G.M. 1990. Population and habitat characteristics of lynx and snowshoe hares in north central Washington. Can. J. Zool. 68: 845-851. In: Washington Department of Wildlife 1993. Status of North American lynx in Washington. Draft unpubl. Report. Olympia, WA. 112pp.

Lacey, J.R.; Marlow, C.B.; Lane, J.R. 1989. Influence of spotted knapweed (*Centaurea maculosa*) on surface runoff and sediment yield. Weed-Technol-J-Weed-Sci-Soc-Am. Champaign, Ill. : The Society. Oct/Dec 1989. v. 3 (4) p. 627-631. ill.

Neary, Daniel G. & Jerry L. Michael. 1991. Effect of Herbicides on Soil Productivity and Water Quality. Auburn Univ. Silvicultural Herbicide Cooperative. Research Note 91-8. 1991.

Noblitt, B., D. Atwood, J. Carroll, D. Christianson, W. Fertig, A. Kratz, S. Laster, C. Refsdahl, J. Whipple. 1994. Wyoming Rare Plant Field Guide. Prepared for the Bureau of Land Management, the U.S. Forest Service, and the U.S. Fish and Wildlife Service and Wyoming Fish and Game Department by the Nature Conservancy's Wyoming Natural Diversity Database.

O'kane, S.L. 1988. Colorado's Rare Flora. Great Basin Naturalist 48(4):434-484

Olson, R.A. 1995. Impacts of noxious weeds on wildlife. Symposium on non-native invasive plants: A biological disaster, September 19, 1995.

Pettus, D. and R.R. Lechleitner. 1963. *Microsorex* in Colorado. J. Mamm 44: 119.

Ruediger, et al. 2000. Canada Lynx Conservation Assessment and Strategy. USDA Forest Service, USDI Bureau of Land Management, US Fish and Wildlife Service, and National Park Service. 132 pp.

Ruggiero, L.F, K.B. Aubry, S.W. Buskirk, G.M. Koehler, C.J. Krebs, K.S. McKelvey, and J.R. Squires. 1999. Ecology and Conservation of Lynx in the United States. University Press of Colorado and USDA, Rocky Mountain Research Station.

Schwab, E., 1992. Sensitive Plants of the Arapaho-Roosevelt National Forest and Pawnee National Grassland, Colorado. Prepared for the Nature Conservancy and the USDA Forest Service. Unpublished.

Spackman, S., B. Jennings, J.Coles, C.Dawson, M. Minton, A. Kratz, and C. Spurrier. 1997. Colorado Rare Plant Field Guide. Prepared for the Bureau of Land Management, the U.S. Forest Service and the U.S. Fish and Wildlife Service by the Colorado Natural Heritage Program.

Spencer, A.W. and D. Pettus. 1966. Habitat preferences of five sympatric species of long-tailed shrews. Ecology 47: 677-683.

Sullivan, T.P. 1985. Effects of Glyphosate on selected species of wildlife. In: Grossbard, E.; Stkinson, D., eds. The herbicide Glyphosate. Boston MA: Buttersworth.

Troendle, C. and L. Porth. 1999. Unpublished equation developed for August stream flow based on 30 undiverted Colorado streams. USDA Forest Service, Rocky Mountain Research Station, Fort Collins, Colorado.

USDA Forest Service. 1992. Risk Assessment for Herbicide Use in Forest Service Regions 1,2,3,4, and 10 and on Bonneville Power Administration Sites. USDA Forest Service Contract No. 53-3187-9-30.

USDA Forest Service. 1998. Unpublished population and habitat inventory data for greenback cutthroat trout populations on the Arapaho and Roosevelt National Forests. Fort Collins, CO.

USDA Forest Service. 1999. Unpublished population and habitat inventory data for greenback and Colorado River cutthroat trout populations on the Arapaho and Roosevelt National Forests. Fort Collins, CO.

USDA Forest Service. 2000. Unpublished population and habitat inventory data for Colorado River cutthroat trout populations on the Arapaho and Roosevelt National Forests. Fort Collins, CO.

USDA Forest Service. 1996. Biological Evaluation for the Management of Noxious Weeds on the Medicine Bow-Routt National Forest and Thunder Basin Grasslands. Prepared by D.R. Myers. 9pp.

USDI, Fish and Wildlife Service (USFWS). 1994c. Biological Opinion for Long Draw Reservoir and six other water developments. Unpublished U.S. Fish and Wildlife Service, Denver Colorado.

USDI, Fish and Wildlife Service (USFWS). 1995a. Ute ladies'-tresses (*Spiranthes diluvialis*) recovery plan. U.S. Fish and Wildlife Service, Denver Colorado.

USDI, Fish and Wildlife Service (USFWS). 1998a. Proposed rule for the Plant *Gaura neomexicana* ssp. *coloradoensis*. 50 CFR Part 17 (March 6, 1998) U.S. Fish and Wildlife Service, Denver Colorado.

Vaughan, T.A. 1969. Reproduction and population densities in a montane small mammal fauna. In: Contributions in mammalogy (J.K. Jones, Jr., ed.). Misc. Publ. Mus. Nat. Hist., Univ. Kansas, 51: 1-428.

Weber, W.A., and R.C. Whittmann. 1996. Colorado Flora: Eastern Slope. University Press of Colorado, Niwot, CO.

Wyoming Game and Fish Department. Nongame program. 1997. Interim completion report, sensitive species inventory. Edited by: Bob Oakleaf, Andrea Cerovski, and Bob Luce. Lander, WY.

Waskom, Reagan M., Extension Water Quality Specialist. Best Management Practices for Colorado Agriculture: An Overview. Colorado State University® Cooperative Extension. August 1994. 5 pages.

Waskom, Reagan M., Extension Water Quality Specialist. Best Management Practices for Agriculture Pesticide Use. Colorado State University® Cooperative Extension Bulletin #XCM-177. January 1995. 14 pages.

Waskom, Reagan M. Best Management Practices for Agriculture Pesticide Use. Colorado State University® Cooperative Extension Internet Site. 1994. 17 pages.

Yeager, L.E. and J.D. Remington. 1956. Sight observations of Colorado martens, 1950-1955. *J. Mamm.*, 37: 521-524.

General References

(Used as background information but not specifically cited)

Agadzhanian, G.Kh., and A.A. Agadzhanian. 1967. The distribution of and damage caused by Russian knapweed (*Acroptilon picris* C.A.M.) in Armenia and its control [in Russian, English summary]. *Biol. Zh. Armenii* 20:15-21.

Beck, K. George, 1994. Russian knapweed biology and management Colorado State University In Action No. 3.111.

Benz, L., 1998. A management system to reclaim knapweed infested rangeland. Masters thesis. Colorado State University.

Benz, Lani. 1998. Russian Knapweed Management. Literature Review. 25 pages.

Bovey, R.W. 1991. Principles of chemical control. Pages 103-114 in *Noxious Range Weeds*. L.F. James, J.O. Evans, M.H. Ralphs, and R.D. Child, (eds.), Westview Press, boulder, CO 459 pp.

Cable, Ted T., Scott Seltman, and Kevin J. Cook. 1996. Birds of Cimarron National Grassland. Gen Tech. Rep. RM-GTR-281. Fort Collins, CO; US Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 108 pages.

Colorado Department of Agriculture, Division of Plant Industry. Agricultural Chemicals and Groundwater Protection Title 25 Article 8. 1994. 43 pages.

Colorado Department of Agriculture Best Management Practices: Agricultural Chemicals and Groundwater Protection Act (SB 90-126).

Colorado Department of Agriculture Best Management Practices: Agricultural Chemicals and Groundwater Protection. Internet Site. Water Quality BMP Fact Sheet #2. 1993. 3 pages.

Colorado Native Plant Society. 1989. Rare Plants of Colorado. Rocky Mountain Nature Association.

Dow AgroSciences. 1998. Tordon* 22K - Specimen Label. 5 pages.

DowElanco. Material Safety Data Sheet for Tordon ® RTU Herbicide. 1992. 7 pages.

Environmental Protection Agency, Office of Ground Water and Drinking Water. "Drinking Water and Health". EPA 811-F-95-003-T. <http://www.epa.gov/OGWDW/dwh/t-soc.html>. October 1995
Technical Fact Sheet on Picloram. 4 pages. Technical Fact Sheet on 2,4-D. 5 pages. Technical Fact Sheet on Glyphosate. 4 pages.

Environmental Protection Agency, Office of Pesticide Program. 1987 (updated in 1999). Status for PPDC: "Inert" or "Other" Ingredients in Pesticide Products. 7 pages.

EPA 52 F.R. 13305. 1987 (updated in 1999). Inert Ingredients in Pesticide Products; Policy Statement. 12 pages.

ERT Company. 1986. Pawnee Montane Skipper 1986 Field Studies. Prepared for the Denver Water Department, Denver, Colorado. ERT, a Resource Engineering Company, Fort Collins, CO 40pp.

Ferrell, M.A. and H.P. Alley. 1985. Russian knapweed shoot control evaluations using dicamba, picloram and dicamba/picloram combinations. Res. Prog. Rep. Western Soc. Weed Sci. p. 21

Ferrell, M.A., T.D. Whitson, S.D. Miller, and H.P. Alley. 1986 Russian knapweed shoot control evaluations using dicamba, picloram, and dicamba/picloram combinations. Res. Prog. Rep. Western Soc. Weed Sci. p. 25.

Grand Mesa, Uncompahgre, and Gunnison National Forest Noxious Weeds Strategy. 1994. 47 pages.

Greenlee, J., *Cypripedium fasciculatum* Conservation Assessment, USDA Forest Service, Region 1, Lolo National Forest, Missoula, Montana

Hirsch, S.A.; Leitch, J.A. 1998. Impact of leafy spurge on post-Conservation Reserve Program land. SO: J-range-manage. Denver, Colo. : Society for Range Management. Nov 1998. v. 51 (6) p. 614-620..

Huitink, G., J.R. Waler, and T.L. Lavy. Downwind Deposition of 2,4-Dichlorophenoxyacetic Acid Herbicide (2,4-D) in Invert Emulsion. American Society of Agricultural Engineers 0001-2351/90/3304-1051. 1990. 7 pages.

Industry Task Force II on 2,4-D Research Data. 1998. 2,4-D Epidemiology, 2,4-D Recent Developments. 5 pages.

Lacey, C.A. 1991. Noxious weed management strategies. Pages 75-83 in Noxious Range Weeds. L.F. James, J.O. Evans, M.H. Ralphs, and R.D. Child, eds., Westview Press, Boulder, CO 459 pp.

Lagerfelt, P. 1988. Spray drift deposits during application with field crop sprayers. Weeds-Weed-Control. Uppsala : Dept. of Plant Husbandry and Research Information Centre, College of Agriculture. v. 1 p. 183-193.

Lym, R.G., and C.G. Messersmith. 1986. Russian and spotted knapweed control by several herbicides in North Dakota. Res. Prog. Rep. Western Soc. Weed Sci. p. 6-7

- Marrs, R.H., A.J. Frost, and P.Lunnis. 1992. The effects of herbicide drift on semi-natural vegetation: the use of buffer zones to minimize risks. University of Liverpool Botanic Gardens Monks Wood Experimental Station Aspects of Applied Biology. Vol. 29. 5 pages.
- Marrs-R.H.; Frost-A.J. 1997. A microcosm approach to the detection of the effects of herbicide spray drift in plant communities. *Journal-of-Environmental-Management*. 1997; 50(4): 369-388
- McLendon,-Terry. Northern Prairie Wildlife Research Center. 1998. An assessment of exotic plant species of Rocky Mountain National Park. [United States] : USGS, Northern Prairie Wildlife Research Center.
- Monsanto. Roundup Herbicide - Glyphosate Technical Fact Sheet Number 7 January 1994. 2 pages.
- Monsanto. Roundup® Pro Herbicide Technical Fact Sheet Number 1 September 1995. 2 pages.
- Monsanto Company Specimen Label for Rodeo. 1997.
- Monsanto Company Information Sheet at website <http://www.monsanto.com/ag/articles>
- Monsanto Material Safety Data Sheet for Roundup Herbicide. 1992. 4 pages.
- Mordevets, A.A., I.D. Chernyshev, and U.P. Ignatenko. 1972. The reaction of Russian knapweed plants to root cutting at different depths [in Russian, English summary]. *Sel'sk biol*. 7:299-300
- Nolan, RJ; Freshour, NL; Kastl, PE ; Saunders, JH. 1984. Pharmacokinetics of picloram in male volunteers. *Toxicol Appl Pharmacol*. 1984 Nov;76(2):264-9.
- Patton, Gary. 1998. Personal communication with D. Bohon, USFS and G. Patten, US Fish and Wildlife Service, Denver, Colorado. March 17, 1998.
- Robinson, Larry D., and Wayne Ives, 1993. Decision Notice and Finding of No Significant Impact / Environmental Assessment for Management of Undesireable Plant Species on the White River National Forest. White River National Forest. 54 pages
- Ryke, Nancy, D. Winters, L. McMartin, and S. Vest. 1994. Threatened, Endangered and Sensitive Species of the Pike and San Isabel National Forest and Comanche and Cimarron National Grasslands.
- Schmidt, Doreen M., Wildlife Biologist. 1995. Biological Evaluation for Weed Control in the Arapaho National Recreation Area. Sulphur Ranger District. 9 pages.
- Sebastian, J.R., and K.G. Beck. 1995. Russian knapweed control with herbicides on Colorado rangeland. *Res. Prog. Rep. Western Soc. Weed Sci*. p. 14.
- Terra International Inc. 1998. Specimen Label for 2,4-D Amine 4. 4 pages.
- USDA Forest Service. 1998. Biological Evaluation for Noxious Weeds Management on the Pike and

- San Isabel National Forest, Comanche and Cimmaron National Grasslands and Canon City District, Bureau of Land Management. Prepared by D. Bohon, E. Brekke, S. Howard, and S. Tapia.
- USDA Forest Service. 1996. Environmental Assessment for the Management and Control of Noxious Plants on the San Juan/Rio Grande National Forests, Colorado.
- USDA Forest Service. 1994. FSM 2670 Threatened, Endangered and Sensitive Plant and Animal Species. Exhibit 1: R2 Regional Forester's Sensitive Species List.
- U.S.D.A. Forest Service Handbook FSH 2509.25 Watershed Conservation Practices Handbook.
- U.S.D.A. Forest Service Interdisciplinary Team. 1995. Sulphur Ranger District. Environmental Assessment for Weed Control in the Arapaho National Recreation Area. 19 pages.
- USDA Forest Service, Pacific Northwest Region, Dicamba Herbicide Information Profile. 14 pages.
- U.S.D.A. Forest Service, San Juan/Rio Grande National Forest. Noxious Plant Control Program / Decision Notice. 1996. 86 pages.
- USDI, Fish and Wildlife Service. 1994a. Uncompahgre Fritillary Butterfly Recovery Plan. USDI, Fish and Wildlife Service, Region 6. Denver, Colorado.
- USDI, Fish and Wildlife Service. 1994b. Key Habitat Characteristics and Search Protocol for Compliance with Section 7 of the ESA for the Uncompahgre Fritillary Butterfly. USDI, Fish and Wildlife Service, Region 6, Denver, Colorado.
- USDI, Fish and Wildlife Service. 1995b. Recovery plan for the Mexican spotted owl: Vol. I. Albuquerque, New Mexico. 172pp.
- USDI, Fish and Wildlife Service. 1996. Federally listed and candidate species for the Pike and San Isabel National Forests. Ltr to Forest Supervisor, dated 5-3-96.
- USDI, Fish and Wildlife Service. 1997a. Pawnee Montane Skipper Draft Recovery Plan. Dated 12-1-97. Prepared by the Pawnee Montane Skipper Recovery Working Group for Region 6 U.S. Fish and Wildlife Service, Denver, Colorado.
- USDI, Fish and Wildlife Service. 1997b. March 25, 1997, Federal Register, Volume 62, Number 57.
- USDI, Fish and Wildlife Service. 1998. February 12, 1998b, News release #98-04.
- Wagner, H., Farrar D., Flora of North America North of Mexico, vols. 1-2, 1993; (treatment for the family Ophioglossaceae), Oxford University Press
- Weed Control Manual. 1992. Meister Publishing Co, 37733 Euclid Ave., Willoughby, OH. 442 pp.

Wjotspm, T.D., and J.R. Gill. 1990. Russian knapweed (*Centaurea repens* (L): control with various herbicides. Res. Prog. Rep. Western Soc. Weed Sci. P. 28-29.

Wilson, Ronald D., Joseph Geronimo, and James A. Armbruster. 1997. 2,4D Dissipation in Field Soils after Applications of 2,4-D Dimethylamine Salt and 2,4-D 2-Ethylhexyl Ester. Environ-toxicol-chem. Pensacola, Fla. : SETAC Press. June 1997. v. 16 (6) p. 1239-1246.

Yates, W.E., N.B. Akesson, and D.E. Bayer. 1978. Drift of Glyphosate Sprays Applied with Aerial and Ground Equipment. Weed Sci. 26(6):597-604

Zimdahl,-Robert-L. 1975. Factors affecting herbicide performance starring: Herbert I. Cide. Bulletin ; 563S. Fort Collins : Colorado State University Experiment Station. 23 p. : col. III

U.S. Government Printing Office. 1979. Instructions for completing Form FS-2100-2 Pesticide-Use Proposal. 2 pages.

