


2019 Aerial Insect and Disease Survey Philipsburg, Montana



1:100,000

Legend

Damage Points
Number of Trees

- 1 - 5
- 6 - 30
- > 30

Damage Polygons
Percent Affected

- Light (1-10%)
- Moderate (11-50%)
- Severe (>50%)
- Not flown
- Fire Perimeters (2016 - 2018)

CODING SYSTEM
Codes have two parts: the first represents the causal agent and the second represents the host. If needed, the two-part code is followed by an 'M' or 'H' to indicate severity of the activity. Data is color coded to represent the intensity of activity as seen in the legend.

Examples:
MPB-LPP represents mountain pine beetle in Lodgepole pine.
WSB-DF-SAF-H represents western spruce budworm infestation in subalpine fir/Douglas-fir mix with >75% of leaves defoliated.

Causal Agent Codes	
Abiotic	Disease
ASP Defol	Aspen Defoliation
ASP Diebck	Aspen Dieback
ASP Mort	Aspen Mortality
Avalnch	Avalanche
Flood	Flooding-high water
Frost	Frost
Wind	Wind
Bark Beetles	
DFB	DFB
ESB	Engelmann Spruce beetle
FEB	Fir engraver beetle
IPS	Pine engraver beetle
IPS Emarg	IPS emarginatus
MPB	Mountain pine beetle
WBP	Mountain pine beetle
Defoliators	
BWA	Balsam woolly adelgid
DFTM	Douglas-fir Tussock Moth
PButt	Pine Butterfly
WHemLoop	Western Hemlock Looper
WSB	Western Spruce Budworm

Causal Agent Codes	
Sub Alpine Fir Decline	Host Codes
SAF Decline	ASP
WL_Ndl Cst	DF
WPBR	GF
	LIM/WBP
	LP
	PP
	SAF
	WL
	WWP
Miscellaneous	
Defol	Defoliation - Moderate (50-75% of leaves defoliated)
M	Defoliation - Moderate (50-75% of leaves defoliated)
H	Defoliation - Heavy (>75% of leaves defoliated)
Flag	Flagging
Tpk	Top kill

Region 1 - Location Map USGS 100K Quad USGS 100K TOPOI: 46113-A1 Philipsburg, Montana

Legend

- Counties
- Flow areas
- R1 Boundary

HOW THE AERIAL SURVEYS ARE CONDUCTED

Data represented on this map are based on trees visibly affected by forest insects, diseases and abiotic factors that are detected and recorded by observers during aerial survey flights. These flights are conducted by a joint partnership between the USDA Forest Service and state cooperators.

Observers have just a few seconds to recognize characteristic signatures of healthy and damaged trees of different species, correctly diagnose damage causal agents, estimate the intensity or extent of damage, and precisely record information on a digital sketch mapping platform. Air turbulence, cloud shadow, haze, smoke, and observer experience can affect the quality of the survey. These sketchmaps and the resultant data summaries provide an estimate of conditions on the ground, and may differ from estimates derived by other methods.

Annual aerial surveys provide important information on the current status of detected causal agents and can be used to determine trends in damage levels over time by comparing previous and current survey data over large areas.

Map Created: 2/4/2020
Projection: UTM NAD83 Zone 12T
Author: R1/R4 FHP GIS, USDA Forest Service

DIRECT ALL INQUIRIES TO:

USDA FOREST SERVICE REGION 1
State and Private Forestry
Forest Health Protection
26 Fort Missoula Road
Missoula, MT 59804

USDA FOREST SERVICE REGION 4
State and Private Forestry
Forest Health Protection
1249 S. Vinnell Way, Suite 200
Boise, ID 83709

DISCLAIMER

The digital map layer upon which the insect and disease data are presented vary in both source and scale, therefore, accuracy is not guaranteed.

The insect and disease data should be used only as an indicator of insect and disease activity, and should be ground-truthed for actual location and causal agent. Polygons indicate locations of tree mortality, defoliation, and/or other damage. Intensity of damage is variable, and not all trees and areas indicated are dead or damaged. The joint cooperators reserve the right to correct, modify, update, or replace the data as necessary. Using this data for purposes other than those for which it was intended may yield inaccurate or misleading results.