

References

- Agee, J. K. 1993. Fire ecology of Pacific Northwest Forests. Island Press, Wash., DC.
- Agee, J. K. 1998. The landscape ecology of western forest fire regimes. Northwest Science Volume 72:24-34, Special Issue.
- Agee, J. K.; Bahro, B.; Finney, M. A.; Omi, P. N.; Sapsis, D. B.; van Wagtenonk, J. W.; Skinner, C. N.; Weatherspoon, C. P. 2000. The use of shaded fuelbreaks in landscape fire management. Forest Ecol. Manage. 127, 55–66.
- Albini, F. A.; Reinhardt, E. D. 1997. Improved calibration of a large fuel burnout model. International Journal of Wildland Fire 7(1):21-28.
- Allen, C. D.; Savage, M.; Falk, D. A.; Suckling, K. F.; Swetnam, T. W.; Schulke, T.; Stacey, P. B.; Morgan, P.; Hoffman, M.; Klingel, J. T. 2002. Ecological restoration of southwestern ponderosa pine ecosystems: A broad perspective. Ecological Applications 12(5): pp. 1418–1433. *In*: Smith and Schussman 2006.
- Anderson, Hal E. 1982. Aids to determining fuel models for estimating fire behavior. Gen Tech. Rep. INT-122, USDA, FS, Intermountain Forest and Range Experiment Station. Ogden, UT. A publication of the National Wildfire Coordinating Group., 22 pp.
- Andrews, P. L. 1986. BEHAVE: Fire behavior prediction and fuel modeling system BURN Subsystem, Part I. General Technical Report INT-194. USDA Forest Service, Intermountain Forest and Range Experiment Station. Ogden, UT. 130 p.
- Arizona Department of Environmental Quality. 2004. Report on water quality within the State of Arizona.
- Arizona Game and Fish Department (AZGFD) Heritage Data Management System. 1993. *Rana pipiens*, animal abstract. Unpublished abstract compiled and edited by the HDMS. Available at www.azgfd.gov.
- Arizona Game and Fish Department. 1994. Special status plants of the North Kaibab Ranger District and vicinity, Kaibab National Forest. August 3-4, 1994. Heritage Data Management System. 2221 W. Greenway Road, Phoenix, AZ 85023. 602/ 789-3612.
- AZGFD Heritage Data Management System. 2001. Allen's lappet browed bat animal abstract. Unpublished abstract compiled and edited by the HDMS. Available at www.azgfd.gov.
- AZGFD Heritage Data Management System. 2002. *Lampropeltis pyromelana infralabialis*, animal abstract. Unpublished abstract compiled and edited by the HDMS. 4 pages. Available at www.azgfd.gov.
- AZGFD Heritage Data Management System. 2003. Spotted bat and pale Townsend's big-eared bat animal abstract. Unpublished abstract compiled and edited by the HDMS. Available at www.azgfd.gov.
- AZGFD Heritage Data Management System. 2004. Red bat animal abstract. Unpublished abstract compiled and edited by the HDMS. Available at www.azgfd.gov.

References

- Bartos, D. L. 2001. Landscape dynamics of aspen and conifer forests. *In*: Sheppard, W. D.; Binkley, D.; Bartos, D. L.; Stohlgren, T. J.; Eskew, L. G. compilers. Sustaining aspen in western landscapes: Symposium proceedings; 13-15 June 2000; Grand Junction, CO. RMRS-P-18. USDA Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Bechta, R. L.; Frissell, C. A.; Gresswell, R.; Hauer, R.; Karr, J. R.; Minshall, G. W.; Perry, D. A.; Rhodes, J. J. 1995. Wildfire and salvage logging: recommendations for ecologically sound post-fire salvage management and other post-fire treatments on Federal lands in the West. Available August 8, 2006 at: www.saveamericasforests.org/congress/Fire/Beschta-report.htm.
- Beschta, R. L.; Rhodes, J. J.; Kauffman, J. B.; Gresswell, R. E.; Minshall, G. W.; Karr, J. R.; Perry, D. A.; Hauer, F. R.; Frissell, C. A. 2004. Post-fire management on forested public lands of the Western United States. *Conservation Biology* 18(4): 957-967.
- Betenson, B. 2005. Tipover Canyon Fuel Reduction Project. USDA Forest Service, Kaibab National Forest. North Kaibab Ranger District. Report No. 2005-07-17A (on file at the North Kaibab Ranger District office, Fredonia, AZ).
- Betenson, B. 2007. Billy West Analysis Area sample survey addendum. USDA Forest Service, Kaibab National Forest. Report No. 2003-07-078B (in preparation on file at the Kaibab National Forest Supervisors Office, Williams, AZ).
- Bighorn Sheep Core Team. 2006. Arizona Strip Desert Bighorn Sheep Management Plan, as amended. Bighorn Sheep Recovery Team, BLM Arizona Strip Field Office, USFS North Kaibab Ranger District, and Arizona Game and Fish Department. 18 p.
- Binkley, D.; Moore, M. M.; Romme, W. H.; Brown, P. M. 2006. Was Aldo Leopold right about the Kaibab deer herd? *Ecosystems* (2006) 9: 227-241.
- Bond, M. L.; Gutierrez, R. J.; Franklin, A. B.; LaHaye, W. S.; May, C. A.; Seamans, M. E. 2002. Short-term effects of wildfires on spotted owl survival, site fidelity, mate fidelity, and reproductive success. *Wildlife Society Bulletin* 30(4): 1022-1028.
- Boyce, D. A.; Reynolds, R. T.; Graham, R. T. 2006. Goshawk status and management: What do we know, what have we done, where are we going? *Studies in Avian Biology* 31: 312-325.
- Bratland, K.; B. Noble and R. Joos. 2007. Draft. Management Indicator Species of the Kaibab National Forest: Population Status and Trends. Version 2.0. USDA Forest Service, Kaibab National Forest, Williams, AZ.
- Braun, C. E.; Enderson, J. H.; Fuller, M. R.; Linhart, Y. B.; Marti, C.D. 1996. Northern goshawks and forest management in the Southwestern United States. *Wildlife Society Technical Review* 96-2: 9.
- Brennan, T.C. 2006. *Crotalus oreganos abyssus*. Available at www.reptilesfaz.com.
- Brewer, D. G.; Jorgensen, R. K.; Munk, L. P.; Robbie, W. A.; Travis, J. L. 1991. Terrestrial ecosystems survey of the Kaibab National Forest: Coconino County and part of Yavapai County, AZ. Albuquerque, NM: USDA Forest Service, Southwestern Region. 319 p.

- Brewer, D. 2006. [Personal Communication]. Ecological Restoration Institute, Northern Arizona University.
- Brown, J. K.; See, T.E. 1981. Downed dead woody fuel and biomass in the Northern Rocky Mountains.
- Brown, J. K., Kapler Smith, J. K.; eds. 2000. Wildland fire in ecosystems: Effects of fire on flora. General Technical Report RMRS-42-vol. 2. USDA Forest Service, Rocky Mountain Research Station, Ogden, UT. 2
- Brown, J. K.; Reinhardt, E. D.; Fischer, W. C. 1991. Predicting duff and woody fuel consumption in northern Idaho prescribed fires. *Forest Science* 37(6): 1550–1566.
- Brown, J. K.; Reinhardt, E. D.; Kramer, K. A. 2003. Coarse woody debris: Managing benefits and fire hazard in the recovering forest. General Technical Report RMRS-105. USDA Forest Service, Rocky Mountain Research Station, Ogden, UT. 16 p.
- Burroughs, E. R. Jr.; King, J. G. 1989. Reduction of soil erosion on forest roads. General Technical Report INT-GTR-264. Ogden, UT: USDA, Forest Service, Intermountain Research Station. 21 p.
- Chambers, C. L. and J. N. Mast. 2005. Ponderosa pine snag dynamics and cavity excavation following wildfire in northern Arizona. *Forest Ecology and Management* 216(2005): 227-240.
- Chase, E. H. 2006. Effects of a wildfire and salvage logging on site conditions and hillslope sediment production: Placer County, CA. Department of Forest, Rangeland, and Watershed Stewardship, Colorado State University, Fort Collins.
- Cocke, A. E.; Fulé, P. Z.; Crouse, J. E. 2005. Forest change on a steep mountain gradient after extended fire exclusion: San Francisco Peaks, AZ. *Journal of Applied Ecology* 42: 814–823.
- Condor Review Team. 2007. A review of the second five years of the California condor reintroduction program in the Southwest. Unpublished draft. Council on Environmental Quality (CEQ). 1992. Regulations for Implementing the Procedural Provisions of the National Environmental Policy Act, Reprint, 40 CFR Parts 1500-1508, Executive Office of the President.
- Council on Environmental Quality (CEQ). 1997. Environmental Justice: Guidance Under the National Environmental Policy Act.
- Covert, K. A. 2003. Hairy woodpecker winter ecology following wildfire: Effects of burn severity and age. Masters Thesis, Northern Arizona University, Flagstaff.
- Covert-Bratland, K. A.; Block, W. M.; Theimer, T. C. 2006. Hairy woodpecker winter ecology in ponderosa pine forests representing different ages since wildfire. *Journal of Wildlife Management* 70(5): 1379–1392.
- Covert-Bratland, K. A.; Theimer, T. C.; Block, W. M. 2007. Hairy woodpecker winter roost characteristics in burned ponderosa pine forest. *Wilson Journal of Ornithology* 119(1): 43–52.

References

- Covington, W. W.; Moore, M. M. 1994. Postsettlement changes in natural fire regimes and forest structure: ecological restoration of old-growth ponderosa pine forests. *Journal of Sustainable Forestry*. 2(1/2): 153-181. In: Smith and Schussman 2006.
- Covington, W. W.; Moore, M. M. 1994a. Postsettlement changes in natural fire regimes and forest structure: Ecological restoration of old-growth ponderosa pine forests. *Journal of Sustainable Forestry*. 2(1/2): 153–181.
- Covington, W. W. and M. M. Moore. 1994b. Southwestern Ponderosa Pine Forest Structure; Changes since Euro-American Settlement. *Journal of Forestry*, January 1994; 39-47.
- Cram, D. S.; Baker, T. T.; Fernaold, A. G.; Rummer, B. 2007. Mechanical thinning impacts on runoff, infiltration, and sediment yield following fuel reduction treatments in a southwestern dry mixed conifer forest. Reprinted from the *Journal of Soil and Water Conservation*, 62(5): 359-366. Soil and Water Conservation Society.
- Cunningham, J. B., R. P. Balda and W. S. Gaud. 1980. Selection and Use of Snags by Secondary Cavity-Nesting Birds of the Ponderosa Pine Forest. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station. Research Paper RM-222. Ft. Collins, CO. 15 pp.
- Dahms, C. W.; Geils, B. W.; editors. 1997. An assessment of forest ecosystem health in the Southwest. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station General Technical Report RM-GTR-295, Fort Collins, CO. 97 p.
- DeBano, L. F.; Neary, D. G.; Folliott, P. F. 1998. Fire's effects on ecosystems. New York: John Wiley & Sons, Inc. 333 p.
- Dieterich, J. H. 1983. Fire history of southwestern mixed conifer: a case study. *Forest Ecology and Management* 6:13-31. In: Smith and Schussman 2006.
- Donato, D. C.; Fontaine, J. B.; Campbell, J. L.; Robinson, W. D.; Kauffman, J. B.; Law, B. E. 2006. Post-wildfire logging hinders regeneration and increases fire risk. *Science* 311: 352.
- Drury, J. Personal communication October 4, 2007 e-mail.
- Elliot, W. J. 1999. WEPP internet interfaces for predicting forest road runoff, erosion and sediment delivery.
- Elliot, W. J. 2000. WEPP internet interfaces for predicting forest and range runoff, erosion and sediment delivery.
- Elliot, W. J. 2004. WEPP internet interfaces for forest erosion prediction. *Journal of the American Water Resources Association*. 40(2): 299-309.
- Federal Register Vol. 71, No. 15 pp. 3848-3849 January 24, 2006.
- Finney, M. A. 1998. FARSITE: Fire area simulator model development and evaluation. USDA Forest Service, Rocky Mountain Research Station Research Paper RMRS-RP-4, Ogden, UT. 47 p.

- Fulé, P. Z.; Crouse, J. E.; Cocke, A. E.; Moore, M. M.; Covington, W. W. 2004. Changes in canopy fuels and potential fire behavior 1880-2040: Grand Canyon, AZ. *Ecological Modeling* 175:231-248.
- Fulé, P. Z.; Crouse, J. E.; Heinlein, T. A.; Moore, M. M.; Covington, W. W.; Verkamp, G. 2003a. Mixed-severity fire regime in a high-elevation forest. Grand Canyon, AZ. *Landscape Ecology* 18:465-486.
- Fulé, P. Z.; Heinlein, T. A.; Moore, M. M.; Covington, W. W. 2003b. Assessing Grand Canyon fire regimes with fire-scar and fire-record data. *International Journal of Wildland Fire* 12(2):129-145.
- Fulé, Peter Z.; Covington, W. W.; Moore, M. M. 1997. Determining reference conditions for ecosystem management of southwestern ponderosa pine forests. *Ecological Applications* 7(3):895-908. In: Smith and Schussman 2006.
- Fulé, P. Z.; Roccaforte, J. P.; Chancellor, W. 2008. Comparison of salvaged and unsalvaged forest floor and down woody biomass. Pot Fire (1996): Preliminary results. Ecological Restoration Institute & School of Forestry, Northern Arizona University. (Draft) April 30, 2008.
- Franklin, J. F.; Agee, J. K. 2003. Forging a science based national forest fire policy. *Issues in Science and Technology*. 1-8.
- Frye, R. 2006. Paradine's Plains Cactus (*Pediocactus paradinei*) Inventory and Assessment, Warm Fire. Final report submitted to Kaibab National Forest, October 2006.
- Frye, R. 2007. Status of *Pediocactus paradinei* populations on the Kaibab National Forest, 2007. Final report submitted to Kaibab National Forest.
- Ganey, J. L. 1999. Snag density and composition of snag populations on two national forests in northern Arizona. *Forest Ecology and Management* 117: 169-178.
- Ganey, J. L.; S. C. Vojta. 2004. Characteristics of snags containing excavated cavities in northern Arizona mixed conifer and ponderosa pine forests. *Forest Ecology and Management* 199(2004): 323-332.
- Gildar, C. N.; Fulé, P. Z. 2004. Plant community variability in ponderosa pine forest has implications for reference conditions. *Natural Areas Journal* 24(2): 101-111.
- Graham, R. T.; Harvey, A. E.; Jorgensen, M. F.; Jain, T. B.; Tonn, J. R.; Page-Dumroese, D. S. 1994. Managing coarse woody debris in forests of the Rocky Mountains. USDA Forest Service, Intermountain Research Station Research Paper INT-RP-477, Ogden, UT. 12 p.
- Gucinski, H.; Furniss, M. J.; Ziemer, R. R.; Brookes, M. H. 2001. Forest roads: A synthesis of scientific information. USDA Forest Service, Pacific Northwest Research Station General Technical Report PNWGTR-509. Portland, OR. 103 p.
- Hann, W. J.; Bunnell, D. L. 2001. Fire and land management planning and implementation across multiple scales. *International Journal of Wildland Fire*. 10:389-403.
- Hanna, Karen C. 2003. GIS for Landscape Architects

References

- Hardy, C. C., Schmidt, K. M., Menakis, J. M., Samson, N. R. 2001. Spatial Data for National Fire Planning and Fuel Management. *International Journal of Wildland Fire* 10:353-372.
- Harvey, M. J., Altenbach, J. S.; Best, T. L. 1999. Bats of the United States. Arkansas Game and Fish Department and USDI Fish and Wildlife Service.
- HawkWatch, International. 2007. Fall 2006 Raptor Migration Studies in the Grand Canyon of Arizona. Salt Lake City, UT. P 1-2.
- Haynal, P.; Reid, C. 2002. Jacob-Ryan Planning Area: Phase II. North Kaibab Ranger District, Kaibab National Forest. Report No. 1999-07-99A on file at the North Kaibab Ranger District Headquarters in Fredonia, AZ.
- Helvey, J. D. 1980. Effects of a North Central Washington Wildfire on Runoff and Sediment Production. *Water Resources Bulletin* Vol. 16, No. 4, p 627-634, August, 1980.
- Huff, M. H.; Ottmar, R. D.; Alvarado, E.; Vihnanek, R. E.; Lehmkuhl, J. F.; Hessburg, P. F.; Everett, R. L. 1995. Historical and current landscapes in eastern Oregon and Washington. Part II: Linking vegetation characteristics to potential fire behavior and related smoke production. USDA For. Serv. Pac. Nor. For. and Ran. Exp. Sta. Gen. Tech. Rep. PNW-GTR-335. Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 43 p. (Everett, Richard L., team leader; Eastside forest ecosystem health assessment; Hessburg, Paul F., science team leader and tech. ea., Volume 111: assessment.)
- Hutto, R. L. 1995. The composition of bird communities following stand-replacement fires in northern Rocky Mountain conifer forests. *Cons. Biol.* 9:1041-1058.
- Ice, G.; Neary D.; Adams, P. 2004a. Effects of wildfire on soils and watershed processes. *Journal of Forestry* 102(6): 16-20.
- Ice, G.; Dent, L.; Robben, J.; Cafferata, P.; Light, J.; Sugden, B.; Cundy, T. 2004b. Programs assessing implementation and effectiveness of State forest practice rules and BMPs in the West. *Water, Air, and Soil Pollution: Focus* 4; 143-169. Kluwer Academic Publishers, Printed in the Netherlands.
- Inkley, D. B., Anderson, M. G.; Blaustein, A. R.; Burkett, V. R.; Felzer, B.; Griffith, B.; Price, J.; Root, T. L. 2004. Global climate change and wildlife in North America. *Wildlife Society Technical Review* 04-2. The Wildlife Society, Bethesda, MD. 26 p.
- Jenkins, M. J.; Dicus, C. A.; Godfrey, J. E. 1998. Restoration of mixed conifer communities using prescribed fire in Bryce Canyon National Park. In: Pruden, T. L. and Brennan, L. A. (eds). *Fire in ecosystem management: Shifting the paradigm from suppression to prescription: Tall Timbers Fire Ecology Conference Proceedings*, No. 20. Tallahassee, FL. Tall Timbers Research Station: 231-235.
- Kalabokidis, K. D.; Omi, P. N. 1998. Reduction of fire hazard through thinning/residue disposal in the urban interface. *International Journal of Wildland Fire* 8(1):29-35.
- Karr, J. R.; Rhodes, J. J.; Minshall, G. W.; Hauer, F. R.; Beschta, R. L.; Frissell, C. A.; Perry, D. A. 2004. The effects of post-fire salvage logging on aquatic ecosystems in the American West. *BioScience*. Vol. 54, No. 11:1029-1033.

- Keegan, C. 2003 National Forest timber utilization, and associated employment and worker earnings in the Western United States. University of Montana.
- Klock, G. O., 1975. Impact of five post-fire salvage logging systems on soils and vegetation. *Journal of Soil and Water Conservation* 30: 78-81.
- Kotliar, N. B.; Hejl, S. J.; Hutto, R. L.; Saab, V. A.; Melcher, C. P.; McFadzen, M. E. 2002. Effects of fire and post-fire salvage logging on avian communities in conifer-dominated forests of the western United States. *Studies in Avian Biology* 25: 49–64.
- Kotliar, N. B., Kennedy, P. L.; Ferree, K. 2007. Avifaunal responses to fire in southwestern montane forests along a burn severity gradient. *Ecological Applications* 17(2): 491–507.
- Lang, D. M.; Stewart S. S. 1910. Reconnaissance of the Kaibab National Forest. USDA Forest Service, unpublished report.
- Latta, M. J., Beardmore, C. J.; Corman, T. E. 1999. Arizona Partners in Flight Bird Conservation Plan, Version 1.0. Nongame and Endangered Wildlife Program Technical Report 142. Arizona Game and Fish Department, Phoenix, AZ. Available at: www.azgfd.gov/pdfs/w_c/partners_flight.
- Lee, P. 1998. Dynamics of snags in aspen-dominated midboreal forests. *Forest Ecology and Management* 105(1998): 263–272.
- Lindenmayer, D. B.; Foster, D. R.; Franklin, J. F.; Hunter, M. L.; Noss, R. F.; Schmiegelow, F. A.; Perry, D. 2004. Salvage harvest policies after natural disturbance. *Science* 303:1303.
- Lindenmayer, D. B.; Noss, R. F. 2006. Salvage logging, ecosystem processes, and biodiversity conservation. *Conservation Biology* 20(4): 949–958.
- McHugh, C. W., T. E. Kolb and J. L. Wilson. 2003. Bark Beetle Attacks on Ponderosa Pine Following Fire in Northern Arizona. *Environmental Entomology*, 32(3): 510-522.
- McIver, J. D.; Starr, L. 2000. Environmental effects of post-fire logging: Literature review and annotated bibliography. USDA Forest Service, Pacific Northwest Research Station General Technical Report PNW-486. 72 pp. Portland, OR.
- McIver, J. D; Ottmar, R. 2002. Post-fire Logging: Is it Beneficial to a Forest? USDA Forest Service. Pacific Northwest Research Station. Science Findings, issue 47.
- McIver, J. D; Ottmar, R. 2007. Fuel mass and stand structure after post-fire logging of a severely burned ponderosa pine forest in northeastern Oregon. *Forest Ecology and Management*. 238 (2007): 268-279.
- Minnesota IMPLAN Group. 1999. User's guide: IMPLAN Professional Version 2.0.
- Minnesota IMPLAN Group. 2007. Accessed economic information from site.
- Monsanto, P.; Agee, J. 2008. Long-term post wildfire dynamics of coarse woody debris after salvage logging. College of Forest Resources, University of Washington. Seattle, WA.

References

- Muldavin, E.; Tonne, P. 2003. A vegetation survey and preliminary ecological assessment of Valles Caldera National Preserve, New Mexico. Final report submitted in partial completion of Cooperative Agreement No. 01CRAG0014 between the University of New Mexico and the USGS, Biological Resources Division. In: Smith and Schussman 2006.
- NatureServe: An online encyclopedia of life [web application]. 2000. Version 1.0. Arlington, (VA): Association for Biodiversity Information. Available: <http://www.natureserve.org/>. (Accessed: October 17, 2000).
- Neary, D. G.; Hornbeck, J. W. 1994. Chapter 4: Impacts of harvesting practices on off-site environmental quality. P. 81–118 in *Impacts of harvesting on long-term site productivity*, Dyck, W. J., D. W. Cole, and N. B. Comerford (eds.). London: Chapman and Hall.
- Neary, D. G., G. J. Gottfried, and P. F. Ffolliot. 2003. Post Fire Watershed Flood Responses; 2nd International Wildland Fire Ecology and Fire Management Congress; 1B.7.
- Neary, D. G.; Ryan, K. C.; DeBano, L. F.; eds. 2005. *Wildland fire in ecosystems: Effects of fire on soil and water*. USDA Forest Service, Rocky Mountain Research Station General Technical Report RMRS_GTR_42-vol. 4. Ogden, UT. 250 p.
- Nichols, C.; Betenson, B. 2007. Warm Fire Treatment EIS. Report No. 2007-07-010 on file at the North Kaibab Ranger District Headquarters in Fredonia, Arizona.
- Noble, W. O. 2003. Management indicator species for the Kaibab National Forest. Version 1.2. October 15, 2003. Kaibab National Forest, Williams, AZ.
- Noble, W. O. 2006. Kaibab National Forest Landbird Surveys; 2005 Migratory Bird Breeding Season. Kaibab National Forest, Williams, AZ.
- NWCG 2004 Fireline Handbook. NWCG Handbook 3 PMS410-1 March 2004
- Odin, D. C.; Frost, E. J.; Stritthold, J. R.; Jiang, H.; DellaSalla, D. D.; Moritz, M. A. 2004. Patterns of fire severity and forest conditions in the western Klamathe mountains, California. *Conservation Biology* 18:4. pp. 927-936.
- Pannkuk, C. D.; Robichaud, P. R.; Brown, R. E. 2000. Effectiveness of needle cast from burnt conifer trees on reducing erosion. Paper No. 00-5018. Presented at the 2000 ASAE annual international meeting, Milwaukee, WI, July 9-12, 2000. St. Joseph, MI: ASAE. 15 p.
- Passovoy, M. D.; Fulé, P. Z. 2006. Snag and woody debris dynamics following severe wildfires in northern Arizona ponderosa pine forests. *Forest Ecology and Management* 223(2006): 237–246.
- Phillips, B. G. and G. Holsten et al. 1996. *Paradine Plains Cactus (Pediocactus paradinei B. W. Benson) Conservation Assessment and Strategy on the North Kaibab Ranger District, Kaibab National Forest and Arizona Strip District, Bureau of Land Management*.
- Phillips, B. G. 2001. *Biological Assessment and Evaluation for Plants for Kane Ranch AMP Kaibab National Forest and BLM Arizona Strip*.

- Phillips, B. G. 2008. Kaibab National Forest Botanist, personal communication email to Bill Noble July 21, 2008.
- Pollet and Omi, P. N. 2000. Effect of thinning and prescribed burning on crown fire severity in ponderosa pine forests. *International Journal of Wildland Fire*, 2002, 11,1-10.
- Powers, R. F. 2002. Effects of Soil Disturbance on the Fundamental, Sustainable Productivity of Managed Forests. USDA Forest Service General Technical Report, PSW-GTR-183
- Rashin, E.; Clishe, C.; Lock, A. 1994. Effectiveness of Road and Timber Harvest Best Management Practices with respect to sediment-related water quality impacts. Interim Report No. 2. Environmental Investigations and Laboratory Program. Washington State Department of Ecology, Watershed Assessments Section. Olympia, WA.
- Rebitzke, J. 2007. Assessment of flood impacts on *Pediocactus paradinei* (Paradise plains cactus) within the Kaibab Plateau. Draft report submitted to Kaibab National Forest, September 2007.
- Reid, C. 2006. Paiute Tribe Warm Fire MTG #2. Fredonia, AZ: USDA Forest Service, North Kaibab Ranger District, Kaibab National Forest.
- Reid, C.; Hanson, J. 2006. A proposed survey strategy for the North Kaibab Ranger District. North Kaibab Ranger District, Kaibab National Forest (on file at the North Kaibab Ranger District Headquarters in Fredonia, AZ).
- Reinhardt, E. D.; Ryan, K. C. 1998. Analyzing effects of management actions including salvage, fuel treatment and prescribed fire on fuel dynamics and fire potential. Pp. 206-209 in: T. L. Pruden and L. A. Brennan (eds.). *Fire in Ecosystem Management: Shifting the Paradigm From Suppression to Prescription – Tall Timbers Fire Ecology Conf. Proc. No. 20*. Tall Timbers Res. Sta.: Tallahassee, FL.
- Reinhardt, E.; Crookston, N. L. (Technical Editors). 2003. *The Fire and Fuels Extension to the Forest Vegetation Simulator*. Gen. Tech. Rep. RMRS-GTR-116. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 209 p.
- Reynolds, R. T.; Graham, R. T.; Reiser, M. H.; Bassett, R. L.; Kennedy, P. L.; Boyce, D. A., Jr.; Goodwin, G.; Smith, R.; Fisher, E. L. 1992. Management recommendations for the northern goshawk in the southwestern United States. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station General Technical Report RM-217 90, Ft. Collins, CO.
- Reynolds, R. T. 2004. Is the northern goshawk an old-growth forest specialist or a habitat generalist? Unpublished report.
- Reynolds, R. T.; Wiens, J. D.; Joy, S. M.; Salafsky, S. R. 2005. Sampling considerations for demographic and habitat studies of northern goshawks. *Journal of Raptor Research* 39(3): 274–285.
- Reynolds, R. T., Wiens, J. D.; Salafsky, S. R. 2006. A review and evaluation of factors limiting northern goshawk populations. *Studies in Avian Biology* (31): 260–273.

References

- Robichaud, P. R. and R. E. Brown. 1999. What happened after the smoke clears: onsite erosion rates after a wildfire in eastern Oregon. *Wildland hydrology: proceedings, specialty conference, June 30-July 2, 1999, Bozeman, Montana*. Herndon, Va.: The American Water Resources Association, c1999. Technical publication series (American Water Resources Association); TPS- 99-9: p. 419-426.
- Roccaforte, J. P., Fulé P., and Chancellor, W. 2008. Post wildfire fuels project progress report. Ecological Restoration Institute. Northern Arizona University, Flagstaff, AZ. 7 p.
- Romme, W. H., Floyd-Hanna, L., Hanna, D. D. & Bartlett, E. J. 2001. Aspen's ecological role in the West. IN: Shepperd, Wayne D.; Binkley, Dan; Bartos, Dale L.; Stohlgren, Thomas J.; and Eskew, Lane G., compilers. 2001. *Sustaining Aspen in Western Landscapes: Symposium Proceedings; 13–15 June 2000; Grand Junction, CO*. Proceedings RMRS-P-18. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 460 p. In Smith and Schussman 2006.
- Rothermel, R. C. 1972. A mathematical model for predicting fire spread in wildland fuels. Res. Pap. INT- 115. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 40 p
- Rothermel, Richard C. 1983. How to predict the spread and intensity of forest and range fires. Gen. Tech. Rep. INT-143. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 161 p.
- Rothermel, R. 1991. Predicting behavior and size of crown fires in the northern Rocky Mountains. USDA Forest Service Rocky Mountain Research Station General Technical Report INT-GTR-438. Ogden, UT.
- Russell, R. E., Saab, V. A.; Dudley, J. G. 2007. Habitat-suitability models for cavity-nesting birds in a post-fire landscape. *Journal of Wildlife Management* 71(8): 12 p.
- Saab, V. A.; Dudley, J. G. 1998. Response of cavity-nesting birds to stand-replacement fire and salvage logging in ponderosa pine/Douglas-fir forests of southwestern Idaho. USDA Forest Service, Rocky Mountain Research Station Research Paper RMRS-RP-11, Ogden, UT. 17 p.
- Saab, V. A., Russell, R. E.; Dudley, J. G. 2007. Nest densities of cavity-nesting birds in relation to post-fire salvage logging and time since wildfire. *The Condor* 109: 97–108.
- Sackett, S. S.; Haase, S. M. 1996. Pp. 187-192 in: *Fuel Loading in Southwestern Ecosystems of the United States: Effects of Fire on Madrean Province Ecosystems*. USDA Forest Service General Technical Report RM-GTR-289. Ogden, UT.
- Salafsky, S. R.; Reynolds, R. T.; Noon, B. R. 2005. Patterns of temporal variation in goshawk reproduction and prey resources. *Journal of Raptor Research* 39(3): 237–246.
- Sanders, K. C.; King, C.; Painter, M.; Reading, H.; Hildner, I. 2004. North Kaibab Ranger District species descriptions. North Kaibab Ranger District, Fredonia, AZ.
- Savage, M.; Mast, J. N. 2005. How resilient are southwestern ponderosa pine forests after crown fires? *Canadian Journal of Forest Research* 35: 967–977.

- Schmidt, K. M.; Menakis, J. P.; Hardy, C. C.; Hann, W. J.; Bunnell, D. L. 2002. Development of coarse-scale spatial data for wildland fire and fuel management. Gen. Tech. Rep. RMRS-GTR-87. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 41 p.
- Schussman, H.; Smith, E. 2006. Historical range of variation and state and transition modeling of historic and current landscape conditions for potential natural vegetation types of the southwest. The Nature Conservancy.
- Scott, J. H.; Reinhardt, E. D. 2001. Assessing crown fire potential by linking models of surface and crown fire behavior. Research Paper RMRS-RP-29. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 59 p.
- Seyedbagheri, K. A. 1996. Idaho forestry best management practices, a compilation of research on their effectiveness. USDA Forest Service, Intermountain Research Station General Technical Report INT-GTR-339. Ogden, UT.
- Shatford, J. P. A.; Hibbs, D. E.; Puettman, K. J. 2007. Conifer regeneration after forest fire in the Klamath-Siskiyou: how much, how soon? *Journal of Forestry* 105:139-146.
- Shaw, H. G. 1999. Kaibab plains cactus monitoring historical habitat investigation. The Juniper Institute, Inc. Final report submitted to Kaibab National Forest, June 21, 1999.
- Shepperd, W. D.; Binkley, D.; Bartos, D. L.; Stohlgren, T. J.; Eskew, L. G., compilers. 2001. Sustaining aspen in western landscapes: Symposium proceedings; 13-15 June 2000; Grand Junction, CO. Proceedings RMRS-P-18. Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. 460 p. In Smith and Schussman 2006.
- Simard, A. J. 1991. Fire severity, changing scales, and how things hang together. *International Journal of Wildland Fire* 1(1):23-34.
- Smith, E.; Schussman, H. 2006. Historical range of variation for potential natural vegetation types of the southwest. The Nature Conservancy, Southwest Forest Assessment Project. Available at: <http://www.azconservation.org/sfap.htm> [February 2007].
- Smith, J. K., ed. 2000. Wildland fire in ecosystems: effects of fire on fauna. USDA Forest Service, Rocky Mountain Research Station General Technical Report RMRS-GTR-42-vol. 1. Ogden, UT. p. 20.
- Smucker, K. M., Hutto, R. L.; Steele, B. M. 2005. Changes in bird abundance after wildfire: Importance of fire severity and time since fire. *Ecological Applications* 15(5): 1535–1549.
- Snyder, Russell. 2003. Highway 67 Fuel Break. North Kaibab Ranger District, Kaibab National Forest. Report No. 2004-07-093 on file at the North Kaibab Ranger District Headquarters in Fredonia, AZ.
- Snyder, R.; Reid, C. 2004. Telephone Hill Analysis Area. North Kaibab Ranger District, Kaibab National Forest. Report No. 2002-07-100 (on file at the North Kaibab Ranger District Headquarters in Fredonia, AZ).

References

- Snyder, R. 2005. Billy West Analysis Area No. 2003-07-078. Fredonia: AZ; U.S. Forest Service, Kaibab National Forest, Kaibab Ranger District.
- Southwest Condor Review Team. 2007. A review of the second five years of the California condor reintroduction program in the southwest. Draft, unpublished.
- Strom, B. A.; Fulé, P. Z. 2007. Pre-wildfire fuel treatments affect long-term ponderosa pine forest dynamics. *International Journal of Wildland Fire* 16: 128–138.
- Thompson, J. R.; Spies, T. A.; Ganio, L. M. 2007. Reburn severity in managed and unmanaged vegetation in a large wildfire. www.pnas.org/cgi/doi/10.1073/pnas.0700229104.
- Touchan, R. A.; Allen, C. D.; Swetnam, T. W. 1996. Fire history and climatic patterns in ponderosa pine and mixed-conifer forests of the Jemez Mountains, northern New Mexico. C. D. Allen, ed., *Fire effects in southwestern forests: proceedings of the second La Mesa fire symposium*. USDA Forest Service General Technical Report RM-GTR-286 33-49. In Smith and Schussman 2006.
- Tri-Data. 1996. Phase I-Identifying the Organizational Culture, Leadership, Human Factors, and Other Issues Impacting Firefighter Safety. *Wildland Firefighter Safety Awareness Study*. USDA-Forest Service, USDI-Bureau of Land Management and Bureau of Indian Affairs, U.S. Fish and Wildlife Service, and National Park Service.
- University of Arizona School of Natural Resources. 2005. *Socio-Economic Assessment for the Kaibab National Forest*.
- U.S. Census Bureau. 2000a. P3. 2000 Census, race, Garfield County, UT.
- U.S. Census Bureau. 2000b. P8. 2000 Census, Hispanic or Latino by Race, Garfield County, UT.
- U.S. Census Bureau. 2000c. P87. 2000 Census, Poverty Status in 1999.
- USDA Forest Service. 1974. *National Forest Landscape Management Volume 2, Chapter 1, Visual Management System*, Agricultural Handbook, Number 462.
- USDA Forest Service. 1974. *National Forest Landscape Management Volume 2, Chapter 5, Timber* USDA Forest Service, Agriculture Handbook, Number 559.
- USDA Forest Service. 1979. *Recreation Opportunity Spectrum: A Framework for Planning Management and Research*. User Guide Handbook, General Technical Report. PNW-98.
- USDA Forest Service. 1990a. *Forest Service Handbook 2509.22, R-3 transmittal. Soil and Water Conservation Practices Handbook*.
- USDA Forest Service. 1991, last update 4/24/95. *Terrestrial ecosystem survey of the Kaibab National Forest*. USDA Forest Service Regional Office, Albuquerque, NM.
- USDA Forest Service. 1995. *Descriptions of the Ecoregions of the United States*, Number 1391.
- USDA Forest Service. 1995. *Landscape Aesthetics, a Handbook for Scenery Management*, Number 701.

- USDA Forest Service. 1999. Forest Service Handbook 2509.18-Soil Management Handbook, R3 Supplement No. 2509.18-99-1.
- USDA Forest Service. 2002. Development of coarse-scale spatial for wildlife fire and fuel management, General Technical Report RMRS-87.
- USDA Forest Service. 2003. Quick-Silver NRIS - Humans dimension module. East Lansing, MI.
- USDA Forest Service. 2004a. 1988 Kaibab National Forest Plan, as amended June 1996 and November 2004. Williams, AZ. Updated plan is available at the forest Web site: http://www.fs.fed.us/r3/kai/plan-revision/documents/Forest_Plan.pdf.
- USDA Forest Service. 2004b. Best Management Practices Evaluation Program, 1992-2002 Monitoring Results. Pacific Southwest Region.
- USDA Forest Service. 2005. Final environmental impact statement for integrated treatment of noxious or invasive weeds: Coconino, Kaibab, and Prescott National Forests and Coconino, Mojave, and Yavapai Counties, Arizona. Flagstaff.
- USDA Forest Service. 2005a. Implementation and Interpretation of Management Recommendations for the Northern Goshawk Kaibab National Forest. Flagstaff, AZ.
- USDA Forest Service. 2006. Houserock, Suicide, and Ryan allotment management plan revision environmental assessment.
- USDA Forest Service. 2006a. Fire Effects Information System. Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available: <http://www.fs.fed.us/database/feis>, [Accessed September 2006 as cited in the Warm Fire Assessment: Post-fire Conditions and Management Considerations 2007 (USDA Forest Service 2007c)].
- USDA Forest Service. 2006b. Warm Fire Burned Area Emergency Rehabilitation Report. Fredonia, AZ.
- USDA Forest Service. 2006c. Dry Park - Knutson-Vandenberg (K-V) project calculations. Fredonia, AZ.
- USDA Forest Service. 2006d. R3 TSPIRS. National Finance Center.
- USDA Forest Service. 2007a. Hazard Tree Removal Along Highway 67 and 89A, Arizona Trail and Selected System Roads; Environmental Assessment. North Kaibab Ranger District, Kaibab National Forest. Fredonia, AZ.
- USDA Forest Service. 2007b. Revised Regional Forester Sensitive Species Lists of Plants and Animals. September 21, 2007. Southwestern Region, Albuquerque, NM.
- USDA Forest Service. 2007c. Warm Fire Assessment: Post-fire Conditions and Management Considerations. North Kaibab Ranger District, Kaibab National Forest. Fredonia, AZ.
- USDA Forest Service. 2007d. Warm Fire Reforestation project. Decision signed September 20, 2007. North Kaibab Ranger District, Kaibab National Forest. Fredonia, AZ.

References

- USDA Forest Service. 2008a. Higgins, B. A comparative analysis of forest recovery on the Summit, Willis, Bridger-Knoll and Hockderffer fires in ponderosa pine forest. USDA Forest Service. Kaibab National Forest. Unpublished report. Williams, AZ. 17 p.
- USDA Forest Service. 2008b. Region 3 T.E.A. Appraisal Bulletin No. 04 for calendar year 2008.
- USDA Forest Service. 2008c. Forest Service Southwestern Region and State of Arizona Intergovernmental Agreement.
- USDI Fish and Wildlife Service. 1995. Recovery Plan for the Mexican Spotted Owl (*Strix occidentalis lucida*). U.S. Fish and Wildlife Service, Southwestern Region, p. 65.
- USDI Fish and Wildlife Service. 1996. Final Rule for Establishment of a Non-essential Experimental Population of California Condors in Northern Arizona. Federal Register, October 16, 1996. Vol. 61, No. 201, 54044-54060.
- USDI Fish and Wildlife Service. 1999. Final Rule to Remove the American Peregrine Falcon from the Federal list of Endangered and Threatened Wildlife. Federal Register August 25, 1999. pp. 46541-46557.
- USDI Fish and Wildlife Service. 2001. Proposed Monitoring Plan for American Peregrine Falcons in the United States. Federal Register, September 27, 2001. Vol. 66, No. 188. p. 49395.
- USDI Fish and Wildlife Service. 2007. Final Rule to Remove the Bald Eagle in the lower 48 States from the List of Endangered and Threatened Wildlife. Federal Register July 9, 2007. p 37346.
- Weatherspoon, C. P.; Skinner, C. N. 1995. An assessment of factors associated with damage to tree crowns from the 1987 wildfires in northern California. Forest Science 41(3) 430-451.
- Western Regional Climate Center. 2007. Jacob Lake, Arizona (024418). 1971-2000 30 year average chart.
- White, M. A.; VanKat, J. L. 1993. Middle and high elevation coniferous forest communities of the North Rim Region of Grand Canyon National Park, AZ. Vegetation 109: 161-174.
- Wiens, J. D.; Noon, B. R.; Reynolds, R. T. 2006. Post-fledging survival of northern goshawks; the importance of prey abundance, weather and dispersal. Ecological Applications 16(1): 406-418.
- Woodward, E.; Reid, C. 2007. Warm Fire Salvage EIS Report. North Kaibab Ranger District, Kaibab National Forest (on file at the North Kaibab Ranger District Headquarters in Fredonia, AZ).