

MIS TABLES FOR FISHERIES ON THE ARAPAHO-ROOSEVELT NATIONAL FORESTS AND PAWNEE NG

Greenback cutthroat trout (*Oncorhynchus clarki stomias*) population estimates on the Arapaho-Roosevelt National Forests.

Stream Name	Years surveyed						
Bard Creek fish/mile	1981	1985	1987	1989	1991	1999	2001
	0	327.3	211.2	292.1	186	252	129
Como Creek fish/mile	1986	1991	1995	1999			
	739.2	713	985	667			
Roaring Creek fish/mile	1981	1998	2003				
	84	984	784				
Black Hollow Creek fish/mile	1984	1985	1988	1989	2003	2006	
	475	457	352	369	484	123	
George Creek fish/mile	1985	1988	1991	1997	2003	2006	
	388	440	41	52	72	143	
West Fork Sheep Creek fish/mile	1984	1987	1988	1991	1998	2003	2006
	387	598	651	258	563	365	528

Colorado River cutthroat trout (*Oncorhynchus clarki pleuriticus*) population estimates on the Arapaho-Roosevelt National Forests

Stream Name	Years Surveyed				
Jim Creek fish/mile	1992	2000	2003	2008	
	5.3	36	21.1	0	
Little Vasquez Creek fish/mile	1985	1992	1998	2001	2008
	185	181	20	25.2	
Hamilton Creek fish/mile	1992	2000	2003	2007	
	109	352	176	165	
Kinney Creek fish/mile	1992	1997	2000	2003	
	91	422	29	123	
Cabin Creek fish/mile	1992	2000	2003	2007	
	704	380	174	418	
Steelman Creek fish/mile	2000	2003	2004		
	25	90	231		

Brook trout (*Salvelinus fontinalis*) population estimates on the Arapaho-Roosevelt National Forests

Stream Name	Years surveyed						
Fraser River fish/mile	1979	1993	1998	2000	2003		
	106	211	437	425	299		
Vasquez Crk fish/mile	1990	1992	2001	2004			
	0	8	414	258			
St Louis Crk fish/mile	1978	1986	1987	1988	2000	2003	2005
	317	612	201	1647	1973	3408	531
Kinney Crk fish/mile	1992	1997	2000				
	239	387	143				
Little Muddy Crk fish/mile	1979	1992	2000	2006			
	0	352	1083	1175			
Deadman Creek fish/mile	1981	2000	2004*	2008			
	211	1503	105	1557			
WFK Clear Crk fish/mile	1973	1994	1995	1999	2000	2001	
	0	198	271	860	798	883	

Brown trout (*Salmo trutta*) population estimates on the Arapaho-Roosevelt National Forests

Stream Name	Years surveyed					
Big Thompson fish/mile	1974	1987	1989	2000		
	195	333	555	1149		
Nunn Creek fish/mile	1981	2000	2003	2004	2006	2008
	106	1475	97	90	2250	2270
Cache la Poudre River fish/mile	1994	2000	2001	2002		
	817	1790	1199	258		

Plains topminnow (*Fundulus sciadicus*) abundance estimates on the Pawnee National Grasslands

Stream Name	Year of surveys							
Willow Creek fish/pothole	1998 370	1999 258	2000 195	2001 40	2002 5	2005 80	2006 2717	
Howard Creek fish/pothole	1998 n/a	1999 36	2000 902	2001 268	2002 602	2005 357	2006 480	2008 0
South Pawnee Crk fish/pothole	1998 n/a	1999 68	2000 n/a	2001 25	2002 819	2005 563	2006 468	2008 ~

Plains killifish (*Fundulus zebrinus*) abundance estimates on the Pawnee National Grasslands

Stream Name	Years surveyed					
Little Crow Crk fish/pothole	1998 10	1999 0	2000 39	2001 2	2005 dry creek	2006 n/a
Little Owl Creek fish/pothole	1998 13	1999 1	2001 0	2005 0	2006 n/a	
South Pawnee Creek fish/pothole	1998 8	1999 0	2001 19	2002 322	2005 22	2006 4*

* not an adequate sample due to sampling difficulty