

**Sale Name: BYARS BEARGRASS**

TRAFFIC CONTROL PLAN AND SPECIFICATIONS PURSUANT TO BP6.33 SAFETY

Unless otherwise agreed, the following measures are required to provide adequate warning of hazards for users of roads and trails adjacent to Purchaser's Operations.

Part I. Signing and Other Warning Methods:

(a) Signs. The following signs are required when Purchaser's Operations are in progress adjacent to or on Forest Service controlled roads and trails:

| <u>MINIMUM LETTER SIZE AND LEGEND</u>               | <u>MINIMUM SIZE AND SHAPE</u> | <u>WHEN AND WHERE REQUIRED</u>   |
|---|-------------------------------|--|
| 1. HARVESTING OPERATIONS NEXT <> MILES (4" letters) | 24" (rectangle) 36"           | Min. 100 ft. outside of any continuous work areas, on roads used in harvest operations, and trails listed in Part II.  |
| 2. HARVESTING OPERATIONS (3" letters)               | 24" (diamond) 24"             | To be used in conjunction with "Harvesting Operations Next <> Miles" and where work area is not continuous.  |
| 3. FOR HARVESTING USE ONLY (3" letters)             | 24" (diamond) 24"             | Required on dead end and temporary roads used in harvesting operations. Install a cross ditch to discourage use when sign is covered or removed for extended periods.                      |
| 4. TRUCKS (4" letters)                              | 24" (diamond) 24"             | At critical intersections on roads used in harvest operations when traffic is heavy or otherwise exceeds volumes stated in Part II below. Remove or cover when the sign is not applicable. |
| 5. END HARVESTING OPERATIONS (4" letters)           | 24" (rectangle) 36"           | Use in conjunction with "Harvesting Operations Next <> Miles" and "Harvesting Operations."   |
| 6. TREE FELLING AHEAD (3" letters)                  | 24" (diamond) 24"             | Required 200 feet in advance of danger area where timber is being felled adjacent to all roads, including temporary roads, and trails.   |
| 7. ROAD MACHINERY AHEAD (3" letters)                | 24" (diamond) 24"             | Required at least 200 feet in advance of Purchaser road maintenance operations.  |

**Sale Name:** BYARS BEARGRASS

TRAFFIC CONTROL PLAN AND SPECIFICATIONS – BP6.33 Safety (continued)

All signs shall meet requirements as specified in Parts I and VI of the Manual of Uniform Traffic Control Devices (MUTCD).

Sign borders and lettering shall be black. Borders are 1/2 inch wide, inset 1/2 inch from outside edge of sign. All sign backgrounds shall be orange, except signs #1 and 5 which shall be reflectorized orange.

Signs shall be installed on posts, with a 5 foot minimum ground clearance, or on temporary supports complying with MUTCD standards.

All signs are to be removed or covered when operations are interrupted for seasonal nonuse or other extended periods.

Purchaser shall furnish flag personnel and advance warning signs when cable or helicopter logging above roads or trails, felling adjacent to roads or trails, where logs being bucked may roll into roads or trails, and in areas where fallout from blasting may occur. On roads used in harvesting operations, Purchaser may temporarily block the road in lieu of furnishing flag personnel.

(b) Barricades. On roads used in harvesting operations if Purchaser's Operations cause the traveled way or road shoulders to be constricted overnight, or longer, by such obstructions as decked logs, parked equipment, or piled slash, Purchaser shall place barricades on both sides of the encroaching obstruction to safely channel traffic around such obstructions. Barricades shall remain in place until the obstruction is removed.

Barricades shall be Type II and meet specifications in MUTCD, Part VI. Barricades must be at least 3 feet high. Rails must be at least 2 feet long. Striping shall be alternating orange and white, sloping at a 45 degree angle, and reflectorized. For rails 2 feet to 3 feet long, striping shall be 4 inches wide. For rails longer than 3 feet, striping shall be 6 inches wide. Two rails, 8-12 inches in width, must face each direction.

Barricades shall be equipped with warning lights which shall be Type A low intensity flashing and shall be maintained so as to be capable of being visible on a clear night from a distance of 3,000 feet.

(c) Other Traffic Control Methods. The posting of CB channel signs may be authorized.

On roads used in harvest operations Purchaser may be authorized to install temporary gates, barricades (except cables), or natural barriers. The devices must be installed with the necessary hazard markers, be reasonably passable by Forest Service, and be removed prior to acceptance of the subdivision being served by the road.

**Sale Name:** BYARS BEARGRASS

TRAFFIC CONTROL PLAN AND SPECIFICATIONS – BP6.33 SAFETY (continued)

Part II. Specific Requirements:

<>

Purchaser and Forest Service agree to the above stated requirements of the Traffic Control Plan:

\_\_\_\_\_

Name

\_\_\_\_\_

Name

\_\_\_\_\_

Title

\_\_\_\_\_

Title

\_\_\_\_\_

Date

\_\_\_\_\_

Date

SCHEDULE PURSUANT TO CP6.315# - SALE OPERATION SCHEDULE (04/2003)

| <u>Cutting Unit</u> | <u>Operating Conditions</u>  | <u>Purpose</u>     |
|---------------------|--|--------------------|
| ALL                 | All operations are prohibited starting at noon the Friday before and continuing through Sunday at 08:00 P.M. the first weekend of General Cascade Buck and General Cascade Bull Elk Rifle Seasons.   | Minimize conflicts |
| ALL                 | All Helicopter flying operations are restricted starting at noon the Friday before and continuing through the entire General Cascade Bull Elk Rifle Season.<br><br>Check Oregon State Wildlife Hunting regulations to determine dates for appropriate years. | Minimize conflicts |

TABLE PURSUANT TO CP6.41# - HARVEST METHOD (04/2003)

| Cutting Units | Harvest Method  |
|---------------|---|
| <b>ALL</b>    | <p>Bear grass may be harvested subject to the following:</p> <ul style="list-style-type: none"><li>A. Removal of bear grass may only be by hand pulling or hand tools severing the plants leaves, ground disturbance from either hand or machine digging is not permitted.</li><li>B. Harvesting on leaves will be by hand-pulling the sheaf or cutting at the base of the sheaf with a sharp knife.</li><li>C. No digging of plants for transplanting is allowed.</li><li>D. Bear grass removal will be by hand-carrying to existing rocked roads.</li><li>E. Collection of bear grass is prohibited within 33 feet slope distance of any streams, ponds, lakes, wetlands or meadows shown on the Sale Area Map.</li><li>F. Collection of bear grass is prohibited within 50 feet of any designated hiking trails.</li><li>G. Motorized vehicles will not be permitted off of existing rocked roads.</li></ul> |
|               |   |