

Chapter 4 Literature Cited

- Abdul-Aziz, O., Mantua, N., & Myers, K. (2011). Potential climate change impacts on thermal habitats of Pacific salmon (*Oncorhynchus* spp.) in the North Pacific Ocean and adjacent seas. *Can. Jour. of Fish. Aqu. Sci.*, 1660-1680.
- ADEC. (1972). *State of Alaska Air Quality Control Plan*. Retrieved February 1, 2013, from Alaska Department of Environmental Conservation: <http://www.dec.alaska.gov/air/anpms/SIP/1972SIP/1972%20Air%20Quality%20Control%20Plan.pdf>
- ADEC. (2010). *Alaska's Final 2010 Integrated Water Quality Monitoring and Assessment Report*. Retrieved February 3, 2011, from Alaska Department of Environmental Conservation: http://www.dec.state.ak.us/water/wqsar/Docs/2010_Integrated_Report_Final_20100715_corrected_july_19.pdf
- ADEC. (2011). *Air non-point mobile source, air pollution in Alaskan communities*. Retrieved [Unknown], from Department of Environmental Conservation, Division of Air Quality: <http://dec.alaska.gov/air/anpms/comm/comm.htm>
- ADEC. (2012). *Alaska's 2012 Integrated Water Quality Monitoring and Assessment Report*. Retrieved February 15, 2013, from Alaska Department of Environmental Conservation: <http://dec.alaska.gov/water/wqsar/waterbody/docs/2012finalIntegratedReport.pdf>
- ADEC. (2013). *Alaska's Final 2012 Integrated Water Quality Monitoring and Assessment Report*. Retrieved March 12, 2014, from Alaska Department of Environmental Conservation: http://dec.alaska.gov/water/wqsar/waterbody/docs/2012_Integrated_Report_FINAL_24DEC13.pdf
- ADF&G. (2006). *Our wealth maintained: a strategy for conserving Alaska's diverse wildlife and fish resources. A comprehensive Wildlife Conservation Strategy emphasizing Alaska's non-game species*. Juneau, Alaska: Alaska Department of Fish and Game.
- ADF&G. (2010). *Brown Bear (Ursus arctos) Management-Alaska Department of Fish and Game*. Retrieved from Alaska Department of Fish and Game, Species, Animal, Brown Bear: <http://www.adfg.alaska.gov/index.cfm?adfg=brownbear.management>
- ADF&G. (2011). *Intensive Management Protocol, December 2011*. Juneau, AK: Alaska Department of Fish and Game, Division of Wildlife Conservation.
- ADF&G. (2013a). *Chinook salmon stock assessment and research plan, 2013*. Anchorage, AK: Alaska Department of Fish and Game, Chinook Salmon Research Team, Special Publication No. 13-01.
- ADF&G. (2013b). *Trapper questionnaire statewide annual report. 1 July 2012-30 June 2013*. Juneau, AK: Alaska Department of Fish and Game.
- ADF&G. (2013c). *Community Subsistence Information System*. Retrieved from Alaska Department of Fish and Game, Division of Subsistence: <http://www.adfg.alaska.gov/sb/CSIS/>
- ADF&G. (2014a). *2014-2015 Alaska Hunting Regulations, effective July 1, 2014 through June 30, 2015*. Retrieved from Wildlife Regulations--Alaska Department of Fish & Game: <http://www.adfg.alaska.gov/static/regulations/wildliferegulations/pdfs/bear.pdf>
- ADF&G. (2014b). *Management and Harvest Reports*. Retrieved 10 28, 2014, from Alaska Department of Fish and Game: <http://www.adfg.alaska.gov/index.cfm?adfg=librarypublications.wildlifemanagement>
- ADF&G. (2014c). *Kenai Chinook Estimates, Indices and Inseason Run Summaries*. Retrieved from <http://www.adfg.alaska.gov/sf/FishCounts/index.cfm?ADFG=main.kenaiChinook>
- ADF&G, USDA, USFWS. (2003). *Kenai Peninsula Caribou Management Plan, June 2003*. Alaska Department of Fish and Game, USDA Forest Service, US Fish and Wildlife Service.
- ADLWD. (2009). *Alaska Economic Trends July 2009: Valdez*. Alaska Department of Labor and Workforce Development.

- ADLWD. (2010a). *Alaska Department of Labor and Workforce Development, Research and Analysis, Census and Geographic Information*. Retrieved 10 28, 2014, from <http://laborstats.alaska.gov/census/>
- ADLWD. (2010b). Alaska Economic Trends April 2010: The Kenai Peninsula Borough. Alaska Department of Labor and Workforce Development.
- ADLWD. (2012). Alaska Economic Trends October 2012: Industry and Occupational Forecasts 2010-2020. Alaska Department of Labor and Workforce Development.
- ADLWD. (2013a). Alaska Economic Trends April 2013: Alaska's Native Population. Alaska Department of Labor and Workforce Development.
- ADLWD. (2013b). *Alaska Regional Employment Trends*. Retrieved 2013, from Alaska Department of Labor and Workforce Development: <http://live.laborstats.alaska.gov/labforce/>
- ADLWD. (2013c). Alaska Economic Trends February 2013: Alaska's Hispanic Population. Alaska Department of Labor and Workforce Development.
- ADLWD. (2013d). Alaska Economic Trends September 2013: Anchorage Neighborhoods. Alaska Department of Labor and Workforce Development.
- ADNR. (2013). *Water rights and temporary use authorizations (database)*. Retrieved January 2013, from Alaska Department of Natural Resources, Division of Mining, Land and Water: http://dnr.alaska.gov/mlw/mapguide/wr_intro.cfm
- ADOT & PF. (2002). *Alaska's Marine Highway: Corridor Management Plan*. Anchorage, AK: Alaska Department of Transportation and Public Facilities, Alaska Marine Highway System.
- ADOT & PF. (2011a). *Alaska's Scenic Byways*. Retrieved from Alaska Department of Transportation and Public Facilities: <http://www.dot.state.ak.us/sfwdping/scenic/org-cmp.shtml>
- ADOT & PF. (2011b). *Anton Anderson Memorial Tunnel: Whittier Traffic Data*. Retrieved January 24, 2013, from Whittier Tunnel Traffic Data: <http://www.dot.state.ak.us/creg/whittiertunnel/trafficdata.html>
- Ager, T. A. (2001). Holocene vegetation history of the northern Kenai Mountains, southcentral Alaska. In L. Gough, & R. Wilson (Eds.), *Geologic Studies in Alaska by the United States Geological Survey, 1999* (Vol. Professional Paper 1633, pp. 91-107). Denver, Colorado: U.S. Department of Interior, United States Geological Survey.
- Ager, T. A., Carrara, P. E., & McGeehin, J. P. (2010). Ecosystem development in the Girdwood area, southcentral Alaska, following late Wisconsin glaciation. *Canadian Journal of Earth Sciences*, 47, 971-985.
- Agler, B. A., Kendall, S. J., Irons, D. B., & Klosiewski, S. P. (1999). Declines in marine bird populations in Prince William Sound, Alaska, coincident with a climatic regime shift. *Waterbirds*, 22, 98-103.
- AKDNR. (1995). *Management Plan for State Marine Parks: Prince William Sound and Resurrection Bay*. Anchorage, AK: Alaska Department of Natural Resources, Division of Parks and Outdoor Recreation.
- AKDNR. (2009). *Alaska's Outdoor legacy: Statewide Comprehensive Outdoor Recreation Plan (SCORP) 2009-2014*. Anchorage, AK: Alaska Department of Natural Resources, Division of Parks and Outdoor Recreation.
- AKNHP. (2008). *Rare vascular plant list - Cochlearia sessilifolia*. Retrieved from Alaska Natural Heritage Program: <http://aknhp.uaa.alaska.edu/botany/rare-plants-species-lists/rare-vascular-hulten/#content>
- AKNHP. (2012/2013a). *Alaska Natural Heritage Program. Rare vascular plant list*. Retrieved from Alaska Natural Heritage Program: <http://aknhp.uaa.alaska.edu/botany/rare-plants-species-lists/rare-vascular-hulten/#content>
- AKNHP. (2012/2013b). *Alaska Natural Heritage Program. Species tracking list for amphibians and reptiles*. Retrieved June 2013, from Alaska Natural Heritage Program: [Http://aknhp.uaa.alaska.edu/wp-content/uploads/2012/09/Amphibian_Tracking_List_6Feb2013_pdf.pdf](http://aknhp.uaa.alaska.edu/wp-content/uploads/2012/09/Amphibian_Tracking_List_6Feb2013_pdf.pdf)

- AKNHP. (2012/2013c). *Alaska Natural Heritage Program. Species tracking list for birds*. Retrieved June December 2012; June 2013, from Alaska Natural Heritage Program: http://aknhp.uaa.alaska.edu/wp-content/uploads/2012/09/Bird_Tracking_List_18March2013_pdf.pdf
- AKNHP. (2012/2013d). *Alaska Natural Heritage Program. Species tracking list for amphibians and reptiles*. Retrieved from Alaska Natural Heritage Program: http://aknhp.uaa.alaska.edu/wp-content/uploads/2013/02/Mammal_Tracking_List_18March2013_pdf.pdf
- AKNHP. (2013). *Alaska Natural Heritage Program*. Retrieved from Alaska Exotic Plants Information Clearinghouse (AKEPIC): <http://aknhp.uaa.alaska.edu/botany/akepic/>
- Alaska Timber Jobs Taskforce. (2012). *Administrative Order 258: Final Report*. State of Alaska. Juneau, AK: Alaska Department of Economic Development.
- Alaska Wildland Fire Coordinating Group. (2010). *Alaska Interagency Wildland Fire Management Plan*. Retrieved August 6, 2014, from Alaska Wildland Fire Coordinating Group: <http://fire.ak.blm.gov/administration/awfcg.php>
- Alexander, S. (2013). *Assessment of socio-economic conditions and trends for the Chugach National Forest*. Unpublished specialist report.
- Al-Shehbaz, I. A., & Koch, M. (2010). Biomass and Carbon. In Flora of North America Editorial Committee (Ed.), *Flora of North America, North of Mexico, Part 7: Magnoliophyta: Salicaceae to Brassicaceae* (pp. 514-516). New York: Oxford University Press.
- AMBCC. (2007). *Subsistence Migratory Bird Harvest Survey Handbook 2007*. Anchorage, AK: Alaska Migratory Bird Co-management Council.
- Ament, R., Callahan, R., McClure, M., Reuling, M., & Tabor, G. (2014). *Wildlife Connectivity: Fundamentals for Conservation Action*. Bozeman, Montana: Center for Large Landscape Conservation.
- Amsden, B. L., Stedman, R. C., & Kruger, L. E. (2011). The creation and maintenance of sense of place in a tourism-dependent community. *Leisure Sciences*, 33, 32-51.
- Andersen, H. (2011). Biomass and Carbon. In T. M. Barrett, & G. A. Christensen (Eds.), *Forests of Southeast and Southcentral Alaska, 2004-2008: Five-year Forest Inventory and Analysis Report* (pp. 13-22). Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Andres, B., & Falxa, G. (1995). *Black Oystercatcher (Haematopus bachmani)*. *The Birds of North America No. 155*. Academy of Natural Sciences, Philadelphia, PA and American Ornithologists' Union, Washington DC.
- Anthony, R. G., Miles, A. K., Estes, J. A., & Isaacs, F. B. (1999). Productivity, diets, and environmental contaminants in nesting bald eagles from the Aleutian Archipelago. *Environmental Toxicology and Chemistry*, 18(9), 2054-2062.
- Araki, H., Berejikian, B. A., Ford, M. J., & Blouin, M. S. (2008). Fitness of hatchery-reared salmonids fish in the wild. *Evolutionary Applications*, 1(2), 342-355.
- Arctos. (2012). Arctos: Collaborative Collection Management System. Arctos.
- Arendt, A. A., Echelmeyer, K. A., Harrison, W. D., Lingle, C. S., & Valentine, V. B. (2002). Rapid wasting of Alaska glaciers and their contribution to rising sea level. *Science*, 297(no. 5580), 382-386.
- ARRC. (2013). *Alaska Railroad Passenger Services Business Facts*. Retrieved from Alaska Railroad Passenger Business, Alaska Railroad Corporation: http://www.alaskarailroad.com/Portals/6/pdf/pr/2013_04_17_Passenger_Business_FS_PR.pdf
- Asah, S. T., Blahna, D. J., & Ryan, C. M. (2012). Involving forest communities in identifying and constructing ecosystem services: millennium assessment and place specificity. *Journal of Forestry*, 110(3), 149-156.
- Bangs, E. E., Spraker, T. H., Bailey, T. N., & Berns, V. D. (1982). *Effects of Increased Human Populations on Wildlife Resources of the Kenai Peninsula, Alaska*. U.S. Department of the Interior, Fish and Wildlife Service.

- Barrett, S., Havlina, D., Jones, J., Hann, W., Frame, C., Hamilton, D., et al. (2010). *Interagency Fire Regime Condition Class Guidebook* (Version 3 ed.). National Interagency Fuels, Fire, and Vegetation Technology Transfer (NIFTT).
- Barrett, T. (2014). *Storage and flux of carbon in live trees, snags, and logs in the Chugach and Tongass National Forests*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Bartz, K. K., & Naiman, R. J. (2005). Effects of salmon-borne nutrients on riparian soils and vegetation in southwest Alaska. *Ecosystems*, 8, 529-945.
- Becker, E. F., Golden, H. N., & Gardner, C. L. (2004). Using probability sampling of animal tracks in snow to estimate population size. In W. L. Thompson (Ed.), *Sampling Rare or Elusive Species: Concepts and Techniques for Estimating Population Parameters* (pp. 248-270). Washington, D.C., U.S.A.: Island Press.
- Begich, R. N., & Pawluk, J. A. (2011). *2008-2010 Recreational fisheries overview and historical information for North Kenai Peninsula: fisheries under consideration by the Alaska Board of Fisheries, February 2011*. Anchorage, AK: Alaska Department of Fish and Game.
- Ben-Davis, M., Bowyer, R. T., Duffy, L. K., Roby, D. D., & Schell, D. M. (1998). Social behavior and ecosystem processes: river otter latrines and nutrient dynamics of terrestrial vegetation. *Ecology*, 79(7), 2567-2571.
- Benn, B., & Herrero, S. (2002). Grizzly bear mortality and human access in Banff and Yoho National Parks. 1971-1998. *Ursus*, 13, 213-221.
- Benoit, M. A., Johansen, E., Kromrey, K., Jackson, B., Nelson, S., Largaespada, T., et al. (2004). *Russian River Landscape Assessment*. Seward, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest, Seward Ranger District.
- Berg, E. E., Henry, J. D., Fastie, C. L., DeVolder, A. D., & Matsuoka, S. M. (2006). Spruce beetle outbreaks on the Kenai Peninsula, Alaska, and Kluane National Park and Reserve: Relationship to summer temperatures and regional differences in disturbance regimes. *Forest Ecology and Management*, 227, 219-232.
- Berg, E. E., Hillman, K. M., Dial, R., & DeRuwe, A. (2009). Recent woody invasion of wetlands on the Kenai Peninsula Lowlands, southcentral Alaska: a major regime shift after 18,000 years of wet Sphagnum sedge peat recruitment. *Canadian Journal Forestry Research*, 39, 2033-2046.
- Blanchet, D. (1983). *Chugach National Forest environmental atlas*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region, Chugach National Forest.
- BLM. (1986). *The Iditarod National Historic Trail Seward to Nome Route: A Comprehensive Management Plan*. Anchorage, AK: U.S. Department of the Interior, Bureau of Land Management.
- Boggs, K. (2000). *Classification of community types, successional sequences, and landscapes of the Copper River Delta, Alaska*. Portland, OR: USDA Forest Service, Pacific Northwest Research Station.
- Bohara, A. K., Thacher, J. A., & Nepal, N. (2011). *Statistical modeling the habitat use of mountain goats (Oreamnos americanus) in the Chugach National Forest, Alaska*. Final Report submitted. Agency Ref Code: 08-CR 11072100-159.
- Bohlen, P. J., Scheu, S., Hale, C. M., McLean, M. A., Migge, S., Groffman, P. M., et al. (2004). Non-native invasive earthworms as agents of change in northern temperate forest. *Frontiers in Ecology and the Environment*, 2, 427-435.
- Bonesi, L., & Palazon, S. (2007). The American mink in Europe: status, impacts and control. *Biological Conservation*, 134, 470-483.
- Bosch, D. (2010). *Area Management Report for the Recreational Fisheries of Anchorage, 2009 and 2010*. Alaska Department of Fish and Game, Division of Sport Fish, Research and Technical Services.
- Botz, J., Sheridan, T., Weise, A., Scannell, H., Brenner, R., & Moffitt, S. (2013). *Prince William Sound Area Finfish Management Report*. Anchorage, AK: Alaska Department of Fish and Game.

- Bowker, J. M. (2001). *Outdoor Recreation by Alaskans: Projections for 2000 through 2020*. Portland, OR: U.S. Department of Agriculture, Forest Service.
- Bradford, M. I. (1994). Comparative review of Pacific salmon survival rates. *Can. J. Fish Aquatic Sci.*, 52, 1327-1338.
- Brenner, R. E., Moffitt, S. D., & Grant, W. S. (2012). Straying of hatchery salmon in Prince William Sound, Alaska. *Environmental Biology of Fishes*, 94, 179-195.
- Bromley, R., & Rothe, T. (2003). *Conservation Assessment for the Dusky Canada Goose (Branta canadensis occidentalis Baird)*. Portland, OR: USDA Forest Service, Pacific Northwest Research Station.
- Brown, T. C., & Burch Jr., E. S. (1992). Estimating the economic value of subsistence harvest of wildlife in Alaska. In G. L. Peterson, C. S. Swanson, D. W. McCollum, & M. H. Thomas (Eds.), *Valuing Wildlife Resources in Alaska* (pp. 203-254). Boulder, CO: Westview Press, Inc.
- Bryant, M. D. (2009). Global climate change and potential effects on Pacific salmonids in freshwater ecosystems of southeast Alaska. *Climate Change*, 95, 169-193.
- Buhle, E. R., Holsman, K. K., Scheuerell, M. D., & Albaugh, A. (2009). Using an unplanned experiment to evaluate the effects of hatcheries and environmental variation on threatened populations of wild salmon. *Biological Conservation*, 142(11), 2449-2455.
- Burnside, R. E., Holsten, E. H., Fettig, C. J., Kruse, J. J., Schultz, M. E., Hayes, C. J., et al. (2011). Northern Spruce Engraver. *Forest Insect & Disease Leaflet 180*, p. 12 pp.
- CAC. (2014). *Chugach Alaska Corporation: Why brown bears are hostile towards men*. Retrieved 10 28, 2014, from Chugach Alaska Corporation: <http://www.chugach.com/who-we-are/history-culture/legends-stories>
- Cadsand, B. A. (2005). *Responses of mountain goats to heliskiing activity: movements and resource selection*. University of Northern British Columbia.
- Carlson, M. L., & Cortes-Burns, H. (2012). Rare vascular plant distributions in Alaska: Evaluating patterns of habitat suitability in the face of climate change. In W. J. Gible, J. K. Combs, & S. H. Reichard (Ed.), *Proceedings: Conserving plant biodiversity in a changing world: a view from northwestern North America* (p. 106). Seattle, WA: University of Washington Botanical Gardens.
- Carlson, M. L., Lapina, I. V., Shephard, M., Conn, J. S., Densmore, R., Spencer, P., et al. (2008). *Invasiveness Ranking System for Non-native Plants of Alaska*. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- Caswell, H. (1989). *Matrix Population Models*. Sunderland, MA: Sinauer Associates.
- Cederholm, C. J., Kunze, M. D., Murota, T., & Sibatani, A. (1999). Essential contributions of nutrients and energy for aquatic and terrestrial ecosystems. *Fisheries*, 24(10), 6-15.
- Center for Personal Assistance. (2014). *State and National Data for disability and self-care*. Retrieved from Center for Personal Assistance (PAS): <https://www.disability.gov/resource/center-for-personal-assistance-services/>
- Charnon, B. (2007). *Conservation assessment for the pale poppy (Papaver alboroseum)*. Unpublished administrative paper. On file with: U.S. Department of Agriculture, Forest Service, Chugach National Forest, Glacier Ranger District, Girdwood, AK.
- Charnon, B., Heaton, C., Poe, A., Stash, S., MacFarlane, W., Velarde, R., et al. (2005). *Western Sound Landscape Assessment*. Girdwood, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest, Glacier Ranger District.
- Chilcote, M. W. (2003). Relationship between natural productivity and the frequency of wild fish in mixed spawning populations of wild and hatchery steelhead (*Oncorhynchus mykiss*). *Canadian Journal of Fisheries and Aquatic Sciences*, 60(9), 1057-1067.
- Chilcote, M. W., Gooson, K., & Falcy, M. R. (2011). Reduced recruitment performance in natural populations of anadromous Salmonids associated with hatchery-reared fish. *Canadian Journal of Fisheries and Aquatic Sciences*, 68, 511-522.
- Christ, A. M. (2011). *Sightability correction for moose population surveys*. Juneau, Alaska: Alaska Department of Fish and Game.

- Cleland, D. T., Avers, P. E., McNab, W. H., Jensen, M. E., Bailey, R. G., King, T., et al. (1997). National Hierarchical Framework of Ecological Units. In M. S. Boyce, & A. Haney (Eds.), *Ecosystem Management Applications for Sustainable Forest and Wildlife Resources* (pp. 181-200). New Haven, CT: Yale University Press.
- Clevenger, A., Chruszcz, B., & Gunson, K. (2001). Highway mitigation fencing reduces wildlife-vehicle collisions. *Wildlife Society Bulletin*, 29(2), 646-653.
- Colgan, W., Pfeffer, W. T., Rajaram, H., Abdalati, W., & Balog, J. (2012). Monte Carlo ice flow modeling projects: a new stable configuration for Columbia Glacier, Alaska, c 2020. *The Cryosphere*, 6, 1395-1409.
- Conger, C. (2008, April 25). *Why are moose more dangerous than bears in Alaska?* Retrieved August 04, 2014, from How Stuff Works: <http://animals.howstuffworks.com/animal-facts/dangerous-moose.htm>
- Cordell, H. K. (2011). Nature-based Outdoor Recreation Trends and Futures. *Idaho Conference on Outdoor Recreation and Tourism, May 3-5, 2011*. Lewiston, ID.
- Costello, D. M., Tiegs, S. D., & Lamberti, G. A. (2011). Do non-native earthworms in Southeast Alaska use streams as invasional corridors in watersheds harvested for timber? *Biological Invasions*, 13, 177-187.
- Cote, S. D. (1996). Mountain goat responses to helicopter disturbance. *Wildlife Society Bulletin*, 24, pp. 681-685.
- Cote, S. D., & Festa-Bianchet, M. (2003). *Mountain goat (Oreamnos americanus)*. *Wild Mammals of North America: Biology, Management, Conservation*. (G. A. Feldhamer, B. Thompson, & J. Chapman, Eds.) Baltimore, Maryland: The Johns Hopkins University Press.
- Cote, S. D., Rooney, T. P., Tremblay, J. P., Dussault, C., & Waller, D. M. (2004). Ecological impacts of deer overabundance. *Annual Review of Ecology, Evolution, and Systematics*, 113-147.
- Cowardin, L. M. (1979). *Classification of Wetlands and Deepwater Habitats of the United States*. Office of Biological Services, U.S. Fish and Wildlife Service, USDI. FWS/OBS-7931.
- Crowley, D. (2010a). GMU 6 Moose Management Report. In P. Harper (Ed.), *Moose management report of survey and inventory activities 1 July 2007-30 June 2009*. (pp. 93-109). Juneau, Alaska: Alaska Department of Fish and Game.
- Crowley, D. (2010b). GMU 5 Mountain Goat Management Report. In P. Harper (Ed.), *Mountain goat management report of survey and inventory activities 1 July 2009-30 June 2011*. (Vols. Species Management Report. ADF&G/DWC/SMR2012-13, pp. 82-94). Juneau, AK: Alaska Department of Fish and Game.
- Crowley, D. (2011a). GMU 6 Black Bear Management Report. In P. Harper (Ed.), *Black bear management report of survey - inventory activities 1 July 2007-30 June 2010* (pp. 130-142). Juneau, AK: Alaska Department of Fish and Game.
- Crowley, D. (2011b). GMU 6 Brown Bear Management Report. In P. Harper (Ed.), *Brown bear management report of survey and inventory activities 1 July 2008-30 June 2010* (pp. 56-68). Juneau, AK: Alaska Department of Fish and Game.
- Crowley, D. (2011c). GMU 6 Deer Management Report. In P. Harper (Ed.), *Deer management report of survey and inventory activities 1 July 2008-30 June 2010* (pp. 81-95). Juneau, AK: Alaska Department of Fish and Game.
- Cushman, S. A. (2006). Effects of habitat loss and fragmentation on amphibians: a review and prospectus. *Biological Conservation*, 128, 231-240.
- Cushman, S. A., McRae, B., Adriaensen, F., Beier, P., Shirley, M., & Keller, K. (2013). Biological corridors and connectivity. In D. W. Macdonald, & K. J. Willis, *Key topics in Conservation Biology 2* (pp. 384-404). John Wiley and Sons, Ltd.
- Davidson, D. F. (1998a). *Landtype Association Descriptions for the Chugach National Forest*. Unpublished Administrative Report, Forest Service, Chugach National Forest, U.S. Department of Agriculture, Anchorage, AK.

- Davidson, D. F. (1998b). *Landtype Association Definitions for the Chugach National Forest*. Unpublished administrative paper, Forest Service, Chugach National Forest, U.S. Department of Agriculture, Anchorage, AK.
- Del Frate, G. G. (2002). *GMU 7 Moose Management Report*. Juneau, AK: Alaska Department of Fish and Game.
- Derraik, J. G. (2002). The pollution of the marine environment by plastic debris: a review. *Marine Pollution Bulletin*, 44(2002), pp. 842-852.
- DeVelice, R. L. (2012a). *Accuracy of Chugach National Forest Land Cover Maps*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- DeVelice, R. L. (2012b). *Evaluation of timber suitability on the Chugach National Forest*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- DeVelice, R. L., Boudreau, S. L., Wertheim, C., Hubbard, C. J., & Czarnecki, C. (2001). *Vascular Plant Identification Guide: Chugach National Forest*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region, Chugach National Forest.
- DeVelice, R. L., Charon, B. H., Bella, E. M., & Shephard, M. E. (2005). *Chugach National Forest Invasive Plant Management Plan*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- DeVelice, R. L., DeLapp, J., & Wei, X. (2001a). *Vegetation Succession Model for the Copper River Delta*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- DeVelice, R. L., Hubbard, C. J., Boggs, K., Boudreau, S., Potkin, M., Boucher, T., et al. (1999). *Plant community types of the Chugach National Forest: southcentral Alaska*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region, Chugach National Forest.
- DeVelice, R., Nawrocki, T., Charon, B., & Mohatt, K. (2012). Non-Native Plant Monitoring on the Chugach National Forest. *Alaska Invasive Species Conference, Oct. 30 – Nov. 1, 2012*. Kodiak, AK.
- Diaz, S., Fargione, J., Chaplin III, F. S., & Tilman, D. (2006). Biodiversity loss threatens human well-being. *PLOS Biology*, 4(8), 277.
- Dillman, K., Geiser, L. H., & Brenner, G. E. (2007). *Air Quality Bio-monitoring with Lichens: The Tongass National Forest*. U.S. Department of Agriculture, Forest Service.
- Doak, D. F., Gross, K., & Morris, W. (2005). Understanding and predicting the effects of sparse data on demographic analysis. *Ecology*, 86(5), 1154-1163.
- Duffy, D., Boggs, K., Hagenstein, R., Lipkin, R., & Michaelson, J. (1999). Landscape assessment of the degree of protection of Alaska's terrestrial biodiversity. *Conservation Biology*, 13(6), 1332-1343.
- Dussault, C., Quillet, J. P., Courtois, R., Hout, J., Breton, L., & Jolicoeur, H. (2005). Linking moose habitat selection to limiting factors. *Ecography*, 28(5), 619-628.
- Ebbert, S. E., & Byrd, G. V. (2002). Eradications of invasive species to restore natural biological diversity on Alaska Maritime National Wildlife Refuge. In C. R. Veitch, & M. N. Clout (Eds.), *Turning the Tide: The Eradication of Invasive Species* (pp. 102-109). IUCN, Gland, Switzerland and Cambridge, UK: IUCN SSC Invasive Species Specialist Group.
- E-Flora BC. (2012/2013). *Electronic Atlas of the Flora of British Columbia*. Retrieved from E-Flora BC advanced search page [database]: http://linnet.gog.ubc.ca/DB_QueryForm.aspx
- EVOS Trustee Council. (1996). *Exxon Valdez Oil Spill Restoration Plan*. Anchorage, AK: Exxon Valdez Oil Spill (EVOS) Trustee Council Restoration Office.
- EVOS Trustee Council. (2010). *Exxon Valdez Oil Spill Restoration Plan*. Anchorage, AK: EVOS Trustee Council Restoration Office.
- Fahrig, L. (2003). Effects of habitat fragmentation on biodiversity. *Annual Review of Ecology, Evolution and Systematics*, 34, pp. 487-515.
- FAO. (2013). *FAOSTAT Current worldwide annual meat consumption per capita. Livestock and fish primary equivalent*. Retrieved March 2013, from Food and Agriculture Organization of the United Nations: <http://faostat.fao.org/site/291/default.aspx>

- Farnum, J., Hall, T., & Kruger, L. E. (2005). *Sense of place in natural resource recreation and tourism: An evaluation and assessment of research findings*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Fay, G., Colt, S., & White, E. (2010). *Data survey and sampling procedures to quantify recreation use of national forests in Alaska*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Flather, C. H., Knowles, M. S., & Kendall, I. A. (1998). Threatened and endangered species geography: characteristics of hot spots in the conterminous United States. *BioScience*, 48, 365-376.
- Ford, M. J. (2002). Selection in captivity during supportive breeding may reduce fitness in the wild. *Cons. Biol.*, 16, 815-825.
- Foster, B., & Rahe, E. Y. (1983). Mountain goat response to hydroelectric exploration in Northwestern British Columbia. *Environmental Management*, 7 No.2, 189-197.
- Fox, J., Smith, C., & Schoen, J. (1989). *Relation between mountain goats and their habitat in southeastern Alaska*. Portland, OR: USDA Forest Service, Pacific Northwest Research Station.
- Frenzel, S. A. (2000). *Selected organic compounds and trace elements in streambed sediments and fish tissues, Cook Inlet Basin, Alaska*. Anchorage, AK: U.S. Department of Interior, U.S. Geological Survey.
- Fresco, N. (2012). *Chugach Climate Change Scenarios Project*. Fairbanks, AK: Scenarios Network for Alaska & Arctic Planning, University of Alaska.
- Garde, E., Kutz, S., Schwantje, H., Veitch, A., Jenkins, E., & Elkin, B. (2005). *Examining the risk of disease transmission between wild Dall's sheep and mountain goats, and introduced sheep, goats, and llamas in the Northwest Territories. Paper 29*. Retrieved August 14, 2014, from Wildlife Disease and Zoonotics. Other publications in Zoonotics and Wildlife disease.: <http://digitalcommons.unl.edu/zoonoticspub/29/>
- Gardiner, L. M. (1975). Insect attack and value loss in wind-damaged spruce and jack pine stands in northern Ontario. *Canadian Journal of Forest Research*, 5, 387-398.
- Garshelis, D. L., & Hristienko, H. (2006). State and provincial estimates of American black bear numbers vs. assessments of population trend. *Ursus*, 17(1), 1-7.
- Garshelis, S. L. (2006). Assessing the status of the world's bears-what can we tell from the trade in bear parts? In D. Williamson (Ed.), *Proceedings of the Fourth International Symposium on the Trade of Bear Parts*, (pp. 6-22). Nagano, Japan.
- Geiser, L. H., Jovan, S. E., Glavich, D. A., & Porter, M. (2010). Lichen-based critical loads for atmospheric nitrogen deposition in western Oregon and Washington Forests, USA. *Environmental Pollution*, 158, 2412-2421.
- Gende, S. M., Miller, A. E., & Hood, E. (2007). The effects of salmon carcasses on soil nitrogen pools in a riparian forest of southeastern Alaska. *Canadian Journal Forestry Research*, 37, 1194-1202.
- Gibson, D. D., Gill, J. R., Heini, S. C., Lang, A. J., Tobish, J. T., & Withow, J. J. (2012). *Checklist of Alaska Birds* (18th ed.). Fairbanks, AK: University of Alaska Museum.
- Gill, V., Hatch, S., & Lanctot, R. (2004). Colonization, population growth and nesting success of black oystercatchers (*Haematopus bachmani*) following a seismic uplift. *Condor*, 106:791-800.
- Glass, R. L. (1996). *Ground-water conditions and quality in the western part of the Kenai Peninsula, southcentral Alaska*. Anchorage, AK: U.S. Department of Interior, U.S. Geological Survey.
- Goldsmith, S., Howe, L., & Leask, L. (2005). *Anchorage at 90: Changing Fast with More to Come*. Anchorage, AK: Institute of Social and Economic Research, University of Alaska-Anchorage.
- Goldstein, M. I., Poe, A. J., Cooper, E., Youkey, D., Brown, B. A., & McDonald, T. L. (2005). Mountain goat response to helicopter overflights in Alaska. *Wildlife Society Bulletin*, 33(2), pp. 688-699.
- Goldstein, M. I., Poe, A. J., Suring, L. H., Nielson, R. M., & McDonald, T. L. (2010). Brown bear den habitat and winter recreation in southcentral Alaska. *Journal of Wildlife Management*, 74(1), 35-42.

- Goldstein, M., Martin, D., & Stensvold, M. (2009). 2009 Forest Service Alaska Region sensitive species list: assessment and proposed revisions to the 2002 list. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- Gorham, E. (1991). Northern peatlands: role in the carbon cycle and probable responses to climatic warming. *Ecological Applications*, 1, 182-195.
- Gotthardt, T., & Walton, K. M. (2011). *Prioritizing the risk of invasive animal and aquatic invertebrate species in Alaska's national forests*. USDA Forest Service, Region 10 and Alaska Natural Heritage Program.
- Graefe, A. R., Cahill, K., & Bacon, J. (2011). Putting visitor capacity in perspective: a response to the capacity work group. *Journal of Park and Recreation Administration*, 29(1), 21-37.
- Grigal, D. F., & Vance, E. D. (2000). Influence of soil organic matter on forest productivity. *New Zealand Journal of Forestry Science*, 30, 169-205.
- Griswold, K. E. (2002). *Genetic diversity in coastal cutthroat trout and Dolly Varden in Prince William Sound, Alaska*. Corvallis, OR: Oregon State University.
- Hall, T. E., Heaton, H., & Druger, L. E. (2009). *Outdoor Recreation in the Pacific Northwest and Alaska*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Hamel, S., Cote, S. D., Smith, K. G., & Festa-Bianchet, M. (2006). Population dynamics and harvest potential of mountain goat herds in Alberta. *Journal of Wildlife Management*, 70, 1044-1053.
- Hamilton, J. M., & Tol, R. S. (2004). The Impact of Climate Change on Tourism and Recreation. In *Human-Induced Climate Change - an Interdisciplinary Assessment* (pp. 147-155).
- Hancock, P. J. (2002). Human impacts on the stream-groundwater exchange zone. *Environmental Management*, 29(6), 763-781.
- Hancock, P. J., Boulton, A. J., & Humphreys, W. F. (2005). Aquifers and hyporheic zones: Towards an ecological understanding of groundwater. *Hydrogeology Journal*, 13, 98-111.
- Harmon, M., Fash, B., Yatskov, M., Sexton, J., & Trummer, L. (2005). *The fate of dead spruce on the Kenai Peninsula: a preliminary report*. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- Harper, P. (Ed.). (2011). *Black bear management report of survey and inventory activities 1 July 2007-30 June 2010*. Juneau, AK: Alaska Department of Fish and Game. Project 17.0.
- Harris, G., Nielson, R. M., Rinaldi, T., & Lohuis, T. (2012). *Effects of snowmobile recreation on moose inhabiting the Chugach National Forest*. Internal Report 12/06/12.
- Harris, R. B. (1986). *Modelling sustainable harvest rates for grizzly bears*. Helena, Montana: Montana Department of Fish, Wildlife and Parks.
- Harvell, C. D., Mitchell, C. E., Ward, J. R., Altizer, S., Dobson, A. P., Ostfeld, R. S., et al. (2002). Climate warming and disease risk for terrestrial and marine biota. *Science*, 296:5576, 2958-62.
- Hatch, J. J. (2002). Arctic tern (*Sterna paradisaea*). (A. Poole, & F. Gill, Eds.) *The Birds of North America*, No 707.
- Haufler, J. B., Mehl, C., & Yeats, S. (2010). *Climate change: anticipated effects on ecosystem services and potential actions by the Alaska Region, U.S. Forest Service*. Seeley Lake, MT: Ecosystems Management Research Institute.
- Hayward, G., Colt, S., McTeague, M., & Hollingsworth, T. (in prep.). *Chugach/Kenai Climate Vulnerability Assessment*.
- Hegel, T. M., Cushman, S. A., Evans, J., & Heuttman, F. (2010). *Spatial complexity, informatics and wildlife conservation*. Springer.
- Hegel, T., Cushman, S., Evans, J., & Heuttman, F. (2010). Spatial complexity, informatics and wildlife conservation. *Springer*, 464 pp.
- Heintzman, A., & Solomon, E. (2005). *Fueling the Future: How the Battle over Energy is Changing Everything*. House of Anansi.
- Helfield, J. M., & Naiman, R. M. (2001). Effects of salmon-derived nitrogen on riparian forest growth and implications for stream productivity. *Ecology*, 82(9), 2403-2409.

- Heller, N. E., & Zavaleta, E. A. (2009). Biodiversity management in the face of climate change: a review of 22 years of recommendations. *Biological Conservation*, 142, 14-32.
- Hennon, P. E. (1995). Are heart rot fungi major factors of disturbance in gap-dynamic forests? *Northwest Science*, 69, 284-293.
- Herreman, J. (2014). *Mountain Goat Research*. Retrieved from Alaska Department of Fish and Game: <http://www.adfg.alaska.gov/index.cfm?adfg=goatresearch.main§ion=kenai>
- Hess, N. A., Ribic, C. A., & Vining, I. (1999). Benthic marine debris, with an emphasis on fishery-related items, surrounding Kodiak Island, Alaska, 1994-1996. *Marine Pollution Bulletin*, 38, pp. 885-890.
- Heusser, C. J. (1983). Holocene vegetation history of the Prince William Sound region, southcentral Alaska. *Quaternary Research*, 19, 337-355.
- Hicks, B. J., Wipfli, M. S., Lang, D. W., & Lang, M. E. (2005). Marine-derived nitrogen and carbon in freshwater-riparian food webs of the Copper River Delta, southcentral Alaska. *Oecologia*, 558-569.
- Hilborn, R., & Eggers, D. (2000). A review of the hatchery programs for pink salmon in Prince William Sound and Kodiak Island, Alaska. *Transactions of the American Fisheries Society*, 129, pp. 333-350.
- Hobbs, R., Shelden, K., Rugh, D., & Norman, S. (2008). *Status review and extinction risk assessment of Cook Inlet belugas (Delphinapterus leucas)*. AFSC Processed Report 2008-02, Alaska Fish. Sci. Cent., NOAA, Natl. Mar. Fish. Serv., 7600.
- Hochhalter, S. J., Blain, B. J., & Failor, B. J. (2011). *Recreational fisheries in the Prince William Sound Management Area 2008-1010*. Anchorage, AK: Alaska Department of Fish and Game.
- Holsten, E. H., Their, R. W., Munson, A. S., & Gibson, K. E. (1999). The Spruce Beetle. *Forest Insect & Disease Leaflet 127*, p. 12 pp.
- Holsten, E., Hennon, P., Trummer, L., Kruse, J., Schultz, M., & Lundquist, J. (2009). *Insects and Diseases of Alaskan Forests*. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region State and Private Forestry.
- Holtgrieve, G., & Schindler, D. (2011). Marine-derived nutrients, bioturbation, and ecosystem metabolism: reconsidering the role of salmon in streams. *Ecology*, 92(2), 373-385.
- Hossack, B. R., Lowe, W. H., Ware, J. L., & Corn, P. S. (2013). Disease in a dynamic landscape: host behavior and wildfire reduce amphibian chytrid infection. *Biological Conservation*, 157, 293-299.
- Huber, C., & Kurtak, J. (2010). *Gold panning: a guide to recreational gold panning on the Kenai Peninsula, Chugach National Forest, Alaska*. BLM, US Forest Service, US Department of the Interior.
- Hulten, E. (1943). *Bot. Not.*, p. p. 270.
- Hulten, E. (1968). *Flora of Alaska and Neighboring Territories*. Stanford, CA: Stanford University Press.
- IMPLAN. (2009). IMPLAN Professional Version 3.0. Regional economic impact modeling software. Minnesota IMPLAN Group.
- IPCC. (2007). Climate change 2007: impacts, adaptation and vulnerability: contribution of working group II to the fourth assessment report of the intergovernmental panel on climate change. In M. L. Parry, , O. F. Canziani, J. P. Palutikof, P. J. van der Linden, & C. E. Hanson (Eds.). Cambridge, United Kingdom: Cambridge University Press.
- Irons, D., Bixler, K., & Roby, D. (2013). *Pigeon guillemot restoration research in PWS, Alaska, summary of project and evidence of American mink introduction to Naked Island group*. Anchorage, AK: Unpublished report. DOI Fish & Wildlife Service.
- Irvine, J. R., & Riddell, B. E. (2007). Salmon as status indicators for North Pacific ecosystems. *N. Pac. Anadr. Fish Comm. Bulletin*, 4, pp. 285-287.
- Isleib, M. (1984). *Birds of the Chugach National Forest*. USDA Forest Service.
- Isleib, P. (1979). Migratory shorebird populations on the Copper River Delta and Eastern Prince William Sound, Alaska. *Studies in Avian Biology*, No 2, 125-130.

- Isto, S. (2012). *The Fur Farms of Alaska: Two Centuries of History and a Forgotten Stampede*. Fairbanks, AK: University of Alaska Press.
- Johnson, J. S., Nobmann, E. D., Asay, E., & Lanier, A. P. (2009). Dietary intake of Alaska native people in two regions and implications for health: The Alaska native dietary and subsistence food assessment project. *International Journal of Circumpolar Health*, 68(2), 109-122.
- Johnson, J., & Blanche, P. (2012). *Catalog of waters important for spawning, rearing, or migration of anadromous fishes - southcentral region, effective June 1, 2012*. Anchorage, AK: Alaska Department of Fish and Game.
- Josberger, E. G., Bidlake, W. R., March, R. S., & O'Neel, S. (2009). Fifty-year record of glacier change reveals shifting climate in the Pacific Northwest and Alaska, USA. *U.S. Geological Survey Fact Sheet 2009-3046*, 4 pp. U.S. Department of the Interior, U.S. Geological Survey.
- Jurgensen, M. F., Harvey, A. E., Graham, R. T., Page-Dumroese, D. S., Tonn, J. R., Larsen, M. J., et al. (1997). Impacts of timber harvesting on soil organic matter, nitrogen, productivity, and health of inland northwest forests. *Forest Science*, 43, 234-251.
- Karl, S., Vaughn, N., & Ryherd, T. (1997). *1997 Guide to geology of the Kenai Peninsula, Alaska*. Anchorage, AK: Alaska Geological Society.
- Keitt, T. H., Urban, D. L., & Milne, B. T. (1997). Detecting critical scales in fragmented landscapes. *Conservation Ecology [online]*, 1(1), 4.
- Kenai Peninsula Borough. (2004). *Interagency All Lands/All Hands Action Plan*. Soldotna, AK: Kenai Peninsula Borough.
- Kesti, S., Burcham, M., Campbell, B., DeVelice, R., Huber, C., Joyce, T., et al. (2004). *East Copper River Delta Landscape Assessment*. Cordova, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest, Cordova Ranger District.
- Kiger, R. W., & Murray, D. F. (1997). Papaver. In E. Committee (Ed.), *Flora of North America: North of Mexico Part 3: Magnoliophyta: Magnoliidae and Hamamelidae* (pp. 323-333). New York, NY: Oxford University Press.
- Kirchhoff, M., & Padula, V. (2010). The Audubon Alaska WatchList. Anchorage, AK: Audubon Alaska.
- Klein, E., Berg, E., & Dial, R. (2005). Wetland drying and succession across the Kenai Peninsula lowlands, southcentral Alaska. *Canadian Journal of Forest Research*, 35, 1931-1941.
- Knapp, A. (2006). *Bear Necessities. An Analysis of Brown Bear Management and Trade in Selected Range States and the European Union's Role in the Trophy Trade*. Traffic Europe report for the European Commission, Brussels, Belgium.
- KPEDD. (2010). *Kenai Peninsula Borough Comprehensive Economic Development Strategy*. Report prepared by the Kenai Peninsula Economic Development District.
- Kramer, M., Hansen, A. J., & Taper, M. L. (2001). Abiotic controls on long-term windthrow disturbance and temperate rainforest dynamics in southeast Alaska. *Ecology*, 82, 2749-2768.
- Krebs, J., Lofroth, E. C., & Parfitt, I. (2007). Multiscale Habitat Use by Wolverines in British Columbia, Canada. *Journal of Wildlife Management*, 71(7).
- Kruse, J. J., Zogas, K., Hard, J., & Lisuzzo, N. (2010). *New pest in Alaska and Washington: the green alder sawfly - *Monsoma pulveratum* (Retzius)*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region State and Private Forestry.
- Kurle, C. M., Croll, D. A., & Tershy, B. R. (2008). Introduced rats indirectly change marine rocky intertidal communities from algae- to invertebrate-dominated. *PNAS*, 105, 3800-3804.
- Kutz, S. J., Hoberg, E. P., Nagy, J., Polley, L., & Elkin, B. (2004). "Emerging" Parasitic Infections in Arctic Ungulates. *Integr. Comp. Biol.*, 44(2), 109-118.
- Lance, G., Irons, D. B., Kendall, S. J., & McDonald, L. L. (2001). An evaluation of marine bird population trends following the Exxon Valdez Oil Spill, Prince William Sound, Alaska. *Marine Population Bulletin*, 24(4), pp. 298-309.
- Lang, D. W. (2010). *A survey of sport fish use on the Copper River Delta*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.

- Leider, S. A., Hulett, P. L., Loch, J. J., & Chilcote, M. W. (1990). Electrophoretic comparison of the reproductive success of naturally spawning transplanted and wild steelhead trout through the returning adult stage. *Aquaculture*, 88(3-4), 239-252.
- Lewis, J. S., Rachlow, J. L., Horne, J. S., Garton, E. O., Wakkinen, W. L., Hayden, J., et al. (2011). Identifying habitat characteristics to predict highway crossing areas for black bears within a human-modified landscape. *Landscape and Urban Planning*, 101(2011), 99-107.
- Lipkin, R., & Murray, D. (1997). *Alaska Rare Plant Field Guide*. Washington, DC: US Department of the Interior.
- Loeffler, D., Anderson, N., Stockmann, K., Skog, K., Healey, S., Jones, J., et al. (2012). *Estimates of carbon stored in harvested wood products from United States Forest Service Alaska Region 1910-2011*. Missoula, MT, USA: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Lundquist, J. E., Reich, R. M., & Tuffly, M. (2012). Spatial dynamics of the invasive defoliator amber-marked birch leafminer across the Anchorage landscape. *Journal of Economic Entomology*, 105(5), 1659-1667.
- Lundquist, J., Winton, L., Wurtz, T., & Heutte, T. (2013). *Forest Health Conditions Assessment for Revision of Chugach National Forest Land and Resource Management Plan--Draft Report*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region State and Private Forestry, Forest Health Protection.
- Lutz, H. J. (1959). Aboriginal man and white man as historical causes of fires in the boreal forest with particular reference to Alaska. *Yale University School of Forestry Bulletin #65*, p. 56 pp.
- MacDonald, S. O. (2010). *The Amphibians and Reptiles of Alaska: A field handbook*. Retrieved August 14, 2014, from Alaska Herps: <http://www.alaskaherps.info>
- MacDonald, S. O., & Cook, J. A. (1996). The land mammal fauna of southeast Alaska. *Canadian Field Naturalist*, 110(4), 571-598.
- Mace, G., Masundire, H., & Baillie, J. (2005). Biodiversity. In R. Hassan, R. Scholes, & N. Ash (Eds.), *Ecosystems and human well-being: current state and trends - findings of the condition and trends working group of the Millennium Ecosystem Assessment* (pp. 77-122). Washington, DC: Island Press.
- MacFarlane, B., Zemke, S., Kelly, L., Hodges, K., & DeVelice, R. (2011). *Watershed condition classification framework on the Chugach National Forest documentation of watershed classification process for the baseline year 2010 January-April 2011*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- MacKenzie, D. I. (2005). What are the issues with presence-absence data for wildlife managers? *Journal of Wildlife Management*, 69(3), 849-860.
- Major, H. L., Jones, I. L., Charette, M. R., & Diamond, A. W. (2006). Variations in the diet of introduced Norway rats (*Rattus norvegicus*) inferred using stable isotope analysis. *Journal of Zoology*, 271, 463-468.
- Mantua, N. J. (2009). Patterns of change in climate and Pacific salmon production. *American Fisheries Society Symposium 70, 2009*. American Fisheries Society.
- Martin, T., Arcese, P., & Scheerder, N. (2011). Browsing down our natural heritage: Deer impacts on vegetation structure and songbird populations across an island archipelago. *Biological Conservation*, 144(2011), 459-469.
- McCullough, D. R. (1981). Population Dynamics of the Yellowstone Grizzly Bear. In C. W. Fowler, & T. D. Smith (Eds.), *Dynamics of Large Animal Populations* (pp. 173-196). New York, USA: John Wiley and Sons.
- McDonough, T. (2010). *Unit 7 Moose Management Report*. Juneau, AK: Alaska Department of Fish and Game. Project 1.0.
- McDonough, T. (2011a). GMU 7 and 15 Caribou Management Report. In P. Harper (Ed.), *Caribou management report of survey and inventory activities. 1 July 2008-30 June 2010*. (pp. 1-10). Juneau, AK: Alaska Department of Fish and Game.

- McDonough, T. (2011b). GMU 7 and 15 Dall Sheep Management Report. In P. Harper (Ed.), *Dall sheep management report of surveys and inventory activities. 1 July 2007-30 June 2010*. (pp. 1-5). Juneau, AK: Alaska Department of Fish and Game. Project 6.0.
- McDonough, T. (2012). GMU 7 and 15 Mountain Goat Management Report. In P. Harper (Ed.), *Mountain goat management report of survey and inventory activities. 1 July 2009-30 June 2011*. Juneau, AK: Alaska Department of Fish and Game, Species Management Report. ADF&G/DWC/SMR 2012-3.
- McDowell Group. (2011). *Alaska Visitor Statistics Program VI: Summer 2010 Executive Summary*. Anchorage, AK: Alaska Department of Commerce, Community & Economic Development.
- McDowell Group, Inc. (2012). *Economic Impact of the Prince William Sound Aquaculture Corporation*. Juneau, AK: McDowell Group, Inc.
- McGarigal, K., & Marks, B. J. (1995). *FRAGSTATS: Spatial pattern analysis program for quantifying landscape structure*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- McGarigal, K., Cushman, S., & Ene, E. (2012). FRAGSTATS v4: spatial pattern analysis program for categorical and continuous maps. computer software program produced by the authors at the University of Massachusetts.
- McLellan, B. N. (1998). Maintaining viability of brown bears along the southern fringe of their distribution. *Ursus*.
- McLellan, B. N., & Shackleton, D. M. (1988). Grizzly bears and resource extraction industries: the effects of roads on behavior, habitat use and demography. *Journal of Applied Ecology*, 25, 451-461.
- Mead, B. R. (1998). *Phytomass in Southeast Alaska*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Mead, B. R. (2000). *Phytomass in Southwest Alaska*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Merizon, R. A. (2013). *Status of grouse, ptarmigan and hare in Alaska, 2013*. Juneau, AK: Alaska Department of Fish and Game.
- Miller, S. D. (1990). Population management of bears in North America. *International Conference on Bear Research and Management; February 1989*, 8, pp. 357-373. Victoria, BC, Canada.
- Miller, S. D. (1993). *Brown Bears in Alaska: A statewide management overview*. Alaska Department of Fish and Game.
- Miller, S. D., & Schoen, J. (1999). Brown bear conservation action plan for North America: Status and management of the brown bear in Alaska. In C. Servheen, S. Herrero, & B. Peyton (Eds.), *Bears. Status Survey and Conservation Action Plan* (pp. 40-46). Giand, Switzerland and Cambridge, UK: IUCN.
- Mobrand, L. E., Barr, J., Blankenship, L., Campton, D. E., Evelyn, T. T., Flagg, T. A., et al. (2005). Hatchery reform in Washington Stae: principles and emerging issues. *Fisheries*, 30, 11-39.
- Mockrin, M. H., Aiken, R. A., & Flather, C. H. (2012). *Wildlife-associated recreation trends in the United States: A technical document supporting the Forest Service 2010 RPA Assessment*. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Mohatt, K., & Werstak, C. (2012). *Ecosystem Change Detection using MODIS Satellite Imagery*. Anchorage, AK: Department of Agriculture, Forest Service, Chugach National Forest.
- Mohatt, K., Dillman, K., & Trudell, S. (2013). Mushrooms of the National Forests in Alaska. *R10-RG-209 [Brochure]*, 40 pp. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- Molders, N., Porter, S. E., Cahill, C. F., & Grell, G. A. (2010). Influence of Ship Emissions on Air Quality and Input of Contaminants in Southern Alaska National Parks and Wilderness Areas during the 2006 Tourist Season. *Atmospheric Environment*, 44, 1400-1413.
- Morrison, M. L., Marcot, B. G., & Mannan, R. W. (2006). *Wildlife-habitat relationships: Concepts and Applications*. Island Press.

- Morton, J. M., Bray, M., Hayward, G. D., White, G. C., & Paetkau, D. (2013). *The Kenai brown bear population on the Kenai National Wildlife Refuge and Chugach National Forest*. Retrieved from U.S. Fish and Wildlife Service Kenai brown bear population estimate: http://www.fws.gov/uploadedFiles/Kenai_brown_bear_population_estimate_public_release.pdf
- Mulvey, R., & Lamb, M. (Eds.). (2012). *Forest Health Conditions in Alaska 2011*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- Murray, D. L., & Patterson, B. R. (2006). Wildlife survival estimation: recent advances and future directions. *Journal of Wildlife Management*, 70(6), 1499-1503.
- Myers, J. P. (1983). Conservation of migrating shorebirds: staging areas, geographic bottlenecks, and regional movements. *American Birds*, 37(1).
- NatureServe. (2012). *NatureServe Network*. Retrieved March 2012, from <http://www.natureserve.org/biodiversity-science/species-ecosystems/plants> and <http://www.natureserve.org/biodiversity-science/species-ecosystems/animals>
- Nave, L. E., Vance, E. D., Swanston, C. W., & Curtis, P. S. (2010). Harvest impacts on soil carbon storage in temperate forests. *For. Ecol. Mgmt.*, 259, 857-866.
- Neal, E. G., Hood, E., & Smikrud, K. (2010). Contribution of glacier runoff to freshwater discharge into the Gulf of Alaska. *Geophysical Research Letters*, 37, 1-5.
- Nelson, S. W., & Miller, M. L. (2000). *Assessment of Mineral Resource Tracts in the Chugach National Forest*. USGS Open-File Report 00-026.
- Newton, R. G., & Moss, M. L. (2009). *Haa Atxaayl Haa Kusteeylx Sitee, our food is our Tlingit way of life: excerpts from oral interviews*. U.S. Department of Agriculture, Forest Service, Alaska Region.
- Nicholls, D. L., Brackley, A. M., & Barber, V. (2010). *Wood energy or residential heating in Alaska: current conditions, attitudes, and expected use*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Nix, H. A. (1982). Environmental Determinants and Evolution in Terra Australia. In W. R. Barker, & P. J. Greenslade (Eds.), *Evolution of the Flora and Fauna of Arid Australia* (pp. 47-66). Peacock, South Australia.
- NMFS. (2008). *Recovery Plan for the Steller Sea Lion (Eumetopias jubatus)*. Silver Spring, MD: National Marine Fisheries Service.
- NMFS. (2012a). *Cook Inlet beluga whale (Delphinapterus leucas)*. Retrieved May 2013, from NOAA Fisheries, National Marine Fisheries Service: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/belugawhale.htm>
- NMFS. (2012b). *Sei whale (Balaenoptera borealis)*. Retrieved May 2013, from NOAA Fisheries, National Marine Fisheries Service: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/seiwhale.htm>
- NMFS. (2013a). *National Marine Fisheries Service, Bowhead whale (Balaena mysticetus)*. Retrieved May 2013, from NOAA Fisheries, National Marine Fisheries Services: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/bowheadwhale.htm>
- NMFS. (2013b). *National Marine Fisheries Service, Blue whale (Baleenoptera musculus)*. Retrieved June 2013, from NOAA Fisheries, National Marine Fisheries Service: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/bluewhale.htm>
- NMFS. (2013c). *National Marine Fisheries Service, Fin whale (Balaenoptera physalus)*. Retrieved June 2013, from NOAA Fisheries, National Marine Fisheries Service: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/finwhale.htm>
- NMFS. (2013d). *National Marine Fisheries Service, Humpback whale (Megaptera novaeangliae)*. Retrieved June 2013, from NOAA Fisheries, National Marine Fisheries Service: [Http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/humpbackwhale.htm](http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/humpbackwhale.htm)
- NMFS. (2013e). *National Marine Fisheries Service, Leatherback sea turtle (Dermochelys coriacea)*. Retrieved May 2013, from NOAA Fisheries, National Marine Fisheries Service: <http://www.nmfs.noaa.gov/pr/species/turtles/leatherback.htm>

- NMFS. (2013f). *National Marine Fisheries Service, North Pacific right whale (*Eubalaena japonica*)*. Retrieved June 2013, from NOAA Fisheries, National Marine Fisheries Service: http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/rightwhale_northpacific.htm
- NMFS. (2013g). *National Marine Fisheries Service, Sperm whale (*Physeter macrocephalus*)*. Retrieved June 2013, from NOAA Fisheries, National Marine Fisheries Service: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/spermwhale.htm>
- NMFS. (2013h). *National Marine Fisheries Service, Western North Pacific gray whale (*Eschrichtius robustus*)*. Retrieved May 2013, from NOAA Fisheries, National Marine Fisheries Service: <http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/graywhale.htm>
- NMFS. (2013i). *Endangered, threatened, and candidate species under NMFS authority in Alaska*. U.S. Department of Commerce, NOAA Fisheries, National Marine Fisheries Service.
- NMFS. (2014). *Short-tailed Albatross*. Retrieved November 2014, from NOAA Fisheries, National Marine Fisheries Service: http://www.fws.gov/alaska/fisheries/endangered/species/short_tailed_albatross.htm
- Nordstrom, M., Hogmader, J., Laine, J., Nummelin, J., Laanetu, N., & Korpimaki, E. (2003). Effects of feral mink removal on seabirds, waders and passerines on small islands in the Baltic Sea. *Biological Conservation*, 109(3), 359-368.
- Northern Economics, Inc. (2009). *The Seafood Industry in Alaska's Economy*. Prepared for Marine Conservation Alliance, At-Sea Processors Association and Pacific Seafood Processors Association.
- Nowacki, G. J., & Kramer, M. G. (1998). *The effects of wind disturbance on temperate rain forest structure and dynamics of southeast Alaska*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- NPS. (2012). *Wrangell-St. Elias Fact Sheet*. Retrieved from US Department of the Interior, National Park Service, Wrangell-St. Elias National Park: <http://www.nps.gov/wrst/planyourvisit/upload/2012-WRST-FACT-SHEET.pdf>
- NPS. (2013). *The Economic Impact of National Heritage Areas*. Retrieved from US Department of the Interior: National Park Service/Heritage Areas: http://www.nps.gov/heritageareas/The%20Economic%20Impact%20of%20National%20Heritage%20Areas_Final%20Report.pdf.pdf
- NWCG. (2014). *National Wildfire Coordinating Group*. Retrieved August 4, 2014, from Fire Regime Condition Class (FRCC): <https://www.frames.gov/partner-sites/frcc/frcc-home/>
- OSM. (2005). Staff analysis WCR 05-03. *Office of Subsistence Management, FWS*. Anchorage, AK.
- Pardo, L. H., Robin-Abbot, M. J., & Driscoll, C. T. (2011). *Assessment of nitrogen deposition effects and empirical critical loads of nitrogen for ecoregions of the United States*. Newton Square, PA.: U.S. Department of Agriculture, Forest Service, Northern Research Station.
- Parrent, D. (2012). *Woody Biomass in Alaska*. U.S. Department of Agriculture, Forest Service, State and Private Forestry.
- Patton, K. M., Bildfell, R. J., Anderson, M. L., Cebra, C. K., & Valentine, B. A. (2012, March). Fatal caprine arthritis encephalitis virus-like infection in four Rocky Mountain goats (*Oreamnos americanus*). *J. Vet Diagn. Invest.*, 24(2), 392-396.
- Paul, T. W. (2009). Game Transplants in Alaska. *Technical Bulletin No. 4, Second Edition*, p. 150 pp.
- Pelletier, D., Clark, M., Anderson, M. G., Rayfield, B., Wulder, M. A., & Cardille, J. A. (2014). Applying Circuit Theory for Corridor Expansion and Management at Regional Scales: Tiling, Pinch Points, and Omnidirectional Connectivity. *PLoS ONE*, 9(1), e84135.
- Persson, I. L., Pastor, J., Dannell, K., & Bergstrom, R. (2005). Impact of moose population density on the production and composition of litter in boreal forests. *Oikos*, 103(2), 297-306.
- Peteet, D. (1986). Modern pollen rain and vegetational history of the Malaspina Glacier district, Alaska. *Quaternary Research*, 25, 100-120.
- Peters, D. P., Pielke, Sr., R. A., & Bestelmeyer, B. T. (2004). Cross-scale interactions, nonlinearities, and forecasting catastrophic events. *P. Nat. Acad. Sci.*, 101, 15130-35.

- Peterson, R. O., Wollington, J. D., & Bailey, T. N. (1984). Wolves of the Kenai Peninsula, AK. *Wildlife Monographs* #88, p. 52 pp.
- Petraglia, L., & Weisbrod, G. (2001). *A review of impact studies related to scenic byway designation*. Duluth, MN: National Scenic Byways Resource Center.
- Piatt, J., & Ford, R. (1993). Distribution and abundance of marbled murrelets in Alaska. *Condor*, 662-669.
- Pimentel, D., McNair, S., Janecka, J., Wightman, J., Simmonds, C., O'Connell, C., et al. (2001). Economic and environmental threats of alien plant, animal, and microbe invasions. *Agriculture, Ecosystems & Environment*, 84(1), 1-20.
- Poe, A., Gimblett, H. R., & Itami, R. M. (2010). *Evaluating the Recreation Service Recovery: Evaluation of Prince William Sound User Experience*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- Poe, A., Gimblett, R., & Burcham, M. (2010). *Evaluating the subsistence service recovery: spatial and temporal characterization of Prince William Sound subsistence harvest activities*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- Poe, A., Goldstein, M., Brown, B., & Andres, B. (2009). Black oystercatchers and campsites in western Prince William Sound, Alaska. *Waterbirds*, 32(3), 423-429.
- Potkin, M. (1997). *Fire History Disturbance Study of the Kenai Peninsula Mountainous Portion of the Chugach National Forest*. Anchorage, AK: Unpublished Report. On file with: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- Potyondy, J. P., & Geier, T. W. (2010). *Forest Service watershed condition classification technical guide*. Washington, D.C.: U.S. Department of Agriculture, Forest Service, Washington Office.
- Powell, A. N., & Bacensto, S. (2009). *Common ravens (Corvus corax) nesting on Alaska's North Slope Oil Fields, Final Report*. Fairbanks, AK: Mineral Management System and Coastal Marine Institute, UAF.
- Powers, R. F., Scott, D. A., Sanchez, F. G., Voldseth, R. A., Page-Dumroese, D., Elioff, J. D., et al. (2005). The North American long-term soil productivity experiment findings from the first decade of research. *For. Ecol. Mgmt.*, 220, 31-50.
- Powers, S., Bishop, M., Grabowski, J., & Peterson, C. (2002). Intertidal benthic resources of the Copper River Delta, Alaska. *Journal of Sea Research*, 47(1), 13-23.
- Pugh, E., & Small, E. (2011). The impact of pine beetle on snow accumulation and melt in the headwaters of the Colorado River. *Ecohydrology*, 11 pp.
- Quinn, T. (1997). Homing, Straying, and Colonization. In W. S. Grant (Ed.), *Genetic effects of straying of non-native fish hatchery fish into natural populations: proceedings of the workshop*. NOAA Tech Memo. NMFS-NWFSC-30, p. 130. U.S. Department of Commerce.
- Ream, J. (2013). *Herpetology in the north: a review of past, present and future herpetofaunal research and management in Alaska* (Vol. PhD Dissertation). Fairbanks, AK: University of Alaska, Fairbanks.
- REAP. (2011). *Renewable Energy Atlas of Alaska*. Anchorage, AK: Alaska Energy Authority and Renewable Energy Alaska Project (REAP).
- Reed, P., & Brown, G. (2003). Public land management and quality of life in neighboring communities - the Chugach National Forest planning experience. *Forest Science*, 49(4), 479-498.
- Reeves, M. (2008a). Road proximity increases risk of skeletal abnormalities in wood frogs from national wildlife refuges in Alaska. *Environmental Health Perspectives*, 116.8(2008), 1009.
- Reeves, M. (2008b). Batrachochytrium dendrobatidis in wood frogs (*Rana sylvatica*) from three national wildlife refuges in Alaska. *Herpetological Review*, 39(1), 68.
- Reimchen, T. (2001). Salmon nutrients, nitrogen isotopes and coastal forests. *Ecoforestry*, Fall(2001), 13-16.
- Rice, C. G., & Gay, D. (2010). Effects of mountain goat harvest on historic and contemporary populations. *Northwestern Naturalist*, 91, 40-57.
- Richardson, R. B., & Loomis, J. B. (2004). Adaptive recreation planning and climate change: a contingent visitation approach. *Ecological Economics*, 50, 83-99.

- Rinella, D. J., Wipfli, M. S., Stricker, C. A., Heintz, R. A., & Rinella, M. J. (2012). Pacific salmon (oncorhynchus spp.) runs and consumer fitness: growth and energy storage in stream-swelling salmonids increase with salmon spawner density. *Can. J. Fish. Aquat. Sci.*, *69*, 73-84.
- Rocque, D. A., & Winker, K. (2004). Biomonitoring of contaminants in birds from two trophic levels in the north Pacific. *Environmental Toxicology and Chemistry*, *23*(3), 759-766.
- Rodgers, D. E. (2001). *Estimates of annual salmon runs from the North Pacific, 1951-2001*. Seattle: University of Washington, School of Aquatic and Fishery Sciences.
- Rodgers, L. A., Schindler, D. E., Lisi, P. J., & [et al.]. (2012). Centennial-scale fluctuations and region complexity characterize Pacific salmon population dynamics over the past five centuries. *Proceedings of the National Academy of Sciences of the United States of America*, *110*(5), pp. 1750-1755.
- Rollins, R. C. (1993). *The Cruciferae of Continental North America, Systematics of the Mustard Family from the Arctic to Panama*. Stanford, California: Stanford University Press.
- Romme, W. H., Hayward, G. D., & Regan, C. (2012). A framework for applying the historical range of variation concept to ecosystem management. In J. A. Wiens, G. D. Hayward, H. D. Safford, & C. M. Giffen (Eds.), *Historical Environmental Variation in Conservation and Natural Resource Management* (pp. 246-261 (337 p.)). Hoboken, New Jersey: Wiley-Blackwell.
- Root, H., Geiser, L. H., Fenn, M. E., Jovan, S. E., Hutten, M. A., Ahuja, S., et al. (2013). A simple tool for estimating throughfall nitrogen deposition in forests of western North America using lichens. *Journal of Forest Ecology and Management*.
- Ruggerone, G. T., Peterman, R. M., Dorner, B., & Myers, K. W. (2010). Magnitude and trends in abundance of hatchery and wild pink salmon, chum salmon, and sockeye salmon in the North Pacific Ocean. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science*, *2*, 203-328.
- Russell, P. N. (2011). *Alutiiq plantlore: an ethnobotany of the peoples of Nanwalek and Port Graham, Kenai Peninsula, Alaska*. Fairbanks, AK: Alaska Native Knowledge Network Center for Cross-Cultural Studies.
- Saltmarsh, D. M. (2012). *Distribution and abundance of exotic earthworms (Oligochaeta: lumbricidae) within the Kenai National Wildlife Refuge in Southcentral Alaska*. Anchorage, AK: Alaska Pacific University.
- Schmidt, M. W., Torn, M. S., Abiven, S., Dittmar, T., Guggenberger, G., Janssens, I. A., et al. (2011). Persistence of soil organic matter as an ecosystem property. *Nature*, *478*, 49-56.
- Schnorbus, M. (2011). *A synthesis of the hydrological consequences of large-scale mountain pine beetle disturbance*. Canadian Forest Service.
- Schommer, T. J., & Woolever, M. M. (2008). *A review of disease related conflicts between domestic sheep and goats and bighorn sheep*. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station General Technical Report RMRS-GTR-209.
- Schrader, B., & Hennon, P. (2005). *Assessment of invasive species in Alaska and its national forests*. Juneau, AK: U.S. Department of Agriculture, Forest Service.
- Schwartz, C. C., & Franzmann, A. W. (1992). Dispersal and survival of subadult black bears from the Kenai Peninsula, Alaska. *Journal of Wildlife Management*, *56*(3), 426-431.
- Sea Duck Joint Venture Management Board. (2008). *Sea Duck Joint Venture Strategic Plan 2008-2012*. US Fish and Wildlife Service, Anchorage, AK and CWS, Sackville, New Brunswick.
- Selinger, J. (2009). GMU 7 and 15 Caribou Management Report. In P. Harper (Ed.), *Caribou management report of survey and inventory activities 1 July 2006-30 June 2008* (pp. 1-10). Juneau, AK: Alaska Department of Fish and Game.
- Selinger, J. (2011a). GMU 7 and 15 Black Bear Management Report. In P. Harper (Ed.), *Black bear management report of survey and inventory activities. 1 July 2008-30 June 2010*. Juneau, AK: Alaska Department of Fish and Game.

- Selinger, J. (2011b). GMU 7 and 15 Brown Bear Management Report. In P. Harper (Ed.), *Brown bear management report of survey and inventory activities. 1 July 2008-30 June 2010* (pp. 69-78). Juneau, AK: Alaska Department of Fish and Game.
- Selkowitz, D. J., & Stehman, S. V. (2011). Thematic accuracy of the National Land Cover Database (NLCD) 2001 Land Cover for Alaska. *Remote Sensing of Environment, 115*, 1401-1407.
- Senner, S. E. (1979). An evaluation of the Copper River Delta as a critical habitat for migrating shorebirds. *Stud. Avian Biol., 2*, 131-145.
- Servheen, C. (1998). The trade in bears and bear parts. In C. Servheen, S. Herrero, & B. Peyton (Eds.), *Bears: Status Survey and Conservation Action Plan* (pp. 33-38 (309 pp.)). Gland, Switzerland and Cambridge, UK: IUCN.
- Servheen, C., Herrero, S., & Peyton, B. (Eds.). (1999). *Bears: Status Survey and Conservation Action Plan*. Gland, Switzerland and Cambridge, UK: IUCN.
- Shaw, D. W., & Loomis, J. B. (2008). Frameworks for analyzing the economic effects of climate change on outdoor recreation. *Climate Research, 36*, 259-269.
- Sheviak, C. J. (2002). *Cypripedium L.* In F. o. Committee (Ed.), *Flora of North America, North of Mexico, Part 26: Magnoliophyta: Liliidae: Liliales and Orchidales* (pp. 499-507). New York: Oxford University Press.
- Shields, P., & Dupuis, A. (2012). *Upper Cook Inlet Commercial Fisheries Annual Management Report, 2011*. Alaska Department of Fish and Game, Fishery Management Report No.12-25, Anchorage, Alaska.
- Shirokauer, D., Geiser, L. H., Bytnerowicz, A., Fenn, M., & Dillman, K. (2013). *Monitoring Air Quality in Southeast Alaska's National Parks and Forests - Linking Atmospheric Pollutants with Ecological Effects*. Natural Resource Technical Report NPS/SEAN/NRTR - in Review.
- Simeone, W. E. (2008). *Subsistence harvests and uses of black bears and mountain goats in Prince William Sound*. Juneau, AK: Alaska Department of Fish and Game Division of Subsistence.
- Skalski, J. R., Ryding, K. E., & Millspaugh, J. (2005). *Wildlife Demography: Analysis of Sex, Age and Count Data*. Burlington, MA: Elsevier Academic Press.
- Smith, J. W., & Moore, R. L. (2011). Perceptions of community benefits from two wild and scenic rivers. *Environmental Management, 47*, 814-827.
- Smith, M. A. (2010). *Assessing dispersed campsites and exploring campers' perceptions in western Prince William Sound*. Anchorage, AK: Alaska Pacific University.
- Smythe, S., Sanchez, D., & Gonzalez, R. M. (2014). Hydro-axing effects on browse resources available to wintering moose on the Copper River Delta, Alaska. Girdwood, AK: 48th North American Moose Conference and Workshop, April 28 - May 1, 2014.
- Soil Science Society of America. (2013). *Glossary of soil science terms*. Retrieved March 8, 2013, from <https://www.soils.org/publications/soils-glossary%23>
- Southwick Associates, Inc. (2008). Economic impacts and contributions of sportfishing in Alaska, 2007. *Professional Paper No. 08-01*. Anchorage, AK: Alaska Department of Fish and Game.
- Spangler, E. A., Spangler, R. E., & Norcross, B. L. (2003). *Eulachon Subsistence Use and Ecology Investigations*. U.S. Fish and Wildlife Service. Anchorage, Alaska: USFWS Office of Subsistence Management, Fisheries Resource Monitoring Program.
- Spraker, T. (2001). Wildlife Biologist, ADF&G. *Wildlife Closure Review 05-03*. Soldotna, AK.
- Stephensen, S. W., Irons, D. B., Kendall, S. J., Lance, B. K., & McDonald, L. L. (2001). *Marine bird and sea otter population abundance of Prince William Sound, Alaska: Trends following the T/V Exxon Valdez oil spill, 1989-2000*. Anchorage, AK: U.S. Fish and Wildlife Service.
- Stephensen, S. W., Zwiefelhofer, D. C., & Howard, R. J. (2002). *Seabird colony survey of South and East Kodiak Island, Alaska, June 2001*. Anchorage, AK: Migratory Bird Management.
- Stephensen, S. W., Zwiefelhofer, D. C., & Slater, L. (2003). *Seabird Colony Survey of North and West Kodiak Island, Alaska, June 2002*. Anchorage, AK: Migratory Bird Management.
- Stewart, B., Kunkel, K., Stevens, L., Sun, L., & Walsh, J. (2013). *Regional Climate Trends and Scenarios for the US National Climate Assessment, Part 7*. Climate of Alaska, NOAA Technical Report.

- Stockton, S. A., Allombert, S., Gaston, A. J., & Martin, J. (2005). A natural experiment on the effects of high deer densities on the native flora of coastal temperate rain forests. *Biological Conservation*, 126(2005), 118-128.
- Sundquist, E. T., Ackerman, K. V., Bliss, N. B., Kellndorfer, J. M., Reeves, M. C., & Rollins, M. G. (2009). *Rapid assessment of U.S. forest and soil organic carbon storage and forest biomass carbon sequestration capacity*. Open-File Report 2009-1283, U.S. Geological Survey.
- Suring, L. H., & Poe, A. J. (2010). *Assessment of Human Use and Associated Risk to Sensitive Resources in Prince William Sound, Alaska, USA*. Northern Ecologic LLC.
- Suryan, R. M., & Irons, D. B. (2001). Colony and population dynamics of black-legged kittiwakes in a heterogeneous environment. *The Auk*, 118(3), 636-649.
- Swenson, J. E. (2004). *The ecology of an increasing brown bear population: managing a successful recovery*. Scandanavian Brown Bear Research Project. Vienna, Austria: University of Natural Resources and Applied Life Sciences.
- Tessler, D., Johnson, J., Andres, B., Thomas, S., & Lanctot, R. (2010). *Black Oystercatcher Conservation Action Plan. Version 1.1*. Anchorage, AK: International Black Oystercatcher Working Group, Alaska Department of Fish and Game, USFWS, Manomet Center for Conservation Sciences.
- Theobald, D. M., & Hobbs, N. T. (2001). Functional definition of landscape structure using a gradient-based approach. In J. M. Scott, P. J. Heglund, M. Morrison, M. Raphael, J. Haugler, & B. Wall (Eds.), *Predicting Plant and Animal Occurrences: Issues of Scale and Accuracy* (pp. 667-672). Covello, CA: Island Press.
- Tilman, D. (1997). Biodiversity and Ecosystem Functioning. In G. Daily (Ed.), *Nature's Services: Societal Dependence on Natural Ecosystems* (pp. 93-112). Washington, D.C.: Island Press.
- Titus, K., Haynes, T. L., & Paragi, T. F. (2009). The importance of moose, caribou, deer and small game in the diet of Alaskans. In R. T. Watson, M. Fuller, M. Pokras, & W. G. Hunt (Eds.), *Ingestion of Lead from Spent Ammunition: Implications for Wildlife and Humans*. Boise, ID, Idaho, USA: The Peregrine Fund.
- Twardock, P., Monz, C., Smith, M., & Colt, S. (2010). Long-term changes in resource conditions on backcountry campsites in Prince William Sound, Alaska, USA. *Northwest Science*, 84(3), 223-232.
- US Census Bureau. (2013). *Census Bureau Economic Statistics by Business Sector*.
- US DOD. (1989). *Manual Identifying and Delineating Jurisdictional Wetlands*. Technical Report Y-87-1, US Department of Defense, USDA, US Environmental Protection Agency, US Department of Interior, Washington, D.C.
- USDA. ([n.d.]). Natural Resource Information System (NRIS), Threatened, Endangered, and Sensitive Plants (TESP) dataset. USDA Forest Service.
- USDA. (1986). *1986 ROS Book*. Washington, D.C.: U.S. Department of Agriculture, Forest Service.
- USDA. (1997). *Designation order for the Green Island research natural area on the Chugach National Forest, Cordova Ranger District*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- USDA. (2000). *Interim special forest products resource management policy*. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- USDA. (2002a). *Revised Land and Resource Management Plan: Chugach National Forest*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- USDA. (2002b). *Record of Decision for the Revised Land and Resource Management Plan: Chugach National Forest*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region, Chugach National Forest.
- USDA. (2002c). *Final Environmental Impact Statement for the Chugach National Forest Revised Land and Resource Management Plan*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- USDA. (2002d). *USDA Forest Service: Land Areas of the National Forest System*. Retrieved [unknown], from Forest Service: <http://www.fs.fed.us/land/staff/lar/>

- USDA. (2002e). *Final Environmental Impact Statement for the Revised Chugach Land and Resource Management Plan: Appendices A-L*. Anchorage, AK: USDA Forest Service, Chugach National Forest.
- USDA. (2004a). *Chugach Powder Guides Helicopter Skiing Decision*. Anchorage, AK: USDA Forest Service, Chugach National Forest.
- USDA. (2004b). *Consolidated Decision for Appeals for the Chugach National Forest Revised Land and Resource Management Plan*. Washington, D.C.: USDA Forest Service.
- USDA. (2004c). *National visitor use monitoring results: USDA Forest Service national summary report*. Washington, D.C.: U.S. Department of Agriculture, Forest Service, National Visitor Use Monitoring Program.
- USDA. (2005). Alaska Region Supplement to FSM 2600: Wildlife, fish and sensitive plant habitat management Chapter 2670. Juneau, AK: USDA Forest Service, Region 10.
- USDA. (2006). *Record of Decision for the Whistle Stop Project FEIS*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- USDA. (2007a). *Record of Decision for the Kenai Winter Access Project FEIS*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- USDA. (2007b). *Designation order for the Copper Sands research natural area on the Chugach National Forest, Cordova Ranger District*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- USDA. (2007c). *Designation order for the Kenai Lake-Black Mountain research natural area on the Chugach National Forest, Seward Ranger District*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- USDA. (2007d). *Designation order for the Olsen Bay Creek research natural area on the Chugach National Forest, Cordova Ranger District*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- USDA. (2007e). *Designation order for the Wolverine Glacier research natural area on the Chugach National Forest, Glacier Ranger District*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- USDA. (2008). *Visitor use report - Chugach National Forest: U.S. Department of Agriculture, Forest Service Region 10 (National Visitor Use Monitoring Data collected FY 2008)*. Washington, D.C.: U.S. Department of Agriculture, Forest Service.
- USDA. (2009). *Alaska Region Sensitive Species List, approved February 2009*. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- USDA. (2010a). *Chugach National Forest, Land Management Planning*. Retrieved October 23, 2014, from Decision Memo: Forest Plan Amendment to add three monitoring questions to the Monitoring and Evaluation Strategy:
<http://www.fs.usda.gov/detail/chugach/landmanagement/planning/?cid=stelprdb5407986>
- USDA. (2010b). *Channel Type Revision*. Juneau, AK: USDA Forest Service, Internal Document.
- USDA. (2010c). *Connecting People with the Great Outdoors: A Framework for Sustainable Recreation*. USDA Forest Service.
- USDA. (2010d). *National visitor use monitoring results: USDA Forest Service national summary report*. Washington, D.C.: U.S. Department of Agriculture, Forest Service, National Visitor Use Monitoring Program.
- USDA. (2010e). *Chugach Children's Forest Strategic Plan*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest.
- USDA. (2010f). *Evaluation of issues and management recommendations for the Three Rivers area*. Girdwood, AK: U.S. Department of Agriculture, Forest Service, Chugach National Forest, Glacier Ranger District.
- USDA. (2011a). *Monitoring Guide for the Chugach National Forest Revised Land and Resource Management Plan*. Anchorage, AK: USDA Forest Service, Chugach National Forest.

- USDA. (2011b). *Prince William Sound Framework*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region, Chugach National Forest.
- USDA. (2011c). *Salmon Creek Landscape Assessment*. U.S. Department of Agriculture, Forest Service, Chugach National Forest, Seward Ranger District.
- USDA. (2012/2014). *USDA Forest Service: Land Areas of the National Forest System*.
- USDA. (2012a). *Chugach National Forest Annual Monitoring Report*. Anchorage, AK: USDA Forest Service, Unpublished.
- USDA. (2012b). *Chugach National Forest Revised Land and Resource Management Plan Review--2002-2012*. Anchorage, AK: Unpublished report. On file with: USDA Forest Service, Alaska Region, Chugach National Forest.
- USDA. (2013). *National Strategic Framework for Invasive Species Management*. Washington, D.C.: U.S. Department of Agriculture, Forest Service, Washington Office.
- USDA, USFWS and ADF&G. (2013). *Managing Human-Bear Conflict, Kenai-Russian River Area. Five Year Action Plan 2013-2017*. In Cooperation with the Russian River Interagency Coordination Group.
- USDC. (2012a). *Regional Economic Information System*. Retrieved February 2013, from US Department of Commerce, Bureau of Economic Analysis: http://www.bea.gov/iTable/index_regional.cfm
- USDC. (2012b). *US Department of Commerce, Census Bureau, Country Business Patterns*.
- USFWS. (1979). *Classification of wetlands and deepwater habitats of the United States*. Washington, D.C.: U.S. Government Printing Office.
- USFWS. (1999). *Boreal Partners in Flight: Landbird conservation plan for Alaska biogeographic regions*. Anchorage, AK: Unpublished report. U.S. Department of the Interior, Fish and Wildlife Service.
- USFWS. (2001). *Management plan for Alaska raptors: a plan covering all species of diurnal and nocturnal raptors that occur in Alaska*. Juneau, AK: US Fish and Wildlife Service, USDOI, Juneau Raptor Management Program.
- USFWS. (2006a). Alaska Seabird Information Series: Aleutian tern (*Onychoprion aleuticus*). p. 2 pp.
- USFWS. (2006b). *Pigeon guillemot (Cephus columba) Alaska Seabird Information Series*. Retrieved August 14, 2014, from U.S. Fish and Wildlife Service: <http://www.fws.gov/alaska/mbmp/mbm/seabirds/pdf/pigu.pdf>
- USFWS. (2008). *Birds of Conservation Concern; BCR 5 Northwest Forest Plan Forests (Northern Pacific Forest-U.S. portions only)*. U.S. Department of the Interior, U.S. Fish and Wildlife Service.
- USFWS. (2011a). *Birding in the United States: A Demographic and Economic Analysis Addendum to the 2011 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation Report*. US Department of Interior, Fish and Wildlife Service.
- USFWS. (2011b). *Kittlitz's murrelet (Brachyramphus brevirostris)*. Retrieved June 2013 and November 2014, from US Fish and Wildlife Service: http://ecos.fws.gov/docs/candidate/assessments/2011/r7/B0AP_V01.pdf
- USFWS. (2012a). *Caribou*. Retrieved from US Fish & Wildlife Service--Kenai National Wildlife Refuge: http://www.fws.gov/refuge/Kenai/what-We-do/resource_management/caribou.html
- USFWS. (2012b). *Waterfowl population status, 2012*. Washington, DC, USA: U.S. Department of the Interior, U.S. Fish and Wildlife Service.
- USFWS. (2012c). *Endangered, threatened, proposed, candidate and delisted species in Alaska*. 2 pp. US Department of the Interior, US Fish and Wildlife Service.
- USFWS. (2012d). *Threatened and Endangered Species, Aleutian Shield-Fern (Polystichum aleuticum)*. (U. F. U.S. Department of the Interior, Producer) Retrieved June 2013, from http://alaska.fws.gov/fisheries/fieldoffice/anchorage/endangered/pdf/factsheet_asf.pdf
- USFWS. (2013). *Endangered and Threatened Wildlife and Plants; 12 Month Finding on a Petition to List Kittlitz's Murrelet as an Endangered or Threatened Species; Proposed Rule*. US Fish and Wildlife Service, 50 CFR Part 17. Federal Register, October 3, 2013.

- USFWS. (2014a). *Kenai National Wildlife Refuge species list*. Retrieved March 21, 2014, from Kenai National Wildlife Refuge--US Fish and Wildlife Service:
http://www.fws.gov/refuge/Kenai/wildlife_and_habitat/species_list.html#7
- USFWS. (2014b). *Sterling Highway*. Retrieved 20 2014, May, from US Fish and Wildlife Service, Kenai National Wildlife Refuge:
http://www.fws.gov/refuge/Kenai/what_we_do/resource_management/sterlinghwy.html
- USFWS. (2014c). *Northern Sea Otter, (Enhydra lutris kenyoni)*. Retrieved November 2014, from US Fish and Wildlife Service:
http://www.fws.gov/alaska/fisheries/endangered/species/southwest_sea_otter.htm
- USFWS. (2014d). *Yellow-billed Loon (Gavia adamsii)*. Retrieved November 2014, from US Fish and Wildlife Service:
http://www.fws.gov/alaska/fisheries/endangered/species/yellow_billed_loon.htm
- USGS. (2013). *Ecosystem and Climate History of Alaska*. (U.S. Geological Survey) Retrieved from Geosciences and Environmental Change Science Center:
<http://gec.cr.usgs.gov/archive/alaska/alaskaB.html>
- USGS. (2014a). *Boreal partners in flight, priority species for conservation*. Retrieved from U.S. Geological Survey; Science: http://alaska.usgs.gov/science/biology/bpif/priority_spp
- USGS. (2014b). *White-Nose Syndrome (WNS)*. (U. D. US Geological Survey, Producer) Retrieved August 1, 2014, from National Wildlife Health Center; USGS:
http://www.nwhc.usgs.gov/disease_information/white-nose_syndrome/
- Valdez, R., & Krausman, P. R. (Eds.). (1999). *Mountain sheep of North America*. University of Arizona Press.
- Waits, L. P., & Paetkau, D. (2005). Noninvasive genetic sampling tools for wildlife biologists: a review of applications and recommendations for accurate data collection. *Journal of Wildlife Management*, 69(4), 1419-1433.
- Wake, D. B., & Vredenburg, V. T. (2008, August 12). Are we in the midst of the sixth mass extinction? A view from the world of amphibians. *Proceedings of the National Academy of Sciences of the United States of America*, 105(Supplement 1), 11466-11473.
- Waller, J. S., & Servheen, C. (2005). Effects of transportation infrastructure on grizzly bears in northwestern Montana. *Journal of Wildlife Management*, 69(3), 985-1000.
- Wehausen, J. D., Kelley, S. T., & Ramey, R. R. (2011). Domestic sheep, bighorn sheep, and respiratory disease: a review of the experimental evidence. *California Fish and Game*, 97(1), 7-24.
- Weins, D. L., Noon, B. R., & Reynolds, T. (2006). Post-Fledging Survival Of Northern Goshawks: The Importance Of Prey Abundance, Weather and Dispersal. *Ecological Applications*, 16, 406-418.
- Weiser, E. L. (2010). *Use of anthropogenic foods by glaucous gulls (Larus hyperboreus) in Northern Alaska*. Fairbanks, AK: University of Alaska.
- Welsh, S. L. (1974). *Anderson's Flora of Alaska and Adjacent Parts of Canada*. Provo, UT: Brigham Young University Press.
- Werner, R. A., Holsten, E. H., Matsuoka, S. M., & Burnside, R. E. (2006). Spruce beetles and forest ecosystems in southcentral Alaska: A review of 30 years of research. *Forest Ecology and Management*, 227, 195-206.
- White, E. M. (2010). *Responses to the R-10 supplemental survey questions related to activities not completed*. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- White, E. M., & Stynes, D. J. (2010). *Characterization of resident and non-resident visitors to Alaska national forests*. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Region.
- White, E., & Wilson, J. (2008). *National Visitor Use Monitoring implementation in Alaska*. Portland, OR: Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Whittaker, D., Shelby, B., Manning, R., Cole, D., & Haas, G. (2011). Capacity reconsidered: Finding consensus and clarifying differences. *Journal of Park and Recreation Administration*, 29(1), 1-20.

- Whitten, K. R. (1997). *Estimating population size and composition of Dall sheep in Alaska: assessment of previously used methods and experimental implementation of new techniques*. Juneau, AK: Alaska Department of Fish and Game.
- Wiens, Hayward, Safford, & Giffen (Eds.). (2012). *Historical Environmental Variation in Conservation and Natural Resource Management*. Oxford, UK: John Wiley and Sons.
- Williams, D. D. (2003). The brackish water hyporheic zone: Invertebrate community structure across a novel ecotone. *Hydrobiologia*, 510, 153-173.
- Wilson, M. F., & Halupka, K. C. (1995). Anadromous fish as keystone species in vertebrate communities. *Conservation Biology*, 9(5), 489-497.
- Winkler, W. (2011). Changes in snow accumulation and ablation after a fire in South-central British Columbia. *Streamline Watershed Management Bulletin*, Vol. 14 No.2, p. 7 pp.
- Winthers, E., Fallon, D., Haglund, J., DeMeo, T., Nowacki, G., Tart, D., et al. (2005). *Terrestrial Ecological Unit Inventory Technical Guide*. Washington, D.C.: Department of Agriculture, Forest Service, Washington Office, Ecosystem Management Coordination Staff.
- Wolfe, P. (2007). *Boating in Alaska's Prince William Sound: Modeling and Assessment of Recreational Use*.
- Woodford, R. (2009). Dall Sheep Research in Southcentral Alaska. *Alaska Department of Fish and Wildlife News*, November.
- Zager, P., & Beecham, J. (2006). The role of American black bears and brown bears as predators on ungulates in North America. *Ursus*, 17(2), 95-108.