



**FOREST SERVICE MANUAL
ROCKY MOUNTAIN REGION
DENVER, CO**

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS
AND ANIMALS**

Supplement No: 2600-2015-1

Effective Date: August 29, 2015

Duration: This supplement is effective until superseded or removed.

Approved: JAYNE HANDLEY -
Acting Deputy Regional Forester

Date Approved: 08/14/2015

Posting Instructions: Supplements are numbered consecutively by Title and calendar year. Post by document; remove entire document and replace it with this supplement. Retain this transmittal as the first page(s) of this document. The last supplement to this title was 2600-2013-1 to FSM 2670.

New Document(s): 23 pages

**Superseded Document(s) by
Issuance Number and Effective Date:** 2670
(Supplement 2600-2013-1, 08/24/2013) 21 pages

Digest:

2672.11 Exhibit 01 – Updates the list of sensitive species designated by the Regional Forester for the Rocky Mountain Region. New additions to the list include two animals: monarch butterfly (*Danaus plexippus plexippus*) and western bumblebee (*Bombus occidentalis*) and one plant: Mancos shale packera (*Packera mancosana*). Two plants are removed from the list: narrowleaf grapefern (*Botrychium lineare*) and whitebristle cottongrass (*Eriophorum altaicum* var. *neogaeum*), because they no longer meet the criteria for designation as sensitive based on new information. Two animals are removed from the list due to new or recently restored protections under the Endangered Species Act: New Mexico meadow jumping mouse (*Zapus hudsonius luteus*) and gray wolf (*Canis lupus*). Updates biological nomenclature for several plant and animal species.

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS****2670.2 – OBJECTIVES****2670.22 - Sensitive Species**

3. Develop and implement conservation strategies for sensitive species and their habitats, in coordination with other Forest Service units, managing agencies, and landowners.

4. Coordinate management objectives to conserve sensitive species with state and federal agencies, tribes and other cooperators as appropriate. Approaches may include collaboratively developing individual species or multi-species conservation strategies, formalizing interagency conservation agreements, and incorporating recommendations into management direction set forth in Land and Resource Management Plans.

2670.3 – POLICY**2670.32 - Sensitive Species**

6. Integrate available scientific information, including Regional species evaluations, species and ecosystem assessments, and conservation strategies, into Forest Service planning and implementation.

7. Conduct appropriate inventories and monitoring of sensitive species to improve knowledge of distribution, status, and responses to management activities, coordinating efforts within the Region and with other agencies and partners where feasible.

8. Analyze and manage for sensitive species in groups and habitat complexes, when feasible, to realize efficiencies and ecological soundness of multi-species and ecosystem management approaches.

2670.45 – Forest Supervisors

7. In accordance with guidance in FSM 2672.42, designate journey level biologists and botanists who are qualified to review biological evaluations, specifying the type(s) of organisms (fish and aquatic invertebrates, wildlife, terrestrial invertebrates, and plants) for which the individual is qualified. Qualifications include: meeting the Office of Personnel Management Qualification Standards for General Schedule Positions for the appropriate job series (0482, 0486, 0430) at the GS-9 level or above; sufficient training in procedural and substantive requirements for biological evaluations, including knowledge of the Endangered Species Act and Forest Service policy in this FSM; and one year or more of experience in conducting biological evaluations that meet professional standards (FSM 2672.42 and 2672.43). Use expert level staffing to assess

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

adequacy of training and experience (FSM 2604.21 paragraph 5). Provide a list of personnel qualified to review biological evaluations to the Regional Office annually or as updates are completed.

2670.5 - Definitions

Action. All activities or programs authorized, funded or carried out, in whole or in part, by Federal agencies in the United States or upon the high seas (50 CFR 402.02). Both programmatic and project level proposals are considered to be actions subject to the Endangered Species Act.

Biological Assessment. Information prepared to comply with Section 7 of the Endangered Species Act for major construction activities to determine whether listed and proposed species and designated and proposed critical habitat may be present in the action area, and the evaluation of potential effects of the action on such species and habitat. A “major construction activity” is a major Federal action significantly affecting the quality of the human environment, that is, for which an Environmental Impact Statement is prepared (50 CFR 402.02). A Biological Assessment may be prepared for any project for which formal consultation is required.

Biological Evaluation. A documented Forest Service review of Forest Service actions in sufficient detail to: 1) comply with the requirements of the Endangered Species Act; 2) ensure that actions do not contribute to loss of viability of native or desired non-native plant or animal species, or cause a trend towards listing under the ESA; and 3) provide a standard by which to ensure that endangered, threatened, proposed, and sensitive species and critical habitats receive full consideration in Forest Service decision-making. A biological evaluation may be used to satisfy consultation requirements for a biological assessment (FSM 2672.4).

Conserve. The use of all methods and procedures necessary to bring an endangered species or threatened species to the point at which the protections pursuant to the ESA are no longer necessary, or to avoid causing a species to become threatened or endangered, or to maintain viable populations in the planning area.

Conservation Strategy. A document that establishes conservation objectives and identifies the management actions necessary to conserve a species, species group or ecosystem. The strategy can be incorporated into Forest Service plans through the NEPA process with appropriate line officer approval.

Conservation Agreement. A formal agreement with cooperating or regulatory agencies that identifies how a conservation strategy will be implemented.

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

Programmatic Consultation. A generic term encompassing several different types of ESA Section 7 consultations: 1) evaluation of strategic management plans that may establish objectives, standards, guidelines, or design criteria to which future actions must adhere; 2) evaluation of an overall Federal “program”; or 3) evaluation of a group of similar proposed actions, or different types of actions proposed within a specific geographic area. Three commonly used approaches for documenting programmatic consultations are tiered, appended, and batched Biological Opinions.

2671 – COOPERATION**2671.44 – Determination of Effects on Listed or Proposed Species**

Seek to improve the efficiency and effectiveness of consultations and conferences under Section 7 of the Endangered Species Act and to enhance the conservation of imperiled species by using a streamlining process as appropriate. Streamlining is accomplished by emphasizing coordination and communication during informal consultation. Streamlining actions may include: development of criteria or screens to improve consistency in effects analysis and determinations; identification of design criteria intended to benefit particular species; standardizing the format used to present information and analysis; recommending alternative approaches, such as programmatic consultations, to handle consultation workloads; and establishing procedures to expedite dispute resolution.

2672 – PLANNING FOR MANAGEMENT AND RECOVERY**2672.11 - Identification of Sensitive Species**

1. Species identified as Candidates by the U.S. Fish and Wildlife Service will automatically be placed on the sensitive species list in Region 2.
4. To be eligible for designation by the Regional Forester as sensitive, the species (or subspecies, variety or stock) must be recognized by taxonomic experts, and must be known or likely to occur on National Forest System lands within the Rocky Mountain Region. Sensitive species status applies throughout the range of the species on National Forest System lands within the Rocky Mountain Region. The Regional Forester's sensitive species list for the Rocky Mountain Region is shown in exhibit 01.
5. The evaluation criteria used to determine whether a species warrants sensitive status (FSM 2670.5) are shown in exhibit 02.
6. The list of sensitive species is reviewed and updated periodically. Forest Supervisors may recommend additions or deletions to the list based on the criteria in exhibit 02. Recommendations from other interested agencies, groups, and individuals with information pertinent to sensitive species are considered in the revision process. A

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

species will be removed from the sensitive list when sensitive status is superseded by listing or proposed listing under the Endangered Species Act. A species that is removed from listing under the ESA because recovery criteria have been met is automatically added to the sensitive species list for a period of at least 5 years to ensure that its recovery is maintained and monitored.

7. For newly designated sensitive species, current or planned Forest Service actions that are well underway (or are completed) at the time an updated sensitive species list goes into effect are exempt from requirements to conduct a biological evaluation for that species. This exemption is intended to enable actions that have been planned using the previous sensitive species list to go forward. Exemption in these instances does not relieve the responsible official from compliance with other statutory and regulatory mandates, including: 1) National Environmental Policy Act requirements to evaluate significant new circumstances or information relevant to environmental concerns and bearing on the proposed action or its impacts (40 CFR 1502.9, FSH 1909.15 sec. 18), and 2) National Forest Management Act requirements specify guidelines when developing, maintaining and revising plans to provide for diversity of plant and animal communities based on the suitability and capability of the specific land area in order to meet overall multiple-use objectives (16 USC 1600).

2672.4 – Biological Evaluations**2672.41 – Objectives of the Biological Evaluation**

1. To ensure that Forest Service actions do not contribute to loss of viability of threatened, endangered, proposed, or sensitive plant and animal species, or contribute to a trend towards Federal listing under the Endangered Species Act of any species.

4. To incorporate concerns for sensitive species throughout the planning process, identifying opportunities for enhancement and reducing any potential negative impacts.

2672.42 – Standards for Biological Evaluations

1. A list of endangered, threatened, and proposed species and critical habitat known or likely to occur in the action area may be requested from the U.S. Fish and Wildlife Service (FWS), or a list may be submitted to FWS for concurrence.

2. Coordinate mapping of habitat with the FWS and other management agencies as appropriate.

3. An analysis of the direct, indirect, and cumulative effects of the actions under all alternatives considered through the NEPA process on federally listed, proposed, or sensitive species, or habitat required for recovery or to meet Forest Service objectives.

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

5. A determination of the effects or impacts on each species, and summary of the rationale for each determination.

a. For federally listed species, or species proposed for such listing, and for critical habitat or proposed critical habitat, use the determination statements specified in ESA Section 7 regulations (50 CFR 402) and in accordance with FSM 2671.43 through 2671.45.

b. For Region 2 sensitive species make a determination of:

(1) "No impact";

(2) "Beneficial impact";

(3) "May adversely impact individuals, but not likely to result in a loss of viability in the Planning Area, nor cause a trend toward federal listing"; or

(4) "Likely to result in a loss of viability in the Planning Area, or in a trend toward federal listing."

2672.43 – Procedure for Conducting Biological Evaluations

The intensity and detail of the biological evaluation may vary and should be commensurate with the risk associated with the action and the vulnerability of the species involved. Document the biological evaluation in accordance with the standards established in FSM 2672.42. When a recovery plan or conservation strategy exists for a species and is applicable to the actions being analyzed, evaluate and document consistency of the action with the recovery plan or conservation strategy.

Step 1. Prefield Review.

Follow current direction in FSM 2672.42 to identify all federally listed or proposed species. Review records and contact knowledgeable Forest Service employees and other experts for known occurrences, distribution maps, and habitat information. As appropriate, contact state and federal wildlife, fish, and plant management agencies, Natural Heritage Programs, research stations, universities, or other organizations about species occurrence and habitat requirements. Document all sensitive species and their habitats that are known or likely to be present in the analysis area, or that the proposed action potentially affects.

Briefly summarize the habitat needs and ecological requirements of the species. Identify seasonal patterns and recommend when field surveys can be conducted to evaluate species and/or habitat presence, if needed. Describe management direction applicable to habitat that may be affected, such as Forest Plan standards and guidelines. FSM 2672.43 Exhibit 01 outlines the procedure to use during the Prefield Review (Step 1) to

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

determine whether Field Reconnaissance (Step 2) is needed to complete the biological evaluation.

Step 2. Field Reconnaissance.

The purpose of this step is to gain a more specific understanding of which habitats and species exist in the action area, and to gather information that will help to evaluate the significance of the area to the species. The need for and extent of field reconnaissance should be commensurate with the risk associated with the proposal, the degree of certainty desired, and the level of knowledge already at hand.

Identify and describe all habitats known to be important for the species in the analysis area. As needed, design and conduct field surveys to confirm species' presence and habitat suitability, assess accuracy of remote sensing data, and collect any other data deemed necessary. Assess and refine knowledge of how habitats exist on the landscape and how species occupy and use their habitats.

Step 3. Analysis of Effects and Determination.

The purpose of this analysis for federally listed or proposed species is to determine whether the action may affect the species or critical habitat. The purpose of this analysis for sensitive species is to determine whether the action will contribute toward federal listing or loss of viability in the Planning Area. As part of the interdisciplinary process of designing alternatives under NEPA, develop design criteria to meet objectives for threatened, endangered, proposed, and sensitive species, and identify any necessary mitigation measures. The analysis must consider direct, indirect, and cumulative effects of the proposed action and any alternatives on the species and its habitat.

Factors that may be considered in the analysis of effects include: the proportion of the species' total population and range that is in the analysis area or is affected by the action; whether the habitat affected by the action is necessary for critical life functions (for example, feeding, breeding, nesting); timing, frequency and duration of human activity, especially as it relates to significant behavioral modification; any anticipated reductions in numbers or distribution of the species; and the potential of the species to recover from short-term impacts.

Based on the analysis, make a determination of the effects of each of the alternatives on federally listed or proposed species and critical habitat, and on Region 2 sensitive species. Use the appropriate language for each federally listed species, critical habitat, proposed species, proposed critical habitat (FSM 2671.43 through 2671.45), and sensitive species, and summarize the rationale for each.

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS****Step 4. Documentation.**

The purpose of this step is to check the documentation record that has been compiled. Documentation is essential to the biological evaluation process and is to be conducted as the biological evaluation proceeds, rather than after the fact.

Documentation may be referenced or included as part of the appropriate NEPA document, contained in the biological evaluation itself, or held in district or forest files. Ensure that all requirements and mitigation measures are included in the decision document and implementation plans or contracts.

Documentation should include contacts with agencies, especially the FWS, individuals, and organizations, (dates, names of people and organizations, summary of information), and sources of data used in developing the biological evaluation. The list of species considered must be documented. Indicate species, for which surveys were conducted, describe the survey methods used, provide maps showing which areas were surveyed, record the date(s) of survey(s) and the people who conducted the survey(s), and provide the results. Enter new data into appropriate corporate databases, and notify Natural Heritage Programs and other cooperating agencies as appropriate. Use literature citations to support conclusions on effects, habitat relationships, species ecology, and recommendations for removing or avoiding adverse effects.

DURATION: This supplement is effective until superseded or removed.

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01

Regional Forester's Sensitive Species
Rocky Mountain Region

ANIMALS

AMPHIBIANS

<i>Anaxyrus boreas boreas</i>	boreal toad
<i>Lithobates blairi</i>	plains leopard frog
<i>Lithobates pipiens</i>	northern leopard frog
<i>Lithobates sylvaticus</i>	wood frog
<i>Rana luteiventris</i>	Columbia spotted frog

BIRDS

<i>Accipiter gentilis</i>	northern goshawk
<i>Aegolius funereus</i>	boreal owl
<i>Ammodramus savannarum</i>	grasshopper sparrow
<i>Artemisiospiza nevadensis</i>	sagebrush sparrow
<i>Asio flammeus</i>	short-eared owl
<i>Athene cunicularia</i>	burrowing owl
<i>Botaurus lentiginosus</i>	American bittern
<i>Buteo regalis</i>	ferruginous hawk
<i>Calcarius ornatus</i>	chestnut-collared longspur
<i>Centrocercus urophasianus</i>	greater sage-grouse
<i>Charadrius montanus</i>	mountain plover
<i>Chlidonias niger</i>	black tern
<i>Circus cyaneus</i>	northern harrier
<i>Contopus cooperi</i>	olive-sided flycatcher
<i>Cygnus buccinator</i>	trumpeter swan
<i>Cypseloides niger</i>	black swift
<i>Falco peregrinus anatum</i>	American peregrine falcon
<i>Haliaeetus leucocephalus</i>	bald eagle
<i>Histrionicus histrionicus</i>	harlequin duck
<i>Lagopus leucura</i>	white-tailed ptarmigan
<i>Lanius ludovicianus</i>	loggerhead shrike
<i>Melanerpes lewis</i>	Lewis's woodpecker
<i>Numenius americanus</i>	long-billed curlew
<i>Peucaea cassinii</i>	Cassin's sparrow
<i>Picoides arcticus</i>	black-backed woodpecker
<i>Progne subis</i>	purple martin
<i>Psiloscops flammeolus</i>	flamulated owl

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

<i>Rhynchophanes mccownii</i>	McCown's longspur
<i>Spizella breweri</i>	Brewer's sparrow
<i>Tympanuchus cupido</i>	greater prairie-chicken
<i>Tympanuchus phasianellus columbianus</i>	Columbian sharp-tailed grouse

FISHES

<i>Catostomus discobolus</i>	bluehead sucker
<i>Catostomus latipinnis</i>	flannelmouth sucker
<i>Catostomus platyrhynchus</i>	mountain sucker
<i>Catostomus plebeius</i>	Rio Grande sucker
<i>Chrosomus eos</i>	northern redbelly dace
<i>Chrosomus erythrogaster</i>	southern redbelly dace
<i>Chrosomus neogaeus</i>	finescale dace
<i>Couesius plumbeus</i>	lake chub
<i>Fundulus sciadicus</i>	plains topminnow
<i>Gila pandora</i>	Rio Grande chub
<i>Gila robusta</i>	roundtail chub
<i>Hybognathus placitus</i>	plains minnow
<i>Macrhybopsis gelida</i>	sturgeon chub
<i>Margariscus nachtriebi</i>	northern pearl dace
<i>Nocomis biguttatus</i>	hornyhead chub
<i>Oncorhynchus clarkii bouvieri</i>	Yellowstone cutthroat
<i>Oncorhynchus clarkii pleuriticus</i>	Colorado River cutthroat
<i>Oncorhynchus clarkii virginalis</i>	Rio Grande cutthroat
<i>Platygobio gracilis</i>	flathead chub

INSECTS

<i>Bombus occidentalis</i>	western bumblebee
<i>Capnia arapahoe</i>	Arapahoe snowfly
<i>Danaus plexippus plexippus</i>	monarch
<i>Hesperia ottoe</i>	Ottoe skipper
<i>Ochrotrichia susanae</i>	Susan's purse-making caddisfly
<i>Somatochlora hudsonica</i>	Hudsonian emerald
<i>Speyeria idalia</i>	regal fritillary
<i>Speyeria nokomis nokomis</i>	Nokomis fritillary, Great Basin silverspot

MAMMALS

<i>Conepatus leuconotus</i>	American hog-nosed skunk
<i>Corynorhinus townsendii</i>	Townsend's big-eared bat
<i>Cynomys gunnisoni</i>	Gunnison's prairie dog
<i>Cynomys leucurus</i>	white-tailed prairie dog

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

<i>Cynomys ludovicianus</i>	black-tailed prairie dog
<i>Euderma maculatum</i>	spotted bat
<i>Gulo gulo</i>	North American wolverine
<i>Lasiurus cinereus</i>	hoary bat
<i>Lontra canadensis</i>	river otter
<i>Martes americana</i>	American marten
<i>Microtus richardsoni</i>	water vole
<i>Myotis thysanodes</i>	fringed myotis
<i>Ovis canadensis canadensis</i>	Rocky Mountain bighorn sheep
<i>Ovis canadensis nelsoni</i>	desert bighorn sheep
<i>Sorex hoyi</i>	pygmy shrew
<i>Thomomys clusius</i>	Wyoming pocket gopher
<i>Vulpes macrotis</i>	kit fox
<i>Vulpes velox</i>	swift fox

MOLLUSCS

<i>Acroloxus coloradensis</i>	Rocky Mountain capshell
<i>Oreohelix pygmaea</i>	pygmy mountainsnail
<i>Oreohelix strigosa cooperi</i>	Cooper's Rocky Mountainsnail

REPTILES

<i>Sistrurus catenatus edwardsii</i>	desert massasauga
<i>Storeria occipitomaculata pahasapae</i>	Black Hills redbelly snake

PLANTS

NON-VASCULAR

<i>Sphagnum angustifolium</i>	sphagnum
<i>Sphagnum balticum</i>	Baltic sphagnum

FERNS & ALLIES

<i>Botrychium ascendens</i>	trianglelobe moonwort
<i>Botrychium campestre</i>	lowa moonwort, prairie moonwort
<i>Botrychium paradoxum</i>	peculiar moonwort
<i>Lycopodium complanatum</i>	groundcedar
<i>Selaginella selaginoides</i>	club spikemoss

ANGIOSPERMS - MONOCOTS

<i>Calochortus flexuosus</i>	winding mariposa lily
<i>Carex alopecoidea</i>	foxtail sedge
<i>Carex diandra</i>	lesser panicked sedge

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

<i>Carex livida</i>	livid sedge
<i>Cypripedium montanum</i>	mountain lady's slipper
<i>Cypripedium parviflorum</i>	lesser yellow lady's slipper
<i>Eleocharis elliptica</i>	elliptic spikerush, slender spikerush
<i>Epipactis gigantea</i>	stream orchid, giant helleborine
<i>Eriophorum chamissonis</i>	Chamisso's cottongrass
<i>Eriophorum gracile</i>	slender cottongrass
<i>Festuca hallii</i>	plains rough fescue
<i>Galearis rotundifolia</i>	roundleaf orchid
<i>Kobresia simpliciuscula</i>	simple bog sedge
<i>Liparis loeselii</i>	yellow widelip orchid
<i>Malaxis monophyllos</i> var. <i>brachypoda</i>	white adder's-mouth orchid
<i>Platanthera orbiculata</i>	lesser roundleaved orchid
<i>Ptilagrostis porteri</i>	Porter's false needlegrass
<i>Schoenoplectus hallii</i>	Hall's bulrush
<i>Triteleia grandiflora</i>	largeflower triteleia

ANGIOSPERMS - DICOTS

<i>Aliciella sedifolia</i>	stonecrop gilia
<i>Aquilegia chrysantha</i>	Rydberg's golden columbine
<i>Aquilegia laramiensis</i>	Laramie columbine
<i>Armeria maritima</i> ssp. <i>sibirica</i>	Siberian sea thrift
<i>Asclepias uncialis</i>	wheel milkweed
<i>Astragalus barrii</i>	Barr's milkvetch
<i>Astragalus iodopetalus</i>	violet milkvetch
<i>Astragalus leptaleus</i>	park milkvetch
<i>Astragalus missouriensis</i> var. <i>humistratus</i>	Missouri milkvetch, Archuleta milkvetch
<i>Astragalus proximus</i>	Aztec milkvetch
<i>Astragalus ripleyi</i>	Ripley's milkvetch
<i>Braya glabella</i>	smooth northern-rockcress
<i>Chenopodium cycloides</i>	sandhill goosefoot
<i>Cuscuta plattensis</i>	prairie dodder, Wyoming dodder
<i>Descurainia torulosa</i>	mountain tansymustard
<i>Draba exunguiculata</i>	clawless draba
<i>Draba grayana</i>	Gray's draba
<i>Draba smithii</i>	Smith's draba
<i>Draba weberi</i>	Weber's draba, Weber's whitlowgrass
<i>Drosera anglica</i>	English sundew
<i>Drosera rotundifolia</i>	roundleaf sundew
<i>Eriogonum brandegeei</i>	Brandegee's buckwheat
<i>Eriogonum exilifolium</i>	droleaf buckwheat

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 01—Continued

<i>Eriogonum visherii</i>	Visher's buckwheat, Dakota buckwheat
<i>Gutierrezia elegans</i>	Lone Mesa snakeweed
<i>Ipomopsis aggregata</i> ssp. <i>weberi</i>	scarlet gilia
<i>Lesquerella fremontii</i>	Fremont's bladderpod
<i>Lesquerella pruinosus</i>	Pagosa Springs bladderpod
<i>Mimulus gemmiparus</i>	Rocky Mountain monkeyflower, budding monkeyflower
<i>Neoparrya lithophila</i>	Bill's neoparrya
<i>Oreoxis humilis</i>	Pike's Peak alpineparsley
<i>Packera mancosana</i>	Mancos shale packera
<i>Parnassia kotzebuei</i>	Kotzebue's grass of Parnassus
<i>Penstemon absarokensis</i>	Absaroka Range beardtongue
<i>Penstemon caryi</i>	Cary's beardtongue
<i>Penstemon degeneri</i>	Degener's beardtongue
<i>Penstemon harringtonii</i>	Harrington's beardtongue
<i>Physaria didymocarpa</i> var. <i>lanata</i>	common twinpod
<i>Physaria pulvinata</i>	cushion bladderpod
<i>Physaria scrotiformis</i>	west silver bladderpod
<i>Potentilla rupicola</i>	rock cinquefoil, Rocky Mountain cinquefoil
<i>Primula egaliksensis</i>	Greenland primrose
<i>Pyrrocoma carthamoides</i> var. <i>subsquarrosa</i>	largeflower goldenweed
<i>Pyrrocoma clementis</i> var. <i>villosa</i>	tranquil goldenweed
<i>Pyrrocoma integrifolia</i>	many-stemmed goldenweed
<i>Ranunculus grayi</i>	ice cold buttercup
<i>Rubus arcticus</i> ssp. <i>acaulis</i>	dwarf raspberry
<i>Salix arizonica</i>	Arizona willow
<i>Salix barrattiana</i>	Barratt's willow
<i>Salix candida</i>	sageleaf willow, sage willow
<i>Salix myrtilifolia</i>	blueberry willow
<i>Salix serissima</i>	autumn willow
<i>Sanguinaria canadensis</i>	bloodroot
<i>Shoshonea pulvinata</i>	Shoshone carrot
<i>Thalictrum heliophilum</i>	Cathedral Bluff meadow-rue
<i>Townsendia condensata</i> var. <i>anomala</i>	cushion Townsend daisy
<i>Utricularia minor</i>	lesser bladderwort
<i>Viburnum opulus</i> var. <i>americanum</i>	American cranberrybush, mooseberry
<i>Viola selkirkii</i>	Selkirk's violet
<i>Xanthisma coloradoense</i>	Colorado tansyaster

GYMNOSPERMS

<i>Pinus albicaulis</i>	whitebark pine
-------------------------	----------------

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**2672.11 – Exhibit 02

Sensitive Species Evaluation Criteria

Rocky Mountain Region

Eight criteria (below) are considered in evaluating whether a species merits sensitive status. The combination of all eight factors, including uncertainty rankings, should be considered and synthesized in formulating the recommendation for sensitive status. Although information may not be complete for all 8 criteria, the available information must provide a compelling argument that population viability is of concern as evidenced by known or predicted downward trends. A species merits inclusion on the Regional list if it is at risk over a substantial part of its range.

1. Geographic distribution within the Rocky Mountain Region. All else being equal, species that are present in only a few locations within the Rocky Mountain Region have a higher risk of extirpation, than those that have a broad distribution. Generally, species with the widest breeding distributions are the least vulnerable to deleterious environmental changes and catastrophic events. Species with restricted distribution and limited interchange of individuals between subpopulations and subpopulations are more vulnerable to local events (for example disease, storms) that may cause extirpation. Similarly, species associated with geographically limited habitats may be more extinction prone. Finally, if the current distribution pattern differs significantly from historical distribution, this change should be considered in evaluating the influence of geographic distribution on species persistence.


Rankings for geographic distribution within the Rocky Mountain Region:


A = Scarce OR isolated. If a population or habitat meets any of the following conditions:

1. Habitat is very scarce throughout the Region, indicating strong potential for extirpations, and little likelihood of recolonization. Or,
2. Habitat or population connectivity is very limited due to factors such as environmental gradients, introduced species, disease, and habitat loss or degradation. Dispersal among patches is limited or not possible. Or,
3. Habitat is naturally distributed as isolated patches, with limited opportunity for dispersal among patches. Some local populations may be extirpated and rates of recolonization will likely be slow. Or, pictorially if populations or habitat look like any of the following:

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**


2672.11 – Exhibit 02—Continued



 = Occupied
 = Unoccupied

B = Patchy OR gaps. If a population or habitat meets any of the following conditions:

1. Habitat exists primarily as patches, some of which are small or isolated to the degree that species interactions are limited by movements between patches. Local sub-populations in most of the species' range interact as a metapopulation¹ or patchy population, but some patches are so disjunct that sub-populations in those patches are essentially isolated from other populations. Or,
2. Habitat is broadly distributed across the planning area but gaps exist within this distribution. Disjunct patches of habitat are typically large enough and close enough together to other patches to permit dispersal among patches and to allow species to interact as a metapopulation. Or, pictorially if populations or habitat look like any of the following:




¹ Many spatially structured populations will not function as metapopulations. (The degree to which a particular species occurs as a metapopulation, or several, in the Region will be unknown for most taxa).

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.11 – Exhibit 02—Continued

C = Contiguous. If a population or habitat meets the following conditions:

1. Habitat is broadly distributed across the Region with opportunity for continuous or nearly continuous occupation by species, little or no limitation on interaction among populations. Or, pictorially if populations or habitat look like either of the following:



D = Insufficient information to draw inferences about criterion

2. Geographic distribution outside of the Rocky Mountain Region. Species (or subspecies/ varieties) that occur only in the Rocky Mountain Region warrant a higher level of concern. A species (or subspecies/variety) that is mostly restricted to the Rocky Mountain Region with a limited distribution outside of the Rocky Mountain Region would have a moderate level of concern. The risk of extinction associated with activities in the Rocky Mountain Region can be moderated by the potential for recolonization from populations existing elsewhere, although low recruitment from outside populations would reduce effectiveness of the rescue effect. A species with wide distribution outside the Rocky Mountain Region would generally have a substantially reduced risk as a result of activities in the Rocky Mountain Region.

Rankings for geographic distribution outside the Rocky Mountain Region:

- A = Only within the boundaries of the Rocky Mountain Region (meaning local or regional endemics)
- B = Limited distribution outside the Rocky Mountain Region, or widely disjunct taxa for which the main distribution is at a significant distance from the Rocky Mountain Region
- C = Wide distribution outside the Rocky Mountain Region
- D = Insufficient information to draw inferences about criterion

3. Capability of the species to disperse. Dispersal of individuals from a population may be limited because a species has low vagility or because barriers to dispersal exist. All else being equal, species that do not disperse readily across large areas of unsuitable habitat are at greater risk of extinction, than species that disperse readily across a variety of habitats. Movements of aquatic species may be limited by barriers such as culverts, impoundments, or discontinuous stream networks. The ability of plant

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**2672.11 – Exhibit 02—Continued

species to disperse can depend on seed dispersal agents and reproductive strategy. Species that are mobile and for which dispersal is not limited will be assigned a value of

no concern. Species that are able to disperse only within suitable habitat will be assigned a moderate level of concern. Species for which dispersal is limited by behavioral patterns or physical capability will be assigned a high level of concern.

In evaluating this criterion, the importance of dispersal to the life history of the species will be considered. For instance, dispersal is a critical characteristic of the life history of species that occupy ephemeral habitats or that occur early in succession after disturbance. In contrast, dispersal plays a less significant role in the population dynamics of some species that occupy stable habitats (such as cave dwelling insects).

Rankings for capability to disperse:

- A = Very limited dispersal ability (restricted dispersal capability coupled with ephemeral habitats)
- B = Disperses only through suitable habitat (dispersal areas may or may not be corridors)
- C = Readily disperses across landscapes with few habitat-related limitations
- D = Insufficient information to draw inferences about criterion

4. Abundance of the species in the Rocky Mountain Region. Population density or abundance is a primary factor in determining whether a species will persist following habitat loss. All other things being equal, the lower the abundance or density, the greater the risk of extinction. Rankings will be based on categorical estimates of abundance relative to the expected abundance of that species in good habitat. This approach avoids problems associated with using population estimates or abundance estimates for widely diverse species. Base ranking on overall condition, but rationale should draw any contrasts between abundance on NFS lands vs. other ownerships.

Rankings for abundance in the Rocky Mountain Region:

- A = Rare - current abundance (estimated number of individuals or populations) is low enough that stochastic and other factors lead to potential imperilment
- B = Uncommon - current abundance (estimated number of individuals or populations) is large enough that demographic stochasticity is not likely to lead to rapid extinction, but, in combination with highly variable environmental factors, could pose a threat
- C = Common – current abundance (estimated number of individuals or populations) is large enough that species persistence is not threatened by demographic stochasticity, in combination with environmental variation

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**2672.11 – Exhibit 02—Continued

D = Insufficient information to draw inferences about criterion

5. Population trend in the Rocky Mountain Region. Another primary factor indicating that viability may be at risk is a persistent downward trend in population size. Consistently declining populations are an indication of concern even if current population size is large. All species can be expected to have smaller population numbers at times. In fact, variability is the rule in populations and therefore, short-term declines should be interpreted cautiously. Alternatively, what could appear to be a downward trend may be part of a cyclic population and would not be considered a consistent downward trend. An example may be snowshoe hares, which have population highs and lows over about a 10 - 15 year period. For this species, the pattern of population abundance may need to be considered over 3-4 cycles, before a population trend could be established. Results of local and national monitoring programs may be used to assign values for this criterion.

Rankings for population trend in the Rocky Mountain Region:

- A = Significant downward or suspected downward population trend
- B = Stable population
- C = Upward population trend
- D = Insufficient information to draw inferences about criterion

6. Habitat trend in the Rocky Mountain Region. Another primary factor indicating that viability may be at risk is a persistent downward trend in habitat quality or quantity. Trends in quantity and/or quality of the species' habitat can often be indicative of population trends, if actual species trend data are unavailable. Base ranking on overall condition, but rationale should draw any contrasts between abundance on NFS lands vs. other ownerships. Terrestrial, aquatic, wetland, and riparian ecosystem assessments may provide insights into habitat trends.

Rankings for habitat trend in the Rocky Mountain Region:

- A = Decline in habitat quality or quantity
- B = Stable amounts of suitable or potential habitat, relatively unchanged habitat quality
- C = Improving habitat quality or increasing amounts of suitable or potential habitat
- D = Insufficient information to draw inferences about criterion

7. Vulnerability of habitats in the Rocky Mountain Region. Anthropogenic modifications of habitat in the Rocky Mountain Region include urban and rural

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**2672.11 – Exhibit 02—Continued

development, vegetation management, mining, water diversions, and road construction. Ecosystem assessments may be useful in providing insights into natural patterns and

dynamics of ecosystems, the processes that influence current habitat conditions, and the degree to which management actions mimic natural disturbances and fall within the historical range of variation. This criterion will evaluate recent and potential effects of habitat modification on wildlife and plant species. Base ranking on overall extent of habitat modifications and resiliency to modification.

Rankings for vulnerability of habitats in the Rocky Mountain Region:

- A = Substantial modification of habitat has occurred or is anticipated with conditions departing from HRV, and/or habitat is impacted by modern stressors such as herbicides, nonnative invasive species, water diversions and dams, and so forth
- B = Habitat modification is likely to fall within the range of historical conditions, but is being impacted by modern stressors
- C = Habitat resilient, changes are within HRV, and modern stressors not significant
- D = Insufficient information to draw inferences about criterion

8. Life history and demographic characteristics of the species. Life history factors such as reproductive rate, relationship with disease organisms, interaction with mutualists or symbionts, food web dynamics, relationship with predators, or relationship with competitors, can affect population size and ability to rebound from stochastic or anthropogenic population reductions. For vertebrates, examples of characteristics that viability risk include: number of reproductive cycles/year, average number of young produced/breeding cycle, minimum age of first reproduction, age specific survival rates, and social organization. Life history characteristics that affect viability in plants include lifespan and variation in life span of individuals (for example annual vs. perennial), seed dispersal strategy, variation in germination rates, relationship with pollination agents, and susceptibility to herbivory. Annual variation in vital rates can also be important.

Species with strong mutualistic relationships, with low reproductive rates and which are highly susceptible to negative effects of disease, predation or competition may have less ability to recover from population declines. Those species will be assigned a high level of concern. Species with higher reproductive rates have a greater ability to recover from losses caused by predation, disease, or competition. Viability risk is also higher for populations depressed by introduced diseases or competitors, or that are susceptible to genetic introgression or inbreeding.


**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**2672.11 – Exhibit 02—Continued**Rankings for life history and demographic characteristics:**

- A = Low reproductive rate **and** high mortality (for example, susceptible to disease, predation, or competition); OR life history characteristics suggest populations may not recover rapidly from disturbance events or other demographic risk factors are of concern
- B = Low reproductive rate **or** high mortality (for example, susceptible to disease, predation, or competition), but not both; OR life history characteristics suggest populations have an intermediate ability to recover from disturbance events and no other demographic risk factors are known
- C = High reproductive rate **and** not especially susceptible to disease, predation, or competition; OR species has life history characteristics that suggest populations will have a high ability to recover from disturbance events and no other demographic risk factors are known
- D = Insufficient information to draw inferences about criterion

DURATION: This supplement is effective until superseded or removed.

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

2672.43 - Exhibit 01



**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS****2676.1 – Grizzly Bear**

In the Greater Yellowstone recovery zone, as a result of sustained and coordinated management across agencies and land ownerships, all grizzly bear recovery criteria have been met since 1998. The Final conservation Strategy for the Grizzly Bear in the Greater Yellowstone Area was signed by the Regional Foresters in 2003.

2676.11 – Authority

4. Conservation Strategy for Grizzly Bear in the Greater Yellowstone Area. The Conservation Strategy identifies a Primary Conservation Area (PCA) where occupancy by grizzly bears is anticipated and acceptable, and provides guidance for coordinated management and monitoring within and outside the PCA upon de-listing of the grizzly bear. The Memorandum of Understanding Detailing Agency Agreement to Implement the Conservation Strategy, included as pages 12-13 of the Conservation Strategy, was signed by the affected Regional Foresters in 2003. The Conservation Strategy is available at: www.fws.gov/mountain-prairie/species/mammals/grizzly/yellowstoneindex.html.

2676.12 – Objectives

1. To maintain or enhance grizzly bear habitat conditions on National Forest System lands as compared to the 1998 baseline, in accordance with the goals established in the Conservation Strategy and the goals, standards and guidelines in National Forest Resource Management Plans.

2676.14 – Responsibility**2676.14a – Regional Forester**

11. Ensure that the grizzly bear is added to the Regional Forester's list of sensitive species immediately upon de-listing under the Endangered Species Act.

2676.14b – Forest Supervisor

1. As assigned, the Forest Supervisor of the Shoshone NF shall serve as a member of the IGBC ecosystem management subcommittee. Upon de-listing, the Forest Supervisor shall serve as a member of the Yellowstone Grizzly Coordinating Committee, which has the responsibility for implementing the Conservation Strategy.

2. Work cooperatively with State wildlife agencies to meet population and habitat goals established in the Conservation Strategy.

3. Ensure interagency coordination at appropriate levels and maintain contact with interested publics.

**FSM 2600 – WILDLIFE, FISH, AND SENSITIVE PLANT HABITAT MANAGEMENT
CHAPTER 2670 – THREATENED, ENDANGERED AND SENSITIVE PLANTS AND ANIMALS**

4. Work together with State agencies to explore options to address impacts from private land development on conservation of the grizzly bear on National Forest System lands, while recognizing that State and Federal agencies do not have authority over private lands.

2676.15 – Planning**2676.15a – Habitat Analysis**

1. Complete a biological evaluation for all projects potentially affecting the grizzly bear, inside and outside the PCA, to determine if habitat standards in the Conservation Strategy will be met. Modify projects as necessary to meet the habitat standards in the Conservation Strategy.

2. Evaluate grizzly bear habitat connectivity within and between ecosystems through the NEPA process for new road construction or reconstruction.

2676.15f – Monitoring

5. Cooperate in interagency monitoring and evaluation of the effectiveness of the Conservation Strategy.

2676.16 – Management and Other Resources

Where habitat use by grizzly bears is likely, all contracts, special use permits, easements, annual operating plans and allotment management plans, and other authorizations shall include, as terms and conditions, feasible and effective measures to meet goals and objectives for grizzly bear conservation, including specifications for food storage and garbage disposal to comply with food storage orders. Full cooperation by permittees is a condition for receiving and holding permits.

2676.16d – Livestock Grazing

2. Where habitat use by grizzly bears is likely, allotment management plans or annual operating instructions must specify feasible measures for the timely removal, destruction, or treatment of livestock carcasses to provide for public safety or to prevent positive conditioning of grizzly bears to livestock carrion as food.