

1 inch = 330 feet

Sheet 1  
City of Detroit Root Rot Timber Sale  
Vicinity Map 1 of 1  
Detroit Ranger District / Santiam River Zone  
Willamette National Forest



RM 08/17/2015

T. 10 S.  
R. 5 E.

2

**Detroit Lake**

**Short Avenue**

① 1 Acre

ITM  
GB

GP  
SH

PI

**Santiam Street**

PI

PI





1 inch = 83 feet

Sheet 2  
 City of Detroit Root Rot Timber Sale  
 Sale Area and Slash Disposal Map 1 of 2  
 Detroit Ranger District / Santiam River Zone  
 Willamette National Forest



RM 08/17/2015




Sheet 3  
 City of Detroit Root Rot Timber Sale  
 Sale Area and Slash Disposal Map 2 of 2  
 Detroit Ranger District / Santiam River Zone  
 Willamette National Forest



# Legend




Sale Area Boundary, B1.1



Subdivision Boundary, B1.1



Subdivision, B1.1



Non Forest Service Land



Existing Transportation System Road and Number, B5.12, C5.12#



Stream, B6.5, C6.41#



Skid Road, B6.422, C6.42#



Protection of Improvements and Protection of Improvements Not Owned by Forest Service, B6.22, B6.221



Protect Known Survey Monuments, B6.23



Wetlands Protection, B6.62



Landing, B6.422, B6.64

SH

Stump Heights, A6, B6.412, C6.41#

GB

Ground Based Yarding Specified C6.42#

GP

Grapple Pile, C6.74#

ITM

Individual Tree Marking, B2.35, C2.35# (Option 1)

Purchaser shall grapple pile as prescribed, B6.7, C6.74#, C6.42#

Directional felling is required in subdivision, B6.22, C6.41#

All roads are designated keep open and protect improvements, B6.22

All temporary, forwarder, and skid roads will be agreed to prior to use by the Forest Service, B5.1, B6.422, C5.1#,C6.42#

Secondary skidtrails used by the purchaser in all subdivisions shall be scarified to a minimum depth of 3-6 inches, B6.6, C6.6#

Purchaser shall treat landings and temporary roads in accordance with erosion control and soil treatment by purchaser, B6.6, B6.67, C6.6# and temp road and landing construction, B5.1, C5.1# (Option 1)

Maximum stump height as stated in A6 is 4 inches or less, measured on the high side of the stump, B6.412, C6.41