

Consultation and Coordination

The Forest Service consulted the following individuals, Federal, State, and local agencies, tribes and non-Forest Service persons during the development of this environmental assessment:

ID TEAM MEMBERS:

Jennifer Lippert, Forest Botanist and Team Leader
Frederick Wahl, Forest Biologist
Wade Sims, Fisheries Biologist
Al Johnson, Hydrologist
Neal Forrester, Forest Planner
Catherine Lindberg, Forest Archaeologist
Doug Shank, Geologist
Sonja Weber, Biological Technician and GIS Support

FEDERAL, STATE, AND LOCAL AGENCIES:

Salem District BLM
Eugene District BLM
Deschutes NF
Umpqua NF
Mt. Hood NF
USFS Regional Office
Bonneville Power Administration
Oregon Department of Agriculture, Weed Control Program
Oregon Department of Transportation
Portland Gas and Electric
Eugene Water and Electric
East Lane Soil and Water Conservation District
City of Salem Public Works
Lane County Public Works
Linn County Public Works
Marion County Public Works
Clackamas County Dept. Transportation
Northwest Weed Management Partnership (100 member organization)
Upper Willamette Cooperative Weed Management Area

TRIBES:

Confederated Tribes of the Grand Ronde
Klamath Tribes
Confederated Tribes of the Warm Springs
Siletz Tribes

OTHERS:

Native Plant Society of Oregon
Oregon Natural Resources Council
Northwest Coalition for Alternatives to Pesticides
Giustina Land and Timber Company
Cascade Timber Consulting
Weyerhaeuser Corporation
JH Baxter and Company
Seneca Lumber
Oregonians for Food and Shelter

BIBLIOGRAPHY

Adams, M. J.; Bury, R. B. 2002. The endemic headwater stream amphibians of the American Northwest: associations with environmental gradients in a large forested preserve. *Global ecology and biogeography*. 11:169.

Adamus, P. R. 2003. Distribution of western pond turtle populations in the Willamette River Basin, Oregon: field survey and literature review. Report to Interagency Western Pond Turtle Working Group. McKenzie Bridge, OR, USDA Forest Service.

Altman, B. 2005. Conservation strategies for landbirds of the Pacific coast of Oregon and Washington. General Technical Report. Arcata, CA: USDA Forest Service, Pacific Southwest Exp. Station: GTR-191; 143-148.

Anthony, R. G.; Isaacs, F. B. 1989. Characteristics of bald eagle nest sites in Oregon. *Journal of Wildlife Management*. 53(1): 148-159.

Asher, J and S. Dewey. 2005. Estimated annual rates of Weed Spread on Western Federal Wildlands.

Aubry, K. B.; Raley C. B. 2006. Ecological characteristics of fishers (*Martes pennant*) in the southern Oregon Cascade range. Olympia, WA. [Online] Available: <http://www.fs.fed.us/pnw/olympia/wet/team-research>.

Bakke, D. 2003a. Analysis of issues surrounding the use of spray adjuvants with herbicides. Albany, CA: Pacific Southwest Research Station, USDA Forest Service.

Bakke, D. 2003b. Human and Ecological Risk Assessment of Nonylphenol Polyethoxylate-based (NPE) Surfactants in Forest Service Herbicide Applications. Vallejo, CA: Pacific Southwest Region, USDA Forest Service.

Bakke, D. 2007. Analysis of Issues Surrounding the Use of Spray Adjuvants with Herbicides. Pacific Southwest Region, USDA Forest Service.

Berrill, M.; Bertram, S.; McGillivray, L.; Kolohon, M.; Pauli, B. 1994. Effects of low concentrations of forest-use pesticides on frog embryos and tadpoles. *Environmental Toxicology and Chemistry*. 13(4): 657-664.

Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby, and T.D. Hofstra. 1987. Stream temperature and aquatic habitat. In: E.O. Salo and T.W. Cundy (eds.). Streamside Management: Forestry and Fishery Interactions. University of Washington, Institute of Forest Resources. p. 191-232.

Bjornn, T.C., and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. *American Fisheries Society Special Publication* **19**: 83-138.

Boateng, J. O., S. Haeussler and L. Bedford. 2000. Boreal plant community diversity 1- years after glyphosate treatment. *Western Journal of Applied Forestry* 15(1): 15-26.

Boone, M. D., Semlitsch, R. D., 2001. Interactions of an insecticide with competition and pond drying in amphibian communities. *Ecological Applications*: Vol. 12, No. 1, pp. 307–316.

Bridges, Christine M. & Semlitsch, Raymond D.; 2000. Variation in Pesticide Tolerance of Tadpoles among and within Species of Ranidae and Patterns of Amphibian Decline. *Conservation Biology* 14 (5): 1490-1499.

Bulkin, S. 2007. personal communication.

Chakravarty, P and L, Chatarpaul. 1990. Non-target effects of herbicides: 1. Effect of glyphosate and hexazinone on soil microbial activity. Microbial population, and in-vitro growth of ectomycorrhizal fungi. *Pesticide Science* 28:233-241.

Chakravarty, P and S.S. Sidhu. 1987. Effects of glyphosate, hexazinone and Triclopyr on in-vitro growth of five species of ectomycorrhizal fungi. *European Journal of Forest Pathology* 17: 4-5: 204-210.

Cox, C. Glyphosate, Part 2: Human Exposure and Ecological Effects. *Journal of Pesticide Reform* 15:3.

Cox, G.W. 1999. *Alien Invasion in North America and Hawaii: Impacts on Natural Ecosystems*. Island Press.

Crawley, M.J. 2005. What makes a community invisable? In Colonization, succession and stability: the 26th symposium. Blackwell Scientific, Oxford, United Kingdom.

D'Antonio, C.M. and P.M. Vitousek. 1992. Biological Invasions by exotic grasses, the grass/fire cycle and global change. *Annual Review of Ecology and Systematics*. 23:63-87.

Dexter, A. D. Fuller and H. Marren. 2001. *Brachypodium sylvaticum* on the McDonald –Dunn Forest: Issues, Concerns, Opportunities.

Donaldson, S.G. 1997. Flood-borne noxious weeds: impacts on riparian areas and wetlands. California Exotic Pest Plant Council. 1997 Symposium Proceedings.

Drost, CA; Fellers, GM.; 1996. Collapse of a regional frog fauna in the Yosemite area of the California Sierra Nevada, USA *Conservation Biology* [CONSERV. BIOL.]. 10: 2, pp. 414-425.

Ehrlich, P. 1988. *The Birder's Handbook: a Field guide to the Natural History of North American Birds*. New York: Simon & Schuster.

Estok, D. Freedman, B and D. Boyle, 1989. Effects of the herbicides 2,4-D, Glyphosate, hexazinone and Triclopyr in the growth of three species of ectomycorrhizal fungi. *Bulletin of Environmental Contamination Toxicology* 42 (6): 835-839.

Fiedler, C. 2005. Personal observation.

Garbaye, J. and G.D. Bowen. 1989. Stimulation of ectomycorrhizal infection of *Pinus radiata* by some microorganisms associated with the mantle of ectomycorrhizas. *New Phytologist*

1989(112): 383-8.

Gilligan, J, Smith, M., Rogers, D., Contreras, A., 1994. Birds of Oregon: Status and Distribution. Cinclus Publications, McMinnville, OR. 330 pp.

Hallbom, L. and B. Bergman. 1979. Influence of certain herbicides and a forest fertilizer on the nitrogen fixation by the lichen *Peltigera praetexta*. *Oecologia* 40: 19-27.

Hayes, T., Haston, k., Tsui, M., Hoang, A., Haeffele, C., Vonk, H., 2003. Atrazine-Induced Hermaphroditism at 0.1 Ppb in American Leopard Frogs (*Rana Pipiens*): Laboratory and Field Evidence. *Environmental Health Perspectives*, Vol. 111, 2003.

Hobbie, S.E. 1992. Effects of plant species on nutrient cycling. *Tree* **7(10)**: 336-9.

Jobson, H.E. 1996. Prediction of Traveltime and Longitudinal Dispersion in Rivers and Streams. USGS Water-Resources Investigations Report 96-4013

Jobson, H.E. 1996. Prediction of Traveltime and Longitudinal Dispersion in Rivers and Streams. USGS Water-Resources Investigations Report 96-4013.

Jones, D., N. Singhasemanon, D. Tran, J. Hsu, J. Hernandez, and H. Feng. 2000a. Surface Water Monitoring for Pesticides in the Hupa and Karuk Territories. State of California, Department of Pesticide Regulation, Sacramento, CA. 14 pp. plus appendices. [Webpage] Located at: <http://www.cdpr.ca.gov/docs/empm/pubs/tribal/reports.htm>. Accessed on: April 2006.

Kawate, M., S.C. Kawate, A. G. Ogg, Jr. and JM Kraft. Response of *Fusarium solani* f. sp. *lisi* and *Pythium ultimum* to Glyphosate. 1992. *Weed Science*. 40:497-502.

Lips, K. R. 1998. Decline of a tropical montane amphibian fauna. *Conservation Biology*. 12:106. pp. 106-117.

Knapp, Roland A. & Matthews, Kathleen R.; 2000. Non-Native Fish Introductions and the Decline of the Mountain Yellow-Legged Frog from within Protected Areas. *Conservation Biology* 14 (2): 428-438.

Marshall, D. B.; Hunter, M. G.; Contreras, A. L., eds. 2003. Birds of Oregon: a general reference. Corvallis, OR.: Oregon State University Press.

Marrs, R.H., C.T. Williams, A.J. Frost, and R.A. Plant. 1989. Assessment of the Effects of Herbicide Spray Drift on a Range of Plant Species of Conservation Interest. *Environmental Pollution* 59:71-86.

Maser, Chris; Mate, Bruce R.; Franklin, Jerry F.; Dyrness, C. T. 1981. Natural history of Oregon coast mammals. Gen. Tech. Rep. PNW-133. Portland, OR.: USDA Forest Service, Pacific Northwest Range and Experiment Station. 496 p.

Muths, E., Corn, P. S., Pessier, P. A., Green, D. E., 2003. Evidence for disease-related amphibian decline in Colorado. *Biological Conservation* 110 (2003) 357–365.

Mazzu, L.C. 2005. Common Control Measures for Pacific Northwest Invasive Plants.
Miller, T. 2004. Evaluation of Knotweed Control Projects in southwestern Washington. Washington State University Northwestern Washington Research and Extension Center.

Morre, Susan, 2003. Assess ing the Impact of *Brachypodium sylvaticum* (False-brome) on plant community structure. McDonald Dunn Forest, Oregon State University Research Forest.

NatureServe. (2005). *NatureServe Explorer: An online encyclopedia of life*. (Version 4.6). Available: <http://www.natureserve.org/explorer/>

NatureServe. (2006). *NatureServe Explorer: An online encyclopedia of life* (Version 4.7) Available <http://www.natureserve.org/explorer/>

Newmaster, S.G., FW Bell and DH Vitt. 1999. The effects of glyphosate and Triclopyr on common bryophytes in northwestern Ontario. *Canadian Journal of Forest Research* 29:1101-1111.

Northwest Coalition for Alternatives to Pesticides. 2000. Triclopyr. *Journal of Pesticide Reform* 20:4.

O'Neil, Thomas A., David H. Johnson, Charley Barrett, Maria Trevithick, Kelly A. Bettinger, Chris Kiilsgaard, Madeleine Vander Heyden, Eva L. Greda, Derek Stinson, Bruce G. Marcot, Patrick J. Doran, Susan Tank, and Laurie Wunder.; 2001. *Matrixes for Wildlife-Habitat Relationship in Oregon and Washington*. Northwest Habitat Institute. 2001. in D. H. Johnson and T.A. O'Neil (Manag. Dirs.) *Wildlife-Habitat Relationships in Oregon and Washington*. Oregon State University Press, Corvallis, OR, USA. p. 736.

Oregon Department of Fish and Wildlife. 2003. Oregon's Elk Managment Plan. Portland, OR. <http://www.dfw.state.or.us/ODFWhtml/InfoCntrWild/PDFs/Elk%20Planfinal.PDF>

Oregon Department of Fish and Wildlife. 2006. Conservation Strategy for Oregon. Portland, OR. [Online]. Available: <http://www.dfw.state.or.us/conservationstrategy/contents.asp>

Oregon State University College of Forestry. 2005. McDonald-Dunn Forest Plan. <http://www.cof.orst.edu/cf/forests/mcdonald/plan/>

Ormsbee, P. 2006. Personal Communication. Forest wildlife ecologist, Regional bat specialist, Willamette National Forest, Sept. 25, 2006.

Pechmann, J.H.K., D.E. Scott, R.D. Semlitsch, J.P. Caldwell, L.J. Vitt, and J.W. Gibbons. 1991. Declining amphibian populations: the problem of separating human impacts from natural fluctuations. *Science* 253:892-895.

Perkins, P.J.; Boermans, H. J.; Stephenson, G. R. 2000. Toxicity of glyphosate and triclopyr using the frog embryo teratogenesis assay – *Xenopus*. *Environmental Toxicology and Chemistry*. 19(4): 940-945.

Raloff, J. (1998). Botanical 'velcro' entraps hummingbirds- burrs cause bird fatalities. [Online]. Available: http://www.findarticles.com/p/articles/mi_m1200/is_n16_v154/ai_21250276/.

Reed, M. J., Blaustein, A. R.; 1995 Assessment of "Nondeclining" Amphibian Populations Using Power Analysis. *Conservation Biology*. Vol. 9, No. 5: 1299-

1300.

Relyea, R. A., 2005. The Lethal Impacts of Roundup and Predatory Stress on Six Species of North American Tadpoles Archives of Environmental Contamination and Toxicology. 48 (3): 351-357.

Relyea, R. A., Mills, N., 2001. Predator-induced stress makes the pesticide carbaryl more deadly to gray treefrog tadpoles (*Hyla versicolor*). Ecology. Vol. 98, no. 5: 2491-2496

Rice, P. M.; Toney, C.; Bedunah, D. J.; Carlson, C. E. 1997. Plant community diversity and growth form responses to herbicide applications for control of *Centaurea maculosa*. Journal of Applied Ecology. 34: 1397-1412.

Roslycky, E.B. 1986. Microbial response to sethoxydim and its degradation in the soil. Canadian Journal of Soil Science. 66: 411-419.

SERA (Syracuse Environmental Research Associates, Inc.). 2001b. Sethoxydim [Poast] – Human Health and Ecological Risk Assessment Final Report. SERA TR 01-43-01- 01c. October 31, 2001.

SERA (Syracuse Environmental Research Associates Inc.). 2003a. Glyphosate- Human Health and Ecological Risk Assessment Final Report.SERA TR 02-43-09-04a. March 2003.

SERA (Syracuse Environmental Research Associates, Inc.). 1997. Effects of Surfactants on the Toxicity of Glyphosate, with Specific Reference to RODEO. SERA TR 97-206-1b February 6, 1997.

SERA (Syracuse Environmental Research Associates, Inc.). 2003b Triclopyr - Revised Human Health and Ecological Risk Assessments Final Report. SERA TR 02-43-13-03b. March 15, 2003.

SERA (Syracuse Environmental Research Associates, Inc.).2004a. Clopyralid (Transline)- Final Report. SERA TR 04-43-17-03c. December 2004.

SERA (Syracuse Environmental Research Associates, Inc.). 2004b. Imazapyr – Human Health and Ecological Risk Assessment Preliminary Draft - Program Description. SERA TR 04-43-17-05b. December 2004..

Sieger, L. A. and H.C. Merchant. 1997. Mechanical control of Japanese knotweed (*Fallopia japonica* [Houtt.] Ronse Decraene): Effects of cutting regime on rhizome reserves. Natural Areas Journal 17:341-345.

Sheley, R.L. and J.K. Petroff, eds. 1999. Biology and management of noxious rangeland weeds. Corvallis OR: Oregon State University Press. 438 pp.

Soll, J., K. Krauss and D. Kreuzer, 2003. The Nature Conservancy and Metro Parks and Greenspaces Stem Injection of Japanese and Giant Knotweed. Final Report.

Starnes, Susan M., Kennedy, Caroline A. & Petranka, James W. 2000. Sensitivity of Embryos of Southern Appalachian Amphibians to Ambient Solar UV-B Radiation. Conservation

Biology 14 (1): 277-282.

Sylvia, D.M. and A.G. Jarstfer. 1997. Distribution of mycorrhiza on competing pines and weeds in a southern pine plantation. *Soil Science Society of America Journal* **1997(61)**: 139-44.

Talmage, E. and E. Kiviat. 2004. Japanese Knotweed and Water Quality on the Batavia Kill in Green County, New York: Background Information and Literature Review. Report to Green County Soil and Water Conservation District and New York City Department of Environmental Protection, 27 pp.

Taylor, S. K., Williams, E. S., Mills, K. W. 1991. Effects of malathion on disease susceptibility in Woodhouse's toads. *Journal of Wildlife Diseases*, 35(3): 536-541.

Thomas, J. W.; Maser, C.; Rodiek, J. E. 1979. Wildlife habitats in managed rangelands - the Great Basin of southeastern Oregon: riparian zones. Portland, OR.: USDA Forest Service. Gen. Tech. Rep. PNW-80. 18 p.

Tu, M. and J. Soll. 2004. Sandy River, Northern Oregon knotweed eradication at a watershed scale in the Pacific Northwest. The Nature Conservancy

Trappe, J.M, R. Molina and M. Castellano. 1984. Reactions of mycorrhizal fungi and mycorrhiza formation to pesticides. *Annual Review of Phytopathology* 22:331-359.

U.S. Department of Agriculture. Forest Service. 1990. Land and Resource Management Plan: Willamette National Forest. Oregon. As amended.

U.S. Department of Agriculture, Forest Service. 1999. Stemming the invasive tide: Forest Service strategy for noxious and nonnative invasive plant management.

U.S. Department of Agriculture. Forest Service. 2005a. Pacific Northwest Region Invasive Plant Program: Preventing and Managing Invasive Plants. Final Environmental Impact Statement. Oregon. Volumes I, II, and III. (R6-NR-FHP-PR-02-05).

U.S. Department of Agriculture. Forest Service. 2005b. Pacific Northwest Region Invasive Plant Program: Preventing and Managing Invasive Plants. Record of Decision. Oregon. (R6-NR-FHP-PR-02-05).

U.S. Department of Agriculture, Forest Service. 2005c. Biological Assessment for the USDA Forest Service Pacific Northwest Region Invasive Plant Program. Portland, Oregon.

USDA Forest Service and USDI Bureau of Land Management. 1994. Record of Decision and Final Environmental Impact Statement for Amendments to Forest Service and Bureau of Land Management Planning Documents within the Range of the Northern Spotted Owl and Standards and Guidelines for Management of Habitat for Late-Successional and Old-Growth Forest Related Species Within the Range of the Northern Spotted Owl. Washington, D.C.: U.S. Government Printing Office. (*Please note these documents are also referred to as the Northwest Forest Plan*)

U.S. Department of Agriculture, Forest Service and U.S. Department of Interior, Bureau of Land

Management. 2001. Record of Decision and Standards and Guidelines for Amendments to the Survey and Manage, Protection Buffer, and other Mitigation Measures Standards and Guidelines. Oregon, Washington and Northern California.

USDI Bureau of Land Management. Feb 8, 2006. DRAFT Conservation Assessment and Management Recommendations for Oregon slender salamander (*Batrachoseps wrightorum* (wrighti)). Cascades Resource Area, Salem District BLM. Salem, OR.

USDI Fish and Wildlife Service. 1996. Endangered and Threatened Wildlife and Plants: Review of Plant and Animal Taxa that are Candidates for Listing as Endangered or Threatened Species. Federal Register 61(40):7596-7613.

USDI Fish and Wildlife Service. 2005. Biological Opinion and Letter of Concurrence for Effects to Bald Eagles, Northern Spotted Owls and Northern Spotted Owl Critical Habitat from the US Department of the Interior; Bureau of Land Management, Eugene District and Salem District, the US Department of Agriculture; Mt Hood National Forest and Willamette National Forest and the Columbia River Gorge National Scenic Area Calendar Years 2005-200 Habitat Modification Activities within the Willamette Province. FWS Reference Number 1-7-05-F-0228. Portland, OR.

USDI Fish and Wildlife Service. 2006. Batched biological assessment for projects with the potential to modify the habitats of northern spotted owls and/or bald eagles or modify critical habitat of the northern spotted owl: Willamette Province – FY2007-2008.

Van der Putten, W.H. 1997. Plant-soil feedback as a selective force. *Tree* **12(5)**:169-70.
Verts, B.J. and Leslie N. Carraway. 1998. Land mammals of Oregon. University of California Press, Berkeley and Los Angeles, California.

Vitousek, P.M. 1986. Biological invasions and ecosystem properties: Can species make a difference?. In *Ecology of Biological Invasions in North America and Hawaii*. H.A. Mooney and J.A. Drake editors. Pp. 163-176. Springer Verlag, New York.

Waters, T.F. 1995. Sediment in streams: sources, biological effects, and control. *American Fisheries Society Monograph* **7**.

Weller, T.J. and C.J. Zabel. 2001. Characteristics of fringed myotis day roosts in northern California. *Journal of Wildlife Management* **65(3)**:489-497.

Weston, L.A., J.N. Barney and DiTommaso. 2005. A review of the biology and ecology of three invasive perennials in New York State: Japanese knotweed (*Polygonum cuspidatum*), mugwort (*Artemisia vulgaris*) and pale swallow-wort (*Vincetoxicum rossicum*). *Plant and Soil* **277**:53-69.

Wilde, S. B., T. M. Murphy, Charlotte P. Hope, Sarah K. Habrun, Jason Kempton, Anna Birrenkott, Faith Wiley, William W. Bowerman, Alan J. Lewitus. 2004. Avian vacuolar myelinopathy linked to exotic aquatic plants and a novel cyanobacterial species. *Environmental Toxicology*. **20**:3 pp. 348-353.

Wojtaszek, B. F., Buscarini, T. M. Chartrand, D. T., Stephenson, D. T., Thompson, D. G., 2005.

Effect of release herbicide on mortality, avoidance response, and growth of amphibian larvae in two forest wetlands. *Environ Toxicol Chem.* 2005 Oct. 24 (10):2533-44.

Zavaleta, E. 2000. Valuing ecosystems services lost to *Tamarix* invasion in the United States. In: H.A. Mooney, R.J. Hobbs, eds. *Invasive species in a changing world*. Washington, D.C.: Island Press: 261-300.