

ATTACHMENT SS2

REGION 2 SENSITIVE SPECIES EVALUATION FORM

Species: <i>Hyla versicolor</i> (Eastern Gray Treefrog) 4N (NA = not applicable)			
Criteria	Rank	Rationale	Literature Citations
1 Distribution within R2	NA	Does not occur on USFS lands within R2 Confidence in Rank High	<ul style="list-style-type: none"> • Conant & Collins (1998)
2 Distribution outside R2	C	This is a species that generally inhabits the eastern forests of North America. Occasionally, it may be introduced outside its native range through fish-stocking efforts. Confidence in Rank High	<ul style="list-style-type: none"> • Conant & Collins (1998) • Collins, J. T. (pers comm)
3 Dispersal Capability	NA	Confidence in Rank High or Medium or Low	<ul style="list-style-type: none"> •
4 Abundance in R2	NA	Confidence in Rank High or Medium or Low	<ul style="list-style-type: none"> •
5 Population Trend in R2	NA	Confidence in Rank High or Medium or Low	<ul style="list-style-type: none"> •
6 Habitat Trend in R2	NA	Confidence in Rank High or Medium or Low	<ul style="list-style-type: none"> •
7 Habitat Vulnerability or Modification	NA	Confidence in Rank High or Medium or Low	<ul style="list-style-type: none"> •

ATTACHMENT SS2

Species: <i>Hyla versicolor</i> (Eastern Gray Treefrog) 4N (NA = not applicable)			
Criteria	Rank	Rationale	Literature Citations
8 Life History and Demo- graphics	NA	Confidence in Rank High or Medium or Low	•
Evaluator(s): Joseph T. Collins, The Center for North American Herpetology			Date: 29 June 2001

National Forests in the Rocky Mountain Region where species is KNOWN (K) or LIKELY (L)¹ to occur:

<u>Colorado NF/NG</u>	<u>Kansas NF/NG</u>		<u>Nebraska NF/NG</u>		<u>South Dakota NF/NG</u>		<u>Wyoming NF/NG</u>							
	Known	Likely	Known	Likely	Known	Likely	Known	Likely						
Arapaho-Roosevelt NF			Cimmaron NG			Samuel R. McKelvie NF			Black Hills NF			Shoshone NF		
White River NF						Halsey NF			Buffalo Gap NG			Bighorn NF		
Routt NF						Nebraska NF			Ft. Pierre NG			Black Hills NF		
Grand Mesa, Uncompahgre, Gunnison NF						Ogalala NG						Medicine Bow NF		
San Juan NF												Thunder Basin NG		
Rio Grande NF														
Pike-San Isabel NF														
Comanche NG														

Conant, Roger and Joseph T. Collins. 1998. Peterson Field Guide to Reptiles and Amphibians of Eastern and Central North America. Third Edition Expanded. Houghton Mifflin Company, Boston. xviii + 616 pp.

¹ Likely is defined as more likely to occur than not occur on the National Forest or Grassland. This generally can be thought of as having a 50% chance or greater of appearing on NFS lands.

ATTACHMENT SS2