

## R2 Individual Species Recommendations

<b>TAXON</b>	<b>Scientific Name</b>		<b>Common Name</b>		
PD	Salix serissima		Autumn willow		
<b>FWS</b>	<b>FS</b>	<b>BLM</b>			
	<b>R2</b>				
<b>Grank</b>	<b>CO S Rank</b>	<b>WY S Rank</b>	<b>SD S Rank</b>	<b>NE S Rank</b>	<b>KS S Rank</b>
<b>G4 N?</b>	<b>S1</b>	<b>S1</b>	<b>S1</b>		
	<b>CO Status</b>	<b>WY Status</b>	<b>SD Status</b>	<b>NE Status</b>	<b>KS Status</b>
<b>IUCN</b>	<b>PIF – Area Importance</b>	<b>PIF – Population Trend</b>			
<b>FS Experts assigned Species Evaluation</b>			<b>Non-NFS Experts assigned Species Evaluations</b>		
Reed Crook and Darcie Bacon			Joy Handley, Bonnie Heidel, Scott Laursen		
<b>Sensitive Species Recommendation</b> <span style="float: right;">(Please check 1 box below)</span>					
<input checked="" type="checkbox"/>	R2 Sensitive Species (SS)	Not R2 SS, but should be considered for other Emphasis Species Lists			
<input type="checkbox"/>	Not R2 SS and Not of Concern Now	Insufficient Information Available to make a recommendation			
<b>Recommendation Rationale</b>					
<p>Widely scattered but uncommon in northern states, and more common in Canada. It is disjunct in SD, WY and CO. In WY, only a single location is known, from the Medicine Bow NF; there are 2 locations in SD and 4 in CO. It is found in montane swamps, bogs, and calcareous fens. Population trend is unknown. Habitat appears to have been lost by ditching, extirpation of beaver in the Black Hills, fire suppression resulting in decreased groundwater flow, and road paving. This species merits sensitive status.</p>					
<b>Name/Title</b>	Nancy Warren			<b>Date</b>	March 17, 2003