

## R2 Individual Species Recommendations

<b>TAXON</b>	<b>Scientific Name</b>		<b>Common Name</b>		
PD	Arabis williamsii var saximontana		Williams rockcress		
<b>FWS</b>	<b>FS</b>	<b>BLM</b>			
<b>Grank</b>	<b>CO S Rank</b>	<b>WY S Rank</b>	<b>SD S Rank</b>	<b>NE S Rank</b>	<b>KS S Rank</b>
G3QT2 T3Q		S2			
	<b>CO Status</b>	<b>WY Status</b>	<b>SD Status</b>	<b>NE Status</b>	<b>KS Status</b>
<b>IUCN</b>	<b>PIF – Area Importance</b>	<b>PIF – Population Trend</b>			
V					
<b>FS Experts assigned Species Evaluation</b>			<b>Non-NFS Experts assigned Species Evaluations</b>		
			Bonnie Heidel, WYNDD		
<b>Sensitive Species Recommendation</b> (Please check 1 box below)					
	<b>R2 Sensitive Species (SS)</b>	<b>Not R2 SS, but should be considered for other Emphasis Species Lists</b>			
<input checked="" type="checkbox"/>	<b>Not R2 SS and Not of Concern Now</b>	<b>Insufficient Information Available to make a recommendation</b>			
<b>Recommendation Rationale</b>					
<p>Stable habitat and population trends. Occurs as a regional endemic in seven counties of northwest and west central Wyoming, half of 18 collection records from the Shoshone National Forest. Also occurs in Idaho and Montana. Ranked S2 in Wyoming and is not tracked based of the number of records, distribution, and lack of threats.</p>					

<b>Name/Title</b>	Kevin Atchley, Range Management Specialist Benjamin Madsen, Botanist	<b>Date</b>	October 1, 2002
-------------------	---	-------------	-----------------