

U.S. DEPARTMENT OF AGRICULTURE FOREST SERVICE INTEGRATED RESOURCE CONTRACT (Applicable to Contracts with Measurement before Harvest)		Name of Contractor	
National Forest Allegheny	Ranger District Marienville	Region Eastern	Contract Number
Contract Name FR 150B Stewardship		Award Date	Termination Date 06/30/2013

The parties to this contract are The United States of America, acting through the Forest Service, United States Department of Agriculture, hereinafter called Forest Service, and _____ hereinafter called Contractor.

Unless provided otherwise herein, Forest Service agrees to sell and permit Contractor to cut and remove included Timber and Contractor agrees to purchase, cut, and remove included Timber and complete required stewardship projects.

IN WITNESS WHEREOF, the parties hereto have executed this contract as of the award date.

UNITED STATES OF AMERICA

Two Witnesses:^{2/}

By: _____
 Contracting Officer

 (Title)

By: _____
 (Contractor) ^{3/}

 (Title)

 (Name)

 (Address)

 (Name)

 (Address)

 (Business Address)

I, ^{4/} _____, certify that I am the _____
 Secretary of the corporation named as Contractor herein; that _____
 who signed this contract on behalf of Contractor, was then _____
 of the corporation; that the contract was duly signed for and in behalf of the corporation by authority of its governing body, and is
 within the scope of its corporate powers.

 CORPORATE
 SEAL ^{5/}

INSTRUCTIONS:

1/ If Contractor is a corporation, state a "corporation organized and existing under the laws of the State of _____" and specify the State; if Contractor is a partnership, state a "partnership consisting of _____" and specify the names of each partner; and if Contractor is a sole proprietor doing business under an assumed name, state "(n) individual doing business under the name of _____ City of _____, State of _____."

2/ The signatures and addresses of two witnesses are required if Contractor is other than a corporation.

3/ If Contractor is a co-partnership, the signatures should be: XYZ Company, by John Doe, a member of the firm. If Contractor is a corporation, form of signature should be: XYZ Company, by John Doe, President (or other officer or agent) and the seal of the corporation must be impressed or indicated.

4/ The certificate must be completed if Contractor is a corporation.

5/ For companies incorporated in States that require a corporate seal, if the corporation has no corporate seal that fact shall be stated, in which case a scroll or adhesive seal shall follow the corporate name.

EXAMPLE 1/

Subcontractor Certification
Regarding Debarment, Suspension, Ineligibility, and Voluntary Exclusion

Contract Name: _____
National Forest: _____

The prospective subcontractor (participants in lower tier covered transactions) certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this contract by any Federal department or agency.

Where the prospective subcontractor is unable to certify to any of the statements in this certification, such prospective subcontractor shall attach an explanation to this proposal.

Name of Subcontractor: _____
Business Address: _____

_____ Date _____ Signature

1/ It is Contractor's responsibility to have subcontractors complete this certification and to maintain a file of completed certifications. This certification does not need to be returned to the Forest Service, except at the written request of the Contracting Officer.

AT.0 - SPECIFIC CONDITIONS. The following conditions apply to the indicated portions of Division BT - Standard Provisions issued September 2004.

AT.1 - Location and Area, applicable to BT.1

This Contract Area of 46 acres more or less is located in:

Warrants 3092 and 3121; Wetmore Township; Mckean County; Pennsylvania

AT.2 - Volume Estimate and Utilization Standards, applicable to CT.1, CT.2, CT.4, and GT.4

Species	Product	Estimated Quantity *	Unit of Measure	Minimum Specifications				
				Merchantable Tree		Piece Required to be Removed		
				Diameter Breast High (d.b.h.) (inches)	Number of Minimum Pieces per Tree	Length (feet)	Diameter Inside Bark at Small End (inches)	Net Scale in % of Gross Scale
Black Cherry	Sawtimber	485.00	CCF	11.0	1	8	9.6	40
Hardwood - Other	Sawtimber	28.00	CCF	11.0	1	8	9.6	40
Red Maple	Sawtimber	36.00	CCF	11.0	1	8	9.6	40
Sugar Maple	Sawtimber	31.00	CCF	11.0	1	8	9.6	40
Yellow Poplar	Sawtimber	110.00	CCF	11.0	1	8	9.6	40
Hardwood - Other	Pulpwood	423.00	CCF	6.0	1	8	5.0	70
Total Quantity		1,113.00	CCF					

* Quantities not included here are described in CT.4.

AT.3- Timber Designations, applicable to CT.3; acres are approximate:

	Number	Acres
Clearcutting Units (CT.3.1)	_____	_____
Specified Road Clearing (CT.3.2)	_____	_____
Overstory Removal Units (CT.3.3)	3	46
Understory Removal Units (CT.3.4)	_____	_____
Individual Trees (CT.3.5)	_____	_____
Incompletely Measured Payment Units (CT.3.6)	_____	_____

AT.4 - Timber Payment Rates, applicable to DT.1 and ET.0

AT.4.1 - Escalated Rates, applicable for Species and Products to be Paid for at Rates Escalated under DT.2

Species	Product	Unit of Measure	Rates per Unit of Measure				Required Deposits Slash Disposal \$	Base Index
			Base \$	Advertised \$	Bid Premium \$	Bid (Tentative) \$		
Not Applicable								

AT.4.2- Flat Rates, applicable for Species and Products to be Paid for at Flat Rates

Species	Product	Unit of Measure	Rates per Unit of Measure				Required Deposits Slash Disposal \$
			Base \$	Advertised \$	Bid Premium \$	Bid (Flat) \$	
Black Cherry	Sawtimber	CCF	9.90	606.14			.00
Hardwood - Other	Sawtimber	CCF	1.32	22.27			.00
Red Maple	Sawtimber	CCF	2.19	81.54			.00
Sugar Maple	Sawtimber	CCF	2.70	116.20			.00
Yellow Poplar	Sawtimber	CCF	1.79	54.46			.00
Hardwood - Other	Pulpwood	CCF	1.00	1.00			.00

For purposes of convenience in collection and bookkeeping, Bid Rates stated in AT.4 include payment of deposits for contract area betterment required pursuant to 16 USC 576b. Such deposits are not included as Required Deposits defined hereunder.

AT.4.3 - Schedule of Payment Units

Payment Unit No.	Approx. Acres	To be Escalated under AT.4.1				Total Tentative Payment \$	To be Paid for at Flat Rates under AT.4.2				Total Flat Rate Payment \$	Total Required Deposits for Slash Disposal \$
		Species	Product	Qty	UOM		Species	Product	Qty	UOM		
01	13						Black Cherry	Sawtimber	165.00	CCF		.00
							Hardwood - Other	Sawtimber	5.00	CCF		
							Red Maple	Sawtimber	5.00	CCF		
							Sugar Maple	Sawtimber	10.00	CCF		
							Yellow Poplar	Sawtimber	76.00	CCF		
							Hardwood - Other	Pulpwood	153.00	CCF		
		Total PU Quantity And Value								414.00		
02	20						Black Cherry	Sawtimber	143.00	CCF		.00
							Hardwood - Other	Sawtimber	6.00	CCF		
							Red Maple	Sawtimber	14.00	CCF		
							Sugar Maple	Sawtimber	14.00	CCF		
							Yellow Poplar	Sawtimber	27.00	CCF		
							Hardwood - Other	Pulpwood	147.00	CCF		
		Total PU Quantity And Value								351.00		
03	13						Black Cherry	Sawtimber	177.00	CCF		.00
							Hardwood - Other	Sawtimber	17.00	CCF		
							Red Maple	Sawtimber	17.00	CCF		
							Sugar Maple	Sawtimber	7.00	CCF		
							Yellow Poplar	Sawtimber	7.00	CCF		
							Hardwood - Other	Pulpwood	123.00	CCF		
		Total PU Quantity And Value								348.00		

AT.4.4 - Stewardship Credits, applicable to ET.2.2 and KT-GT.9#

Mandatory Stewardship Projects					
Project Number	Project Description	Units of Measure	Quantity	Bid Rate \$	Total Credits
001	FR's 279, 295, and 587 Road Surfacing and Culvert Work	Miles	7.60		
002	North End Wildlife Opening Rehab	Acres	6.00		

Optional Stewardship Projects						
Priority	Project Number	Project Description	Units of Measure	Quantity	Bid Rate \$	Total Credits
		Not Applicable				

The following definitions are established for the terms used in AT.4:

Base Rates are the lowest rates of payment for timber that are authorized by this contract. Base Rates remain constant throughout the life of this contract and are not subject to change by rate redetermination, except for reduction under DT.3.1, DT.3.2, or DT.3.3.

Advertised Rates are the minimum acceptable Bid Rates for timber, exclusive of Required Deposits. These rates are those indicated by appraisal, with a cost allowance made for construction of Specified Roads listed in AT.7, but are never less than Base Rates.

Bid Premium Rates are the amounts by which Contractor's bid is in excess of Advertised Rates. The Bid Premium Rates are constant during this contract, except as provided in DT.3.1, DT.3.2, and DT.3.3.

Bid Rates are the rates bid by Contractor (exclusive of Required Deposits for slash disposal and road maintenance) and are the sum of Advertised Rates and Bid Premium Rates. Until a rate redetermination becomes effective, the Bid Rate for species and products in AT.4.1 is the Tentative Rate that is subject to quarterly adjustment under DT.2; for species and products in AT.4.2, the Bid Rate is the Flat Rate.

Required Deposits are deposits that Contractor may be required to pay for slash disposal (16 USC 490) and road maintenance (16 USC 537). Required Deposits may be adjusted as part of a rate redetermination or a Contract Term Extension. The table shows only Required Deposits for slash disposal; road maintenance deposits, if any, are given in KT-FT.3.2#.

Base Index is the specified average of the lumber or other product selling value index used as the basis for computing adjustment in rates for variance in product selling value, as provided in DT.2.

AT.5 - Indices Used in Quarterly Adjustment, applicable to DT.2

Species	Index Name and Date
Not Applicable	

AT.6 - High Stumps, applicable to GT.4.1.2

Species	Product	Maximum Stump Height (inches)
All	Sawtimber	14
All	Pulpwood	10

AT.7 - Specified Roads, applicable to FT.2

Name and Date of Governing Road Specifications:

Project		Design Class	Approx. Length (mi./km.)	Sheet Numbers and Approval Date	Performance Responsibility		
Road No.	Name				Survey	Design	Construction Staking ^{1/}
	Not Applicable						

^{1/} Indicate timing, i.e., before clearing (BC) or after clearing (AC). Applicable to FT.2.1.2

AT.8 - Forest Service Engineering Completion Schedule, applicable to FT.2.1

Road No.	Road Name	Type of Work	Completion Date
	Not Applicable		

AT.9 - Fire Precautionary Period, applicable to HT.2

March 15 to November 26, inclusive

AT.10 - Contractor Responsibility to Furnish Crews and Equipment for:

Initial Fire Suppression, applicable to HT.3

Within 5 road miles

Fire Suppression Reinforcement, applicable to HT.3.1.2 and HT.3.1.3

Within 20 road miles

AT.11 - Contractor's Obligation per Operations Fire, applicable to HT.4.1

Maximum Amount: \$ \$800

AT.12 - Termination Date, applicable to IT.2

June 30, 2013

AT.13 - Normal Operating Season, applicable to GT.3.1, GT.6.6, IT.2.1, and JT.3

First Period: May 15 to March 01, inclusive

Second Period: _____ to _____, inclusive

AT.14 - Performance Bond, applicable to JT.1

Performance Bond Amount: \$30,800.00

AT.15 - Downpayment, applicable to E.T.2.1.1

Downpayment Amount: Not Applicable

AT.16 - Periodic Payment Amount, applicable to ET.2.1.3

	<u>Periodic Payment Determination Date</u>	<u>Amount</u>
Initial Payment:	<u>N/A</u>	<u>N/A</u>
Additional Payment:	<u>N/A</u>	<u>N/A</u>

AT.17 - Market-Related Contract Term Addition Producer Price Index, applicable to IT.2.1.2

Index Name: Hardwood Lumber Index Number: 0812

AT.18 - Inapplicable Provisions

The following listed provisions are hereby made inapplicable. (Instructions: List by reference number and title.)

BET.2.1.5 DEPOSITS WHEN PAYMENT GUARANTEED
 BIT.2.1.2 MARKET-RELATED CONTRACT TERM ADDITION

AT.19 - List of Special Provisions in Part KT

The following listed special provisions are attached to and made a part of this contract. Provisions with reference numbers followed by # contain blanks into which data have been entered for this contract. (Instructions: List by reference number, title, and date.)

KT-CT.3.0.1# PROTECTED AREAS (06/2009)
 KT-CT.3.5.6# INDIVIDUAL TREES, LEAVE TREE MARKING (06/2009)
 KT-ET.2.1.5 DEPOSITS WHEN PAYMENT GUARANTEED (05/2010)
 KT-FT.1.2# USE OF ROADS BY CONTRACTOR (09/2004)
 KT-FT.3.1# ROAD MAINTENANCE REQUIREMENTS (09/2004)
 KT-FT.3.2# ROAD MAINTENANCE DEPOSIT SCHEDULE (09/2004)
 KT-FT.3.3# SNOW REMOVAL (06/2009)
 KT-GT.3.1.3# CUTTING SCHEDULE (06/2009)
 KT-GT.3.1.4# OPERATING RESTRICTIONS (06/2009)
 KT-GT.4.2# SKIDDING AND YARDING REQUIREMENTS (06/2009)
 KT-GT.6# EROSION PREVENTION VEGETATION (06/2009)
 KT-GT.7# SLASH DISPOSAL MEASURES (06/2009)
 KT-GT.9# STEWARDSHIP PROJECTS (09/2004)
 KT-HT.2 FIRE PRECAUTIONS (06/2009)
 KT-IT.2.1.2 MARKET-RELATED CONTRACT TERM ADDITION (11/2008)

Contract Name: FR 150B Stewardship

KT-CT.3.0.1# - PROTECTED AREAS (06/2009)

Notwithstanding the designations for cutting under CT.3.1, CT.3.3, CT.3.4, and CT.3.5, trees within the area to be protected in Payment Unit 1, 2, and 3 shall be left uncut. Boundary trees along the perimeter of Protected Areas have been identified by a white painted three stripe at dbh and a white painted stump mark. Boundary trees are not to be cut. Contract Area Map indicates with the symbol "PA" units within which Protected Areas are identified on the ground and are to be left uncut.

KT-CT.3.5.6# - INDIVIDUAL TREES, LEAVE TREE MARKING (06/2009)

Individual trees which are NOT TO BE CUT are Marked with indicated color above and below stump height in all or parts of the following Payment Units. Areas of Leave Tree Marking are shown on the Contract Area Map with the symbol "LTM."

Payment Unit	Paint Color
--------------	-------------

KT-CT.3.5.6# - INDIVIDUAL TREES, LEAVE TREE MARKING

Leave Tree Marking Table

Payment Units	Paint Color
1, 2, 3	Orange

Contract Name: FR 150B Stewardship

KT-ET.2.1.5 - DEPOSITS WHEN PAYMENT GUARANTEED (05/2010)

To the extent payment guarantee is provided under ET.3, requirements for advance cash deposits under ET.2.1.2 shall be waived for the value of Included Timber removed except for:

- (a) Base Rates,
- (b) associated charges, and
- (c) the value of Included Timber exceeding the sum of stewardship credits that have not been established under ET.2.2 for mandatory stewardship projects listed in AT.4.4 plus optional stewardship projects listed in AT.4.4 authorized by Contracting Officer.

Charges for (a), (b) and (c) shall be waived for not more than a monthly billing period, subject to the provisions of ET.4.

KT-FT.1.2# - USE OF ROADS BY CONTRACTOR (09/2004)

Contractor's use of existing roads identified on Contract Area Map by the following codes is prohibited or subject to restrictive limitations, unless agreed otherwise:

Code	Use Limitations
X	Hauling prohibited
R	Hauling restricted
U	Unsuitable for hauling prior to completion of agreed reconstruction
P	Use prohibited
A	Public use restriction
W	Regulation waiver

Roads coded A will be signed by the Forest Service to inform the public of use restrictions. Contractor's use of roads coded R, A, or W shall be in accordance with the following restrictions:

See Restricted Road List Table.

KT-FT.1.2# - Use of Roads by Contractor

Restricted Road List

Road Number	Road Name	Termini		Map Legend	Description of Restrictions
		From	To		
FR 150	Meade Run	0	5.6	R	Hauling Restricted

Hauling Restricted- No hauling during the established Snowmobile Season (FR 150), on the Allegheny National Forest, Saturday, Sunday, and Legal Holidays.

Snowplowing of designated snowmobile routes will be done as to leave an adequate snow mat (6") for grooming, snowmobile operation, and road surface protection. Commercial and administrative vehicle traffic will run with their headlights on during established seasons. No skidding to be permitted on snowmobile trails during the established snowmobile season. Trails used for skidding outside of the snowmobile season will be returned to their original condition.

Contract Name: FR 150B Stewardship

KT-FT.3.1# - ROAD MAINTENANCE REQUIREMENTS (09/2004)

Contractor shall maintain roads in accordance with the following Contract Road Maintenance Requirements Summary:

See Contract Road Maintenance Requirements Summary Table.

KT-FT.3.1# – ROAD MAINTENANCE REQUIREMENTS.

Contract Road Maintenance Requirements Summary

Road	Termini		Miles	Applicable Prehaul Road Maintenance Specifications													
	From	To															

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable During Haul Road Maintenance Specifications													
	From	To		8030	8110	8130	8340	8350	8420								
150	0	5.6	5.6	D	D	D	D	D	D								
150B	0	.8	.8	D	D	D	D	D	D								

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Road	Termini		Miles	Applicable Post Haul Road Maintenance Specifications													
	From	To															

P = Purchaser Performance Item, D = Deposit to Forest Service, D3 = Deposit to Third Party

Contract Name: FR 150B Stewardship

KT-FT.3.2# - ROAD MAINTENANCE DEPOSIT SCHEDULE (09/2004)

Other provisions herein notwithstanding, when Forest Service requests payment in lieu of Contractor's performance of road maintenance, Contractor shall make Required Deposits (16 USC 537) for current and/or deferred road maintenance. Such deposits are based on the estimated volume and distance hauled and Contractor's commensurate use of each road listed in the Road Maintenance Plan in KT-FT.3.1#.

Contractor and Forest Service may agree in writing on adjustment of such rates. If Contractor uses roads under jurisdiction of Forest Service other than those listed in the Road Maintenance Plan, Forest Service shall establish rates commensurate with Contractor's use of such roads.

The Required Deposits for Forest Service work in lieu of Contractor performance and for deferred maintenance is: \$10.43 per CCF.

The following table lists who Contractor will make deposits for road maintenance to, and the rate per unit of measure of the deposit. The Road Maintenance Agreement is available for inspection at the Forest Supervisor's Office.

Deposit Made To	Rate	Unit of Measure
N/A		

KT-FT.3.3# - SNOW REMOVAL (06/2009)

Snow removal shall be done in a manner that will preserve and protect roads, provide for safe and efficient transport of timber, and prevent erosion damage to streams and adjacent lands. In performing snow removal, Contractor shall adhere to the following performance standards, unless otherwise agreed:

Blade will be equipped with skid shoes to prevent loss of surfacing and damage to the road bed. On gravel and native surface roads, a minimum four (4)-inch depth compacted snow mat shall be maintained on the roadbed during blading.

Snow shall be removed from the entire road width, including turnouts.

Snow berms shall be reduced at road intersections where plowed road segments join unplowed road segments. Reduce the piled snow in the roadway to create a smooth transition from plowed road to normal snow depth.

Openings shall be created in snow berms as needed for proper drainage. Remove snow, ice, and debris from culverts and other drainage structures as needed to ensure efficient flow of water.

Tracked or clefted vehicles shall not be used for snow removal without prior written approval of Forest Service Representative.

KT-GT.3.1.3# - CUTTING SCHEDULE (06/2009)

Unless changed by written agreement, only three (3) Payment Units may be released for operations at one time, and the sequence of cutting Payment Units shall be : determined upon approval of sale operating plan

Unless there is agreement in writing to postpone specific requirements, all contractual requirements on a Payment Unit shall be accepted by Forest Service prior to the release of an additional Payment Unit.

KT-GT.3.1.4# - OPERATING RESTRICTIONS (06/2009)

Within Contract Area, unless changed by written agreement, the following operating requirements apply:

Restricted operations/activities:

Cutting, skidding, and hauling is permitted December 15 to March 1 in payment units 1, 2, and 3 (winter only).

Prohibited operations/activities:

Hauling is not permitted Saturday, Sunday, and legal holidays on FR 150 during the established Allegheny National Forest Snowmobile Season.

KT-GT.4.2# - SKIDDING AND YARDING REQUIREMENTS (06/2009)

As used in this provision, skidding equipment includes rubber-tire and track-mounted skidders, forwarders, bunchers, processors, and any other mechanized equipment that is used off of landings and roads.

Within Payment Unit(s), as shown on Contract Area Map with symbol "SYR": 1, 2, 3, and

Within portions of Payment Unit(s), as shown on Contract Area Map with symbol "SYR" and cross-hatching:

NA, skidding equipment must stay on approved skid trail locations. Trees will be directionally felled to the lead and products yarded to approved trails by cable.

KT-GT.6# - EROSION PREVENTION VEGETATION (06/2009)

Contractor shall establish acceptable erosion prevention vegetation on areas of ground disturbance in the Contract Area. This requirement only applies to the areas identified by the Forest Service which are a result of Contractor actions. Revegetation measures shall be applied in such a manner and at times as directed by the Forest Service to establish an acceptable grass or legume cover. Failure to achieve an acceptable ground cover may result in the requirement for a second application of seed, fertilizer, etc. Seed, lime, mulch, fertilizer, and other measures shall be applied in accordance with the Erosion Prevention Vegetation Plan attached to and made a part of this contract.

Required Work:

see attachment

KT-GT.6# - Erosion Prevention Vegetation

Purchaser shall drain, level, grade and water bar all disturbed areas (Landings and Skid trails) as identified by the Sale Administrator, and seed and mulch at the following quantities and rates of application:

Seeding Requirements

	Spring	Fall
Grass	*See mix below	*See mix below
Lime	Agricultural lime @ 2tons/acre or Pelletized lime @ 400 lbs/acre	Agricultural lime @ 2tons/acre or Pelletized lime @ 400 lbs/acre
Mulch	Straw only @ 60 bales/acre	Straw only @ 60 bales/acre

Spring Oats or Winter Rye	1.5 bushels/acre
Annual Rye grass	5 lbs/acre
White Dutch Clover w/inoculants	5 lbs/acre
Indiangrass – PA Ecotype	3 lbs/acre
Switchgrass ‘Shelter’	3 lbs/acre

KT-GT.7# - SLASH DISPOSAL MEASURES (06/2009)

Slash resulting from Contractor's operations shall be removed from lakes, ponds, private land, right-of-way clearings for telephone lines, power lines, pipelines and other authorized facilities, and landings to be seeded under KT-GT.6#.

The tops of trees shall not be left hanging in standing trees. All trees cut for landing and other construction clearings shall be completely severed and not left leaning. Slash resulting from construction clearing shall be treated concurrent with harvest operations.

Other specific slash disposal requirements are as follows:

NA

Slash Disposal treatment zones are shown on the Contract Area Map with symbol "SDZ."

KT-GT.9# - STEWARDSHIP PROJECTS (09/2004)

Performance of stewardship projects shall be in accordance with the following specifications.

Stewardship Projects

KT-GT.9# – STEWARDSHIP PROJECTS

Performance of stewardship projects shall be in accordance with the following specifications.

Project Number 001 – The FR 150B Stewardship Sale includes mandatory service work to be done on FR 279, FR 295, and FR 587 in Hamlin and Hamilton Townships, McKean County, Pa. Project # 001 is to be completed by 11-30-2011.

Project # 001 includes removal-replacement of existing culverts, installation of new culverts, limestone ditch lining (Alkaline Road Runoff Channel Construction), riprap placement, surfacing (pit run) and surfacing (DSA limestone) application, road reconditioning, seeding, brushing, and pit and quarry development.

See the following documents in the Road Specifications for more detail.

- TITLE SHEET
- VICINITY MAPS
- SCHEDULE OF ITEMS & GENERAL NOTES
- ROAD LOGS/WORK DESCRIPTION
- ROADBED DETAILS
- PIT DEVELOPMENT PLAN
- SPECIFICATIONS

Project Number 002 – The FR 150B Stewardship Sale includes mandatory service work to be done on 6 acres of wildlife opening, off of FR 150C, in Hamlin Township, McKean County, Pa. Project # 002 is to be completed by 09-30-2012.

Project # 002 includes plowing, disking, seeding, liming and mulching of two wildlife openings (site # 806-016 and site # 806-018)

The Contractor is responsible for furnishing all supervision, labor, equipment, transportation, tools, seed, lime, mulch, and incidentals necessary to complete the work.

See the attached documents for location and specifications.

- Vicinity Map
- Project # 002 Contract Area Map
- Division 100-General Specifications
- Division 200-Technical Specifications

KT-HT.2 - FIRE PRECAUTIONS (06/2009)

Unless otherwise agreed in writing between the Contractor and the Contracting Officer, the following are specific precautionary measures applicable during Contractor's Operations in Fire Precautionary Period as indicated in AT.9:

1. Contractor shall maintain Forest Service-approved spark arresting devices on any piece of equipment operated by an internal combustion motor. In addition, each piece of motorized equipment shall be equipped with a serviceable round-pointed shovel and an operational fire extinguisher of at least five-pound rating suitable for the equipment being used. All chainsaw operators will have a serviceable round-pointed shovel and one-pound multipurpose fire extinguisher readily available.
2. Contractor shall require that smoking and the building of lunch or warming fires by Contractor's employees, contractors, or subcontractors be confined to designated safe places where flammable debris has been cleared away and where, at the option of the Contractor, smoking or the building of lunch or warming fires may be permitted.
3. Adequate spark arresters shall be maintained on chimneys or stovepipes where wood or coal is being burned in an enclosed device.
4. Contractor shall furnish serviceable firefighting tools. Location, numbers, and types of tools shall be specified in the Fire Prevention and Control Plan in accordance with HT.1.

KT-IT.2.1.2 - MARKET-RELATED CONTRACT TERM ADDITION (11/2008)

The term of this contract may be adjusted when a drastic reduction in wood product prices has occurred in accordance with 36 CFR 223.52. The Producer Price Index used to determine when a drastic reduction in price has occurred is stated in AT.17. Contractor will be notified whenever the Chief determines that a drastic reduction in wood product prices has occurred. If the drastic reduction criteria specified in 36 CFR 223.52 are met for 2 consecutive calendar quarters, after contract award date, Contracting Officer will add 1 year to the contract term, upon Contractor's written request. For each additional consecutive quarter such a drastic reduction occurs, Contracting Officer will, upon written request, add an additional 3 months to the term during Normal Operating Season, except that no single 3-month addition shall extend the term of the contract by more than one year. Contracting Officer must receive Contractor's written request for a market-related contract term addition before the expiration of this contract.

No more than 3 years shall be added to a contract's term by market-related contract term addition unless the following conditions are met:

- (i) The contract was awarded after December 31, 2006; and
- (ii) A drastic reduction in wood product prices occurred in at least ten of twelve consecutive quarters during the contract term, but not including the quarter in which the contract was awarded.

For each qualifying quarter meeting the criteria in paragraphs (i) and (ii) of this provision, the Forest Service will, upon the Contractor's written request, add an additional 3 months during the normal operating season to the contract, except no single 3-month addition shall extend the term of a contract by more than 1 year.

In no event shall a revised contract term exceed 10 years as a result of market-related contract term addition.

Additional contract time may not be granted for those portions of the contract that have a required completion date or for those portions of the contract where Contracting Officer determines that the timber is in need of urgent removal or that timber deterioration or resource damage may result from delay.