

INSTRUCTIONS:

1/ If Contractor is a corporation, state a "corporation organized and existing under the laws of the State of _____" and specify the State; if Contractor is a partnership, state a "partnership consisting of _____" and specify the names of each partner; and if Contractor is a sole proprietor doing business under an assumed name, state "(n) individual doing business under the name of _____ City of _____, State of _____."

2/ The signatures and addresses of two witnesses are required if Contractor is other than a corporation.

3/ If Contractor is a co-partnership, the signatures should be: XYZ Company, by John Doe, a member of the firm. If Contractor is a corporation, form of signature should be: XYZ Company, by John Doe, President (or other officer or agent) and the seal of the corporation must be impressed or indicated.

4/ The certificate must be completed if Contractor is a corporation.

5/ For companies incorporated in States that require a corporation seal, if the corporation has no corporate seal that fact shall be stated, in which case a scroll or adhesive seal shall follow the corporate name.

EXAMPLE 1/

Subcontractor Certification
Regarding Debarment, Suspension, Ineligibility, and Voluntary Exclusion

Contract Name: _____
National Forest: _____

The prospective subcontractor (participants in lower tier covered transactions) certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this contract by any Federal department or agency.

Where the prospective subcontractor is unable to certify to any of the statements in this certification, such prospective subcontractor shall attach an explanation to this proposal.

Name of Subcontractor: _____
Business Address: _____

_____ Date _____ Signature

1/ It is the Contractor's responsibility to have subcontractors complete this certification and to maintain a file of completed certifications. This certification does not need to be returned to the Forest Service, except at the written request of the Contracting Officer.

A.0 - SPECIFIC CONDITIONS. The following conditions apply to the indicated portions.

A.1 - Location and Area, applicable to B.1

This Contract Area of 5810 acres more or less is located in: T.9N., R.14E., Sections 1-2 and 10-15; T.9N., R.15E., Sections 5-8,18 and 19; T.10N., R.14E., Sections 35 and 36; T.10N., R.15E., Sections 31 and 32 M.D.B.& M.

A.2 - Volume Estimate and Utilization Standards, applicable to C.1, C.2, C.4, and G.4

Species	Product	Estimated Quantity	Unit of Measure	Minimum Specifications				
				Merchantable Tree		Piece Required to be Removed		
				Diameter Breast High (d.b.h.) (inches)	Number of Minimum Pieces per Tree	Length (feet)	Diameter Inside Bark at Small End (inches)	Net Merch. Factor 1/
Combined Softwood	Sawtimber	67,397.00	Ton	10.0	1	10	6.0	12

Timber Subject to Agreement under K-C.1.1#								
Combined Softwoods	Grn Bio Cv	unestimated	Ton	3.0	1	6	N/A	16
Total Quantity		67,397.00	Ton					

1/ Enter Merchantability Factor (Merch. Factor) or Net Scale in % of Gross Scale, whichever is appropriate.

A.3- Timber Designations, applicable to C.3; acres are approximate:

	<u>Number</u>	<u>Acres</u>
Clearcutting Units (C.3.1)	_____	_____
Specified Road Clearing (C.3.2)	_____	_____
Overstory Removal Units (C.3.3)	_____	_____
Understory Removal Units (C.3.4)	_____	_____
Individual Trees (C.3.5)	_____	1,957
Incompletely Marked Timber (C.3.6)	_____	_____

A.4 - Timber Payment Rates, applicable to D.1 and E.0

A.4.1 - Escalated Rates, applicable for Species and Products to be Paid for at Rates Escalated under D.2

Species	Product	Unit of Measure	Rates per Unit of Measure				Required Deposits Slash Disposal \$	Base Index
			Base \$	Advertised \$	Bid Premium \$	Bid (Tentative) \$		
Not Applicable								

A.4.2 - Flat Rates, applicable for Species and Products to be Paid for at Flat Rates

Species	Product	Unit of Measure	Rates per Unit of Measure				Required Deposits Slash Disposal \$
			Base \$	Advertised \$	Bid Premium \$	Bid (Flat) \$	
Combined Softwood	Sawtimber	Ton	.00	11.11			.89
Timber Subject to Agreement under K-C.1.1#							
Combined Softwoods	Grn Bio Cv	Ton	.10	.10			.00

For purposes of convenience in collection and bookkeeping, Bid Rates stated in A.4 include payment of deposits for contract area betterment required pursuant to 16 USC 576b. Such deposits are not included as Required Deposits defined hereunder.

A.4.3 - Stewardship Credits, applicable E.2.2 and K-G.9#

Mandatory Stewardship Projects					
Project Number	Project Description	Units of Measure	Quantity	Bid Rate \$	Total Credits
1	Small Tree Thinning and Removal	Acres	1,825.00		

Optional Stewardship Projects						
Priority	Project Number	Project Description	Units of Measure	Quantity	Bid Rate \$	Total Credits
		Not Applicable				

The following definitions are established for the terms used in A.4:

Base Rates are the lowest rates of payment for timber that are authorized by this contract. Base Rates remain constant throughout the life of this contract and are not subject to change by rate redetermination, except for reduction under D.3.1, D.3.2, or D.3.3.

Advertised Rates are the minimum acceptable Bid Rates for timber, exclusive of Required Deposits. These rates are those indicated by appraisal, with a cost allowance made for construction of Specified Roads listed in A.7, but are never less than Base Rates.

Bid Premium Rates are the amounts by which Contractor's bid is in excess of Advertised Rates. The Bid Premium Rates are constant during this contract, except as provided in D.3.1, D.3.2, and D.3.3.

Bid Rates are the rates bid by Contractor (exclusive of Required Deposits for slash disposal, road maintenance, and contract scaling) and are the sum of Advertised Rates and Bid Premium Rates. Until a rate redetermination becomes effective, the Bid Rate for species and products in A.4.1 is the Tentative Rate that is subject to quarterly adjustment under D.2; for species and products in A.4.2, the Bid Rate is the Flat Rate.

Required Deposits are deposits that Contractor may be required to pay for slash disposal (16 USC 490), road maintenance (16 USC 537), and contract scaling (1994 Appropriations Act). Required Deposits may be adjusted as part of a rate redetermination or a Contract Term Extension. The table shows only Required Deposits for slash disposal; road maintenance deposits, if any, are given in K-F.3.2#; and contract scaling deposits, if any, are given in K-G.8.1.6#.

Base Index is the specified average of the lumber or other product selling value index used as the basis for computing adjustment in rates for variance in product selling value, as provided in D.2.

A.5 - Indices Used in Quarterly Adjustment, applicable to D.2

Species	Index Name and Date
Not Applicable	

A.6 - High Stumps, applicable to G.4.1.2

Species	Product	Maximum Stump Height * (inches)
Combined Softwood	Sawtimber	12
Other	Sawtimber	6
All	Other	3

* Within area visible from 9N30 and 10N83 or 100' from these roads, whichever is less, Max. Stump Height is 6".

A.7 - Specified Roads, applicable to F.2

Name and Date of Governing Road Specifications: Federal Highway Administration Standard Specifications for Construction of Roads and Bridges on Federal Highway Projects(2003)-english

Project		Design Class	Appro. Length (mi./km.)	Sheet Numbers and Approval Date		Performance Responsibility		
Road No.	Name					Survey	Design	Construction Staking 1/
10N46J	BARRENS (R) (segment 0 to .87)	Single Lane - 5 mph	.87 / 1.4	40	03/28/2012	FS	FS	FS BC
09N16D	BLONDE SHEPARD (R) (segment 0 to 1.56)	Single Lane - 5 mph	1.56 / 2.51	13	03/28/2012	FS	FS	FS BC
09NY20	CAPP'S JUNCTION (R) (segment 0 to .23)	Single Lane - 5 mph	.23 / .37	29	03/28/2012	FS	FS	FS BC
09N30	CAPPS RESERVOIR (R) (segment 0 to 13.73)	Single Lane - 10 mp	13.73 / 22.1	16-19	03/28/2012	FS	FS	FS BC
09NY42	CAPPS VIEW (R) (segment 0 to 1.92)	Single Lane - 5 mph	1.92 / 3.09	35	03/28/2012	FS	FS	FS BC
09N97	COLD SPRING CANYON (R) (segment 0 to 1.8)	Single Lane - 5 mph	1.8 / 2.9	24	03/28/2012	FS	FS	FS BC
10N46	DENNIS (R) (segment 0 to 2.87)	Single Lane - 10 mp	2.87 / 4.62	36-37	03/28/2012	FS	FS	FS BC
09N33	DUNCAN RIDGE (R) (segment 0 to 1.86)	Single Lane - 5 mph	1.86 / 2.99	22	03/28/2012	FS	FS	FS BC
09NY23	JAWBONE CREEK (R) (segment 0 to 3.89)	Single Lane - 5 mph	3.89 / 6.26	30-32	03/28/2012	FS	FS	FS BC
09N27	LOWER BALTIC (R) (segment 0 to .58)	Single Lane - 5 mph	.58 / .93	44	03/28/2012	FS	FS	FS BC
09N27A	LOWER BALTIC EAST (R) (segment 0 to .26)	Single Lane - 5 mph	.26 / .42	45	03/28/2012	FS	FS	FS BC
09N28	MEISS CANYON (R) (segment 0 to 1.5)	Single Lane - 5 mph	1.5 / 2.41	14	03/28/2012	FS	FS	FS BC
09NY02	MEISS SADDLE (R) (segment 0 to 1.47)	Single Lane - 5 mph	1.47 / 2.37	26	03/28/2012	FS	FS	FS BC
10N46K	MICE (R) (segment 0 to .58)	Single Lane - 5 mph	.58 / .93	41	03/28/2012	FS	FS	FS BC
09N74	MIESS TIE (R) (segment 0 to .55)	Single Lane - 5 mph	.55 / .89	23	03/28/2012	FS	FS	FS BC
All Roads	MOBILIZATION (R) (segment 0 to .01)	Single Lane - 5 mph	.01 / .02	0	03/28/2012	FS	FS	FS BC
10N83G	N. STEELY HEADWATER (R) (segment 0 to 1.34)	Single Lane - 5 mph	1.34 / 2.16	43	03/28/2012	FS	FS	FS BC
09N16B	NORTH PLUMMER RIDGE (R) (segment 0 to .77)	Single Lane - 5 mph	.77 / 1.24	12	03/28/2012	FS	FS	FS BC
09N29	NORTH QUARTZ CANYON (R) (segment 0 to .63)	Single Lane - 5 mph	.63 / 1.01	15	03/28/2012	FS	FS	FS BC
09NY01	PARALLEL MEISS (R) (segment 0 to 1.55)	Single Lane - 5 mph	1.55 / 2.49	25	03/28/2012	FS	FS	FS BC
09N16	PLUMMER RIDGE (R) (segment 0 to 3.77)	Single Lane - 5 mph	3.77 / 6.07	11	03/28/2012	FS	FS	FS BC
09NY41	SADDLE PASS (R) (segment 0 to 2.4)	Single Lane - 5 mph	2.4 / 3.86	34	03/28/2012	FS	FS	FS BC
09N30E	SPECIFIED SPUR E (R)	Single Lane - 5 mph	.04 / .06	20	03/28/2012	FS	FS	FS BC

Specified Roads, applicable to F.2

Project		Design Class	Appro. Length (mi./km.)	Sheet Numbers and Approval Date	Performance Responsibility		
Road No.	Name				Survey	Design	Construction Staking 1/
10N46H	VOSS CABIN (R) (segment 0 to .65)	Single Lane - 5 mph	.65 / 1.05	38-39 03/28/2012	FS	FS	FS BC
09NY04	VOSS EAST (R) (segment 0 to 1.37)	Single Lane - 5 mph	1.37 / 2.2	28 03/28/2012	FS	FS	FS BC
10N46L	VOSS RIDGE (R) (segment 0 to .35)	Single Lane - 5 mph	.35 / .56	42 03/28/2012	FS	FS	FS BC
09NY03	WEST MEISS (R) (segment 0 to .95)	Single Lane - 5 mph	.95 / 1.53	27 03/28/2012	FS	FS	FS BC
09N30X	XWATER (R) (segment 0 to .06)	Single Lane - 5 mph	.06 / .1	21 03/28/2012	FS	FS	FS BC

1/ Indicate timing, i.e., before clearing (BC) or after clearing (AC). Applicable to F.2.1.2.

A.8 - Forest Service Engineering Completion Schedule, applicable to F.2.1

Road No.	Road Name	Type of Work	Completion Date
	Not Applicable		

A.9 - Scaling Instructions and Specifications, applicable to G.8

Name and Date of Governing Instructions: National Forest Cubic Scaling Handbook, FSH 2409.11a, as amended.

Scaling Specifications					
Species	Product	Maximum Scaling Length (feet)	Trim Allowance		
			Diameter Range (inches)	Length Range (feet)	Trim Allowance (inches)
All	Sawtimber	20	ALL	ALL	6

A.10 - Scaling Services, applicable to G.8.1

Species	Product	Unit of Measure	Site and Geographic Location	Method	Standard Estimated Cost per Unit \$
Combined Softwood	All	Ton	Placerville Fruit Growers Association, 460 Missouri Flat Road, Placerville, CA 95667	Total (100%) Weight Scale	.00

A.11 - Minimum Scaling Volumes, applicable to G.8.1

Minimum volume for Continuous Scaling Services in two-week period N/A Ton per scaler

Minimum volume for Intermittent Scaling Services N/A Ton on a N/A basis

A.12 - Fire Precautionary Period, applicable to H.2

May 01 to December 01, inclusive

A.13 - Contractor's Responsibility to Furnish Crews and Equipment for:

Initial Fire Suppression, applicable to H.3

Within 25 road miles

Fire Suppression Reinforcement, applicable to H.3.1.2 and H.3.1.3

Within 100 road miles

A.14 - Contractor's Obligation per Operations Fire, applicable to H.4.1

Maximum Amount: \$ \$29,500.00

A.15 - Termination Date, applicable to 1.2

December 31, 2015

A.16 - Normal Operating Season, applicable to G.3.1, G.6.6, 1.2.1 and J.3

First Period: June 01 to October 15, inclusive

Second Period: _____ to _____, inclusive

A.17 - Performance Bond Amount, applicable to J.1

Performance Bond Amount: N/A

A.18 - Downpayment, applicable to E.2.1.1

Downpayment Amount: Not Applicable

A.19 - Periodic Payment Amount, applicable to E.2.1.3

	<u>Periodic Payment Determination Date</u>	<u>Amount</u>
Initial Payment:	<u>N/A</u>	<u>N/A</u>
Additional Payment:	<u>N/A</u>	<u>N/A</u>

A.20 - Market-Related Contract Term Addition Producer Price Index, applicable to 1.2.1.2

Index Name: Softwood Lumber **Index Number:** 0811

A.21 - Inapplicable Provisions

The following listed provisions - are hereby made inapplicable. (Instructions: List by reference number and title.)

BE.2.1.5	DEPOSITS WHEN PAYMENT GUARANTEED
BI.2.1.2	MARKET-RELATED CONTRACT TERM ADDITION

A.22 - List of Special Provisions in Part K

The following listed special provisions are attached to and made a part of this contract. Provisions with reference numbers followed by # contain blanks into which data have been entered for this contract. (Instructions: List by reference number, title, and date.)

K-C.1.1#	TIMBER SUBJECT TO AGREEMENT (09/2004)
K-C.3#	RESERVE TREES (09/2004)
K-C.3.5#	DESIGNATION OF TIMBER AND SUBDIVISION/PAYMENT UNIT BOUNDARIES (08/2007)
K-E.2.1.1	TEMPORARY REDUCTION OF DOWNPAYMENT (08/2009)
K-E.2.1.5	DEPOSITS WHEN PAYMENT GUARANTEED (05/2010)
K-F.1.2#	USE OF ROADS BY CONTRACTOR (09/2004)
K-F.1.3#	ROAD COMPLETION DATE (09/2004)
K-F.2.1.3#	DEPOSIT FOR RECONSTRUCTION ENGINEERING SERVICES (09/2004)
K-F.3.1#	ROAD MAINTENANCE REQUIREMENTS (09/2004)
K-F.3.2#	ROAD MAINTENANCE DEPOSIT SCHEDULE (09/2004)
K-F.3.5#	ROAD AND WATER SUPPLY USE (05/2008)
K-G.2.2#	PROTECTION OF IMPROVEMENTS (05/2008)
K-G.2.4#	SITE SPECIFIC SPECIAL PROTECTION MEASURES (09/2004)
K-G.3.1.5#	PROJECT OPERATIONS SCHEDULE (12/2006)
K-G.3.2#	PROTECTION OF RESERVE TREES (09/2004)
K-G.3.3.1	LOG TRUCKING (02/2005)
K-G.3.7	SUBSTITUTE METHODS (02/2005)
K-G.4.1#	FELLING, BUCKING, AND LIMBING (08/2007)
K-G.4.2#	GROUND BASED SKIDDING (12/2006)
K-G.5	STREAMCOURSE PROTECTION (02/2005)
K-G.6#	EROSION PREVENTION AND CONTROL (05/2008)
K-G.7#	SLASH TREATMENT (12/2006)
K-G.8.4.9	PRODUCT ACCOUNTABILITY (02/2005)
K-G.9#	STEWARDSHIP PROJECTS (09/2004)
K-H.2#	SPECIFIED FIRE PRECAUTIONS (10/2010)
K-H.2.2#	EMERGENCY PRECAUTIONS (10/2010)
K-I.2.1.2	MARKET-RELATED CONTRACT TERM ADDITION (11/2008)
K-I.6.8# (Option 1)	USE OF TIMBER (09/2004)