

Species	States Where Sensitive (a)				Forests Where Species is Known (K) or Suspected (S) to Occur (b)													Comments
	MT	ID	ND	SD	B/D	BRT	CLW	CUS	DPG	FLAT	GAL	HEL	IPNF	KOOT	L&C	LOLO	NEZ	
BIRDS																		
American Peregrine Falcon (<i>Falco peregrinus anatum</i>)	X	X	X	X	K	K		K		K	K	K	K	K	K	K	K	S2 MT, S1 ID, S1 ND, and SX SD,
Baird's Sparrow (<i>Ammodramus bairdii</i>)			X	X				K	K									Is listed as an S2 for SD, SU for ND, and S3 for MT
Black-backed woodpecker	X	X			K	K	K	K		K	K	K	K	K	K	K	K	S3 in MT and ID
Black Swift (<i>Cypseloides niger</i>)		X											K					S1 in ID, colonial nester with few known nesting sites.
Blue-Gray Gnatcatcher (<i>Polioptila caerulea</i>)	X							K										Is an S1 in MT and SD, South end of Priors in MT, does not occur on FS in SD.
Burrowing Owl (<i>Athene cunicularia</i>)	X		X	X				K	K						S			S3 MT and SD, and SU ND, but all indicate probable/possible downward trend.
Common Loon (<i>Gavia immer</i>)	X	X								K			K	K		K		S1, S2 in MT and ID.
Flammulated Owl (<i>Otus flammeolus</i>)	X	X			K	K	K			K	K	K	K	K	S	K	K	S3 in MT and ID but both indicate that its more limited than the rank. S1 in SD but not on FS.
Greater Prairie Chicken (<i>Tympanuchus cupido</i>)			X						K									S2 in ND
Greater Sage-Grouse (<i>Centrocercus urophasianus</i>)	X		X	X	K			S	K						S			S4 in MT, but indicates that a declining population, especially in the Dillion area. Concern expressed by ND and SD, they need to revisit rank.
Harlequin Duck (<i>Histrionicus histrionicus</i>)	X	X			K		K	K		K	K	S	K	K	K	K	K	S2 in MT and S1 in ID
Loggerhead Shrike (<i>Lanius ludovicianus</i>)			X	X				K	K									Both SD and ND indicate a sp of concern, they need to revisit rank. Is listed as an S4 for MT
Long-Billed Curlew (<i>Numenius americanus</i>)			X	X				K	K									S2 in ND and S3 in SD; need to validate status.
Mountain Quail (<i>Oreortyx pictus</i>)		X															K	S2 in ID.

Species	States Where Sensitive (a)				Forests Where Species is Known (K) or Suspected (S) to Occur (b)														Comments
	MT	ID	ND	SD	B/D	BRT	CLW	CUS	DPG	FLAT	GAL	HEL	IPNF	KOOT	L&C	LOLO	NEZ		
Pygmy Nuthatch (<i>Sitta pygmaea</i>)		X						K						K				K	S2, S3 in ID and SD, Does not occur on USFS lands in SD.
Sprague's Pipit (<i>Anthus spragueii</i>)			X	X					K										S2 in SD and S3 in ND. ND needs to revisit rank.
Trumpeter Swan (<i>Cygnus buccinator</i>)	X					K					K								S2 in MT and S1 in ID, but not on FS in ID
White-Headed Woodpecker (<i>Picoides albolarvatus</i>)		X																K	S2 in ID.
MAMMALS																			
Black-tailed Prairie Dog (<i>Cynomys ludovicianus</i>)	X		X	X					K	K									
California Bighorn Sheep (<i>Ovis canadensis californiana</i>)			X						K										S2 in ND and S3 in ID
Fisher (<i>Martes pennanti</i>)	X	X				K	K	K			K		K	K	K	K	K	K	S3 in MT and S1 in ID, but MT needs to revisit rank. S2 in ND, but not on FS.
Fringed Myotis (<i>Myotis thysanodes</i>)		X						K					K						S1 in ID and S2 in SD, Sub Spp of concern does not occur on FS in SD.
Great Basin Pocket Mouse (<i>Perognathus parvus</i>)	X					K													S2 in MT, but at periphery of range.
Long-Eared Myotis (<i>Myotis evotis</i>)				X				K											S1 in SD, Limited distribution, but does/should occur on FS.
Long-Legged Myotis (<i>Myotis volans</i>)				X				K											S1 in SD, Limited distribution, but does/should occur on FS.
North American Wolverine (<i>Gulo gulo luscus</i>)	X	X				K	K	K	K		K	K	K	K	K	K	K	K	S3 in MT and S2 in ID, but MT needs to revisit rank.
Northern Bog Lemming (<i>Synaptomys borealis</i>)	X	X				K	K				K		S	K	K	K	K		S2 in MT and S1 in ID
Pallid Bat (<i>Antrozous pallidus</i>)	X								K										S1 in MT and ID, but not on FS in R1 in ID
Pygmy Rabbit (<i>Brachylagus idahoensis</i>)	X					K													S3 in MT and ID, MT needs to revisit rank, and not on FS R1 in ID
Spotted Bat (<i>Euderma maculatum</i>)	X								K										S1 in MT and S2 in ID, but not on FS R1 in ID

Species	States Where Sensitive (a)				Forests Where Species is Known (K) or Suspected (S) to Occur (b)													Comments
	MT	ID	ND	SD	B/D	BRT	CLW	CUS	DPG	FLAT	GAL	HEL	IPNF	KOOT	L&C	LOLO	NEZ	
Towsend's Big-Eared Bat (<i>Corynorhinus townsendii</i>)	X	X		X	K	K	S	K		K	K	K	K	K	K	K	S	S2 & S3 in MT and SD and S2 in ID
White-tailed Prairie Dog (<i>Cynomys leucurus</i>)	X							K										S1 in MT
AMPHIBIANS																		
Coeur d'Alene Salamander (<i>Plethodon idahoensis</i>)	X	X					K	K					K	K		K	K	S2 in MT and S3 in ID. Need to recheck the rank for ID.
Great Plains Toad (<i>Bufo cognatus</i>)	X								S									S3 in MT. Extensive surveys on the Custer did not produce observations. Probable reduction in occurrence/range. Should review rank.
Northern Leopard Frog (<i>Rana pipiens</i>)	X				S	S		K		S	K	K		K	K	S		S1 in western and S3 in eastern MT. Not a spp of concern for ND; S3 in ID.
Plains Spadefoot (<i>Spea bombifrons</i>)	X							S				S						S3 in MT. Is a very rare spp and intense surveys on the Custer did not produce observations. Probable reduction in occurrence/range. Should review rank.
Western Toad (<i>Bufo boreas</i>)	X	X			K	K	K	K		K	K	K	K	K	K	K	K	S2 in MT and S4 in ID, but both indicate that the rank may be incorrect, loss of breeding sites is ongoing.
REPTILES																		
Greater Short-horned Lizard (<i>Phrynosoma hernandesi</i>)	X							K							K			S3 in MT; reduction in range likely since the 50's and the 70's. Probably should be an S1 or S2
Milk Snake (<i>Lampropeltis triangulum</i>)	X							K										S2 in MT, but some indications that it may be more common with no evidence of range reduction.
Ringneck Snake (<i>Diadophis Punctatus</i>)		X					S											S1, probably limited occurrence on USFS lands in Hells Canyon.
Western Hognose Snake (<i>Heterodon nasicus</i>)	X							K										S3 in MT; reduction in range possible/likely.

Species	States Where Sensitive (a)				Forests Where Species is Known (K) or Suspected (S) to Occur (b)														Comments
	MT	ID	ND	SD	B/D	BRT	CLW	CUS	DPG	FLAT	GAL	HEL	IPNF	KOOT	L&C	LOLO	NEZ		
INSECTS																			
Arogos Skipper (<i>Atrytone arogos iowa</i>)			X							K									Rank for ND needs to be reviewed.
Broad-winged Skipper (<i>Poanes viator</i>)			X							K									S2 for ND and SD, not a concern for FS lands in SD.
Dakota Skipper (<i>Hesperia dacotae</i>)			X	X						K									S2 in ND and SD.
Dion Skipper (<i>Fuphyes dion</i>)			X							K									S1 in ND
Mulberry Wing (<i>poanes massasoit</i>)			X							K									S2 in ND and S1 in SD, but not a concern for FS lands in SD.
Ottoo Skipper (<i>Hesperia ottoe</i>)			X	X						K									S2 in SD, but SD indicates limited concern. Need ND to revisit rank.
Powesheik Skipper (<i>Oarisma powesheik</i>)			X	X						K									S2 in SD; need ND to revisit their rank.
Regal Fritillary (<i>Speyeria idalia</i>)			X							K									Listed as S2 for ND and S3 for SD
Tawny Crescent (<i>Phyciodes batessi</i>)			X							K									Listed as an S2 for SD and S3 for ND.

(a) Species are listed as Sensitive by State. The State where a species is listed as Sensitive is indicated by an “X” in the State/species column. A species identified as Sensitive within a State, will be considered as Sensitive on all Units within the State where it occurs, unless described otherwise.

(b) National Forest (Grasslands) where a species is known or suspected to occur, within States where a species is listed as Sensitive, are identified by shading and either a known “K” or suspected “S” in the Forest/species column