



<b>ENDANGERED</b>	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Sockeye salmon, (Snake River0 11/20/91 <i>Oncorhynchus nerka</i> (CH 12/28/98)					+					+	+	X				
Razorback sucker 10/23/91 <i>Xyrauchen texanus</i> (ED 11/22/91)	o		o			o	o		o						o	o
Sturgeon, pallid <i>Scaphirhynchus albus</i>			o													
<b>PLANTS</b>																
San Rafael cactus <i>Pediocactus despainii</i>							X									
Clay phacelia 09/28/78 <i>Phacelia argillacea</i>									?						X	
<b>THREATENED</b>	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<b>MAMMALS</b>																
Canada lynx 4/15/00 <i>Lynx canadensis</i>	X	X	X							X		X	X		?	?
Grizzly bear 9/21/2009 <i>Ursus arctos horribilis</i>			X										X			
Gray wolf (Wyoming Rocky Mountain DPS 10J Experimental Population) <i>Canis lupus</i>			X	X									X			X
Utah prairie dog 6/04/73 <i>Cynomys parvidens</i>						X	X									
Northern Idaho ground squirrel 3/24/00 <i>Spermophilus brunneus</i>		X								X						
<b>BIRDS</b>																
Mexican spotted owl 3/16/93 <i>Strix occidentalis lucida</i> (ED 4/15/93)						X	X		X							
Yellow-billed cuckoo 11/03/2014 <i>Coccyzus americanus</i>	X	X	X		?	?	?	X	X	X	?	X	X	X	X	X
<b>REPTILES AND AMPHIBIANS</b>																
Desert tortoise 8/04/89 <i>Gopherus agassizii</i>														X		
Yosemite toad 6/30/2014 <i>Anaxyrus canorus</i>														X		
<b>FISH</b>																
Steelhead trout (Snake River summer) <i>Oncorhynchus mykiss</i>		X			X					X	X	X				

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

<b>THREATENED</b>	<b>ASH</b>	<b>BOI</b>	<b>B-T</b>	<b>CAR</b>	<b>CHA</b>	<b>DIX</b>	<b>FIS</b>	<b>HUM</b>	<b>M-L</b>	<b>PAY</b>	<b>SAL</b>	<b>SAW</b>	<b>TAR</b>	<b>TOI</b>	<b>UIN</b>	<b>W-C</b>
Chinook salmon, Snake River sprg/smr <i>Oncorhynchus tshawytscha</i> 4/22/92 (ED 5/22/92)		X			X					X	X	X				
Chinook salmon, Snake River fall <i>Oncorhynchus tshawytscha</i> 4/22/92 (ED 5/22/92)										X						
Greenback cutthroat trout <i>Oncorhynchus clarki stomiua</i>									X							
Railroad Valley springfish 3/31/86 <i>Crenichthys nevadae</i>														X		
Lahontan cutthroat trout 10/13/70 <i>Oncorhynchus clarki henshawi</i>								X						X		
Columbia River bull trout 6/10/98 <i>Salvelinus confluentus</i>		X			X			X		X	X	X				
Paiute cutthroat trout 3/11/67 <i>Oncorhynchus clarki seleniris</i>														X		
<b>PLANTS</b>																
Deseret milkvetch 10/20/99 <i>Astragalus desereticus</i>									?						?	
Heliotrope milkvetch 11/6/87 <i>Astragalus limnocharis</i> var. <i>montii</i> ( <i>A. montii</i> )									X							
Slick-spot peppergrass 10/08/09 <i>Lepidium papilliferum</i>		?														
Winkler cactus <i>Pediocactus winkleri</i>									?							
Maguire's primrose 8/21/85 <i>Primula cusickiana</i> var. <i>maguirei</i> ( <i>P. maguirei</i> )																X
Last chance townsendia 8/21/85 <i>Townsendia aprica</i>						X	X									
Ute ladies' tresses orchid 1/17/92 <i>Spiranthes diluvialis</i> (2/18/92)		?		?	?		?				?	?	X		X	?
Webber ivesia 7/3/2014 <i>Ivesia webberi</i>														X		
<b>PROPOSED</b>	<b>ASH</b>	<b>BOI</b>	<b>B-T</b>	<b>CAR</b>	<b>CHA</b>	<b>DIX</b>	<b>FIS</b>	<b>HUM</b>	<b>M-L</b>	<b>PAY</b>	<b>SAL</b>	<b>SAW</b>	<b>TAR</b>	<b>TOI</b>	<b>UIN</b>	<b>W-C</b>
North American wolverine <i>Gulo gulo</i> (luscus)	X	X	X	X	X					X	X	X	X	X		X

CANDIDATE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Sierra Nevada red fox <i>Vulpes vulpes necator</i>														X		
Whitebark Pine <i>Pinus albicaulis</i>		X	X		X			X		X	X	X	X	X		

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

<b>SENSITIVE</b>	<b>ASH</b>	<b>BOI</b>	<b>B-T</b>	<b>CAR</b>	<b>CHA</b>	<b>DIX</b>	<b>FIS</b>	<b>HUM</b>	<b>M-L</b>	<b>PAY</b>	<b>SAL</b>	<b>SAW</b>	<b>TAR</b>	<b>TOI</b>	<b>UIN</b>	<b>W-C</b>
<b>MAMMALS</b>																
Bighorn Sheep <i>Ovis canadensis</i> - Includes Rocky Mountain bighorn sheep ( <i>O. c. canadensis</i> ), California bighorn sheep ( <i>O. c. californiana</i> ), and desert bighorn sheep ( <i>O. c. nelsoni</i> ) (7/29/2009)	X	X	X		X		X	X	X	X	X	X	X	X	X	X
Gray wolf (Rocky Mountain DPS) <i>Canis lupus</i>		X		X	X					X	X	X	X			X
Pygmy rabbit <i>Brachylagus idahoensis</i>				X	X	X	X	X			X	X	X	X		
Spotted bat <i>Euderma maculatum</i>	X	X	X	X	X	X	X	X	X	X	X	X	?	X	X	X
Fisher <i>Martes pennanti</i>		X	X		X					X	X	X	?		X	
Southern Idaho Ground Squirrel <i>Spermophilus brunneus endemicus</i>		X								X						
Townsend's Western Big-Eared Bat <i>Corynorhinus townsendii townsendii</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<b>BIRDS</b>																
Bald eagle <i>Haliaeetus leucocephalus</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Boreal owl <i>Aegolius funereus</i>	X	X	X	X	X					X	X	X	X			X
Greater sage-grouse <i>Centrocercus urophasianus</i>	X	X	X	X	X	X	X	X	X	?	X	X	X	X	X	X
Greater sage-grouse Bi-State DPS <i>Centrocercus urophasianus</i>														X		
Trumpeter swan <i>Cygnus buccinator</i>			X	X									X			
Peregrine falcon 3/20/84 <i>Falco peregrinus anatum</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Common loon <i>Gavia immer</i>		X	X		+					?	+	X	X			
Harlequin duck <i>Histrionicus histrionicus</i>			X	X	?+					X	?+		X			
Mountain quail <i>Oreortyx pictus</i>		X						X		X		X		X		
Flammulated owl <i>Otus flammeolus</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

<b>SENSITIVE</b>	<b>ASH</b>	<b>BOI</b>	<b>B-T</b>	<b>CAR</b>	<b>CHA</b>	<b>DIX</b>	<b>FIS</b>	<b>HUM</b>	<b>M-L</b>	<b>PAY</b>	<b>SAL</b>	<b>SAW</b>	<b>TAR</b>	<b>TOI</b>	<b>UIN</b>	<b>W-C</b>
White-headed woodpecker <i>Picooides albolarvatus</i>		X								X		X		X		
Three-toed woodpecker <i>Picooides tridactylus</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Great gray owl <i>Strix nebulosa</i>	X	X	X	X	X					X	X	X	X	X		X
California spotted owl <i>Strix occidentalis occidentalis</i>														X		
Columbian sharp-tailed grouse <i>Tympanuchus phasianellus columbianus</i>		X		X				X		X		X	X			X
Northern goshawk <i>Accipiter gentilis</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
<b>REPTILES AND AMPHIBIANS</b>																
Columbia spotted frog <i>Rana luteiventris</i>	?	X	X	X	X			X	X	X	X	X	X	X	X	X
Boreal Toad <i>Bufo boreas</i>	X		X	X		X	X		X				X		X	X
<b>FISH</b>																
Wood River sculpin <i>Cottus leiopomus</i>												X				
Westslope cutthroat trout <i>Oncorhynchus clarki lewisi</i>		X	X		X					X	X	X				
Colorado River cutthroat trout <i>Oncorhynchus clarki pleuriticus</i>	X		X			X	X		X						X	X
Bonneville cutthroat trout <i>Oncorhynchus clarki utah</i>			X	X		X	X	X	X						X	X
Yellowstone cutthroat trout <i>Oncorhynchus clarki bouvieri</i>			X	X								X	X			
Northern Leatherside Chub <i>Lepidomeda copei</i>			X	X								X	X			X
Southern Leatherside Chub <i>Lepidomeda aliciae</i>						X	X		X						X	
Big Lost River Whitefish <i>Prosopium williamsoni</i>					X											
<b>INSECTS</b>																
Spring Mountain Checkerspot <i>Chlosyne acastus robusta</i>														X		
Dark Blue														X		

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

<b>SENSITIVE</b>	<b>ASH</b>	<b>BOI</b>	<b>B-T</b>	<b>CAR</b>	<b>CHA</b>	<b>DIX</b>	<b>FIS</b>	<b>HUM</b>	<b>M-L</b>	<b>PAY</b>	<b>SAL</b>	<b>SAW</b>	<b>TAR</b>	<b>TOI</b>	<b>UIN</b>	<b>W-C</b>
<i>Euphilotes ancilla purpura</i>																
Morand's Checkerspot <i>Euphydryas anicia morandi</i>														X		
<b>PLANTS</b>																
Pink agoseris <i>Agoseris lackschewitzii</i>			X								X		X			
Wonderland Alice flower <i>Aliciella (=Gilia) caespitosa</i>						X	X									
Chatterley Onion <i>Allium geyeri</i> var. <i>chatterleyi</i>									X							
Swamp onion <i>Allium madidum</i>										X						
Tolmie's onion <i>Allium tolmiei</i> var. <i>persimile</i>		X								X						
Candystick <i>Allotropa virgata</i>										X						
Sweet-flowered rock jasmine <i>Androsace chamaejasme</i> ssp. <i>carinata</i>			X						X				X			
Charleston angelica <i>Angelica scabrida</i>														X		
Wheeler's angelica <i>Angelica wheeleri</i>															X	X
Meadow pussytoes <i>Antennaria arcuata</i>								X								
Charleston pussytoes <i>Antennaria soliceps</i>														X		
Link Trail columbine <i>Aquilegia flavescens</i> var. <i>rubicunda</i>									X							
Graham columbine <i>Aquilegia grahamii</i>	X															
Rosy King's sandwort <i>Arenaria kingii</i> ssp. <i>rosea</i>														X		
Petiolate wormwood <i>Artemisia campestris</i> ssp. <i>borealis</i> var. <i>petiolata</i>	X															
Eastwood milkweed <i>Asclepias eastwoodiana</i>								X						X		
Clokey milkvetch <i>Astragalus aequalis</i>														X		

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Lost River milkvetch <i>Astragalus amnis-amissi</i>					X											
Goose Creek milkvetch <i>Astragalus anserinus</i>												?				
Lemhi milkvetch <i>Astragalus aquilonius</i>					X							?				
Bicknell milkvetch <i>Astragalus consobrinus</i>							X		?							
Meadow milkvetch <i>Astragalus diversifolius var. diversifolius</i>			X		X								X			
Dana milkvetch <i>Astragalus henrimontanensis</i>						X										
Isely's milkvetch <i>Astragalus iselyi</i>									X							
Starvling milkvetch <i>Astragalus jejunus var. jejunus</i>			X	X												
Long Valley milkvetch <i>Astragalus johannis-howellii</i>														X		
Broad-pod freckled milkvetch <i>Astragalus lentiginosus var. latus</i>								X								
Navajo Lake milkvetch <i>Astragalus limnocharis var. limnocharis</i>						X										
Table Cliff milkvetch <i>Astragalus limnocharis var. tabulaeus</i>						X										
Lee Canyon milkvetch <i>Astragalus oophorus var. clokeyanus</i>														X		
Lavin's egg milkvetch <i>Astragalus oophorus var. lavinii</i>														X		
Payson's milkvetch <i>Astragalus paysonii</i>			X							X			?			
Spring Mountain milkvetch <i>Astragalus remotus</i>														X		
Lamoille Canyon milkvetch <i>Astragalus robbinsii var. occidentalis</i>								X								
Toquima milkvetch <i>Astragalus toquimanus</i>														X		
Currant milkvetch <i>Astragalus uncialis</i>								X								

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates



SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
White Cloud milkvetch <i>Astragalus vexilliflexus</i> var. <i>nubilus</i>					X					X		X				
Guard milkvetch <i>Astragalus zionis</i> var. <i>vigulus</i>						X										
Bodie Hills rockcress <i>Boechera</i> (=Arabis) <i>bodiensis</i>														X		
Grouse Creek rockcress <i>Boechera</i> (=Arabis) <i>falcatoria</i>								X								
Spring Mountains rockcress <i>Boechera</i> (=Arabis) <i>nevadensis</i>														X		
Washoe tall rockcress <i>Boechera</i> (=Arabis) <i>rectissima</i> var. <i>simulans</i>														X		
Galena Creek rockcress <i>Boechera</i> (=Arabis) <i>rigidissima</i> var. <i>demota</i>														X		
Ophir rockcress <i>Boechera</i> (=Arabis) <i>ophira</i>														X		
Tiehm rockcress <i>Boechera</i> (=Arabis) <i>tiehmii</i>														X		
Upswept moonwort <i>Botrychium ascendens</i>														X		
Dainty moonwort <i>Botrychium crenulatum</i>	X												X	X	X	
Slender moonwort <i>Botrychium lineare</i>	X							?		?		X		X	?	X
Paradox moonwort <i>Botrychium paradoxum</i>						X										
Little grape fern <i>Botrychium simplex</i>												X				
Moosewort <i>Botrychium tunux</i>														X		
Beautiful Bryum <i>Bryum calobryoides</i>		X										X				
Cascade reedgrass <i>Calamagrostis tweedyi</i>										X						
Cusick camas <i>Camassia cusickii</i>										X						
Seaside sedge <i>Carex incurviformis</i>			X		X											

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Black and purple sedge <i>Carex luzulina var. atropurpurea</i>			X													
Tioga Pass sedge <i>Carex tiogana</i>														X		
Aquarius paintbrush <i>Castilleja aquariensis</i>						X										
Christ's Indian paintbrush <i>Castilleja christii</i>												X				
Tushar paintbrush <i>Castilleja parvula var. parvula</i>						X	X									
Reveal paintbrush <i>Castilleja parvula var. revealii</i>						X										
Centennial rabbitbrush <i>Chrysothamnus parryi ssp. montanus</i>													X			
Flexible alpine collomia <i>Collomia debilis var. camporum</i>											X					
Wasatch fitweed <i>Corydalis caseana spp. brachycarpa</i>															X	X
Creutzfeldt-flower cryptanth <i>Cryptantha creutzfeldtii</i>									X							
Yellow-white catseye <i>Cryptantha ochroleuca</i>						X										
Bodie Hills draba <i>Cusickiella quadricostata</i>														X		
Pinnate spring-parsley <i>Cymopterus beckii</i>						X			X							
Davis' wavewing <i>Cymopterus davisii</i>												X				
Douglas' biscuitroot <i>Cymopterus douglassii</i>					X						X	X				
Goodrich biscuitroot <i>Cymopterus goodrichii</i>														X		
Cedar Breaks biscuitroot <i>Cymopterus minimus</i>						X										
Brownie ladyslipper <i>Cypripedium fasciculatum</i>	X															X
Lesser yellow Lady's slipper <i>Cypripedium parviflorum (Cypripedium calceolus)</i>																X

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>var. parviflorum)</i>																
Wyoming tansymustard <i>Descurainia torulosa</i>			X													
Wasatch shooting star <i>Dodecatheon utahense</i>																X
Idaho douglasia <i>Douglasia idahoensis</i>		X								?		?				
Abajo peak draba <i>Draba abajoensis</i>									X							
Arid draba <i>Draba arida</i>														X		
Star draba <i>Draba asterophora</i> var. <i>asterophora</i>														X		
Wasatch Draba <i>Draba brachystylis</i>														X	?	X
Burke's draba <i>Draba burkei</i>																X
Rockcress draba <i>Draba globosa</i> (=D. <i>densifolia</i> var. <i>apiculata</i> )	X		X		X							X			X	X
Jaeger draba <i>Draba jaegeri</i>														X		
Maguire draba <i>Draba maguirei</i>																X
Serpentine draba <i>Draba oreibata</i> var. <i>serpentina</i>								?						X		
Charleston draba <i>Draba paucifructa</i>														X		
Pennell draba <i>Draba pennellii</i>								X								
Mt. Belknap draba <i>Draba ramulosa</i>							X									
Santaquin draba <i>Draba santaquinensis</i>															X	
Creeping draba <i>Draba sobolifera</i>						X	X									
Stanley's whitlow-grass <i>Draba trichocarpa</i>					X							X				
Nevada willowherb							X							X		

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>Epilobium nevadense</i>																
Spring Mountain goldenweed <i>Ericameria compacta</i> (=Haplopappus <i>compactus</i> )														X		
Pine Valley goldenweed <i>Ericameria crispa</i> (=Haplopappus <i>crispus</i> )						X										
Narrow-leaf goldenweed <i>Ericameria discoidea</i> var. <i>linearis</i> (=Haplopappus <i>macronema</i> var. <i>linearis</i> )			X													
Abajo daisy <i>Erigeron abajoensis</i>									X							
Carrington daisy <i>Erigeron carringtonae</i>									X							
Snake Mountain erigeron <i>Erigeron cavernensis</i>								X								
Cronquist daisy <i>Erigeron cronquistii</i>																X
Garrett's fleabane <i>Erigeron garrettii</i>														X	X	
Kachina daisy <i>Erigeron kachinensis</i>									X							
Woolly daisy <i>Erigeron lanatus</i>			X													
Maguire daisy <i>Erigeron maguirei</i>							X									
LaSal daisy <i>Erigeron mancus</i>									X							
Untermann daisy <i>Erigeron untermannii</i>	X															
Widtsøe buckwheat <i>Eriogonum aretioides</i>						X										
Elsinore buckwheat <i>Eriogonum batemanii</i> var. <i>ostlundii</i>							X									
Desert buckwheat <i>Eriogonum brevicaule</i> var. <i>desertorum</i>												X				
Welsh buckwheat <i>Eriogonum capistratum</i> var. <i>welshii</i>					X											
Sunflower Flat buckwheat								X								

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>Eriogonum douglasii</i> var. <i>elkoense</i>																
Toiyabe buckwheat <i>Eriogonum esmeraldense</i> var. <i>toiyabense</i>														X		
Clokey buckwheat <i>Eriogonum heermannii</i> var. <i>clokeyi</i>														X		
Lewis's buckwheat <i>Eriogonum lewisii</i>								X								
Logan buckwheat <i>Eriogonum loganum</i> (=E. <i>brevicaule</i> var. <i>loganum</i> )																X
Guardian buckwheat <i>Eriogonum meledonum</i>					X							X				
Altered andesite buckwheat <i>Eriogonum robustum</i>														X		
Clokey greasebush <i>Glossopetalon clokeyi</i>														X		
Smooth dwarf greasebrush <i>Glossopetalon pungens</i> var. <i>glabra</i> (=G. <i>pungens</i> )														X		
Puzzling halimolobos <i>Halimolobos perplexa</i> var. <i>perplexa</i>										X						
Canyon sweetvetch <i>Hedysarum occidentale</i> var. <i>canone</i>									X							
Jones goldenaster <i>Heterotheca jonesii</i>						X										
Sierra Valley ivesia <i>Ivesia aperta</i> var. <i>aperta</i>														X		
Dog Valley ivesia <i>Ivesia aperta</i> var. <i>canina</i>														X		
Charleston ivesia <i>Ivesia cryptocaulis</i>														X		
Jaeger ivesia <i>Ivesia jaegeri</i>														X		
Plumas ivesia <i>Ivesia sericoleuca</i>														?		
Utah ivesia <i>Ivesia utahensis</i>															X	X
Wasatch jamesia															X	X

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>Jamesia americana</i> var. <i>macrocalyx</i>																
Zion jamesia <i>Jamesia americana</i> var. <i>zionis</i>						X										
Basin jamesia <i>Jamesia tetrapetala</i>								X								
Grimes lathyrus <i>Lathyrus grimesii</i>								X								
Wasatch pepperwort <i>Lepidium montanum</i> var. <i>alpinum</i>														?		X
Neeses' peppergrass <i>Lepidium montanum</i> var. <i>neeseae</i>						X										
Hazel's prickly phlox <i>Leptodactylon pungens</i> ssp. <i>hazeliae</i>										X						
Garrett bladderpod <i>Lesquerella garrettii</i>															X	X
Hitchcock bladderpod <i>Lesquerella hitchcockii</i> var. <i>hitchcockii</i>														X		
Payson bladderpod <i>Lesquerella paysonii</i>			X	X									X			
Maguire lewisia <i>Lewisia maguirei</i>								X								
Sacajawea's bitterroot <i>Lewisia sacajaweanana</i>		X			X					X	X	?				
Canyonlands lomatium <i>Lomatium latilobum</i>									X							
Three-ranked hump-moss <i>Meesia triquetra</i>														X		
Goodrich stickleaf <i>Mentzelia goodrichii</i>	X															
Bank monkeyflower <i>Mimulus clivicola</i>										X						
Fish Lake naiad <i>Najas caespitosa</i>							X									
Idaho pennycress <i>Noccaea idahoensis</i> var. <i>aileeniae</i> (= <i>Thlaspi aileeniae</i> )					X							X				
Shevock rockmoss <i>Orthotrichum shevockii</i>														X		

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Spjut's brittle-moss <i>Orthotrichum spjutii</i>														X		
Challis crazyweed <i>Oxytropis besseyi</i> var. <i>salmonensis</i>					X											
Beaver Mountain groundsel <i>Packera</i> (=Senecio) <i>castoreus</i>							X									
Podunk groundsel <i>Packera</i> (=Senecio) <i>malmstenii</i>						X										
Arctic poppy <i>Papaver radicatatum</i> var. <i>pygmaeum</i>	X															X
Naked-stemmed parrya <i>Parrya nudicaulis</i>			X													
Paria breadroot <i>Pediomelum pariense</i>						X										
Stemless beardtongue <i>Penstemon acaulis</i> var. <i>acaulis</i>	X															
Dune penstemon <i>Penstemon arenarius</i>														?		
Red Canyon beardtongue <i>Penstemon bracteatus</i>						X										
Cache beardtongue <i>Penstemon compactus</i>				X												X
Elegant penstemon <i>Penstemon concinnus</i>								?								
Idaho penstemon <i>Penstemon idahoensis</i>												X				
Charleston beardtongue <i>Penstemon leiophyllus</i> var. <i>keckii</i>														X		
Lemhi penstemon <i>Penstemon lemhiensis</i>											X					
Mt. Moriah penstemon <i>Penstemon moriahensis</i>								X								
Little penstemon <i>Penstemon parvus</i>						X	X									
Pinyon penstemon <i>Penstemon pinorum</i>						X										
Bashful penstemon <i>Penstemon pudicus</i>								X								

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Rhizome beardtongue <i>Penstemon rhizomatosus</i>								X								
Wassuk beardtongue <i>Penstemon rubicundus</i>														X		
Jaeger beardtongue <i>Penstemon thompsoniae ssp. jaegeri</i>														X		
Ward beardtongue <i>Penstemon wardii</i>							X									
Inconspicuous phacelia <i>Phacelia inconspicua</i>								?								
Small-flower phacelia <i>Phacelia minutissima</i>		X						X				?				
Mono phacelia <i>Phacelia monoensis</i>														X		
Salmon twin bladderpod <i>Physaria didymocarpa var. lyrata</i>											X		X			
Creeping twinpod <i>Physaria integrifolia v. monticola</i>			X													
Whitebark Pine <i>Pinus albicaulis</i>		X	X		X			X		X	X	X	X	X		
Altered andesite popcorn flower <i>Plagiobothrys glomeratus</i>														X		
Marsh's bluegrass <i>Poa abbreviata ssp. marshii</i>					X			X			X	X		X		
White Mountain skypilot <i>Polemonium chartaceum</i>														X		
Williams combleaf <i>Polycytenium williamsii</i>														X		
Angell cinquefoil <i>Potentilla angelliae</i>						X										
Cottam cinquefoil <i>Potentilla cottamii</i>												X				X
Sagebrush cinquefoil <i>Potentilla johnstonii</i>								X								
Alkali primrose <i>Primula alcalina</i>													X			
Ruby Mountain primrose <i>Primula capillaris</i>								X								



SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Nevada primrose <i>Primula cusickiana</i> var. <i>nevadensis</i> (= <i>P. nevadensis</i> )								X								
Greenland primrose <i>Primula egalikensis</i>			X													
Bugleg goldenweed <i>Pyrocoma</i> (= <i>Haplopappus</i> ) <i>insecticruris</i>		X										X				
Radiate goldenweed <i>Pyrocoma radiata</i> (= <i>Haplopappus radiatus</i> )										X						
Bartons' blackberry <i>Rubus bartonianus</i>										X						
Arizona willow <i>Salix arizonica</i>						X	X		X							
Weber's saussurea <i>Saussurea weberi</i>			X													
Tobias' saxifrage <i>Saxifraga bryophora</i> var. <i>tobiasiae</i>										X						
Tolmie's saxifrage <i>Saxifraga tolmiei</i> var. <i>ledifolia</i>										X						
Musinea groundsel <i>Senecio musiniensis</i>									X							
Mono ragwort <i>Senecio pattersonensis</i>														X		
Clokey silene <i>Silene clokeyi</i>														X		
Nachlinger silene <i>Silene nachlingerae</i>								X								
Maguire campion <i>Silene petersonii</i>						X	?		X							
Railroad Valley globemallow <i>Sphaeralcea caespitosa</i> var. <i>williamsiae</i>								X								
Rock-tansy <i>Sphaeromeria capitata</i>						X										
Low sphaeromeria <i>Sphaeromeria compacta</i>														X		
Masonic Mountain jewelflower <i>Streptanthus oliganthus</i>														X		
Soft aster			X													

x=known species/habitat; ?=suspected/potential habitat; \*=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>Symphyotrichum molle</i> (=Aster mollis)																
Charleston kittentails <i>Synthyris ranunculina</i>														X		
Caespitose greenthread <i>Thelesperma caespitosum</i>	X															
Uinta green thread <i>Thelesperma pubescens</i>																X
Bicknell thelesperma <i>Thelesperma subnudum</i> var. <i>alpinum</i>						X	X									
Wavy-leaf thelypody <i>Thelypodium repandum</i>					X											
Alpine goldenweed <i>Tonestus</i> (=Haplopappus) <i>alpinus</i>														X		
Barneby woody aster <i>Tonestus</i> (=Aster) <i>kingii</i> var. <i>barnebyana</i>							X								X	
Sevier townsendia <i>Townsendia jonesii</i> var. <i>lutea</i>							X									
Charleston ground daisy <i>Townsendia jonesii</i> var. <i>tumulosa</i>														X		
Short-slyle tofieldia <i>Triantha occidentalis</i> ssp. <i>brevistyla</i>										X						
Currant Summit clover <i>Trifolium andinum</i> var. <i>podocephalum</i>								X								
Leiberg's clover <i>Trifolium leibergii</i>								X								
Rollins clover <i>Trifolium macilentum</i> var. <i>rollinsii</i>														X		
Charleston violet <i>Viola charlestonensis</i>														X		
Smith violet <i>Viola franksmithii</i>																X
Lithion violet <i>Viola lithion</i>								X								
Idaho range lichen <i>Xanthoparmelia idahoensis</i>											X					

ASH - Ashley  
 BOI - Boise  
 B-T - Bridger-Teton  
 CAR - Caribou

CHA - Challis  
 DIX - Dixie  
 FIS - Fishlake  
 HUM - Humboldt

M-L - Manti-LaSal  
 PAY - Payette  
 SAL - Salmon  
 SAW - Sawtooth

TAR - Targhee  
 TOI - Toiyabe  
 UIN - Uinta  
 W-C - Wasatch-Cache

<p><b>KEY:</b>                  X = known distribution species and/or habitat                  ? = suspected or potential habitat                  * = wild and naturally reproducing stocks                  + = migration corridors only                  o = offsite impacts (e.g. downstream)                  r = reintroduced Central Idaho &amp; Yellowstone populations, covered under ESA Section 10(j), and declared experimental non-essential populations, and thus are treated like "proposed" species                  ## = no longer meet "sensitive" criteria (personal communication with Forest botanists and Dr. Duane Atwood), but no official list revision yet                  Dates are dates the Final Rule was published in the <i>Federal Register</i>;                  ED = Effective dates are about 30 days later if not listed.</p>	<p><b><i>This list was compiled from the following sources:</i></b>  <i>R-4 Vertebrate Sensitive Species List (August 13, 1990)</i>  <i>R-4 Sensitive Plant List (April 29, 1994)</i>  <i>Endangered and Threatened Wildlife and Plants, USDA-U.S. Fish &amp; Wildlife Service (August 20, 1994)</i>  <i>Northern Goshawk - Listed as a Sensitive Species in R4 (October 31, 1991)</i>  <i>Miscellaneous Federal Registers</i></p>
---	--