

SCHEDULE PURSUANT TO CP6.315# - SALE OPERATION SCHEDULE (04/2003)

<u>Payment Unit</u>	<u>Operating Conditions</u>	<u>Purpose</u>
All	Harvest operations are restricted to after Labor Day on September 3rd and Monday through Friday only, unless otherwise agreed.	<u>1/</u>
All	Helicopter operations are restricted to after Labor Day and Monday through Friday only, unless otherwise agreed.	<u>1/</u>
All	Haul operations are restricted to after Labor Day and Monday through Friday only, unless otherwise agreed.	<u>1/</u>

1/ Minimize conflicts with recreational users in the area.

TABLE PURSUANT TO CP6.41# - HARVEST METHOD (04/2003)

<u>Harvest Unit</u>	<u>Harvest Method</u>
ALL	<p>Boughs from noble fir and other coniferous species may be harvested following the guide below. Cutting unit boundaries are designated on the ground with a combination of blue cutting unit boundary tags with orange paint and blue flagging.</p> <p>A. Boughs must be cut with shears, pruning saws, or pole saws. Axes, hatchets, chainsaws, machetes, or other means of harvest are not authorized unless otherwise agreed or treating slash per CP6.74#.</p> <p>B. Bough removal will be by hand carrying or off-road vehicle (ATV/Rino, No Trucks) to existing roads. Boughs in remote areas may be removed by helicopter or a skyline yarding system with full suspension of boughs. All off-road vehicles and trails shall be approved in writing prior to use and will require seeding with Forest Service provided seed if soil is disturbed, unless otherwise agreed. Skyline roads, landings, and staging areas must be approved in writing by the Forest Service prior to starting helicopter or skyline operations.</p> <p>C. Collection of boughs is prohibited within 50 feet slope distance of any protected streamcourse shown on Sale Area Map.</p> <p>D. If more than 75% of the live crown is removed from any given tree, tree will be felled with a maximum 6" stump height and hand piled or scattered, per CP6.74#, and stump darkened with soil.</p>

SPECIFICATIONS PURSUANT TO CP6.74# - SLASH TREATMENT REQUIREMENTS (04/2003)

If more than 75% of the live crown is removed from any given tree, tree will be felled with a maximum 6" stump height and hand piled or scattered per Method A or Method B below, as directed by sale administrator.

Method A: Handpiling: All slash more than 1 foot long, generated from harvesting operations, shall be handpiled. Pile all slash in piles not exceeding 5 feet in diameter and not exceeding 5 feet in height. Piles shall be located no closer than 10 feet and no further than 20 feet from standing trees.

Method B: Scattering: All slash more than 1 foot long, generated from harvesting operations, shall be scattered. Scattering shall occur in the nearest residual stand to mimic natural down wood and will not be windrowed or piled.