

APPENDIX B

STEWARDSHIP CONTRACT TIMBER REMOVAL SPECIFICATIONS

GENERAL INSTRUCTIONS; *The following is a complete list of standard clauses that maybe used for the IRSC scaled contract. Eliminate all those that do not apply. As an example; if there is no sample load scaling needed for the contract, eliminate G.8.5.1 Scaling Lost Sample Loads from the list and remove the clause. CLAUSES MARKED WITH AN “*” ARE MANDATORY AND MAY NOT BE DELETED. The clause marked with “***” is mandatory for forests west of the 100th meridian.*

- *B.0 CONTRACT AREA
- *B.1 Contract Area Map
- *B.2 Claims
- *C.0 TIMBER SPECIFICATIONS
- *C.1 Included Timber
- *C.1.1 Standard Timber
- *C.1.2 Substandard Timber
- *C.1.3 Damaged Timber
- *C.1.3.1 Damaged by Contractor
- *C.1.3.2 Negligent or Willful Damage
- *C.1.3.4 Minor Damage by Natural Causes
- *C.1.4 Unintentionally Cut Timber
- C.1.5 Construction Timber
- *C.1.6 Other Material
- *C.2 Utilization and Removal of Included Timber
- *C.3 Timber Designations
- C.3.1 Clearcutting Units
- C.3.2 Construction Clearing
- *C.3.2.2 Other Authorized Clearings
- C.3.3 Overstory Removal Units
- C.3.4 Understory Removal Units
- C.3.5 Individual Trees
- *C.3.7 Minor Changes
- *C.4 Volume Estimate
- *D.0 RATES OF PAYMENT
- *D.1 Current Contract Rates
- *D.4 Other Payment Rates
- *D.4.1 Material and Quantities Not in Division A
- *D.4.2 Timber Cut Through Mistake
- *D.4.2.1 Designated Timber Cut But Not Removed
- *D.4.3 Undesignated Timber Damaged Without Negligence
- *D.4.4 Undesignated Timber Unnecessarily Damaged or Negligently or Willfully Cut
- *D.4.5 Liquidated Damages
- *D.4.7 Defect Caused by Abnormal Delay
- *E.0 PAYMENTS
- *E.1 Amount Payable for Timber
- *E.2 Integrated Resource Account
- *E.3 Deposits When Payment Guaranteed
- *G.0 OPERATIONS
- *G.4 Conduct of Logging
- *G.4.1 Felling and Bucking
- *G.4.1.1 Felling in Clearings
- *G.4.1.2 Stump Heights
- *G.4.1.3 Bucking Lengths
- *G.4.1.4 Limbing
- *G.4.2 Skidding and Yarding
- G.4.2.1 Rigging
- *G.4.2.2 Landings and Skid Trails
- *G.4.2.3 Skidding on Roads
- G.4.2.4 Arches and Dozer Blades
- *G.6.3 Temporary Roads
- *G.6.4 Landings
- *G.6.5 Skid Trails and Fire Lines
- *G.6.6 Current Operating Areas
- *G.6.7 Erosion Control Structure Maintenance
- *G.7 Slash Disposal
- *G.8 Scaling
- *G.8.1 Scaling Services
- *G.8.1.1 Sclaing Location
- *G.8.1.2 Scaling Adjustments
- *G.8.1.3 Delayed or Interrupted Scaling Services
- *G.8.1.4 Weighing Services
- *G.8.2 Presentation for Scaling
- *G.8.3 Scaling Other Products
- *G.8.4 Accountability
- *G.8.4.1 Route of Haul
- **G.8.4.2 Product Identification
- G.8.5 Scaling Lost Products
- G.8.5.1 Scaling Lost Sample Loads
- G.8.6 Scale Reports
- I.0 OTHER CONDITIONS
- *I.1 Title and Liability
- *I.1.1 Title Passage
- *I.1.2 Liability for Loss
- *I.5 Sale of Other Materials
- WO-K-C.1.1# Timber Subject to Agreement (9/04)
- WO-K-C.3# Reserve Trees (9/04)
- WO-K-C.3.5.5# Designation by Prescription (9/04)
- WO-K-G.3.2# Protection of Reserve Trees (9/04)
- WO-K-G.8.1.5 Third Party Scaling Services (9/04)
- WO-K-G.8.1.6# Scaling Deposits (9/04)
- WO-K-I.6.8# Use of Timber (Option 1) (9/04)
- R3-K-C.3.5.5# Individual Trees (Cut Tree Marking) (5/08)
- R3-K-C.3.5.6# Individual Trees (Leave Tree Marking) (5/08)
- R3-K-F.1.2.1# Road Use Agreement (5/08)
- R3-K-G.2.2.1# Improvements to be Moved (5/08)
- R3-K-G.3.1.3# Timing of Contract Operations (7/09)
- R3-K-G.4# Conduct of Activity (7/09)
- R3-K-G.4.3 Protection of Public in Recreation Areas (5/08)
- R3-K-G.6 Erosion Prevention and Control (5/08)
- R3-K-G.6.0.1# Erosion Control Seeding (5/08)
- R3-K-G.6.0.2 Temporary Road and Landing Scarification (5/08)
- R3-K-G.8 Measuring (5/08)
- R3-K-G.8.1.1 Use Of Sample Frequency Cards (5/08)
- R3-K-G.8.2 Accountability (5/08)

Division A

Location and Area:

This Contract Area of _____ acres more or less is located in: _____

Volume Estimate and Utilization Standards

Species Group	Product	Estimated Quantity *	Unit of Measure	Minimum Specifications				
				Merchantable Tree		Piece Required to be Removed		
				Diameter Breast High (d.b.h.) (inches)	Number of Minimum Pieces per Tree	Length (feet)	Diameter Inside Bark at Small End (inches)	<u>1/</u>
	Product		GTon	As determined in RFP	1	8	As determined in RFP	
Timber Subject to Agreement								
	Biomass		GTon		1	6.5		
Total Quantity								

1/ Enter Merchantability Factor (Merch. Factor) or Net Scale in % of Gross Scale, whichever is appropriate.

*Determined under each Task Order

Timber Designations, acres are approximate:

	Number	Acres
Clearcutting Units (C.3.1)	_____	_____
Overstory Removal Units (C.3.3)	_____	_____
Understory Removal Units (C.3.4)	_____	_____
Individual Trees (C.3.5)	_____	_____
Incompletely Measured (C.3)	_____	_____
Designation by Description or Prescription (K-C.3)	_____	_____

High Stumps

Species	Product	Maximum Stump Height (inches)
ALL	All Product	12

Roads

Name and Date of Governing Road Specifications: _____

Project		Design Class	Approx. Length (mi./km.)	Sheet Numbers and Approval Date	Performance Responsibility		
					Survey	Design	Const. Staking ^{1/}
Road No.	Name						

^{1/} Indicate timing, i.e., before clearing (BC) or after clearing (AC).
 Specification sheets with itemized construction codes also attached

Scaling Instructions and Specifications

Name and Date of Governing Instructions: _____

Scaling Specifications					
Species	Product	Maximum Scaling Length (feet)	Trim Allowance		
			Diameter Range (inches)	Length Range (feet)	Trim Allowance (inches)

Scaling Services

Unit of Measure	Site and Geographic Location	Method	Standard Estimated Cost per Unit \$

APPLICABLE REGIONAL CLAUSES MAY BE ADDED

UNITED STATES DEPARTMENT OF AGRICULTURE
Forest Service
TIMBER REMOVAL SPECIFICATIONS
CLAUSES FOR SCALED TIMBER REMOVAL CONTRACTS
(Applicable to Contracts to be Measured After Felling)

This Division is organized into Parts, Sections, Subsections, and Items. These are numbered in accordance with the following scheme: Part B1.0, Section B1.1, Subsection B1.11, and Item B1.111. References to a Part include all Sections, Subsections, and Items within that Part; references to a Section include all Subsections and Items within that Section; and references to a Subsection include all Items within that Subsection. Cross references within this contract cite the reference number of the applicable Division, Part, Section, Subsection, and Item. Descriptive headings used are not to be considered in determining the rights and obligations of the parties hereunder. The Standard Clauses in this Division are subject to Specific Conditions of the contract stated in Division A. Wherever appropriate, Specific Conditions established in Division A are herein cited by reference number. References to Standard Clauses also apply to Special K Clauses with the same numbers. These clauses are applicable only to the timber removal portion of the Phase 1 of Four Forest Restoration Initiative Stewardship Contract except where otherwise specifically referenced. "Timber" when used in this appendix includes timber and other products. Note: Clauses with blanks will be completed prior to issuance of task orders.

B.0—CONTRACT AREA

B.1 Contract Area Map. The boundaries of "Contract Area" and any subdivision thereof are as shown on the attached "Contract Area Map," which is made a part hereof, and were, before advertisement, designated on the ground by Forest Service to meet the anticipated needs of the parties. The location of the Contract Area and its approximate acreage are stated in Division A. Contract Area may be revised and additional ones may be established only by written agreement. Where applicable, the following are also identified on Contract Area Map:

- (a) Identified claims limiting Contractor's rights;
- (b) Subdivisions defined where timber is to be Measured or Marked after date of advertisement;
- (c) Boundaries of cutting units;
- (d) Areas where leave trees are Marked to be left uncut;
- (e) Roads listed
- (f) Sources of base course, rock riprap and surface rock;
- (g) Roads where log hauling is prohibited or restricted;
- (h) Roads and trails to be kept open;
- (i) Improvements to be protected;
- (j) Locations of known historical sites;
- (k) Maximum stump heights when more than one height is listed by areas;
- (l) Skidding or yarding methods specified;
- (m) Streamcourses to be protected; and
- (n) Other features required by Parts A through K.

B.2 Claims. Valid claims are excluded from Contract Area, except those on which timber cutting is authorized in writing by the claimant and except mining claims on which cutting is authorized by the Act of July 23, 1955 (30 USC 614). Claims that limit Contractor's rights to operate under this contract and that Forest Service has been able to identify are shown on Contract Area Map. Contractor is not obligated to operate contrary to existing claim limitations. Forest Service shall designate boundaries of claims on the ground to the extent necessary to identify Included Timber.

C.0—TIMBER SPECIFICATIONS

C.1 Included Timber. "Included Timber" consists of:

C.1.1 Standard Timber. Live and dead trees and portions thereof that meet Utilization Standards and are designated for cutting.

C.1.2 Substandard Timber. Live and dead trees that:

- (a) Do not meet Utilization Standards and
- (b) Are located in Clearcutting Units or construction clearings or are otherwise designated for cutting.

C.1.3 Damaged Timber.

C.1.3.1 Damaged by Contractor. Undesignated live trees meeting Utilization Standards (a) within 200 feet slope distance from centerline of roads constructed hereunder which are damaged by Contractor's construction to the extent that considerable deterioration or mortality is imminent and are designated by Forest Service for felling before the nearest road segment is substantially completed; or (b) which are damaged by Contractor in logging and are subsequently Marked before Contractor has completed skidding or yarding operations in the immediate area. By agreement, such trees may be left without charge if their removal would cause undue damage or be grossly uneconomic.

C.1.3.2 Negligent or Willful Damage. Undesignated timber meeting Utilization Standards and unnecessarily damaged or negligently or willfully cut by Contractor, if included by Forest Service.

C.1.3.4 Minor Damage by Natural Causes. Undesignated trees within Contract Area and meeting Utilization Standards, that become insect infested, windthrown, suffer serious damage, or die, as designated by agreement.

C.1.4 Unintentionally Cut Timber. Trees within or immediately adjacent to Contract Area or to road construction or other authorized clearing outside Contract Area, not designated for cutting but that are cut through mistake by Contractor, when included by Forest Service.

C.1.5 Construction Timber. Trees to be used for construction under this contract.

C.1.6 Other Material. Species or products not listed in the contract, upon written approval of Forest Service.

C.2 Utilization and Removal of Included Timber. "Utilization Standards" for trees and minimum pieces are stated in Division A. To meet minimum tree specifications, trees must equal or exceed tree diameters listed in Division A and contain at least one minimum piece. Except for timber required or authorized to be left, Contractor shall fell and buck such trees and shall remove from Contract Area all pieces that:

(a) Meet minimum piece standards in Division A or,

(b) Do not meet such standards, but would have qualified as part of minimum pieces if bucking lengths were varied to include such material.

C.3 Timber Designations. Timber designated for cutting shall be confined to Contract Area, except as otherwise provided. Contract Area Map indicates subdivisions, if any, where Marking is to be done after solicitation, except for construction clearing, minor changes, and damaged timber. The boundaries of cutting units were plainly marked on ground before solicitation and are shown on Contract Area Map. The number of units and approximate acreage of timber designations are stated in Division A.

C.3.1 Clearcutting Units. All trees that meet Utilization Standards within "Clearcutting Units" are designated for cutting.

C.3.2 Construction Clearing. All timber is designated for cutting that is within the clearing limits of roads constructed hereunder or is in other authorized clearings. All dead or unstable live trees are designated for cutting that are sufficiently tall to reach Contractor's landings, work areas, or the roadbed of Specified and Temporary Roads when Marked in advance of work in the immediate area. Pieces meeting Utilization Standards from such dead or un-stable live trees shall be removed, unless there is agreement that to do so could damage the road. Such designation may be revised as part of agreed changes in road locations.

C.3.2.2 Other Authorized Clearings. Timber within authorized clearings for Temporary Roads, landings, or other construction clearings is designated for cutting. Quantities of such timber are not included in Division A.

C.3.3 Overstory Removal Units. All trees within "Overstory Removal Units" are designated for cutting when they meet Utilization Standards and equal or exceed the diameter limits shown on Contract Area Map.

C.3.4 Understory Removal Units. All trees within "Understory Removal Units" are designated for cutting when they meet Utilization Standards and are smaller than the diameter limits shown on Contract Area Map.

C.3.5 Individual Trees. All trees to be cut, other than in the units described in C.3.1, C.3.2, C.3.3, and C.3.4, are Marked or designated by description. Trees are "Marked" when individually designated by Forest Service with paint marks above and below stump height. Contract Area Map indicates areas plainly identified on the ground where leave trees are Marked to be left uncut.

C.3.7 Minor Changes. Within Contract Area, minor adjustments may be made in boundaries of cutting units or in the timber individually Marked for cutting when acceptable to Contractor and Forest Service.

C.4 Volume Estimate. The estimated volumes of timber by species designated for cutting and expected to be cut under Utilization Standards are listed in Division A. The estimated volumes stated are not to be construed as guarantees or limitations of the timber volumes to be designated for cutting under the terms of this contract.

D.0—RATES OF PAYMENT

D.1 Current Contract Rates. Included Timber that is removed by Contractor and presented for scaling shall be paid for at Current Contract Rates determined under this Section. "Current Contract Rates" shall be Flat Rates. Flat Rates shall be those listed in Division AT or B2 of the Schedule of Items. In the event contract time is adjusted, Current Contract Rates shall be continued in the same manner as immediately prior to the adjustment period.

D.4 Other Payment Rates.

D.4.1 Material and Quantities Not in Division A. Incidental amounts of products or portions of trees of species that do not meet Utilization Standards may be removed without charge. Such material from Clearcutting Units and construction clearings may be purposely removed in more than incidental amounts without charge subject to agreement on deposits for road maintenance and use. Such material from other than Clearcutting Units and construction clearings may be purposely removed in more than incidental amounts without charge upon written approval of Contracting Officer, and subject to agreement on deposits if needed for road maintenance and use. Other species or products not listed may, upon written approval of Contracting Officer, be cut and removed subject to agreement on rates of payment. Timber for which the quantity is not included in the estimate, shall be paid for at Current Contract Rates and Required Deposits.

D.4.2 Timber Cut Through Mistake. Undesignated timber meeting Utilization Standards, cut by Contractor through mistake and included by the Forest Service, shall be removed and paid for at Current Contract Rates and Required Deposits, unless such material is not listed. In such event, Forest Service, in accord with standard Forest Service methods, shall establish rates to be paid.

D.4.2.1 Designated Timber Cut But Not Removed. Standard timber shall be removed prior to acceptance of a Subdivision for completion of logging. There shall be no charge when (a) leaving the incidental material is justified under existing conditions, or (b) Cut timber is left by option or requirement.

D.4.3 Undesignated Timber Damaged Without Negligence. Undesignated timber meeting Utilization Standards, damaged without negligence by Contractor and designated by Forest Service, shall be cut, removed, and paid for at Current Contract Rates and Required Deposits.

D.4.4 Undesignated Timber Unnecessarily Damaged or Negligently or Willfully Cut. Undesignated timber meeting Utilization Standards and unnecessarily damaged or negligently or willfully cut by Contractor, if included by Forest Service shall be cut, removed, and paid for at Current Contract Rates and Required Deposits that are in addition to liquidated damages. If such timber is of a species or size not listed in Division A or is of a quality different from designated timber, Contracting Officer shall establish payment rates in accord with standard Forest Service methods.

D.4.5 Liquidated Damages. Unnecessary damage to or negligent or willful cutting of undesignated timber, on portions of Contract Area cut over under this contract is likely to cause substantial silvicultural or other damage to the National Forest. It will be difficult, if not impossible, to determine the amount of such damage. Therefore, Contractor shall pay as fixed, agreed, and liquidated damages an amount equivalent to the amount payable at Current Contract Rates. If designated by the Forest Service, Contractor shall remove such damaged timber.

D.4.7 Defect Caused by Abnormal Delay. Scaling deductions made for rot, check, or other defect resulting from abnormal delay in Scaling caused by Contractor shall be recorded separately and charged to Integrated Resource Account at Current Contract Rates and applicable deposits.

E.0—PAYMENTS

E.1 Amount Payable for Timber. Current Contract Rates and Required Deposits in effect when the timber is Scaled shall be applied to the Scaled volume to determine the amount Contractor shall pay.

E.2 Stewardship Account

"Stewardship Account" is an account of all Contractor's deposits, credits, Payment Guarantees, and the charges for:

- a. Timber, or other Products at rates specified in contract
- b. Slash disposal and road maintenance at Required Deposit rates,
- c. Stewardship Credits established,

- d. Contract Scaling Deposits, and
- e. Other Charges provided in this contract.

Cash deposits and Stewardship Credits earned shall be recorded currently in such account.

Charges for timber cut shall be made when Forest Service prepares and furnishes to Contractor periodic statements of volume and value of such timber cut and scaled. Charges against Stewardship Credits shall be limited to timber value in excess of Required Deposits. Required Deposits and Other Charges shall be paid in cash.

Contractor shall make cash deposits to meet Contractor's obligations within 15 days of billing by the Forest Service. Deposits shall be made to Forest Service, USDA, by mail or delivery to the address shown on the bill for collection.

ET.3 - Deposits When Payment Guaranteed. (05/10) To the extent payment guarantee is provided under Clause entitled, "PRODUCT PAYMENT GUARANTEE" requirements for advance cash deposits shall be waived for the value of Product on contract area that is cut, but not removed, and for the value of Products removed from contract area, up to limit of remaining stewardship credits to be earned and exchanged for value of included product except for Required Deposits and Associated Charges. Associated charges shall be waived for not more than one monthly billing period.

G.0—OPERATIONS

G.4 Conduct of Logging. Unless otherwise specifically provided herein, Contractor shall fell trees designated for cutting and shall remove the portions which meet Utilization Standards, except for occasional trees inadvertently not cut or trees or pieces not removed for good reason, including possible damage to forest resources or gross economic impracticability at the time of removal of other timber. Logging shall be conducted in accordance with the following, unless other clauses set forth requirements to meet special or unusual logging conditions:

G.4.1 Felling and Bucking. Felling shall be done to minimize breakage of Included Timber and damage to residual timber. Unless agreed otherwise, felling shall be done by saws or shears. Bucking shall be done to permit removal of all minimum pieces set forth in Division A. Contractor may buck out cull material when necessary to produce pieces meeting Utilization Standards. Such bucked out material shall contain a minimum amount of sound wood, not in excess of the net Measure in percentage of gross Measure, or based on the merchantability factor, whichever is stated in Division A. If necessary to assess extent of defect, Contractor shall make sample saw cuts or wedges.

G.4.1.1 Felling in Clearings. Insofar as ground conditions, tree lean and shape of clearings permit, trees shall be felled so that their tops do not extend outside construction clearings and areas of regeneration cutting.

G.4.1.2 Stump Heights. Stumps shall not exceed, on the side adjacent to the highest ground, the maximum heights set forth in Division A, except that occasional stumps of greater heights shall be acceptable when necessary for safe and efficient conduct of logging. Except for acceptable high stumps stated above, Contractor shall re-cut high stumps so they will not exceed heights specified in Division A and shall dispose of severed portions in the same manner as other logging debris or as otherwise agreed. The stump heights shown in Division A were selected with the objective of maximum reasonable utilization of the timber unless Contract Area Map shows special areas where stump heights are lower for aesthetic, land treatment or silvicultural reasons.

G.4.1.3 Bucking Lengths. Trees shall be bucked in various lengths to obtain the greatest utilization of material meeting Utilization Standards.

G.4.1.4 Limbing. When Forest Service determines it is necessary to minimize damage to the residual stand during skidding, Contractor shall cut exposed limbs from products prior to skidding. Contractor may leave uncut those limbs that cannot be cut with reasonable safety.

G.4.2 Skidding and Yarding. Methods of skidding or yarding specified for particular areas, if any, are indicated on Contract Area Map. Outside Clearcutting Units and construction clearings, insofar as ground conditions permit, products shall not be skidded against reserve trees or groups of reproduction and tractors shall be equipped with a winch to facilitate skidding.

G.4.2.1 Rigging. Insofar as practicable, needed rigging shall be slung on stumps or trees designated for cutting.

G.4.2.2 Landings and Skid Trails. Location of all landings, tractor roads, and skid trails shall be agreed upon prior to their construction. The cleared or excavated size of landings shall not exceed that needed for efficient skidding and loading operations.

G.4.2.3 Skidding on Roads. Products may be skidded on permanent roads authorized for hauling only by prior written agreement.

G.4.2.4 Arches and Dozer Blades. Skidding tractors equipped with pull-type arches or dozer blades wider than tractor width or C-frame width, whichever is greater, shall not be used in residual timber outside Clearcutting Units and other authorized clearings, except on constructed tractor roads or landings, unless there is written agreement that residual timber will not be damaged materially by such use.

G.6.3 Temporary Roads. As necessary to attain stabilization of roadbed and fill slopes of Temporary Roads, Contractor shall employ such measures as outsloping, drainage dips, and water-spreading ditches.

After a Temporary Road has served Contractor's purpose, Contractor shall give notice to Forest Service and shall remove bridges and culverts, eliminate ditches, outslope roadbed, remove ruts and berms, effectively block the road to normal vehicular traffic where feasible under existing terrain conditions, and build cross ditches and water bars, as staked or otherwise marked on the ground by Forest Service. When bridges and culverts are removed, associated fills shall also be removed to the extent necessary to permit normal maximum flow of water.

G.6.4 Landings. After landings have served Contractor's purpose, Contractor shall ditch and slope them to permit water to drain or spread. Unless agreed otherwise, cut and fill banks around landings shall be sloped to remove overhangs and otherwise minimize erosion.

G.6.5 Skid Trails and Fire Lines. Contractor shall construct cross ditches and water-spreading ditches on tractor roads and skid trails, where staked or otherwise marked on the ground by Forest Service. Forest Service shall designate cross ditching on Contractor-built fire lines prior to or during construction. By agreement, Contractor may use other comparable erosion control measures, such as backblading skid trails, in lieu of cross ditching.

G.6.6 Current Operating Areas. Where logging, road construction, or other stewardship project work is in progress but not completed, unless agreed otherwise, Contractor shall, before operations cease annually, remove all temporary log culverts and construct temporary cross drains, drainage ditches, dips, berms, culverts, or other facilities needed to control erosion.

Such protection shall be provided, prior to end of INSERT DATE OF LAST DAY IN A FOREST/DISTRICT TYPICAL WORK SEASON, for all disturbed, unprotected ground that is not to be disturbed further prior to end of operations each year, including roads and associated fills, tractor roads, skid trails, and fire lines. When weather permits operations during INSERT DATES OF PERIOD OUTSIDE A TYPICAL WORK SEASON i.e.: Nov.1 – March 1, inclusive Contractor shall keep such work on any additional disturbed areas as up to date as practicable.

G.6.7 Erosion Control Structure Maintenance. During the period of this contract, Contractor shall provide maintenance of soil erosion control structures constructed by Contractor until they become stabilized, but not for more than 1 year after their construction. Contractor shall not be responsible for repair of such structures damaged by other National Forest users whose activities are not a part of Contractor's Operations.

G.7 Slash Disposal. Contractor's timing of product removal and preparatory work shall not unnecessarily delay slash disposal. Specific slash disposal measures to be employed by Contractor are stated elsewhere herein and are in addition to Required Deposits for slash disposal.

G.8 Scaling. "Scaling," as used herein, involves:

- (a) Various volume determination methods, such as log rule, sampling, measuring, linear measuring, counting, weighing, or another method or combination of methods;
- (b) Various sites, such as truck Scaling stations, rollways, weighing stations, woods landings, water Scaling stations, or other sites; and
- (c) Various geographic locations.

G.8.1 Scaling Services. Scaling services shall be performed by Forest Service personnel or parties under contract to Forest Service, except that weighing services may be performed by personnel or parties approved by Forest Service. Scaling shall be provided in accordance with the instructions and specifications in Division A. Scalers shall be currently certified to perform accurate Scaling services. The Scaling services provided shall be selected exclusively by Forest Service. Scaling services may be Continuous, Intermittent, or Extended. "Continuous Scaling Services" is Scaling at one site five (5) 8-hour shifts a week, exclusive of Sundays and Federal holidays. "Intermittent Scaling Services" are non-continuous Scaling services. "Extended Scaling Services" are Scaling services exceeding Continuous Scaling Services and may include Sundays and designated Federal holidays. Upon written request of Contractor and approval of Contracting Officer, Forest Service may provide other services, such as but not limited to grading, tagging, or marking of Scaled logs.

G.8.1.1 Scaling Location. Forest Service shall provide Scaling services at the Scaling site(s) shown in Division A. The Scaling site(s) shown in Division A normally will be a non-exclusive site where more than one National Forest contractor may be served. Contractor may request, in writing, an alternate Scaling site, such as at a private mill yard, private truck ramp, or a privately operated log transfer facility. Contracting Officer may approve an alternate Scaling site, when Contracting Officer determines that Scaling conditions at an alternate site are acceptable. Such conditions shall include at a minimum: (a) Scaler safety and comfort, (b) Product accountability and security, (c) Facilities and practices conducive to accurate and independent Scaling, and (d) The ability to provide for remote check

Scaling. Upon approval of an alternate Scaling site, Forest Service and Contractor shall enter into a written memorandum of agreement governing Scaling at that alternate location. Contractor agrees that Forest Service personnel or persons under contract with Forest Service shall perform Scaling services at an alternative Scaling site. In no instance shall Contractor or employees of Contractor perform Scaling services.

G.8.1.2 Scaling Adjustments. Forest Service shall check the accuracy of the Scaling performed on National Forest logs. Scaling will be satisfactory if performed within the accuracy standards stated in governing instructions identified in Division A. In the event Forest Service check Scale(s) shows a variance in net Scale in excess of the allowable variance, an adjustment to volume reported Scaled may be made by Forest Service. Such adjustment will be based on the difference between Forest Service check Scale(s) and original Scale for contract volume Scaled within the adjustment period. The volume to which this difference will be applied will be: (a) One-half of the volume Scaled between the last satisfactory check Scale and the first unsatisfactory check Scale or, if a period of 120 days or more occurs without Scaling National Forest timber for stumpage, the adjustment will be applied to 100 percent of the volume Scaled after this period and (b) 100 percent of the volume Scaled between unsatisfactory check Scales and (c) One-half of the volume Scaled between the last unsatisfactory check Scale and the next satisfactory check Scale, or if no satisfactory check Scale is completed and a period of 120 days or more occurs without Scaling of National Forest timber for stumpage, the adjustment will be applied to 100 percent of the volume Scaled since the last unsatisfactory check Scale. Adjustments may increase or decrease the original Scaled volume. Adjustments will be applied to Integrated Re-source Account to correct charges for Included Timber, plus deposits, Scaled during the adjustment period.

G.8.1.3 Delayed or Interrupted Scaling Services. In the event Scaling services are delayed or interrupted, Contractor shall discontinue hauling. Contractor further agrees that no logs will be presented for Scaling outside agreed upon Scaling services schedule.

G.8.1.4 Weighing Services. Weighing services for stumpage payment purposes may be provided by either public or privately owned and operated weighing facilities. A "Weighing Services Agreement," approved by the Forest Supervisor, must be executed at each weighing facility providing weighing services. Scales used to weigh National Forest products for payment purposes must be a currently certified scale in accordance with State law and be capable of weighing the entire load of logs in a single operation. The weighing of less than the entire load or weighing two loads at once is prohibited. Unless otherwise agreed, the minimum sized weighing facility shall be a 60-ton capacity scale with a 10 foot by 70 foot platform or larger. The weighmaster must work in a position where it is possible to verify that the truck wheels are on or off the scales.

Weighing facilities shall meet the following minimum requirements:

- (a) Be an electronic design,
 - (b) Use electronic load cells or have a fully enclosed and sealed weigh-beam,
 - (c) Have digital weight meters sealed with a seal approved by the State,
 - (d) Have a zero interlocking device on the printer,
 - (e) Have an automatic zero-setting mechanism,
 - (f) Have an automatic motion-detecting device,
 - (g) Be shielded against radio or electromagnetic interference, and
 - (h) Have a date and time stamp and gross and tare weights that print electronically with each weighing. Contracting Officer may waive electronic printing for public or third party weighing facilities.
- Contractor shall bear all charges or fees for weighing services.

G.8.2 Presentation for Scaling. Contractor shall present products so that they may be Scaled in an economical and safe manner. If prior to Scaling, Included Timber is to be mixed with other timber, Contractor shall, prior to mixing, provide for distinguishing, by means approved by Forest Service, each product included in this contract.

Trees or pieces presented for Scaling that have not been bucked to separate material meeting minimum piece standards from material not meeting minimum piece standards due to diameter, shall be Scaled as though such bucking had been done.

Deductions made for rot, check, or other defects resulting from abnormal delay in Scaling caused by Contractor shall be recorded separately and charged to Integrated Resource Account under D.4.7.

Any timber that has been removed from Contract Area during the period of this contract, but remains unscaled after contract termination, shall be Scaled at the earliest reasonable date.

G.8.3 Scaling Other Products. The Scaled volume of material presented for Scaling in forms other than those stated in Division A., when appropriate, shall be converted to the Division A unit of measure by the application of standard converting factors and procedures in effect at the time the contract was sold. Other converting factors may be used by written agreement.

G.8.4 Accountability. When Scaling is performed away from Contract Area, products shall be accounted for in accordance with Forest Service written instructions or an Accountability Agreement between Forest Service and Contractor and as follows:

- (a) Contractor shall plainly mark or otherwise identify products prior to hauling in accordance with G.8.4.2;
- (b) Forest Service shall issue removal receipts to Contractor;
- (c) Contractor shall assign a competent individual at the landing to complete removal receipts and attach them to each load of products removed from Contract Area;
- (d) Removal receipts shall be returned to Forest Service at periodic intervals;

- (e) When products are in transit, the truck driver shall possess or display removal receipt and show it upon request as evidence of authority to move products;
- (f) The scaler's portion of removal receipt shall be surrendered at point of Scaling, the unloading point, or as requested by Forest Service; and
- (g) Contractor shall notify Forest Service of lost or off-loaded logs and their location within 12 hours of such loss. Contractor shall not place products in storage for deferred Scaling until an accountability system has been agreed to in writing for a stated period.

G.8.4.1 Route of Haul. Contractor shall furnish a map showing the route of haul over which unscaled products will be transported from Contract Area to the approved Scaling location. Such route of haul shall be the shortest, most economical haul route available between the points.

Upon advance written agreement, other routes may be approved. All unscaled products removed from Contract Area shall be transported over the designated routes of haul. Contractor shall notify Forest Service when a load of products, after leaving Contract Area, will be delayed for more than 12 hours in reaching Scaling location.

Contractor shall require truck drivers to stop, if requested by Forest Service, for the following reasons:

- (a) For accountability checks when products are in transit from Contract Area to the designated Scaling location or
 - (b) For a remote check Scale when products are in transit after being truck Scaled at the designated Scaling location.
- Contractor and Forest Service shall agree to locations for accountability checks and remote check Scales in advance of haul. Such locations shall be established only in areas where it is safe to stop trucks. Forest Service shall notify Contractor of the methods to be used to alert truck drivers of an impending stop.

G.8.4.2 Product Identification. For contracts west of the 100th meridian, before removal from Contract Area, unless Contracting Officer determines that circumstances warrant a written waiver or adjustment, Contractor shall:

- (a) Hammer brand all products that are eight (8) feet or more in length and one-third (1/3) or more sound, on each end that is seven (7) inches or more in diameter
- (b) West of the 100th meridian, paint with a spot of highway-yellow paint all domestic processing products that are eight (8) feet or more in length and one-third (1/3) or more sound, on each end that is seven (7) inches or more in diameter. Each paint spot must be not less than three (3) square inches in size.

Contracting Officer shall assign brands and, if Contract Area is within a State that maintains a log brand register, brands shall be registered with the State. Contractor shall use assigned brand exclusively on logs from this contract until Contracting Officer releases brand. Contractor shall furnish and apply highway-yellow paint of a lasting quality (oil-base or equivalent).

All hammer brands and/or highway-yellow paint must remain on logs until they are domestically processed. Contractor shall replace identifying marks if they are lost, removed, or become unreadable. Contractor may remanufacture products into different log lengths. Except for logs remanufactured as part of the mill in-feed process immediately before processing, remanufactured products must be rebranded with the assigned contract brand and repainted with highway-yellow paint, unless otherwise agreed to in writing by Contracting Officer. For such remanufactured products, Contracting Officer may approve use of a brand to be used exclusively as a catch brand, in lieu of the assigned contract brand.

G.8.5 Scaling Lost Products. The volume of lost products shall be determined by the best methods currently available, using data from the records for the period in which the loss occurred or the most applicable period if loss should occur substantially after cutting. In the absence of specific information indicating size or species of lost products, species distribution and volume for entire truckloads shall be assumed to be the same as the average volume scaled per truck during the report period, and for individual products it shall be assumed that the volume and species were the average volume of the highest priced species Scaled during the report period.

G.8.5.1 Scaling Lost Sample Loads. If Scaling is being done by sampling loads of logs, Contractor shall present such sample loads for Scaling by Forest Service. If loads of logs selected to be sample Scaled are placed in the decks before they are Scaled, they will be considered as lost sample loads. It will be difficult, if not impossible, to determine the volume and species contained in such loads for payment purposes. Therefore, lost sample loads will be deemed to have a Scale volume and species composition equal to that of the highest value load Scaled during the sampling period, as established by Forest Service. If no sample loads were Scaled during the period, the Scale data for the high valued load will be taken from the most current preceding sampling period with Scale. Sample loads lost as a result of Forest Service actions shall be treated as non-Scaled loads.

G.8.6 Scale Reports. Forest Service shall provide Contractor a copy of Forest Service scaler's record, if requested in writing.

I.0—OTHER CONDITIONS

I.1 Title and Liability.

I.1.1 Title Passage. All right, title, and interest in and to any Included Timber shall remain in Forest Service until it has been cut, scaled, and removed from Contract Area or other authorized cutting area, and paid for, at which time title shall vest in Contractor. Timber cut under the terms of clause titled Product Payment Guarantee, shall be considered to be paid for. Title to any Included Timber that has

been cut, scaled and paid for, but not removed from Contract Area or other authorized cutting area by Contractor on or prior to contract termination, shall remain in Forest Service.

I.1.2 Liability for Loss. If Included Timber is destroyed or damaged by an unexpected event that significantly changes the nature of the Included Timber, such as fire, wind, flood, insects, disease, or similar cause, the party holding title shall bear the timber value loss resulting from such destruction or damage; except that such losses caused by insect or disease after felling of timber shall be borne by Contractor, unless Contractor is prevented from removing such timber by the Forest Service. Deterioration or loss of value of salvage timber is not an unexpected event. In the event Included Timber to which Forest Service holds title is destroyed, Contractor will not be obligated to remove and pay for such timber. In the event Included Timber to which Forest Service holds title is damaged, Contracting Officer shall make an appraisal to determine for each species the difference between the appraised unit value of Included Timber immediately prior to the value loss and the appraised unit value of timber after the loss. Current Contract Rates in effect at the time of the value loss shall be adjusted by said differences to become the redetermined rates. There shall be no obligation for Forest Service to supply, or for Contractor to accept and pay for, other timber in lieu of that destroyed or damaged. This Subsection shall not be construed to relieve either party of liability for negligence.

I.5 Sale of Other Materials. Forest Service reserves the right to sell from Contract Area during the period of this contract any materials or products not subject to its terms, but shall not permit removal, possession or use thereof which will materially interfere with Contractor's Operations. Contractor shall not be obligated to do any work made necessary by the action of others.

K-C.1.1# – TIMBER SUBJECT TO AGREEMENT. (9/04) In addition, there is within Contract Area an unestimated quantity of:

Species	Product
ALL	Biomass

that shall be Included Timber upon written agreement.

K-C.3# – RESERVE TREES. (9/04) Notwithstanding the designations for cutting under C.3.1, C.3.2, C.3.3, or C.3.4, live or dead 1/_____ reserve trees or groups of reserve trees within such cutting units or clearings shall be left uncut. Reserve trees are identified by 2/_____ and shall be protected. Units with reserve trees are shown on Contract Area Map.

K.3.5.5# – DESIGNATION BY PRESCRIPTION. (9/04) Within Subdivision(s) or cutting unit(s) _____, as shown on Contract Area Map, the following criteria shall be used by Contractor to designate trees and other products for cutting and removal. Contractor shall Mark leave trees with Contractor's non-tracer 2/_____ paint. Forest Service shall inspect and approve Marking prior to cutting.

- (a) 1/_____.
- (b) Additional trees to be cut, if any, are Marked by Forest Service with 2/_____ tracer paint.
- (c) Cutting unit boundaries and other trees that shall be left uncut are Marked by Forest Service with 2/_____ tracer paint.

K-G.3.2# – PROTECTION OF RESERVE TREES. (9/04) Contractor's damage or destruction of reserve trees described in K-C.3# will cause serious and substantial silvicultural or other damage to the National Forest. It will be difficult if not impossible to determine the amount of such damage. Therefore, Contractor shall pay as fixed, agreed, and liquidated damages \$150 for each designated reserve tree, in addition to amounts payable under D.4.5 and D.4.6. Damage, as used herein, includes any injury to the living crown, bole, or roots of reserve trees. If areas are marked on the ground around such reserve trees, operation of heavy equipment or skidding of products within the area shall be considered to be damage to the tree.

K-G.8.1.5 – THIRD PARTY SCALING SERVICES. (9/04) Notwithstanding the requirement for Forest Service or parties under contract to Forest Service to provide Scaling services under G.8.1, Scaling designated in Division A shall be conducted by a third party Scaling organization approved by Forest Service. Scaling shall be done in accordance with Division A and Contractor shall bear costs for Scaling service.

In the event third party Scaling service is suspended for causes such as strikes, termination of third party's approval to Scale National Forest logs by Forest Service, or Contractor's failure to pay third party Scaling costs, hauling operations shall be suspended until agreed alternate Scaling services are provided or service by third party is resumed. When an approved alternate Scaling location pursuant to G.8.1.1 does not have an approved third party scaling organization as a commonly used Scaling services provider, Forest Service or parties under contract to Forest Service shall provide Scaling services at the approved alternate location. In such an event, the cost of waived third party Scaling listed in Division A shall be charged to Integrated Resource Account.

If Forest Service and Contractor agree in writing that another party under contract to Forest Service will perform Scaling, the contract will be modified to include K-G.8.1.6 and Integrated Resource Account will be charged for such Scaling.

K-G.8.1.6# – SCALING DEPOSITS. (9/04) In the event Forest Service enters into contracts with another party to provide Scaling services, Contractor shall make Required Deposits in cash to Forest Service for such contract Scaling services at the following rates:

Scaling Deposits Schedule

Type of Service:	Rate per Load for Scaling Services under Division A		
	Standard	Overtime	Holiday
Yard Scaled Loads			
Truck Scaled Loads			
Non-Scale Loads			
Weighing Services			
Load Count			

The standard rate applies Monday through Friday between 6 a.m. and 8 p.m. The holiday rate applies on Federal holidays. The overtime rate applies at all other times. Such deposits shall be paid in advance of Scaling. By written notice, Forest Service may adjust such rates to reflect redetermined costs. By agreement, and pursuant to Contractor's Technical Proposal and annual Operating Schedule, deposits for Scaling services may be paid in total or be based on the estimated amount to be Scaled in not less than 30 days and not more than 60 days, unless production exceeds haul estimates. Contractor's failure to make advanced deposits when due shall be a breach of contract. Refunds after Scaling is completed shall be made.

K-I.6.8# – USE OF TIMBER (Option 1). (9/04) (a) This contract is subject to the Forest Resources Conservation and Shortage Relief Act of 1990, as amended (16 USC 620, *et seq.*). (b) Except for 1/_____ determined pursuant to public hearing to be surplus, unprocessed Included Timber shall not be exported from the United States nor used in direct or indirect substitution for unprocessed timber exported from private lands by Contractor or any person as defined in the Act (16 USC 620e). (c) Timber in the following form will be considered unprocessed: (i) Trees or portions of trees or other roundwood not processed to standards and specifications suitable for end product use; (ii) Lumber, construction timbers, or cants intended for remanufacturing not meeting standards defined in the Act (16 USC 620e); and (iii) Aspen or other pulpwood bolts exceeding 100 inches in length. (d) Unless otherwise agreed in writing, unprocessed Included Timber shall be delivered to a domestic processing facility and shall not be mixed with logs intended for export. (e) Prior to award, during the life of this contract, and for a period of 3 years from Termination Date, Contractor shall furnish to Forest Service, upon request, records showing the volume and geographic origin of unprocessed timber from private lands exported or sold for export by Contractor or affiliates. (f) Prior to delivering unprocessed Included Timber to another party, Contractor shall require each buyer, exchangee, or recipient to execute an acceptable agreement that will: (i) Identify the Federal origin of the timber; (ii) Specify domestic processing for the timber involved; (iii) Require the execution of such agreements between the parties to any subsequent transactions involving the timber; (iv) Require that all hammer brands and/or yellow paint must remain on logs until they are either legally exported or domestically processed, whichever is applicable; and (v) Otherwise comply with the requirements of the Act (16 USC 620d). (g) No later than 10 days following the execution of any such agreement between Contractor and another party, Contractor shall furnish to Forest Service a copy of each such agreement. Contractor shall retain, for 3 years from Termination Date, the records of all sales, exchanges, or dispositions of all Included Timber.

(h) Upon request, all records dealing with origin and disposition of Included Timber shall be made available to Contracting Officer.

(i) For breach of this Subsection, Forest Service may terminate this contract and take such other action as may be provided by statute or regulation, including the imposition of penalties. When terminated by Forest Service under this Subsection, Forest Service will not be liable for any Claim submitted by Contractor relating to the termination.

R3 K-C.3.5.5# - INDIVIDUAL TREES (CUT TREE MARKING) (05/2008) In subdivision unit(s) _____ shown on the Contract Area Map individual trees to be cut have been Marked using _____ paint.

The boundaries of areas where individual trees are marked to be cut are designated by _____. Trees used for boundary designation are not to be cut.

R3 K-C.3.5.6# - INDIVIDUAL TREES (LEAVE TREE MARKING) (05/2008) In subdivision unit(s) _____ shown on the Contract Area Map all live trees meeting minimum tree diameter specifications of Division A are designated for cutting except trees reserved from cutting. Trees reserved from cutting have been Marked with _____ paint. The boundaries of areas where leave trees are Marked are identified by _____. Trees used for boundary designation are not to be cut.

R3 K-F.1.2.1# - ROAD USE AGREEMENTS (05/2008) Contractor is authorized to use the _____ road subject to the terms and conditions of a certain Road Use Agreement between Forest Service and _____. A copy of said agreement is available for review in the office of the Forest Supervisor.

R3 K-G.2.2.1# - IMPROVEMENTS TO BE MOVED (05/2008) Because of continuing need for improvements located on Contract Area, the following listed improvements shall be moved by Contractor to locations delineated on the ground and on Contract Area Map.

See Table A

TABLE-A		
K-G.2.2.1# - IMPROVEMENTS TO BE MOVED		
Improvement	Map Symbol	Relocation Map Symbol

R3 K-G.3.1.3# - TIMING OF CONTRACT OPERATIONS. (7/09)

Unless otherwise agreed to in writing Contractor's Operations shall be performed in accordance with the following table.

Following are some examples for completing the table.

K-G.3.1.3# – TIMING OF SALE OPERATIONS

<u>Subdivision Unit(s)</u>	<u>Operation Condition</u>	<u>Purpose</u>
4	No operations are allowed from 3 days prior Memorial Day to until 3 days after Labor Day	Protection recreation area
7	No yarding or slash piling between December 15 and March 15	Prevent soil damage
2, 5	All operations must be performed between July 1 and September 30.	Protect big game habitat.
1 – 5, 8	Removal of included timber must be completed prior to <i>Month/Day/Year</i>	Removal of deteriorating timber, Priority 1

R3 K-G.4# - CONDUCT OF ACTIVITY. (7/09)

Unless otherwise agreed in writing, silvicultural prescriptions and land management objectives shall be conducted and accomplished by the requirements, methods and procedures in accordance with the following table.

K-G.4# – CONDUCT OF ACTIVITY

Subdivision Unit(s)	Conduct of Activity

(Following are some examples for completing the table, where applicable:

The sequence of logging Payment Units shall be _____ (list Subdivision Unit numbers, dates, and so forth). Operations on each Subdivision Unit shall be completed and accepted prior to entry into the next Subdivision Unit.

Whole trees shall be (skidded) (yarded) to landings.

Purchaser shall equip fallers with, and use as necessary, falling wedges and a driving tool capable of lifting the tree into the undercut made to direct the fall of the tree.

The skid trail pattern shall be approved by Forest Service in advance of felling and major trails, including go-back trails, shall be flagged on the ground in advance of felling.

Purchaser and Forest Service will agree on felling lead at the time of approval of skid trails/skyline corridors.

Trees shall be felled, insofar as safety permits, to angle in the direction of skidding.

A stage logging schedule will be agreed to in writing between the Purchaser and the Forest Service prior to the start of operations.

Purchaser shall remove from National Forest administered lands products meeting utilization standards within 30 calendar days after felling of trees, unless written authorization to delay such removal is obtained from the Forest Service.

Tractor skid roads will be located, approved, (and constructed) in advance of falling.

Skidding machines shall not be operated off designated skid trails, road, or landing without written approval.

Products shall be end-lined from where they lay to the skid trail, road or landing, by unspooling the winch line and manually pulling it to the location of the individual logs. The logs shall then be winched, in the direction the log is oriented, to the skidding machine.

The maximum piece length for skidding of trees or logs is 50 feet.

Logs shall be skidded with the leading end free of the ground.

The maximum overall width of tractors (rubber-tired and/or track-laying) shall be less than ____ feet.

Tractor skid roads shall be no less than ____ feet apart, except where converging.

Trees designated for cutting and/or logs will be left as rub trees along skid trails as needed to protect young growth and leave trees.

Bucking of windfalls and down material across skid road location is required in advance of construction.

Tractor skidding is allowed only over ____ inches of settled snow or frozen ground.

Prior to skidding operations, any snow on the approved skid road locations shall be removed or compacted to allow soil to freeze to a minimum depth of ____ inches. Once the soil is frozen, skidding can commence and continue as long as the soil remains frozen to a minimum depth of ____ inches.

Skidding will be restricted to operating on slopes less than _____ percent.

Skidding may be designated on slopes up to _____ percent for distances not to exceed _____ feet.

Material adjacent to the perimeter of _____ percent slope areas may be end lined up to _____ feet beyond those areas.

The log forwarder shall be all wheel drive, capable of self-loading and unloading, and have rear tires or track type tractive devices greater than 27 inches in overall width. Log forwarders with GVW's greater than 15,000 pounds shall have a minimum of three (3) load bearing axles. Stumps shall not be grubbed from forwarder strip roads except for portions requiring excavation for safety. All excavation and any supplemental skidding of Included Timber shall be flagged and preapproved in writing prior to commencing such activity.

Except for manually felled trees which exceed the harvester's capability, Included Timber shall be felled, limbed, bucked, and prebunched by a self-propelled mechanical harvester. The harvester shall place unmerchantable tops and limbs evenly in the strip road as it proceeds. Wherever residual trees require protection, strip roads shall not be more than 15 feet in width nor less than 50 feet apart.

Purchaser shall cut Included Timber and move it to designated skid trails using feller-buncher equipment, capable of severing, lowering and placing trees up to _____ inches diameter at stump height on the ground prior to skidding. Such equipment must be capable of operating on slopes up to _____ percent

Log landings and transfer points shall be limited to existing roads and turnouts unless otherwise agreed to in writing.

Notwithstanding above, hand felling using chainsaws may be required in or adjacent to sensitive areas to protect resources from unnecessary damage.

No skidding or yarding equipment is allowed to operate within the area. Merchantable products shall be winched from outside the area. Unmerchantable material meeting specifications in C(T)6.7 shall be removed and deposited at least _____ feet outside the special treatment zone.)

R3 K-G.4.3 - PROTECTION OF PUBLIC IN RECREATION AREAS (05/2008) For protection of National Forest interests and safety of general public, Contractor's Operations shall be subject to the following restrictions:

- a. When Contractor's Operations are in progress within safety zones, shown on Contract Area Map, and designated on the ground, Contractor may be required to post warning signs in the area or maintain a watchman whose sole duty shall be to warn and advise public of any hazards present in area as a result of this Contract.
- b. During periods of general recreation activity within Contract Area or vicinity, Forest Service may restrict hauling to days other than Saturdays, Sundays, and National holidays.

R3 K-G.6 - EROSION PREVENTION AND CONTROL (05/2008) Unless waived in writing, erosion prevention and control work, required by H.10 shall be completed within 15 calendar days after skidding operations related to each landing are completed or after Forest Service designation on the ground of work where such designation is required hereunder. Said time limit shall be exclusive of full days lost in Contractor's Operations due to causes beyond Contractor's control. Damage resulting from Contractor's operations, due to failure to perform required work, shall be repaired by Contractor.

When not adequately protected from erosion by treatments such as out-sloping and cross draining or grass seeding, place lopped slash and activity debris in temporary roads, landings and skid trails.

R3 K-G.6.0.1# - EROSION CONTROL SEEDING (05/2008) Following completion of skidding and yarding operations in an area, Contractor shall seed areas of exposed soil on skid trails, landings, firebreaks, and Temporary Roads where other erosion control measures described in H.10 will not result in satisfactory control of soil movement. Seed bed preparation shall consist of surface scarification on roads and landings sufficient for retention of seed.

Seed shall be broadcast evenly at the rate of _____ pounds of seed per acre. Application shall be during the period _____ to _____ unless otherwise approved. No application work shall be done during extremely windy or rainy weather, or when the ground is frozen or otherwise unsuitable.

The kinds and amounts of seed to be sown in terms of live pure seed shall be:

See Table A

TABLE-A	
K-G.6.0.1# - EROSION CONTROL SEEDING	
<i>Species of Seed</i>	Lbs per Acre

R3 K-G.6.0.2 - TEMPORARY ROAD AND LANDING SCARIFICATION (05/2008) Unless waived in writing by Forest Service on specific roads or landings, all landings and Temporary Roads constructed or used by Contractor shall be scarified by Contractor following use. Scarification shall be done to a depth of not less than four inches and must effectively prepare the ground for seeding.

K-G.8 - MEASURING (05/2008) Volume estimators used for quantity estimates in Division A are listed below. Volume for trees added pursuant to C.1 and C.3, or other authorization hereunder, will be derived from the same volume estimators or from volume tables based on these estimators.

SPECIES	DATA SOURCE	APPLICATION
Ponderosa Pine	Eagar Recovery Study 1/	All Forests
Aspen	Santa Fe/Carson 2/	All Forests
Spruce	Santa Fe/Carson/Lincoln 2/	All Forests
Corkbark Fir	Santa Fe/Carson/Lincoln 2/	All Forests
SW White Pine	Santa Fe/Carson/Lincoln 2/	All Forests
Douglas-Fir	Santa Fe/Carson 2/	Carson, Cibola, Kaibab, Santa Fe
Douglas-Fir 3/	Lincoln/Tonto 2/	Apache-Sitgreaves, Coconino, Coronado, Gila, Lincoln, Prescott, Tonto
White Fir	Lincoln 2/	Apache-Sitgreaves, Coconino, Coronado, Gila, Lincoln, Prescott, Tonto
White Fir	Santa Fe/Carson 2/	Carson, Cibola, Kaibab, Santa Fe

1/ Ponderosa Pine volume estimators are derived from data collected in the Eagar Mill Recovery Study. Scribner Decimal C and cubic volume estimators are available from the Forest Supervisor or District Ranger.

2/ These volume estimators and tables are published in the following documents:

Hann, David W. and B. Bruce Bare "Comprehensive Tree Volume Equations for major Species of New Mexico and Arizona: I. Results and Methodology", USDA Forest Service Research Paper INT-209, June 1978, 43 pp.

Hann, David W. and B. Bruce Bare "Comprehensive Tree Volume Equations for major Species of New Mexico and Arizona: II. Tables for Unforked Trees" USDA Forest Service Research Paper INT-210, November 1978, 127 pp.

3/ Based on data obtained in the Fiscal Year 1987 Douglas-fir Volume Validation Project, predicted Douglas-fir Scribner Board Foot volume (from Hann and Bare equations using the Lincoln/Tonto Data Source) must be adjusted (multiplied) by a factor of 0.932. This is the equivalent of a 6.8% negative adjustment to the predicted volume.

R3 K-G.8.1.1 - USE OF SAMPLE FREQUENCY CARDS (05/2008) If loads of logs are being sample scaled using sample frequency cards, procedures shall be as follows:

- (a) Sample frequency cards shall be issued to Contractor by Forest Service. Contractor shall protect cards from loss, theft, or weather damage. Cards shall be placed in a location accessible to both Contractor and Forest Service. Sample frequency card locations and method(s) of protection shall be included in written agreements prepared pursuant to G.8.1.
- (b) Sample frequency card tab number shall match log removal receipt stapled to load of logs.
- (c) At sample yard scaling sites, Contractor shall lift sample frequency card tab after load arrives at card location. At sample weight scaling sites, Contractor shall lift sample frequency card tab after load is weighed and log removal receipt number is recorded on weight ticket.
- (d) Sample frequency cards shall be returned to representative of issuing Line Officer when all log removal receipt numbers on frequency cards have been used, when log hauling ceases and is not expected to restart within 30 days, or when all logs to be sample scaled have been hauled to scaling site.

R3 K-G.8.2 - ACCOUNTABILITY (05/2008) Unless otherwise agreed in writing and prior to hauling from Contract Area, products shall be accounted for as follows:

The truck driver shall obtain a removal receipt furnished by Forest Service. Contractor shall assign a competent individual at the landing to issue removal receipts for products removed from Contract Area. A duplicate copy or stub of such receipt shall be retained by Contractor and delivered to Forest Service at periodic intervals. When products are in transit, the truck driver shall keep the original copy of the receipt in his possession and show it upon request or display it as evidence of his authority to remove products. The original removal receipt shall be surrendered at the unloading point or as requested by Forest Service.