


2012 Aerial Insect and Disease Survey

USGS 100K Quad: CRESCENT CITY - E141124; 10



Mortality Agents			Other Damaging Agents		
Code	Damaging Agent	Primary Host	Code	Damaging Agent	Primary Host
1	Douglas fir beetle	Douglas fir	AB	Balsam woolly adelgid	True fir
2	Douglas fir engraver	Douglas fir	AM	Leaf discoloration	Maple
3	Spruce beetle	Spruce	BR	Blister rust	Fireweed pine
4	Fir engraver	True fir	CC	Cystipora canker	True fir
5	Western balsam hawk beetle	Sub-alpine fir	CH	Cherry hornworm	Hemlock
6B	Mountain pine beetle	Whitebark pine	FIRE	Fire	All species
6L	Mountain pine beetle	Lodgepole pine	HDA	Hardwood decline	Hardwoods
6P	Mountain pine beetle	Ponderosa pine	HDD	Hardwood decline	Aspen
6S	Mountain pine beetle	Sugar pine	HDD	Hardwood decline	Oak
6W	Mountain pine beetle	Western white pine	NFN	Areas not flown - non host	
7	True spruce	Ponderosa, lodgepole pines	NFN	Areas not flown - host	
8	Western pine beetle	Ponderosa pine	PMD	Pacific madrone decline	Pacific madrone
8B	Western pine beetle	Pine-island ponderosa pine	PR	Pine needle scale	Poplar
9	Silver fir beetle	Silver fir, true fir	RB	Red belt	All species
BEAR	Bear damage	Douglas fir	SLD	Slide	All species
FL	Flatheaded woodborer	Douglas fir, ponderosa pine	WIND	Windthrow	All species
RD	Root disease	Pine/Oak/cedar root disease	WNTR	Winter damage	All species
WATR	Water Damage	Cedar			

Defoliators		
Code	Damaging Agent	Primary Host
BS	Western spruce budworm	True fir, Douglas-fir, spruce
CH	Larch casebearer/typhlocyba	Western larch
LC	Needle cast	Western hemlock
LS	Black pine/leaf scale	Lodgepole pine
PS	Pine needle scale	Ponderosa pine
PC	Pine needle cast	Ponderosa pine
PN	Pine needle sheathminer	Ponderosa pine
NC	Needle cast	Western larch
SA	Sawfly	Cedar
SH	Sawfly	True fir
SK	Sawfly	Kobresia pine
SL	Skull moth	Lodgepole pine
SNC	Stem canker	Douglas fir
TA	Tan collar/rot	Aspen
TC	True canker/rot	Hardwoods
TD	Douglas fir bark moth	True fir, Douglas fir
UNKD	Unknown defoliating agent	All species

USGS 100K Quad: CRESCENT CITY - E141124; 10
2012 Aerial Insect and Disease Survey
Map Scale: 1:100,000
Date: 08 January 2013

Legend

- Defoliating Agents
- Mortality Agents
- Other Damage
- Areas Not Flown

The cause of damage is described by a symbol above and is followed by: number of trees affected; number of trees (example: SA) or intensity of damage (L- Light, M- Moderate, H- Heavy).

The TOPOI maps used as background maps are seamless, scanned images of United States Geological Survey (USGS) paper topographic maps. For more information on this map, visit them online at: http://gto.arcgisonline.com/maps/USA_Topo_Maps

A data dictionary, digital copies of this map and Arctis insect and disease data are available at: www.fs.usda.gov/gto/r6/fhp/ads

How the Aerial Surveys Are Conducted

Data represented on this map are based on trees visibly affected by forest insects and diseases detected and recorded during aerial survey flights conducted by the USDA Forest Service, the Washington Department of Natural Resources and the Oregon Department of Forestry. Observers have just a few seconds to recognize the color difference between healthy and damaged trees of different species; diagnose causal agents correctly; estimate intensity; delineate the extent of damage; and precisely record this information on a georeferenced, digital map. Air turbulence, cloud shadows, distance from aircraft, haze, smoke, and observer experience can all affect the quality of the survey. These data summaries provide an estimate of conditions on the ground and may differ from estimates derived by other methods.

The aerial survey provides information on the current status for many causal agents, and is important when examining insect activity trends by comparing historical and current survey data over large areas.

Overview surveys are a 'snap shot' in time and therefore may not be timed to accurately capture the true extent or severity of a particular disturbance activity. Specially designed surveys with modified flight patterns and timing may be conducted to more accurately delineate the extent and severity of a particular disturbance agent. Special surveys, such as Swiss needle cast surveys, are conducted when resources are available to address situations of sufficient economic, political or environmental importance.

DIRECT ALL INQUIRIES TO:

Oregon Department of Forestry
Forest Health Management
2600 State Street
Salem, OR 97310

-- OR --

USDA Forest Service, Region 6
State and Private Forestry
Forest Health Protection
PO Box 3623
Portland, Oregon 97208

DISCLAIMER
Forest Health Protection (FHP), Washington Department of Natural Resources (WDNR) and Oregon Department of Forestry (ODF) strive to maintain an accurate Aerial Detection Survey (ADS) Database, but due to the conditions under which the data are collected FHP, WDNR and ODF shall not be held responsible for missing or inaccurate data. ADS are not intended to replace more specific information. An accuracy assessment has not been done for this dataset; however, ground checks are completed in accordance with local and national guidelines. <http://www.fs.fed.us/foresthealth/ads/>
An accuracy assessment has not been done for this dataset; however, ground checks are completed in accordance with local and national guidelines. Please cite: "USDA Forest Service, Forest Health Protection, Washington Department of Natural Resources, Resource Protection Division, and Oregon Department of Forestry, Forest Health Management" as the source of this data.