


Upper McKenzie Watershed Analysis

Willamette National Forest

August, 1995



United States
Department of
Agriculture



Forest Service
Pacific Northwest
Region

**UPPER McKENZIE
WATERSHED ANALYSIS**

August, 1995

**McKenzie Ranger District
Willamette National Forest**

For further information contact:

Administrative Contact:

John Allen, District Ranger

**McKenzie Ranger District
McKenzie Bridge, OR 97413**

Technical Contact

**Cheryl Friesen, Team Leader
Watershed Analysis
McKenzie Ranger District
McKenzie Bridge, OR 97413**

Core Team Members:

**Cheryl Ann Friesen
Dave Bickford
Dawn Pozzani
Frank Fay
Gene Skrine
Pat Ford
Michelle McSwain
Pam Novitzky
Mike Long
Carolyn Knight
John Orbeton**

**Team Leader
Fisheries Biologist
GIS Specialist
Silviculturist
Silviculturist
Botanist
Hydrologist
Recreation Specialist
Geologist
MS-Word Specialist
Fire Behavior Specialist**

TABLE OF CONTENTS

CHAPTER 1: INTRODUCTION

Intent of Wa.....	1
Related Documents.....	2
Characterization of Watershed.....	2
Location and Land Use.....	2
Geology and Water.....	8
Fish Resources.....	9
Vegetation.....	10
Wildlife.....	12
Human Use.....	12
Context of Watershed.....	13
Landuse.....	13
Water Management.....	14
Fish and Wildlife.....	14

CHAPTER 2: ISSUES AND KEY QUESTIONS

Aquatic and Riparian Domain.....	1
Terrestrial Domain.....	6
Social and Economic Domain.....	10

CHAPTER 3: PAST & CURRENT CONDITIONS AND RANGE OF HISTORIC VARIABILITY

Overview of Geological Resources.....	2
Western Cascades.....	2
Uplift and Incision.....	5
Nw Trend Faulting.....	5
High Cascades.....	6
Volcanoes and Eruptions.....	6
Alpine Processes.....	7
Glacial Activity.....	8
McKenzie River Corridor.....	9
Fossils.....	10
Slope Stability.....	11
Soil Resources.....	16

TABLE OF CONTENTS continued

Overview of Human Use.....	20
Prehistoric Resources.....	20
Historic Resources.....	21
Current and Future Human Use.....	26
Overview of Upland Vegetation / Wildlife.....	31
Disturbance.....	31
Stand Dynamics and Succession.....	40
Past Management.....	41
Future Management.....	43
Plant Associations.....	44
Douglas-Fir.....	45
Grand Fir.....	51
Mountain Hemlock.....	57
Pacific Silver Fir.....	66
Western Hemlock.....	73
Overview of Riparian Habitat.....	80
Streams.....	80
Past Management.....	83
Fish.....	87
Wildlife.....	101
Overview of Wildlife.....	108
TES/ROD Species.....	109
Roosevelt Elk.....	118
Guilds.....	120
Overview of Botanical Resources.....	125
Non-Forested Habitats.....	125
Rare Plant Associations.....	125
ROD Species.....	125
Noxious Weeds.....	126
Overview of Visuals.....	128
Overview of Air Quality.....	131

CHAPTER 4: LANDFORM BLOCK ANALYSIS

Landform Block 1.....	1
Introduction.....	1
Disturbance History.....	4
Unique Habitats.....	6
Noxious Weeds.....	8
Channel Condition / Aquatic Habitat.....	8
Human Disturbance and Effects.....	11
Landform Block 2A.....	12
Introduction.....	12
Disturbance History.....	12
Unique Habitats.....	16
Sensitive Plants.....	18
Noxious Weeds.....	18
Channel Condition / Aquatic Habitat.....	18
Deer Creek.....	20
Frissel Creek.....	22
Budworm Creek.....	23
Fritz Creek.....	23
Carpenter Creek.....	24
Riparian Vegetation.....	25
Stream Temperature.....	26
Human Disturbance and Effects.....	29
Landform Block 2B.....	30
Introduction.....	30
Disturbance History.....	30
Unique Habitats.....	34
Sensitive Plants.....	37
Noxious Weeds.....	39
Channel Condition / Aquatic Habitat.....	39
Hackleman/Fish Lake.....	44
Ikenick Creek.....	46
Clear Lake.....	48
Smith River, Bunchgrass and Browder Creeks.....	48

TABLE OF CONTENTS continued

Riparian Vegetation.....	49
Human Disturbance and Effects.....	51
Landform Block 3.....	53
Introduction.....	53
Disturbance History.....	53
Unique Habitats.....	56
Sensitive Plants.....	57
Channel Condition / Aquatic Habitat.....	59
Lost Lake, Lost Lake Creek, Big Lake.....	60
Human Disturbance and Effects.....	63
Landform Block 4.....	67
Introduction.....	67
Disturbance History.....	67
Unique Habitats.....	69
Sensitive Plants.....	71
Noxious Weeds.....	71
Channel Condition / Aquatic Habitat.....	71
Human Disturbance and Effects.....	72
Landform Block 5.....	75
Introduction.....	75
Disturbance History.....	75
Unique Habitats.....	79
Sensitive Plants.....	81
Noxious Weeds.....	81
Channel Condition / Aquatic Habitat.....	82
Kink and Twisty Creeks.....	85
Sweetwater, Anderson, and Olallie Creeks.....	86
Boulder and Scott Creeks.....	87
High Lakes.....	88
Riparian Vegetation.....	89
Human Disturbance and Effects.....	90

TABLE OF CONTENTS continued

Landform Block 6.....	92
Introduction.....	92
Disturbance History.....	92
Unique Habitats.....	96
Sensitive Plants.....	98
Channel Condition / Aquatic Habitat.....	99
Lost Creek.....	100
Riparian Vegetation.....	101
Human Disturbance and Effects.....	103
Mainstem Mckenzie River.....	105
Introduction.....	105
Disturbance History.....	105
Channel Condition / Aquatic Habitat.....	105
Streamflows.....	112
Water Temperature.....	117
Riparian Vegetation.....	119
Human Disturbance and Effects.....	120

CHAPTER 5: SIGNIFICANT FINDINGS AND RECOMMENDATIONS

Significant Findings and Recommendations.....	1
Recommended Riparian Reserve Widths by Block.....	17
Recommended Riparian Reserve Widths by Series.....	22
Mitigation for Projects in Riparian Reserves.....	23

APPENDICES

- Appendix A: Team Composition
- Appendix B: References
- Appendix C: Information Management
- Appendix D: Public Involvement
- Appendix E: Additional Data

Silviculture

Botany *

Geology *

Fisheries *

Wildlife *

* Available upon request

UPPER MCKENZIE WATERSHED ANALYSIS TABLES

CHAPTER 1: INTRODUCTION

Table 1-1	Rod Land Allocations
Table 1-2	LMP Allocations

CHAPTER 2: ISSUES AND KEY QUESTIONS

NO TABLES

CHAPTER 3: PAST AND CURRENT CONDITIONS AND RANGE OF HISTORIC VARIABILITY

Table 3-1	Designated Soil Units and LISA Percent Probability of Failure
Table 3-2	Recreation Uses
Table 3-3	Community Profile
Table 3-4	Fire Regime
Table 3-5	Early Seral Grand Fir Habitat in 1900 and 1995
Table 3-6	Mid and Late Seral Grand Fir Habitat in 1900 and 1995
Table 3-7	Snags in Unmanaged Late Seral Grand Fir Stands
Table 3-8	Early Seral Mountain Hemlock Habitat in 1900 and 1995
Table 3-9	Mid and Late Seral Mountain Hemlock Habitat in 1900 and 1995
Table 3-10	Snags in Unmanaged Mountain Hemlock Stands
Table 3-11	Subalpine Habitat in 1900 and 1995
Table 3-12	Early Seral Pacific Silver Fir Habitat in 1900 and 1995
Table 3-13	Mid and Late Seral Pacific Silver Fir Habitat in 1900 and 1995
Table 3-14	Snags in unmanaged Late Seral Pacific Silver Fir Stands
Table 3-15	Early Seral Western Hemlock Habitat in 1900 and 1995
Table 3-16	Mid and Late Seral Western Hemlock Habitat in 1900 and 1995
Table 3-17	Major Flood Events
Table 3-17a	ARP Values
Table 3-18	Fish Species
Table 3-19	Bull Trout Redds Surveyed in 1989-1994
Table 3-20	Species That Use Riparian Habitat by Stream Class
Table 3-21	Seral Stages of Stands Within Default Riparian Reserves
Table 3-22	Historical Range of Stand Conditions Between 1600-1850 Compared With Current Abundance

TABLES Continued

Table 3-23	Conditions That Could Pose Risks to Populations of Wildlife Intended to Benefit From Riparian Reserves
Table 3-24	Percentage of Riparian Reserves Currently and Potentially Meeting 11-40 by Landform Block
Table 3-25	Species That Require Finer Scale Analysis During Watershed Analysis
Table 3-26	Historical Status of Bald Eagle Occupation at the Clear Lake Site
Table 3-27	Meadow Habitat Within 0.25 Miles of Great Gray Owl Sites
Table 3-28	Percentage of Forested Habitat by Seral Stage Within 0.25 Miles of Great Gray Owl Sites
Table 3-29a	High Emphasis Elk Areas Not Currently Meeting LMP Objectives
Table 3-29b	Moderate Emphasis Elk Areas Not Currently Meeting LMP Objectives
Table 3-30	Early Seral Species and the Percentage of Early Seral Habitat Available
Table 3-31	Habitat for Species That Can Use Early and Mid Patches or Mid and Late Seral Patches and the Percentage of Available Habitat
Table 3-32	Late Seral Species and the Percentage of Habitat Available
Table 3-33	Contrast Species and the Percentage of Habitat Available
Table 3-34	Five Visual Quality Objectives
Table 3-34a	Existing Visual Condition in Viewsheds
Table 3-35	Average Annual Acres Burned and PM-10 Emissions for Historic and Current Time Periods
Table 3-36	Means of 4-Hr Visual Air Quality and Distribution of PM-10 Concentrations

CHAPTER 4 LANDFORM BLOCK ANALYSIS

Table 4-1	Landform Block 1 Non-Forested Habitats
Table 4-2	Percent Area Harvested Within McKenzie Bridge Subdrainage
Table 4-3	Percent Area Harvested and Roded Within Each Drainage
Table 4-4	Landform Block 2A Unique Habitats
Table 4-5	Landform Block 2A Sensitive Plants
Table 4-6	Landform Block 2B Unique Habitats
Table 4-7	Sensitive and Rare Plants in Upper McKenzie Watershed
Table 4-8	Landform Block 3 Unique Habitats
Table 4-9	Landform Block 3 Sensitive and Rare Plants
Table 4-10	Landform Block 4 Unique Habitats
Table 4-11	Landform Block 5 Unique Habitats
Table 4-12	Landform Block 5 Sensitive and Rare Plants
Table 4-13	Landform Block 6 Unique Habitats

TABLES Continued

Table 4-14	Landform Block 6 Sensitive and Rare Plants
Table 4-15	Channel Characteristics in the Upper McKenzie River in 1949 and 1986
Table 4-16	Percent of Riparian Area by Vegetation Classes in the Upper McKenzie Watershed in 1949 and 1986
Table 4-17	Changes in Large Pool Frequency and Percent Bottom by Substrate Size - Upper McKenzie River - 1937-1991

CHAPTER 5

SIGNIFICANT FINDINGS AND RECOMMENDATIONS

Table 5-1	Summary of Significant Findings and Recommendations
Table 5-2	Recommended Riparian Reserve Widths by Landform Block
Table 5-3	Recommended Riparian Reserve Widths by Plant Series
Table 5-4	General Suggestions for Managing Projects Within Riparian Reserves

UPPER McKENZIE WATERSHED ANALYSIS FIGURES

Maps for the Upper McKenzie Watershed Analysis are shown at 1:200,000 scale, or approximately 3 miles to the inch. Certain natural resources, such as Special Wildlife Habitats, are displayed by Landform Block at a larger 1:126,720 scale, or 1/2" = 1 mile. This is the same scale as the Forest Visitor's Map. For project planning, pen plots can be produced at larger scales, most commonly 1", 2.64" or 4" to the mile.

CHAPTER 1: INTRODUCTION

- | | |
|---------|--|
| Fig 1-1 | Map- Location of Upper McKenzie Watershed |
| Fig 1-2 | Map- 1990 Forest Plan Management Areas |
| Fig 1-3 | Map- ROD Allocations - AMA, Reserves & Key Watershed |
| Fig 1-4 | Map- Final Critical Habitat Units (FCHU) |

CHAPTER 2: ISSUES AND KEY QUESTIONS

NO FIGURES

CHAPTER 3: PAST AND CURRENT CONDITIONS AND RANGE OF HISTORIC VARIABILITY

- | | |
|-----------|---|
| Fig 3-1 | Map- Major Geological Features and Landform Blocks 1-6 |
| Fig 3-2 | Map- Sidecast Failures |
| Fig 3-3 | Map- Historic Fire Regimes |
| Fig 3-4 | Map- Normal Westerlies |
| Fig 3-5 | Map- An East Wind Event |
| Fig 3-6 | Chart- Lightning Fires |
| Fig 3-7 | Chart- Acres Harvested by Decade |
| Fig 3-8 | Chart- Percent of each Plant Association in WA |
| Fig 3-9 | Map- Vegetation Series |
| Fig 3-10 | Map- Existing Vegetation - Current Structural Stage |
| Fig 3-11 | Map- Historic Vegetation - Historical Structural Stage |
| Fig 3-12 | Chart- Acres Doug Fir - Historic vs Present |
| Fig 3-13 | Chart- Acres Grand Fir - Historic vs Present |
| Fig 3-14 | Chart- Regional Ecosystem Assessment Project (REAP)-Mt. Hemlock |
| Fig 3-15 | Chart- Regional Ecosystem Assessment Project (REAP)-Pacific Silver Fir |
| Fig 3-16 | Chart- Regional Ecosystem Assessment Project (REAP)-Western Hemlock |
| Fig 3-16a | Map- Stream Classes |
| Fig 3-17 | Map- Subwatersheds |
| Fig 3-17a | Map- Drainages Selected for Aggregated Recovery Percentage (ARP) Values |
-

FIGURES Continued

Fig 3-17b	Map- Rain on Snow Zones
Fig 3-18	Chart- Impacts to Riparian Areas
Fig 3-19	Map- Spring Chinook Distribution
Fig 3-20	Chart- Spring Chinook counts
Fig 3-21	Chart- Aerial Red Survey
Fig 3-22	Map- Bull trout distribution
Fig 3-23	Map- Naturally Reproducing Brook Trout-current distribution
Fig 3-24	Map- Streams with Default ROD buffers
Fig 3-24a	Map- Potential Connectivity of Late Successional Habitat
Fig 3-25	Map- Big Game Emphasis Areas with Winter Range & Problems Identified
Fig 3-26	Map- Elk Habitat with Big Game Emphasis Areas Outlined
Fig 3-27	Map- Areas Accessible for Hunting within 0.5 & 1.0 Mile of Open Roads

CHAPTER 4: LANDFORM BLOCK ANALYSIS

Fig 4-1	Map- Landform Blocks and Streams
Fig 4-2	Map- Landform Block 1 Locator Map
Fig 4-3	Map- Landform Block 1 Unstable & Potentially Unstable Areas
Fig 4-4	Map- Landform Block 1 Debris Avalanche Potential
Fig 4-5	Map- Landform Block 1 Special Habitats
Fig 4-6	Chart- Landform Block 1 Management Impacts to Riparian Areas As Percent of Total Riparian Areas - Excludes McKenzie River
Fig 4-7	Chart- Landform Block 1 Management Impacts to Riparian Areas As Percent of Riparian Area in Stream Class - Excludes McKenzie River
Fig 4-8	Map- Landform Block 2A Locator Map
Fig 4-9	Map- Landform Block 2A Unstable & Potentially Unstable Areas
Fig 4-10	Map- Landform Block 2A Debris Avalanche Potential
Fig 4-11	Map- Landform Block 2A Special Habitats
Fig 4-12	Chart- Deer Creek Large Pools and LWD/Mile - Existing and Reference
Fig 4-13	Chart- Frissell Creek Large Pools and LWD/Mile - Existing and Reference
Fig 4-14	Chart- Budworm Creek Large Pools and LWD/Mile - Existing and Reference
Fig 4-15	Chart- Fritz Creek Large Pools and LWD/Mile - Existing and Reference
Fig 4-16	Chart- Carpenter Creek Large Pools and LWD/Mile - Existing and Reference

FIGURES Continued

- Fig 4-17 Chart- Landform Block 2A Management Impacts to Riparian Areas
As Percent of Total Riparian Area - Excludes McKenzie River
- Fig 4-17a Chart- Landform Block 2A Management Impacts to Riparian Areas
As Percent of Riparian Area in Stream Class - Excludes
McKenzie River
- Fig 4-18 Chart- Deer Creek 7-Day Average Maximum Stream Temperatures
1991-1994
- Fig 4-19 Chart- Deer Creek Average 7-Day Maximum Stream Temperature
1992
- Fig 4-20 Chart- Budworm Creek 7-Day Average Maximum Stream
Temperatures 1991-1994
- Fig 4-21 Map- Landform Block 2B Locator Map
- Fig 4-22 Map- Landform Block 2B Potentially Unstable Areas
- Fig 4-23 Map- Landform Block 2B Debris Avalanche Potential
- Fig 4-24 Map- Landform Block 2B Special Habitats
- Fig 4-25 Chart- Parks Creek Large Pools and LWD/Mile - Existing and
Reference
- Fig 4-26 Chart- Ikenick Creek Large Pools and LWD/Mile - Existing and
Reference
- Fig 4-27 Chart- Browder Creek Large Pools and LWD/Mile - Existing and
Reference
- Fig 4-28 Chart- Landform Block 2B Management Impacts to Riparian Areas
As Percent of Total Riparian Area - Excludes McKenzie River
- Fig 4-29 Chart- Landform Block 2B Management Impacts to Riparian Areas
As Percent of Riparian Area in Stream Class - Excludes
McKenzie River
- Fig 4-30 Map- Landform Block 3 Locator Map
- Fig 4-31 Map- Landform Block 3 Potentially Unstable Areas
- Fig 4-32 Map- Landform Block 3 Special Habitats
- Fig 4-33 Chart- Lost Creek Large Pools and LWD/Mile - Existing and
Reference
- Fig 4-34 Chart- Landform Block 3 Management Impacts to Riparian Areas
As Percent of Total Riparian Area
- Fig 4-35 Chart- Landform Block 3 Management Impacts to Riparian Areas
As Percent of Riparian Area in Stream Class
- Fig 4-36 Map- Landform Block 4 Locator Map
- Fig 4-37 Map- Landform Block 4 Special Habitats
- Fig 4-38 Chart- Landform Block 4 Management Impacts to Riparian Areas
As Percent of Total Riparian Area - Excludes McKenzie River
- Fig 4-39 Chart- Landform Block 4 Management Impacts to Riparian Areas
As Percent of Riparian Area in Stream Class - Excludes
McKenzie River and Clear Lake
-

FIGURES Continued

- Fig 4-40 Map- Landform Block 5 Locator Map
- Fig 4-41 Map- Landform Block 5 Potentially Unstable Areas
- Fig 4-42 Map- Landform Block 5 Debris Avalanche Potential
- Fig 4-43 Map- Landform Block 5 Special Habitats
- Fig 4-44 Chart-Kink Creek Large Pools and LWD/Mile - Existing and Reference
- Fig 4-45 Chart-Olallie Creek Large Pools and LWD/Mile - Existing and Reference
- Fig 4-46 Chart-Boulder Creek Large Pools and LWD/Mile - Existing and Reference
- Fig 4-47 Chart-Landform Block 5 Management Impacts to Riparian Areas As Percent of Total Riparian Area - Excludes McKenzie River
- Fig 4-48 Chart-Landform Block 5 Management Impacts to Riparian Areas As Percent of Riparian Area in Stream Class - Excludes McKenzie River
- Fig 4-49 Map- Landform Block 6 Locator Map
- Fig 4-50 Map- Landform Block 6 Potentially Unstable Areas
- Fig 4-51 Map- Landform Block 6 Debris Avalanche Potential
- Fig 4-52 Map- Landform Block 6 Special Habitats
- Fig 4-53 Chart-Lost Creek Large Pools and LWD/Mile - Existing and Reference
- Fig 4-54 Chart-Landform Block 6 Management Impacts to Riparian Areas As Percent of Total Riparian Area - Excludes McKenzie River
- Fig 4-55 Chart-Landform Block 6 Management Impacts to Riparian Areas As Percent of Riparian Area in Stream Class - Excludes McKenzie River
- Fig 4-55a Map- Mainstem McKenzie Riparian Reserve
- Fig 4-56 Chart-McKenzie River Mean Minimum Flows July - September McKenzie Bridge and Clear Lake Outlets
- Fig 4-56a Chart-Total Annual Precipitation - McKenzie Ranger Station
- Fig 4-57 Chart-Frequency of Mean Annual Minimum Flows - Before and After Carmen Project - McKenzie Bridge Station
- Fig 4-58 Chart-Frequency of Mean Annual Minimum Flows - Before and After Carmen Project - Clear Lake Outlet
- Fig 4-59 Map- Ikenick Pond Changes Pre/Post Dam
- Fig 4-60 Chart-McKenzie River 7-Day Average Maximum Stream Temperatures - Below Trailbridge Reservoir 1993-1994
- Fig 4-61 Chart-McKenzie River 7-Day Average Maximum Stream Temperatures -McKenzie Bridge Gaging Station 1993-1994
- Fig 4-62 Chart-Management Impacts to Riparian Areas As Percent of Total Riparian Area - McKenzie River Mainstem
-

