

Errata 1

Background

Since the publication of the White River National Forest Land & Resource Management Plan 2002 Revision and the accompanying Final Environmental Impact Statement and related documents, several typographical errors and needed corrections have been found. These errors do not substantively change the information presented and do not affect the decision.

Record of Decision

REASONS FOR THE SELECTION OF ALTERNATIVE K

- Page 19: Management Area 1.2 - Recommended Wilderness** First sentence in this paragraph should read:
“By choosing Alternative K, I am recommending the designation of **13** additions to the existing wilderness areas and three independent areas.”
- Page 28: Recommended Wilderness** First sentence in this paragraph should read:
“Recommended Wilderness: There are **16** areas of...”
- Page 32: ROD Table –12; Streams Found Eligible...** The Cross Creek name should include a clarification footnote as follows:
“**The Cross Creek segment includes Cross Creek and its major tributaries, East Cross Creek and West Cross Creek.**”

White River National Forest Land and Resource Management Plan

Management Area Direction

- Page 3-56: 5.4 Forested Flora and Fauna Habitats; Infrastructure** Guideline #2 should read:
“Travelways open to **summer** motorized travel...”

Final Environmental Impact Statement

CHAPTER TWO: THE ALTERNATIVES

- Page 2-43: Special Areas: Wild & Scenic Rivers** Second sentence in paragraph should read:
“The White River National Forest evaluated all of its rivers, including 77 in detail, and found 5 rivers totaling **109** miles.....”

CHAPTER THREE: AFFECTED ENVIRONMENT & ENVIRONMENTAL CONSEQUENCES

- Page 3-103:**
**Terrestrial
Wildlife** Title should read: “Cave Bats”
- Page 3-105:**
**Cave Bats;
Environmental
Consequences** Line 9, 3rd bullet: Add “(Strategy 1c.17)” to end of statement.
- Page 3-106:**
**Cave Bats;
Table V-1** Add key for table: “**Key: D – Decreasing; S – Stable; IN – Increasing; U – Unknown**”
- Page 3-107:**
**Fringed Myotis;
Habitat
Description** Paragraph 1, Line 3:
“Fitzgerald et al. 1999” should read “Fitzgerald et al. 1994”
- Page 3-110:**
**Fringed Myotis;
Table V-2** Add key for table: “**Key: D – Decreasing; S – Stable; IN – Increasing; U – Unknown**”
- Page 3-120:**
**Barrow’s
Goldeneye;
Habitat
Description** Paragraph 1, Line 4; Paragraph 2, Lines 8 and 13:
“Bellrose 1976” should read “Bellrose 1980”
- Page 3-121:**
**Barrow’s
Goldeneye;
Population
Description** Paragraph 1, Line 1:
“common goldeneye” should read “**Barrow’s** goldeneye”
- Page 3-131:**
**Snowshoe Hare
- Table V-8** Habitat Quantity (acres) for Alternative C should read **45,000**
- Page 3-136:**
**Canada Lynx;
Classification** 2nd Bullet:
“Endangered Species” to “**Threatened** Species”
- Page 3-145:**
**Pygmy
Nuthatch;
Population
Description** Paragraph 1, Line 2:
“Towry 1983” should read “Towry 1984”
- Page 3-151:**
Juniper Title: Should read “Juniper Titmouse **and Pinyon-Juniper Woodland**”

**Titmouse;
Population
Description**

Paragraph 1, Line 2:
“Andrews and Righter 1972” should read “Andrews and Righter 1992”

**Page 3-157:
MacGillivray’s
Warbler - Table
V-16**

Habitat Quality figures should read:
Alternative D: “**0.19**”
Alternative E: “**0.11**”
Alternative F: “**0.04**”
Alternative I: “**0.08**”

**Pages 3-378 to
3-379: Effects
on Fire
Management
from Timber
Management**

Given that harvest levels in Alternative K are slightly greater than Alternative D, Alternative K was mistakenly grouped.
First sentence, fourth paragraph should read:
“In Alternatives C, E, and I, where timber harvest is lowest...”
First sentence, fifth paragraph should read:
“Alternatives D, F, and K will have the opposite effects of Alternatives C, E, and I due to the higher rate of timber harvest.”
Last sentence, fifth paragraph should read:
“The effects of Alternative B will be somewhere between Alternatives C, E, and I and Alternatives D, F, and K given that harvest levels are intermediary.”


**Page 3-379:
Cumulative
Effects**

First sentence, first paragraph should read:
“Alternatives that limit the amount of resource production such as C, E, and I may possibly lead to a trend...”

Page 3-552:
Wilderness

Figure 49: Map of Existing Wilderness on the White River National Forest (*figure omitted*)

Figure 49
Map of Existing Wilderness on the White River National Forest



Page 3-568:
Environmental
Consequences:
General Effects

The second sentence should read:
“All **109** miles of eligible...”

CHAPTER FOUR: LIST OF PREPARERS

Page 4-3:
Christine
Hirsch:
Education

Should read:
MS in Fisheries Science, Oregon State University. 1995. BS in Fisheries and Wildlife,
Michigan State University, 1992

Final Environmental Impact Statement Appendices B-M and P-Q

APPENDIX B DESCRIPTION OF THE ANALYSIS PROCESS

Pages B-75 through B-86:
Wildlife Analysis

Inadvertently the Wildlife Analysis from the Draft was not updated to reflect the analysis done for the Final. These pages are to be replaced with the attached pages B-75 through B-86.

Pages B-99 through B-112: Range Analysis *Inadvertently the Range Analysis from the Draft was not updated to reflect the analysis done for the Final. These pages are to be replaced with the attached pages B-99 through B-114.*

APPENDIX M REFERENCES

Page M-9 Line 19:
Citation for Towry, R.K., Jr. Year “1983” should read “1984”

**Final Environmental Impact Statement Appendix N –
Biological Evaluation**

SECTION II-CHAPTER 1

Page N-33: North American Wolverine; Distribution Paragraph 2, Line 2:
“Nead et al (1995)” should read “Nead et al (1985)”

Page N-81; Golden-crowned Kinglet; Distribution Paragraph 4, Line 4:
“Andrews and Righter 1991” should read “Andrews and Righter 1992”

LITERATURE CITED

Incomplete or Incorrect Citations *Corrected citations (corrections noted in bold):*
Andrews, R.; Righter, R. 1992. Colorado birds: **a reference to their distribution and habitat**. Denver Mus. of Nat. Hist., Denver, Colo. **442pp.**
DeGraaf, R.M.; Scott, V.E.; Hamre, R.H.; Ernst, L.; Anderson, S.H. 1991. Forest and rangeland birds of the United States: **natural history and habitat use. Agriculture Handbook 688, January 1991, USDA-Forest Service. 625pp.**
Dolbeer, R.A.; Clark, W.R. 1975. **Population ecology of snowshoe hares in the central Rocky Mountains.** J.Wildl. Management 39(3):535-549.
Ehrlich, P.R.; Dobkin, D.S.; Wheye, D. 1988. The birder's handbook, **a field guide to the natural history of North American birds.** Simon and Schuster Inc., New York. **785pp.**
Hash, H.S. 1987. Wolverine. Pages **575-585** in Novak et al. Wild furbearer management and conservation in North America. Ontario Min. Nat. Resources, Ashton-Poter LTD, Ontario. **1150pp.**
Nead, D.M.; Halfpenny, J.C.; Bissell, S. **1985.** The status of wolverines in Colorado. Northwest Science **588 (4):286-289.**

Vaughan, T.A. 1969. Reproduction and population densities in a montane small mammal fauna. Pages 51-74, in J.K. Jones Jr., ed. Contributions in mammalogy. Misc. Publ. Mus. Nat. Hist., Univ. Kansas, Lawrence, KS. 51:1-428.

Missing Citations

These references correlate to those in found in text:

- Anderson, S.H. 1976. Comparative food habits of Oregon nuthatches. Northwest Sci. 50(4):213-221.
- Baicich, P.J.; Harrison, C.J.O. 1997. A guide to the nests, eggs, and nestlings of North American birds. 2nd Ed. Academic Press, San Diego, CA. 347pp.
- Barrett, N.M. 1998a. Northern goshawk. Pages 116-117 *in* Kingery, H., ed., Colorado breeding birds atlas. Colorado Bird Atlas Partnership, Denver, CO. 636 pp.
- Barrett, N.M. 1998b. Osprey. Pages 104-105 *in* Kingery, H., ed., Colorado breeding birds atlas. Colorado Bird Atlas Partnership, Denver, CO. 636 pp.
- Bechard, M.J.; Schmutz, J.K. 1995. Ferruginous hawk (*Buteo regalis*). *In* The birds of North America, No. 172 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, DC. 20 pp.
- Bock, C.E.; Fleck, D.C. 1995. Avian response to nest box addition in two forests of the Colorado Front Range. J. Field Ornithol. 66(3):352-362.
- Brawn, J. D.; Balda, R.P. 1988. Population biology of cavity nesters in northern Arizona: do nest sites limit breeding densities? Condor 90:61-71.
- Brown, C.R. 1997. Purple martin (*Progne subis*). *In* The Birds of North America, No. 287. (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- DeGraaf, R.M.; Rappole, J.H. 1995. Neotropical migratory birds: natural history, distribution, and population change. Cornell University Press, Ithaca, NY. 676 pp.
- Dunn, E.H.; Agro, D.J. 1995. Black tern (*Chlidonias niger*). *In* The birds of North America, No. 147 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, DC. 24 pp.
- Ewell, H.; Cruz, A. 1998. Foraging behavior of the pygmy nuthatch in Colorado ponderosa pine forests. West. Birds 29:169-173.
- Ingold, J.L.; Galati, R. 1997. Golden-crowned kinglet (*Regulus satrapa*). *In* The Birds of North America, No. 301 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Knorr, O.A. 1957. Communal roosting of the Pygmy Nuthatch. Condor 59:398-399.
- Manolis, T. 1977. Foraging relationships of mountain chickadees and pygmy nuthatches. West. Birds. 8:18-20.
- Nowak, M. 1999. Walker's Mammals of the World, Sixth Edition, Vol. 1. The Johns Hopkins University Press, Baltimore and London. 906pp.
- Potter, K.M.; Roth, R. 1998. Fox sparrow. Pages 474-475 *in* Kingery, H., ed., Colorado breeding birds atlas. Colorado Bird Atlas Partnership, Denver, CO. 636 pp.

- Scott, V.E. 1978. Characteristics of ponderosa pine snags used by cavity birds in Arizona. *Journal of Forestry* 76(1):26-28.
- Seidel, J.; Andree, B.; Berlinger, S.; Buell, K.; Byrne, G.; Gill, B.; Kenvin, D.; Reed, D. 1998. Draft Strategy for the Conservation and Reestablishment of Lynx and Wolverine in the Southern Rocky Mountains. Colorado Division of Wildlife, U.S. Forest Service, National Park Service, U.S. Fish and Wildlife Service, New Mexico Game and Fish Department, and Wyoming Game and Fish Department. 116pp.
- Sodhi, N.S.; Oliphant, L.W.; James, P.C.; Warkentin, L.G. 1993. Merlin (*Falco columbarius*). In *The birds of North America*, No. 44 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, DC. 20 pp.
- Squires, J.R.; Reynolds, R.T. 1997. Northern goshawk (*Accipiter gentiles*). In *The Birds of North America*, No. 298 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Sydeman, W.J.; Güntert, M. 1983. Winter communal roosting in the pygmy nuthatch. Pages 121-124 in J. W. Davis, G. A. Goodwin, and R. A. Ockenfels, tech. coords., Snag habitat management: proceedings of the symposium. USDA For. Serv. Gen. Tech. Rpt. RM-99. Rocky Mtn. For. and Range Exp. Stat., Fort Collins, CO. 226pp.
- Tacha, T.C.; Nesbitt, S.A.; Vohs, P.A. 1992. Sandhill crane (*Grus canadensis*). In *The Birds of North America*, No. 31 (A. Poole, P Stettenheim, and F. Gill, eds.). The Academy of Natural
- Versaw, A.E. 1998. Three-toed woodpecker. Pages 264-265 in Kingery, H., ed., Colorado breeding birds atlas. Colorado Bird Atlas Partnership, Denver, CO. 636 pp.

