

Date: \_\_\_\_\_ Time: \_\_\_\_\_ E # \_\_\_\_\_

Incident Name: \_\_\_\_\_ Incident # \_\_\_\_\_

Company /  
Contractor: \_\_\_\_\_ Equipment ID: \_\_\_\_\_

Agreement # \_\_\_\_\_ Equipment Make: \_\_\_\_\_

VIN/Serial # \_\_\_\_\_ Equipment Model: \_\_\_\_\_

Mechanic's Full Name: \_\_\_\_\_

**MINIMUM EQUIPMENT REQUIREMENTS**

	<i>Not all inclusive; for additional clarification refer to the agreement (SF-1449 section D).</i>		<b>Yes</b>	<b>No</b>
1	<b>Equipment VIN/serial # matches resource order</b> (Schedule of Items)	D.6.3.1		
2	<b>Check-in process completed</b>	D.6.5.3		
3	<b>OF-296 Vehicle/Heavy Equipment Pre-use Inspection Checklist completed</b>	D.17		
4	<b>Agreement:</b> One complete copy	D.8		
5	<b>Wheel chocks:</b> 2 required	D.2.3.2		
6	<b>Reflectors:</b> Triangles, bi-directional, one set of three	D.2.3.2		
7	<b>Shovel</b>	D.2.3.2		
8	<b>Back-Up Alarm</b>	D.2.3.2		
9	<b>PPE:</b> <i>For ALL personnel</i> Hardhat, Gloves, Hearing Protection, Eye Protection, Headlamp w/batteries	D.2.1.2		
10	<b>Boots:</b> All leather, 8" high with lug type sole in good condition.	D.2.1.2		
11	<b>Flame resistant clothing:</b> <i>Minimum 2 full sets</i> of flame-resistant shirts and pants certified to NFPA 1977 standard for ALL personnel.	D.2.1.2		
12	<b>Fire shelter:</b> New Generation, <i>for ALL personnel.</i>	D.2.1.2		
13	<b>Fire extinguisher:</b> 2A 10BC, securely mounted to the vehicle, accessible to the operator and with current annual inspection tag.	D.2.3.2		
<b>SPECIFIC EQUIPMENT</b>				
14	<b>Onboard A/C power generator for operating electric equipment on the service truck.</b>	D.2.3		
15	<b>Charging/Starting System Analyzer</b>			
16	<b>Jumper Cables:</b> 20-foot Heavy Duty with a minimum of 2 gauge			

17	<b>Code Reader (generic)</b>			
18	<b>Battery Tester</b>			
19	<b>Volt/Ohm Meter</b>			
20	<b>Fuel Pressure Testing Kit</b>			
21	<b>Self-contained brake and clutch bleeder system</b>			
22	<b>Grinder:</b> 4 inch minimum			
23	<b>Arc Welder:</b> Minimum 225 AMP with air arc capability and industry acceptable repair electrodes			
24	<b>Oxygen-Acetylene Torch Set:</b> Complete with appropriate cutting and welding tips.			
25	<b>Air Compressor:</b> Min. of 120 psi. @ 20 CFM with tank and accessories.			
26	<b>Combination Vice:</b> Min. 4 ½ inch jaw			
27	<b>Hydraulic Jacks:</b> One 12-ton and one 20-ton			
28	<b>Jack Stands:</b> Two 12-ton capacity			
29	<b>Portable Lighting:</b> Auxiliary or vehicle powered for field work.			
30	<b>Hazardous Material Spill Kit:</b> Minimum, 10-gallon spill containment capability.			
31	<b>Misc. Drain Pans</b>			
32	<b>Impact Wrenches:</b> 1/2-, 3/4- and 1-inch impact wrenches and impact sockets to 3-inch.			
33	<b>Drill with Bits:</b> 3/8- and 1/2-inch drill, with drill bits from 1/16- to 3/4- inch.			
34	<b>Tap and Die Set:</b> 1/8- to 1-inch fine and coarse thread.			
35	<b>Tap and Die Set:</b> 1/8- to 1-inch pipe thread.			
36	<b>Hand tool set:</b> To accomplish normal field repairs on equipment.			
37	<b>Knowledge and skills to perform hydraulic system repairs.</b>			
38	<b>Hydraulic Pressure Testing Kit</b>			
39	<b>Service crane:</b> Minimum lift capability of 1,000 lbs. measured 10 ft. horizontal from the pivot.			
<b>CONSUMABLE GOODS</b>				
40	<b>Commonly used SAE and Metric Nuts and Bolts:</b> Up to 1/2- inch x 3-inch.	D.2.4		
41	<b>Air Brake Fittings:</b> Commonly used, up to 5/8- inch.			
42	<b>Assorted metal fasteners, machine screws, self-tapping screws:</b> Up to #12 x 1 ½-inch.			
43	<b>Assorted electrical connections:</b> For commonly used wire sizes on all equipment.			

44	<b>Assorted electrical wire:</b> Sizes commonly found on all types of equipment.			
45	<b>Assorted common electrical fuses and bulbs.</b>			
46	<b>Assorted lubricants and cleaners used by field mechanics.</b>			
47	<b>Shop Towels</b>			
48	<b>Misc. Funnels</b>			

☐ Equipment meets agreement specifications      ☐ Equipment does not meet agreement specifications

Inspector: \_\_\_\_\_ Date: \_\_\_\_\_  
*Print* *Sign*

Operator: \_\_\_\_\_ Date: \_\_\_\_\_  
*Print* *Sign*

☐ Contractor given the opportunity to correct noted deficiencies (***See Remarks***)      ☐ Contactor successfully corrected noted deficiencies

Inspector: \_\_\_\_\_ Date: \_\_\_\_\_  
*Print* *Sign*

**REMARKS:** (*Note in detail any deficiencies, pertinent information, comments, etc.*)
