

Date: \_\_\_\_\_ Time: \_\_\_\_\_ E # \_\_\_\_\_

Incident Name: \_\_\_\_\_ Incident # \_\_\_\_\_

Company /  
Contractor: \_\_\_\_\_ Unique ID: \_\_\_\_\_

Agreement # \_\_\_\_\_ Equipment Make: \_\_\_\_\_

VIN/Serial # \_\_\_\_\_ Equipment Model: \_\_\_\_\_

Mechanic's Full Name: \_\_\_\_\_

**MINIMUM EQUIPMENT REQUIREMENTS**

	<i>Not all inclusive; for additional clarification refer to the agreement (SF-1449 section D).</i>		<b>Yes</b>	<b>No</b>
1	<b>Equipment VIN/serial # matches resource order</b> (Schedule of Items)	D.6.3.1		
2	<b>Check-in process completed</b>	D.6.5.3		
3	<b>OF-296 Vehicle/Heavy Equipment Pre-use Inspection Checklist completed</b>	D.17		
4	<b>Agreement:</b> One complete copy	D.8		
5	<b>Wheel chocks:</b> 2 required	D.2.3.2		
6	<b>Reflectors:</b> Triangles, bi-directional, one set of three	D.2.3.2		
7	<b>Shovel</b>	D.2.3.2		
8	<b>Back-Up Alarm</b>	D.2.3.2		
9	<b>PPE:</b> For ALL personnel Hardhat, Gloves, one Pair Welding Chaps with Welding Jacket, Hearing Protection, Eye Protection, Headlamp w/batteries	D.2.1.2		
10	<b>Boots:</b> All leather, 8" high with lug type sole in good condition.	D.2.1.2		
11	<b>Flame resistant clothing:</b> Minimum 2 full sets of flame-resistant shirts and pants certified to NFPA 1977 standard for ALL personnel.	D.2.1.2		
12	<b>Fire shelter:</b> New Generation, for ALL personnel.	D.2.1.2		
13	<b>Fire extinguisher:</b> 2A 10BC, securely mounted to the vehicle, accessible to the operator and with current annual inspection tag.	D.2.3.2		
<b>SPECIFIC EQUIPMENT</b>				
14	<b>Onboard A/C power generator for operating electric equipment on the service truck.</b>	D.2.3		
15	<b>Charging/Starting System Analyzer</b>			
16	<b>Jumper Cables:</b> 20-foot Heavy Duty with a minimum of 2 gauge			

17	<b>Code Reader:</b> Ability to scan 1995 to current year vehicles, have the ability to accept software upgrades and be self-sustained. Must have own screen and operating buttons, no use of mobile devices.		
18	<b>Battery Tester</b>		
19	<b>Volt/Ohm Meter</b>		
20	<b>Fuel Pressure Testing Kit</b>		
21	<b>Self-contained brake and clutch bleeder system</b>		
22	<b>Grinder:</b> 4 inch minimum		
23	<b>Arc Welder:</b> Minimum 225 AMP with air arc capability and industry acceptable repair electrodes		
24	<b>Oxygen-Acetylene Torch Set:</b> Complete with appropriate cutting and welding tips.		
25	<b>Air Compressor:</b> Min. of 120 psi. @ 20 CFM with tank and accessories.		
26	<b>Combination Vice:</b> Min. 4 ½ inch jaw		
27	<b>Hydraulic Jacks:</b> One 12-ton and one 20-ton		
28	<b>Jack Stands:</b> Two 12-ton capacity		
29	<b>Portable Lighting:</b> Auxiliary or vehicle powered for field work.		
30	<b>Hazardous Material Spill Kit:</b> Minimum, 10-gallon spill containment capability.		
31	<b>Misc. Drain Pans</b>		
32	<b>Impact Wrenches:</b> 1/2-, 3/4- and 1-inch impact wrenches and impact sockets to 3-inch.		
33	<b>Drill with Bits:</b> 3/8- and 1/2-inch drill, with drill bits from 1/16- to 3/4- inch.		
34	<b>Tap and Die Set:</b> 1/8- to 1-inch fine and coarse thread.		
35	<b>Tap and Die Set:</b> 1/8- to 1-inch pipe thread.		
36	<b>Hand tool set:</b> To accomplish normal field repairs on equipment.		
37	<b>Knowledge and skills to perform hydraulic system repairs.</b>		
<b>CONSUMABLE GOODS</b>			
38	<b>Commonly used SAE and Metric Nuts and Bolts:</b> Up to 1/2- inch x 3-inch.	D.2.4	
39	<b>Air Brake Fittings:</b> Commonly used, up to 5/8- inch.		
40	<b>Assorted metal fasteners, machine screws, self-tapping screws:</b> Up to #12 x 1 ½-inch.		
41	<b>Assorted electrical connections:</b> For commonly used wire sizes on all equipment.		
42	<b>Assorted electrical wire:</b> Sizes commonly found on all types of equipment.		

☐ Equipment meets agreement specifications      ☐ Equipment does not meet agreement specifications

Operator: \_\_\_\_\_ Date: \_\_\_\_\_

*Print* *Sign*

Inspector: \_\_\_\_\_ Date: \_\_\_\_\_

*Print* *Sign*

[illegible]