

Date: _____ Time: _____ E # _____

Incident Name: _____ Incident # _____

Company /
Contractor: _____ Equipment ID: _____

Agreement # _____ Equipment Make: _____

VIN/Serial # _____ Equipment Model: _____

License Plate # _____ License Plate State: _____

Crew Assigned to Bus: _____ C # _____

OR Bus is under hire but has no crew attached at the time of inspection.Point of Hire *Initial departure location of Bus* (City, State) _____**MINIMUM EQUIPMENT REQUIREMENTS**

	<i>Not all inclusive; for additional clarification refer to the agreement (SF-1449 section D).</i>		Yes	No
1	Equipment VIN/serial # matches resource order (Schedule of Items)	D.6.3.1		
2	Check-in process completed	D.6.5.3		
3	OF-296 Vehicle/Heavy Equipment Pre-use Inspection Checklist completed	D.17		
4	Vehicle Identification: All equipment shall have the company's name and unique identification number affixed on each side of the vehicle.	D.2.1.2		
5	Agreement: One complete copy	D.8		
6	Personnel: Full Name & RT-130 Fire Line Refresher Completion Dates Operator Name: _____ Date: _____	D.3.1		
7	Bus: 1999 or newer	D.2.1.2		
8	Vehicle Registration: Current	D.2.1.2		
9	Insurance for Vehicle: Valid Date <i>From:</i> _____ <i>To:</i> _____	D.2.1.2		
10	PPE for ALL personnel: Hardhat Gloves Hearing Protection Eye Protection Headlamp w/batteries	D.2.1.3		
11	Flame resistant clothing: <i>Minimum 2 full sets</i> of flame-resistant shirts and pants certified to NFPA 1977 standard for ALL personnel.	D.2.1.3		
12	Fire shelter: New Generation, <i>for ALL personnel.</i>	D.2.1.3		

13	Seating: School-type bus with capacity to carry a minimum of 22 adult passengers.	D.2.1.2		
14	Seats: Equipped with FMVSS compliant seats and seatbelts in all seated positions.	D.2.1.2		
15	Internal Cargo Storage Area(s): Metal, cage-like, storage area (minimum of 120 cubic feet). Securely mounted to body of frame of vehicle. No sharp edges or unfinished areas. Heavy weight ballistic nylon reinforced with heavy webbing encapsulating load.	D.2.1.2		
16	External Storage Compartment: For chainsaws, drip torches, fuel, fuses. All flammable and combustible items must be stored in external storage compartment(s). <i>A chase vehicle, racks mounted to the outside of the bus or trailer hitch baskets are not acceptable.</i>	D.2.1.2		
17	Emergency Exits: All the original emergency exits that were required when the bus was manufactured shall be in working order, clearly identified, and shall not be blocked by any portion of the cargo area door(s). Appropriately labeled/designated, with at least 1" lettering, including concise operating instructions within 6" of mechanism. (49 CFR 393.62)	D.2.1.2		
18	Fire extinguisher: 2A 10BC, securely mounted to the vehicle, accessible to the operator and with current annual inspection tag. DATE:	D.2.1.3		

☐ Equipment meets agreement specifications ☐ Equipment does not meet agreement specifications

Inspector: _____ Date: _____
Print *Sign*

Operator: _____ Date: _____
Print *Sign*

☐ Contractor given the opportunity to correct noted deficiencies (***See Remarks***) ☐ Contactor successfully corrected noted deficiencies

Inspector: _____ Date: _____
Print *Sign*

REMARKS: (Note in detail any deficiencies, pertinent information, comments, etc.)

