FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

24-Hour Emergency Phone: 1-800-424-9300

Medical Emergencies: 1-866-944-8565
U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME:

TACTICTM

Synthetic Latex, 1,2-propanediol, Alcohol ethoxylate, silicone polyether copolymer

CHEMICAL FAMILY:

Sticker-Surfactant-Deposition Agent

CA REG. NO.:

34704-50041

WA REG. NO.:

34704-05008

MSDS Number: 8000640-10-LPI

MSDS Revisions: Section 12

Date of Issue: 10/19/10

Supersedes: 05/29/09

HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN - CAUTION - Harmful if swallowed, absorbed through skin or inhaled. Avoid breathing vapors or spray mist. Remove contaminated clothing and wash clothing before reuse. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling

This product is pale green liquid with mild odor.

3. COMPOSITION, INFORMATION ON INGREDIENTS

CAS No. **Chemical Ingredients:** Percentage by Weight: TLV (Units) Synthetic Latex, 1,2-propanediol, Alcohol ethoxylate, 63.40 Mixture none established

Silicon polyether copolymer

Other Ingredients

FIRST AID MEASURES

If in Eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye.

If on Skin or Clothing: If Swallowed:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an

If inhaled:

Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by

mouth-to-mouth, if possible.

5. FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): FLAMMABLE LIMITS (LFL & UFL):

>212°F/>100°C (PMCC)

Not established

EXTINGUISHING MEDIA: HAZARDOUS COMBUSTION PRODUCTS: SPECIAL FIRE FIGHTING PROCEDURES:

Foam, Dry chemical, CO2, or water spray. None known.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Wear self-contained breathing apparatus and full protective gear. Dike area to contain run-off and prevent contamination of water supplies. Burning may produce toxic

fumes, carbon monoxide, carbon dioxide and oxides of silicon.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wear appropriate personal protective equipment (refer to Section 8) when responding to spills. Shut off source of leak if safe to do so. Dike and contain spill. Soak up residue with absorbent such as clay, sand or other suitable material and dispose of properly. Flush area with water to remove trace residue. Contain runoff from residue flush and dispose of properly. Place in container for proper disposal. Check local, state and federal regulations for

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

HANDLING AND STORAGE

HANDLING:

Wear impervious gloves when handling. Keep away from heat, sparks, and flames while in use. Wash with soap and water after handling and before eating, drinking, smoking, applying cosmetics, or using toilet facilities. Keep away from children,

feed and foodstuffs, fertilizers and seed.

STORAGE:

Store in a cool, dry place. Store in original container. Keep container tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

SOLUBILITY: Dispersible

pH: 7.3 (1% solution)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS:

RESPIRATORY PROTECTION:

Not required

EYE PROTECTION:

Wear a NIOSH approved respirator if necessary. Chemical goggles or shielded safety glasses.

SKIN PROTECTION:

Wear protective clothing. Wear impervious rubber or chemical-resistant gloves.

OSHA PEL 8 hr TWA

ACGIH TLV-TWA

For product

not established

not established

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Pale green liquid with mild odor

SPECIFIC GRAVITY (Water = 1): 1.027 g/ml VAPOR PRESSURE: Not established

PERCENT VOLATILE (by volume): Not established

BULK DENSITY: 8.57 lbs/gal. BOILING POINT: Not established **EVAPORATION RATE:** Not established

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable

Note:

CONDITIONS TO AVOID: None known.

INCOMPATIBILITY: Avoid contact with strong oxidizers, strong acids and bases at high temperatures

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide from burning.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₀₀ (rat): >5000 mg/kg [EPA Category IV]
Eye Irritation (rabbit): Mild to moderate irritant [EPA Category III]

Acute Dermal LD₅₀ (rabbit): >2000 mg/kg [EPA Category IV] Skin Irritation (rabbit): Not a skin irritant [EPA Category IV]

inhalation LC₅₀ (rat): >0.19 mg/L (4 HR) Skin Sensitization (guinea pig): Not a sensitizer.

Carcinogenic Potential: None listed by OSHA, NTP, IARC, and ACGIH as a carcinogen

12. ECOLOGICAL INFORMATION

Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

13. DISPOSAL CONSIDERATIONS

Do not reuse product containers. Do not contaminate water, food or feed by storage or disposal. Wastes may be disposed of on-site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer for recycling or dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local recycler visit the ACRC web page at www.acrecycle.org/.

14. TRANSPORT INFORMATION

DOT Shipping Description: NOT REGULATED BY USDOT.

Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: LTL 60, TL 35) Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

15. REGULATORY INFORMATION			
NFPA & HMIS Hazard Ratings:	NFPA 2 Health 1 Flammability 0 Instability	Least Slight Moderate	HMIS 2 Health 1 Flammability 0 Reactivity
	,	3 High 4 Severe	H PPE
SARA Hazard Notification/Reporting SARA Title III Hazard Category:	Immediate Y Delayed N	Fire Reactive	N Sudden Release of Pressure N N
Reportable Quantity (RQ) under U.S. (SARA, Title III, Section 313: Not listed RCRA Waste Code: Not listed CA Proposition 65: Not listed	CERCLA: Not listed		

16. OTHER INFORMATION

MSDS STATUS: Section 12 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental/ Regulatory Services

Tactic is a trademark of Loveland Products, Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safety use the product described by this data sheet for their specific purpose.