## REFERENCES

- Bowden, Norman, UDWR, Regional Game Manager (Personal Communication June 1984) Richfield, Utah.
- Brown, James K., 1974, Handbook for Inventory Downed Woody Material: U.S.D.A Forest Service, Intermountain Forest and Range Experiment Station. Generatechnical Report INT-16.
- Cooper, J. L., 1978, A technique for evaluating and predicting the impact of grazing on small stream channels. Unpubl. Report. U.S.D.A. Fore: Service, Idaho Panhandle National Forest, Coeur d'Alene, Idaho.
- Cunningham, Charles G., and Thomas A. Steven, 1979, Environments favorable for the occurrence of uranium within the Mount Belknap caldera, Beaver Valle and Sevier River Valley, west-central, Utah: U.S. Geological Survey Ope file Report 79-434, 17 p.
- Cunningham, Charles G., Thomas A. Steven, Peter D. Rowley, Lori B. Glassgold, and John J. Anderson, 1983, Geologic Map of the Tushar Mountains as adjoining areas, Marysvale Volcanic Field, Utah: U.S. Geological Survey Map I-1430-A.
- Doelling, H. H., 1972, Coal in Utah 1970; in H.H. Doelling, Central Utah Coal Fields: Sevier-Sanpete, Wasatch Plateau, Book Cliffs and Emery: Monograp Series No. 3, Utah Geological and Mineral Survey, 570 p.
- Fawcett, Allen, 1979, Population Impacts resulting from Coal mining in the Six-County area: Unpublished report by the Six-County Planning an Economic Development District, Richfield, Utah, 50 p.
- Franklin, I. A., 1980, Evolutionary Change in small populations: Conservation Biology, Sovle', M.E. and V.A. Wilcox, EDS. Sinauer Associates Inc. Sunderland Mass.
- Frissell, Sidney S., 1978, Judging Recreation Impacts on Wilderness Campsites: Journal of Forestry, U. 76, no. 8, pp. 481-483.
- FUND, 1979, Social Resource Management: Procedures for characterizing and delineating a Human Resource Unit using cultural descriptors: Foundatio for Urban and Neighborhood Development, Denver, Colorado, 47 p.
- Jackman, Siri M., and J. Michael Scott, 1975, Literature review of twenty-thre selected forest birds of the Pacific Northwest: USDA Forest Service, Regio 6, Portland, OR., pp. 339-353.
- Patton, David R., 1975, A diversity index for quantifying habitat "edge": Wildlife Society Bulletin, Vol.3, No. 4, pp 171-173.
- Pfankuch, Dale J., 1975, Stream reach inventory and Channel Stability evaluation, a Watershed Management Procedure: USDA Forest Service, Northern Region, Missoula, Montana, 2G p.

- Rosgen, D. L., 1980, Stream Classification Systems: Uses and Interpretation.
  Unpublished Report. U.S. Department of Agriculture Forest Service,
  Arapaho/Roosevelt National Forest, Fort Collins, Colo.
- Sawyer, Paul, 1982, Analysis of Fishlake Elk herd: unpublished report used in 1982 pre-interagency meetings, 5p. Wildlife Biologist, Richfield District, Bureau of Land Management.
- Schoener, T.W., 1968, Quotation Size of feeding territories among birds: Ecology, V. 49, pp. 123-141.
- Schwarzbart, Gideon, and Patrick L. Schmitz, 1982, Methods for Evaluating Energy Effects of Forest Management Alternatives: Volume 1, Management Sciences Staff, USDA Forest Service, Berkeley, CA., 26 p. with appendices.
- Shaffer, Russell W., and John R. Thompson, 1980, Summary of operations (1979-80 season) and Evaluation of a cloud seeding program in Utah: North American weather consultants, Salt Lake City, Utah. 87 p.
- Steven, Thomas A., and Charles G. Cunningham, 1979, Clinoptilolite resources in the Tushar Mountains west-centural Utah: U.S. Geological Survey Open-file Report 79-535, 21 p.
- Steven, Thomas A., and Charles G. Cunningham, 1979, Uranium Potential of the Big John Caldera, Beaver County, Utah: U.S. Geological Survey Open-File Report 79-527, 16 p.
- Steven, Thomas A., Charles G. Cunningham, and M.N. Machette, 1981, Integrated Uranium Systems in the Marysvale Volcanic Field, West-Central Utah: in Goodell, Philip C., and Waters, Aaron C., eds., Uranium in Volcanic lastic Rocks: American Association of Petroleum Geologists Studies in Geology, no. 13, p. 111-122.
- Steven, Thomas A., Charles G. Cunningham, and Peter D. Rowley, 1978, Geology and mineralization in the Marysvale mining area, west-central Utah: in Guidebook to mineral deposits of southwestern Utah, Utah Geological Association Publication 7, p.67-70.
- Steven, Thomas A., and Hal T. Morris, 1984, Mineral Resource Potential of the Richfield 1x2 degree Quadrangle, West Central Utah: U.S. Geological Survey Open Rile Report 84-521, 53 p.
- Thomas, Jack Ward, Tech. Ed., 1979, Wildlife Habitats in Managed Forests, The Blue Mountains of Oregon and Washington: USDA Forest Service, Agriculture Handbook No. 553, 512 p.
- USDA Forest Service, ROS Users Guide: Washington D. C., 38 p.
- USDI Park Service, 1983, Final Environmental Impact Statement, General Management Plan Statement of findings; Capitol Reef National Park, Utah: USDI Park Service, Denver, Colorado, 139 p.

- Utah Division of Wildlife Resources, 1980 through 1983, the "year" Utah Big Game Harverst Book: published annually by the Utah Department of Natural Resources, Division of Wildlife Rescources, Publication "year"-1, Salt Lake City, Utah.
- Utah State Planning Coordinator, 1980, Utah: 2000, A high development scenario: Office of the Governor, State Capitol, Salt Lake City, Utah, 65 p.
- Welch, S. R., J. K. Rigby, and W. K. Hamblin, 1980, A Survey of Natural Landmark Areas of the Northern Portion of the Colorado Plateau, Biotic and Geologic Themes: Prepared for the Heritage Conservation and Recreation Service USDI, Denver, Colorado, 270 p.
- Wykoff, William R., Nickolas L. Crookston, and Albert R. Stage, 1982, User's Guide to the Stand Prognosis Model: USDA Forest Service, Intermountain Forest and Range Experiment Station, General Technical Report INT-133, 112 p.