

Table 3-1

ROAD SURFACE RATING AND RECOMMENDATIONS

ID	BMP	EMP	SEG	ML	SURF	T	NUMERICAL RATING	RECOM RATING	Comments and Recomendations
4900000	10.5	19.5		3	AGG	0	0	0	N/A CO. Rd. Evaluate for potential to exchange jurisdictions, Check MD status.
6600000	0	3.1		3	AGG	0	0	0	N/A COUNTY RD
7000000	0	9.8	9.8	3	AGG	83	H	H	Hwy 97 to Co. Rd. 623 Should be Mandatory Deposit, Co.Rd. 623 to Hwy 138 Project RSR
7000000	9.8	13.7	3.9	3	IMP	83	H	H	Unsurfaced segment, potential candidate for surfacing.
8300000	0	11.75	11.75	3	AGG	66	H	H	Mandatory Deposit Road
8300000	11.75	13.75	2	3	AGG	66	H	H	Mandatory Deposit Road
8600000	0	5.3	5.3	4	AGG	70	H	H	Mandatory Deposit Road, Consider 1st Seg to mill or private for AC, Jurisdiction exchange, aggrement with mill owner.
8600000	5.3	15.5	10.2	3	AGG	70	H	H	Mandatory Deposit Road
8600000	15.5	15.9	0.4	3	BST	70	H	H	Mandatory Deposit Road
8600000	15.9	18.3	2.4	3	AGG	70	H	H	Mandatory Deposit Road
8600000	18.3	18.9	0.6	3	BST	70	H	H	Mandatory Deposit Road
8800000	0	1.8	1.8	3	AGG	59	H	H	Mandatory Deposit Road
8800000	1.8	11.3	9.5	3	AGG	59	H	H	Mandatory Deposit Road
8800000	11.3	15.85	4.55	3	IMP	59	H	H	Unsurfaced segment, potential candidate for surfacing.
8800000	15.85	20.2	4.35	3	IMP	59	H	H	Unsurfaced segment, potential candidate for surfacing.
9400000	0	5.2	5.2	4	AGG	88	H	H	Mandatory Deposit Road
9400000	5.2	16	10.8	3	AGG	88	H	H	Mandatory Deposit to MP 15.4
9400000	16	18.9	2.9	3	IMP	88	H	H	Unsurfaced segment, potential candidate for surfacing.
2200000	0	18.1	18.1	3	AGG	86	H	H	
4300000	0	19.9	19.9	3	AGG	77	H	H	Maditory Deposit Road
4400000	0	8	8	3	AGG	68	H	H	Recommend dropping from Mandatory Deposit Program.
4400000	8	24.7	16.7	3	AGG	68	H	H	
4600000	0	12.1	12.1	3	AGG	80	H	H	Mandatory Deposit Road
4900000	0	10.5	10.5	4	AGG	77	H	H	Mandatory Deposit Road
6500000	0	4.8		3	AGG	0	0	0	N/A Co. Rd

Table 3-1

ROAD SURFACE RATING AND RECOMMENDATIONS

ID	BMP	EMP	SEG	ML	SURF	T	NUMERICAL RATING	RECOM RATING	Comments and Recommendations
2300000	0	13.7		3	AGG	0	0	0	N/A Co. Rd., Recommendation is to work with county to convert to a consistant maintance standard.
2300000	13.7	18.9	5.2	3	AGG	59	H	H	
2300000	18.9	24.2		3	AGG	0	0	0	N/A St. Rd., Recommendation is to work with state to convert to a consistant maintance standard.
2304000	0	3.7	3.7	3	AGG	31	M	M	
4971000	0	2.2	2.2	2	AGG	16	L	L	
4972000	0	5.7	5.7	2	AGG	19	L	L	
4973000	0	4.1	4.1	2	AGG	12	L	L	
4975000	0	7.2	7.2	2	AGG	22	L	L	
5835000	1.7	3	1.3	3	AGG	7	L	L	Recommended for conversion to level 2.
7007000	0	0.5	0.5	2	AGG	25	L	L	
7009000	0	1.6	1.6	2	AGG	18	L	L	
7644000	0	3.1	3.1	2	AGG	10	L	L	
7645000	0	9.5	9.5	3	AGG	33	M	M	
7649000	0	3.4	3.4	2	AGG	22	L	L	
7650000	0	6.5	6.5	2	AGG	25	L	L	
8310000	0	1.6	1.6	2	AGG	13	L	L	
8385000	0	2.5	2.5	2	AGG	24	L	L	
8604000	0	9.1	9.1	3	AGG	20	L	M	Increased the rating to recognize passenger car access.

Table 3-1

ROAD SURFACE RATING AND RECOMMENDATIONS

ID	BMP	EMP	SEG	ML	SURF	T	NUMERICAL RATING	RECOM RATING	Comments and Recommendations
8610000	0	3.1	3.1	2	AGG	22	L	L	
8610000	3.1	10.5		2	AGG	0	0	0	N/A Private
8676000	0	5.1	5.1	2	AGG	15	L	L	
8677000	0	4.2	4.2	2	AGG	10	L	L	
8678000	0	2.4	2.4	2	AGG	15	L	L	
8802000	0	5.1	5.1	3	AGG	17	L	M	Increased the rating to recognize passenger car access.
8802000	5.1	8.5	3.4	3	IMP	17	L	M	Unsurfaced segment, potential candidate for surfacing.
8819000	6.9	7.8	0.9	2	AGG	16	L	L	
8821000	0	3.1	3.1	2	AGG	24	L	L	
8827000	5.4	5.9	0.5	2	AGG	24	L	L	
8829000	0	3	3	2	AGG	24	L	L	
9735000	0	0.3	0.3	2	AGG	23	L	L	
9735000	0.3	0.95		2	AGG	0	0	0	N/A Private
9735000	0.95	6	5.05	2	AGG	23	L	L	
9737000	5.3	5.8	0.5	2	AGG	16	L	L	
9737000	5.8	6	0.2	2	AGG	0	L	L	
9740000	0	7.1	7.1	3	AGG	30	M	M	
9740000	7.1	7.6	0.5	3	AGG	30	M	M	

Table 3-1

ROAD SURFACE RATING AND RECOMMENDATIONS

ID	BMP	EMP	SEG	ML	SURF	T	NUMERICAL RATING	RECOM RATING	Comments and Recommendations
9772000	0	0.4	0.4	3	AC	49	M	H	Recommend changing to High do to high use recreation site. Should be Manditory Deposit.
9772000	0.4	12.1	11.7	3	AGG	49	M	H	Recommend changing to High do to high use recreation site. Project RSR
9774000	0	2.2	2.2	3	AGG	23	L	H	Recommend changing to High do to high use recreation site.

Table 3-1

ROAD SURFACE RATING AND RECOMMENDATIONS

ID	BMP	EMP	SEG	ML	SURF	T	NUMERICAL RATING	RECOM RATING	Comments and Recommendations
9700890	0	0.6	0.6	3	AC	45	M	H	Paved residence/compound roads.
9700900	0	0.2	0.2	3	AC	45	M	H	Paved residence/compound roads.
9700900	0.2	0.4	0.2	3	AC	45	M	H	Paved residence/compound roads.
9755000	7.35	8.5	1.15	3	AGG	25	L	L	
9772060	0	0.1	0.1	3	AC	8	L	H	Changed to High, Walt Haring Snow Park.
9772600	0	0.2	0.2	3	AGG	15	L	H	Changed to High, interior campground roads.
9772610	0	0.3	0.3	3	AGG	15	L	H	Changed to High, interior campground roads.
9772620	0	0.5	0.5	3	AGG	15	L	H	Changed to High, interior campground roads.
9772625	0	0.3	0.3	3	AGG	15	L	H	Changed to High, interior campground roads.
9774190	0	0.3	0.3	3	AGG	11	L	H	Changed to High, interior campground roads.
2300960	0	0.6	0.6	3	AC	18	L	H	Change to high, due to high recreation use, Wood River Day Use
4502390	0	0.3	0.3	3	AGG	18	L	L	
4648040	0	0.2	0.2	3	AGG	18	L	H	Change to high, interior campground road, Head Of The River
5800050	0	0.9		4	AC		0	0	N/A Private
5800070	0	0.3		3	AGG		0	0	N/A Private
5806180	0	0.2	0.2	3	AGG	18	L	L	
5812050	0	0.25	0.25	3	AGG	21	L	L	
9700330	0	0.3	0.3	3	AC	45	M	H	Paved Ranger District compound road
9700330	0.3	1.1	0.8	3	AGG	45	M	H	Ranger District compound road
9700390	0	0.6		4	AC		0	0	N/A Private
9730140	0	0.8	0.8	3	AGG	15	L	H	Change to high, interior campground road, Williamson River
9730144	0	0.3	0.3	3	AGG	15	L	H	Change to high, due to high recreation use, Williamson River Day Use

Table 3-1

ROAD SURFACE RATING AND RECOMMENDATIONS

ID	BMP	EMP	SEG	ML	SURF	T	NUMERICAL RATING	RECOM RATING	Comments and Recommendations
9732100	0	0.3	0.3	3	AGG	6	L	M	Oux kanee overlook
9732350	0	0.5	0.5	3	AGG	9	L	L	
3600480	0	0.1	0.1	3	AC	12	L	H	Recommend changing to high, high use recreation site, Great Meadow Snowpark, High Lakes Trailhead.
3700240	0	0.4	0.4	3	AC	24	L	H	Recommend changing to high, high use recreation complex, Lake Of The Woods
3700245	0	1.1	1.1	3	AC	24	L	H	Recommend changing to high, high use recreation complex, Lake Of The Woods
3700370	0	0.1	0.1	3	AC	18	L	H	Recommend changing to high, high use recreation complex, Lake Of The Woods
3704060	0	0.8	0.8	3	AC	24	L	H	Recommend changing to high, high use recreation complex, Lake Of The Woods
3704065	0	0.2	0.2	4	AC	24	L	H	Recommend changing to high, high use recreation complex, Lake Of The Woods
3704080	0	0.1	0.1	3	AC	21	L	H	Recommend changing to high, high use recreation complex, Lake Of The Woods
3704110	0	0.3	0.3	3	AC	24	L	H	Recommend changing to high, high use recreation complex, Lake Of The Woods
3704112	0	0.2	0.2	3	AC	24	L	H	Recommend changing to high, high use recreation complex, Lake Of The Woods
9700100	0	0.2	0.2	3	AC	45	M	M	No recommendation- pending 2006 office relocation.
3200020	0	0.1	0.1	3	AGG	12	L	L	No recommendation- pending decision on status of 7-mile GS
3200390	0	1	1	3	AGG	12	L	M	Increased the rating to recognize passenger car access.
3334550	0	0.1	0.1	3	AGG	12	L	M	Recommend changing to moderate, 7-mile trailhead campground.
3400010	0	0.1	0.1	3	AGG	9	L	M	Recommend changing to moderate, access to Pelican Barn.
3400330	0	0.3	0.3	3	AGG	9	L	M	Recommend changing to moderate, Malone Springs boat launch.
3400740	0	0.45	0.45	3	AGG	45	M	0	N/A County Road
3425110	0	0.2		3	AGG		0	0	N/A County Road
3425250	0	0.2	0.2	3	AGG	24	L	H	Recommend changing to high, high use recreation , Rocky Point Resort
3425530	0	0.15	0.15	3	AGG	28	L	M	Increased the rating to recognize passenger car access.
3425530	0.15	0.3		3	AGG		0	0	N/A Private
3600190	0	0.3	0.3	3	AGG	13	L	L	

Table 3-1

ROAD SURFACE RATING AND RECOMMENDATIONS

ID	BMP	EMP	SEG	ML	SURF	T	NUMERICAL RATING	RECOM RATING	Comments and Recommendations
3600500	0	0.2	0.2	3	AGG	9	L	M	HWY Mtc Sta.
3600620	0	0.2	0.2	3	AGG	18	L	M	LOW Work Center
3610140	0	0.5	0.5	3	AGG	18	L	M	Mtn Lake Bible Camp
3637010	0	0.2	0.2	3	AGG	9	L	M	Odessa Dump
3650010	0	0.2	0.2	3	AGG	10	L	H	Recommend changing to high, high use recreation, Summit TH/Snowpark
3650240	0	0.1	0.1	3	AGG	4	L	M	Recommend changing to moderate, McLoughlin TH
3651020	0	0.55	0.55	3	AGG	43	M	M	Increased the rating to recognize passenger car access.
3661560	0	0.3	0.3	3	AGG	15	L	H	Recommend changing to high, high use recreation , 4-mile campground.

Table 3-1

ROAD SURFACE RATINGS AND RECOMMENDATIONS

ID	BMP	EMP	SEG	ML	SURF	T	NUMERICAL RATING	RECOM RATING	Comments and Recommendations
2300460	0	0.3	0.3	2	AGG			L	
2300460	0.6	0.7	0.1	2	AGG			L	
4900830	0	0.55	0.55	2	AGG			L	
4900832	0	0.2	0.2	2	AGG			L	
4973300	0	1.1	1.1	2	AGG			L	
7007040	0	0.4	0.4	2	AGG			L	
7600890	0	2.5	2.5	2	AGG			L	
7600975	0	0.7	0.7	2	AGG			L	
7645100	0	0.3	0.3	2	AGG			L	
7649040	0	2	2	2	AGG			L	
7649043	0	1.3	1.3	2	AGG			L	
7649060	0	1	1	2	AGG			L	
7649194	0	0.2	0.2	2	AGG			L	
7650340	0	2.6	2.6	2	AGG			L	
7650410	0	0.2	0.2	2	AGG			L	
8300580	0	1.1	1.1	2	AGG			L	
9737560	0	0.3	0.3	2	AGG			L	

Table 3-1

ROAD SURFACE RATINGS AND RECOMMENDATIONS

4523490	0	0.3	0.3	1	AGG			L	
5813810	0	0.9	0.9	1	AGG			L	
5817340	0	0.3	0.3	1	AGG			L	
5825340	0	1.6	1.6	1	AGG			L	
9718480	0	1.1	1.1	1	AGG			L	
1100320	0	1.1	1.1	2	AGG			L	
1119200	0	1.5	1.5	2	AGG			L	
2200020	0	0.05	0.05	2	AGG			L	
2200130	0	2.1	2.1	2	AGG			L	
2200150	0	1.3	1.3	2	AGG			L	
2200350	0	0.8	0.8	2	AGG			L	
2200550	0	1.7	1.7	2	AGG			L	
2200660	0	1.9	1.9	2	AGG			L	
2220010	0	0.3	0.3	2	AGG			L	
2228180	0	0.3	0.3	2	AGG			L	
2228200	0	0.05	0.05	2	AGG			L	
2242140	0	0.8	0.8	2	AGG			L	
4300980	0	2.2	2.2	2	AGG			L	
4400350	0	1.7	1.7	2	AGG			L	
4433340	0	1.3	1.3	2	AGG			L	
4437290	0	0.6	0.6	2	AGG			L	
4500480	0	3.1	3.1	2	AGG			L	
4580130	0	2	2	2	AGG			L	
4648030	0	0.2	0.2	2	AGG			L	
4659020	0	0.3	0.3	2	AGG			L	
4900160	0	0.5	0.5	2	AGG			L	
4947230	0	0.2	0.2	2	AGG			L	
5800051	0	0.2	0.2	2	AGG			L	
5800460	0.6	2.7	2.1	2	AGG			L	
5805020	0	0.7	0.7	2	AGG			L	
5805040	0.2	1.9	1.7	2	AGG			L	
5810160	0	0.6	0.6	2	AGG			L	
5810190	0	1.1	1.1	2	AGG			L	
5810230	0	0.4	0.4	2	AGG			L	
5811460	0	0.1	0.1	2	AGG			L	
5812080	0	1.1	1.1	2	AGG			L	
5813380	0	0.2	0.2	2	AGG			L	

Table 3-1

ROAD SURFACE RATINGS AND RECOMMENDATIONS

5813870	0	1.3	1.3	2	AGG			L	
5817690	0	2.5	2.5	2	AGG			L	
5825180	0	1.3	1.3	2	AGG			L	
5825184	0	0.3	0.3	2	AGG			L	
5825530	0	0.7	0.7	2	AGG			L	
5825530	0.7	3.9	3.2	2	AGG			L	
5850730	0	0.5	0.5	2	AGG			L	
5850830	0	0.7	0.7	2	AGG			L	
5850890	0	0.9	0.9	2	AGG			L	
6210040	0	1.3	1.3	2	AGG			L	
7641060	0	0.7	0.7	2	AGG			L	
7646440	0	1.4	1.4	2	AGG			L	
7647140	0	0.6	0.6	2	AGG			L	
9718550	2	2.4	0.4	2	AGG			L	
9718720	0	0.7	0.7	2	AGG			L	
9718730	0	1.2	1.2	2	AGG			L	
9718870	0	1.7	1.7	2	AGG			L	
9718920	0	1.4	1.4	2	AGG			L	
9718940	0	0.4	0.4	2	AGG			L	
3208380	0	0.9	0.9	2	AGG			L	
3213200	0	1.6	1.6	2	AGG			L	
3384290	0	1	1	2	AGG			L	
3400350	0	4.2	4.2	2	AGG			L	
3400620	0	0.2	0.2	2	AGG			L	
3400680	0	0.5	0.5	2	AGG			L	
3400830	0	1.2	1.2	2	AGG			L	
3413060	0	2.6	2.6	2	AGG			L	
3413110	0	1.6	1.6	2	AGG			L	
3413114	0	2.1	2.1	2	AGG			L	
3413630	0	0.1	0.1	2	AGG			L	
3419360	0	2	2	2	AGG			L	
3484185	0	1.4	1.4	2	AGG			L	
3625350	0	0.3	0.3	2	AGG			L	
3633140	0	2.2	2.2	2	AGG			L	
3637050	0	1.3	1.3	2	AGG			L	
3639032	0	0.2	0.2	2	AGG			L	
3639034	0	0.4	0.4	2	AGG			L	

Table 3-1

ROAD SURFACE RATINGS AND RECOMMENDATIONS

3640520	0	0.4	0.4	2	AGG			L	
3650050	0	1.6	1.6	2	AGG			L	
3650180	0	0.05	0.05	2	AGG			L	
3651270	0	2.2	2.2	2	AGG			L	
3651580	0	0.2	0.2	2	AGG			L	
3651760	0	1.1	1.1	2	AGG			L	
3661010	0	0.4	0.4	2	AGG			L	
3661060	0	1.5	1.5	2	AGG			L	
3661360	0	1	1	2	AGG			L	
3661363	0	1.6	1.6	2	AGG			L	
3661365	0	0.1	0.1	2	AGG			L	
3664050	0	0.8	0.8	2	AGG			L	
3689010	0	1.1	1.1	2	AGG			L	
3700140	0	1.2	1.2	2	AGG			L	
3787230	0	1.1	1.1	2	AGG			L	
3800790	0	1.6	1.6	2	AGG			L	
3800795	0	0.5	0.5	2	AGG			L	
3800900	0	0.4	0.4	2	AGG			L	
3800950	0	0.2	0.2	2	AGG			L	
3828330	0	2.05	2.05	2	AGG			L	
3828400	0	0.1	0.1	2	AGG			L	
3850070	0	0.6	0.6	2	AGG			L	
3852010	0	1.6	1.6	2	AGG			L	
3852190	0	0.5	0.5	2	AGG			L	
3400380	0	0.5	0.5	1	AGG			L	
3419365	0	0.55	0.55	1	AGG			L	
3455190	0	0.55	0.55	1	AGG			L	
3455210	0	0.65	0.65	1	AGG			L	
3455380	0	1.16	1.16	1	AGG			L	
3600530	0	0.2	0.2	1	AGG			L	
3661362	0	0.2	0.2	1	AGG			L	