

List of Routes Needed for Constant Motor Vehicle Use (OpML 2-5)					
Road No.	BMP	EMP	LENGTH	OpML	Surface Type
1000000	0.000	0.035	0.035	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
1000000	0.035	35.610	35.575	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
1000020	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1000060	1.077	4.500	3.423	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1000063	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1000149	0.000	0.130	0.130	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
1000150	0.000	1.460	1.460	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000152	0.000	2.200	2.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000154	0.000	0.657	0.657	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000170	0.000	1.485	1.485	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000173	0.000	0.938	0.938	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000180	0.000	3.600	3.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000220	0.000	2.700	2.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000400	0.000	3.700	3.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000460	0.000	0.089	0.089	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000480	0.000	0.610	0.610	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
1000481	0.000	0.600	0.600	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
1000482	0.000	0.100	0.100	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
1000500	0.000	3.900	3.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1000530	0.000	1.550	1.550	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1000700	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1003000	0.000	5.302	5.302	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1003000	5.302	9.955	4.653	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1003050	0.000	0.890	0.890	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003057	0.000	0.316	0.316	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003070	0.000	0.745	0.745	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003075	0.000	0.535	0.535	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003080	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003090	0.000	1.900	1.900	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003095	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003100	0.000	1.800	1.800	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003130	0.000	1.998	1.998	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003130	2.400	4.150	1.750	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1003140	0.000	1.479	1.479	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003160	0.000	0.586	0.586	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1003165	0.000	0.255	0.255	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1006000	0.000	7.056	7.056	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1006086	0.772	0.922	0.150	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1006120	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1007000	0.000	6.541	6.541	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1007070	0.000	2.000	2.000	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1007100	0.000	5.537	5.537	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1009000	0.000	2.228	2.228	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010000	0.000	5.900	5.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010000	5.900	9.400	3.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010000	9.400	15.300	5.900	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1010000	15.300	16.676	1.376	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010030	0.000	2.167	2.167	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010040	0.000	1.400	1.400	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1010070	0.000	3.000	3.000	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1010072	0.000	1.600	1.600	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1010080	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1010090	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1010120	0.000	0.440	0.440	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1010130	0.000	0.871	0.871	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1010165	0.000	0.406	0.406	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010170	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
1010175	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010185	0.000	0.765	0.765	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010300	0.000	1.565	1.565	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1010350	0.000	2.800	2.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010360	0.000	1.651	1.651	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1010380	0.000	2.068	2.068	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1011000	0.000	3.420	3.420	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1011030	0.000	3.000	3.000	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1011040	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1011041	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1011060	0.000	0.070	0.070	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1012000	0.000	2.100	2.100	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1012000	2.100	2.683	0.583	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1012040	0.000	1.290	1.290	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1012060	0.000	1.700	1.700	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
1014000	0.000	4.663	4.663	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1030000	0.000	2.400	2.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1030020	0.000	0.921	0.921	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1030025	0.000	1.310	1.310	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1030030	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1030050	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1030055	0.000	0.450	0.450	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1030056	0.000	0.504	0.504	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1030060	0.000	0.541	0.541	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1030080	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1030082	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1031000	0.000	5.074	5.074	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1035000	0.000	5.786	5.786	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1035010	0.000	0.286	0.286	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1035012	0.000	1.225	1.225	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1035062	0.000	0.462	0.462	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1035063	0.000	0.315	0.315	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1035065	0.000	0.836	0.836	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1035070	0.000	0.799	0.799	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1035080	0.000	0.671	0.671	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1035080	0.671	1.669	0.998	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1035084	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1038000	0.000	6.196	6.196	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1038010	0.000	0.991	0.991	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1038030	0.000	1.896	1.896	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1038050	0.000	0.462	0.462	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1038060	0.000	1.583	1.583	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1038061	0.000	0.278	0.278	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1038062	0.000	0.128	0.128	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1038065	0.000	0.889	0.889	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1038066	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1038090	0.000	1.005	1.005	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1038091	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1038110	0.000	0.433	0.433	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1300000	0.000	0.660	0.660	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1310000	0.000	0.331	0.331	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
1310000	0.331	4.032	3.701	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1310025	0.000	0.413	0.413	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
1310060	0.000	0.690	0.690	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2000100	0.000	0.780	0.780	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2000350	0.000	2.710	2.710	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2000350	2.710	4.440	1.730	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2000350	4.440	4.610	0.170	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
2000355	0.000	0.145	0.145	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2000355	0.145	0.180	0.036	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2000400	0.000	0.527	0.527	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2039000	0.000	2.039	2.039	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
2039000	2.039	2.371	0.332	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
2039000	2.371	2.950	0.579	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2039000	2.950	4.982	2.032	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2039000	4.982	5.120	0.138	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2039012	0.000	0.080	0.080	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2039030	0.000	0.436	0.436	3 - SUITABLE FOR PASSENGER CARS	AC - ASPHALT
2039031	0.000	0.094	0.094	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2039032	0.000	0.150	0.150	3 - SUITABLE FOR PASSENGER CARS	AC - ASPHALT
2039050	0.000	0.278	0.278	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2039360	0.000	0.043	0.043	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2039361	0.000	0.183	0.183	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2100000	0.000	14.223	14.223	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2100000	14.223	21.179	6.956	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2100000	21.179	30.330	9.151	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2100051	0.000	0.081	0.081	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100071	0.000	0.370	0.370	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100090	0.000	0.490	0.490	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100100	0.000	1.830	1.830	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100100	1.830	3.840	2.010	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100100	3.840	4.740	0.900	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100102	0.000	0.260	0.260	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100112	0.000	0.830	0.830	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100113	0.000	1.210	1.210	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2100113	1.210	1.400	0.190	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2100113	1.400	2.580	1.180	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100119	0.000	0.280	0.280	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100120	0.000	0.150	0.150	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2100122	0.000	2.570	2.570	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100123	0.000	0.080	0.080	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100140	0.000	0.510	0.510	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2100140	0.510	0.960	0.450	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2100140	0.960	1.100	0.140	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2100140	1.100	1.400	0.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2100140	1.400	2.560	1.160	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100158	0.000	0.320	0.320	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100160	0.000	0.230	0.230	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100200	0.000	0.426	0.426	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100220	0.000	2.400	2.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100388	0.000	0.025	0.025	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100390	0.000	1.400	1.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100399	0.000	0.280	0.280	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100420	0.000	0.690	0.690	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100420	0.690	1.800	1.110	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100435	0.000	1.480	1.480	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100450	0.000	0.283	0.283	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100450	0.283	2.871	2.588	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2100451	0.000	0.080	0.080	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100452	0.000	0.850	0.850	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2100452	0.850	1.050	0.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2103020	3.200	3.360	0.160	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2103030	0.000	0.381	0.381	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2103035	0.000	0.236	0.236	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2103050	0.000	0.455	0.455	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2103060	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
2103080	0.000	1.718	1.718	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2103081	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104000	0.000	4.810	4.810	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2104010	0.000	0.470	0.470	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2104033	0.000	3.390	3.390	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104037	0.000	0.841	0.841	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104050	0.000	1.060	1.060	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2104061	0.000	1.610	1.610	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104111	0.000	1.495	1.495	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104120	0.000	0.570	0.570	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104138	0.000	1.080	1.080	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104141	0.000	1.030	1.030	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104142	0.000	2.060	2.060	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104142	2.060	2.820	0.760	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104150	0.000	1.385	1.385	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104332	0.000	1.510	1.510	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104530	0.000	0.715	0.715	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2104531	0.000	0.560	0.560	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105000	0.000	0.281	0.281	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2105000	0.281	8.500	8.219	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2105000	8.500	9.823	1.323	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2105020	0.000	0.023	0.023	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105022	0.000	1.660	1.660	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105024	0.000	0.210	0.210	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105040	0.000	1.580	1.580	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105050	0.000	0.690	0.690	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105051	0.000	0.459	0.459	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105060	0.000	4.480	4.480	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105070	0.000	5.090	5.090	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105075	0.000	0.550	0.550	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105080	0.000	1.360	1.360	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105090	0.000	2.190	2.190	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2105100	0.000	0.750	0.750	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105120	0.000	1.520	1.520	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105121	0.000	1.703	1.703	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2105130	0.000	0.920	0.920	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105160	0.000	1.330	1.330	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2105950	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2106000	0.000	5.000	5.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2106031	1.200	1.370	0.170	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2106031	1.370	1.870	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2106031	1.870	3.080	1.210	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2106040	0.000	4.580	4.580	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2106060	0.000	1.560	1.560	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2106060	1.560	2.340	0.780	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2106070	0.000	1.362	1.362	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2106071	0.000	1.849	1.849	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2106140	0.000	2.810	2.810	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2106835	0.000	1.600	1.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2106837	0.000	0.470	0.470	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2107000	0.000	4.090	4.090	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2107000	4.090	7.870	3.780	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2107020	0.000	0.780	0.780	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2110000	0.000	3.310	3.310	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2110000	3.310	5.860	2.550	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2110000	5.860	6.461	0.601	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2110000	6.461	7.572	1.111	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2110015	0.000	0.750	0.750	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
2110040	0.000	0.842	0.842	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2110047	0.000	0.690	0.690	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2110049	0.000	0.360	0.360	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2110105	0.000	0.720	0.720	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2110140	0.000	0.826	0.826	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2110140	0.826	1.020	0.194	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2110354	0.000	1.410	1.410	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115000	0.000	0.990	0.990	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2115000	0.990	1.950	0.960	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2115000	1.950	2.750	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115000	3.760	4.500	0.740	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115011	0.000	2.000	2.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115028	0.000	0.640	0.640	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2115028	0.640	0.900	0.260	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115029	0.000	1.230	1.230	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115030	0.000	1.630	1.630	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115031	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115035	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115040	0.000	0.180	0.180	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2115040	0.670	1.700	1.030	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2115045	0.000	0.150	0.150	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2119033	0.000	2.700	2.700	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2119033	2.700	4.650	1.950	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120000	0.000	2.870	2.870	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2120000	2.870	3.140	0.270	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2120000	3.140	6.350	3.210	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120000	6.350	6.890	0.540	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120000	6.890	7.080	0.190	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120020	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2120030	0.000	0.320	0.320	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2120060	0.000	0.453	0.453	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120061	0.000	0.170	0.170	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120062	0.000	0.924	0.924	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120075	0.000	0.983	0.983	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120075	0.983	2.360	1.377	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120080	0.000	1.056	1.056	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120081	0.000	0.410	0.410	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120081	0.410	0.952	0.542	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120082	0.000	0.776	0.776	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120130	0.000	1.848	1.848	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2120140	0.000	2.700	2.700	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2122000	0.000	6.180	6.180	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2122040	0.000	2.970	2.970	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2122070	0.000	1.410	1.410	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2122070	1.410	2.161	0.751	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2122071	0.000	2.501	2.501	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2122072	0.000	2.128	2.128	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2128000	0.000	7.640	7.640	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2128060	1.000	3.000	2.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2128061	0.000	0.610	0.610	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2140000	0.000	2.979	2.979	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2140030	0.000	1.937	1.937	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2140060	0.000	0.647	0.647	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2141000	0.000	0.820	0.820	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2141000	0.820	1.620	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2141000	4.880	6.100	1.220	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2141020	0.000	1.486	1.486	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2141040	0.000	0.440	0.440	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
2142000	0.000	1.900	1.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2142000	1.900	4.470	2.570	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2142000	4.470	6.470	2.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2142031	0.000	0.470	0.470	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2142090	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2142100	0.000	1.400	1.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2145000	0.000	0.040	0.040	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2145000	0.040	1.244	1.204	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2145000	1.244	1.859	0.615	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2200017	0.000	1.350	1.350	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2200019	0.000	1.060	1.060	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2200020	0.000	0.170	0.170	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2200027	0.642	1.520	0.878	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2200030	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2200040	0.000	3.100	3.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2200082	0.000	1.920	1.920	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2200201	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2202000	0.000	0.750	0.750	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2202000	6.230	7.120	0.890	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2202080	0.720	1.258	0.538	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2202080	1.258	1.400	0.142	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2300000	0.000	1.785	1.785	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2300000	1.785	4.900	3.115	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2300000	4.900	8.900	4.000	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2300000	8.900	9.910	1.010	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2300000	10.160	12.407	2.247	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2300100	0.000	4.870	4.870	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2307000	0.000	1.300	1.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2307000	1.300	2.900	1.600	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2307000	2.900	3.000	0.100	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2307000	3.000	5.300	2.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2307000	5.300	8.500	3.200	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2307031	0.000	1.230	1.230	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2307035	0.000	0.630	0.630	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2307035	0.630	0.850	0.220	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2307038	0.000	0.230	0.230	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2307040	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2309000	0.150	5.230	5.080	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2400000	0.000	3.381	3.381	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2400000	3.381	6.190	2.809	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2400000	6.190	6.600	0.410	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2400000	6.600	18.250	11.650	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2400022	0.000	0.150	0.150	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400080	0.000	1.860	1.860	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400120	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400140	4.620	5.610	0.990	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400156	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400168	0.000	0.150	0.150	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400180	0.000	0.910	0.910	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2400180	0.910	4.490	3.580	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400181	0.000	1.528	1.528	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400181	1.852	3.397	1.545	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400190	0.000	2.310	2.310	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2400197	0.000	4.290	4.290	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2400205	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2400205	3.653	4.394	0.741	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2400226	0.000	0.141	0.141	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2402000	0.000	5.780	5.780	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
2406000	0.000	2.800	2.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2406000	2.800	2.916	0.116	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2406000	2.916	5.700	2.784	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2406040	0.000	0.561	0.561	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2406040	0.561	3.360	2.799	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2407000	0.000	1.940	1.940	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2407020	0.000	1.780	1.780	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2407040	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2407040	0.800	1.040	0.240	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2407048	0.000	0.068	0.068	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2408000	0.000	3.840	3.840	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2408020	0.000	1.970	1.970	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2408020	1.970	4.090	2.120	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2408020	4.090	6.050	1.960	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2408023	0.000	0.570	0.570	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2408028	0.000	0.120	0.120	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500000	0.000	15.641	15.641	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
2500030	0.000	1.700	1.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2500030	1.700	3.420	1.720	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500032	0.000	1.134	1.134	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2500033	0.000	2.215	2.215	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2500034	0.000	0.996	0.996	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2500034	0.996	1.000	0.004	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2500035	0.000	0.627	0.627	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2500050	0.000	0.550	0.550	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2500059	0.000	1.220	1.220	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2500060	0.000	1.945	1.945	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2500060	1.945	1.950	0.005	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2500062	0.000	1.500	1.500	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2500063	0.000	0.869	0.869	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2500068	0.000	0.414	0.414	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500070	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2500090	0.000	2.400	2.400	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
2500100	0.000	1.366	1.366	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500110	0.820	1.150	0.330	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500130	0.000	1.850	1.850	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500131	0.400	0.598	0.198	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500131	0.681	0.895	0.214	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500131	0.971	1.095	0.124	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500133	0.000	0.094	0.094	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500135	0.000	0.190	0.190	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500136	0.000	0.181	0.181	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500137	0.000	0.080	0.080	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500138	0.000	0.144	0.144	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500139	0.000	0.211	0.211	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500160	0.000	1.727	1.727	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500160	1.727	1.751	0.024	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500200	0.000	1.800	1.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500315	0.000	0.232	0.232	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500400	0.000	0.080	0.080	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2500701	0.000	0.380	0.380	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2500701	0.380	0.390	0.010	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2513000	0.000	1.330	1.330	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2516000	0.000	3.764	3.764	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2516099	1.150	1.790	0.640	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2519000	0.000	2.790	2.790	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2519010	0.000	1.870	1.870	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2519020	0.000	0.140	0.140	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
2519020	0.140	0.210	0.070	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2519020	0.210	0.490	0.280	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2519020	0.490	0.760	0.270	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2519020	0.760	1.130	0.370	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2519020	1.130	1.260	0.130	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2519020	1.260	2.710	1.450	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
2519091	0.000	0.930	0.930	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2519095	0.000	0.440	0.440	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
2519097	0.000	0.640	0.640	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3030000	0.000	3.280	3.280	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3030000	3.280	8.912	5.632	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3030020	0.000	1.700	1.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3030020	1.700	3.700	2.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3030029	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3030050	0.000	4.000	4.000	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3030050	4.000	6.701	2.701	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3030070	0.000	0.355	0.355	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3030090	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3030090	0.900	1.200	0.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3030095	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3100000	0.000	1.850	1.850	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	1.850	3.532	1.682	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	3.532	5.537	2.004	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	5.537	6.942	1.406	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	6.942	7.181	0.239	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	7.181	11.533	4.352	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	11.533	12.107	0.574	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	12.107	12.788	0.681	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	12.788	18.062	5.273	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	18.062	20.603	2.542	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	20.603	20.692	0.088	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	20.692	20.833	0.141	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	20.833	26.316	5.483	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	26.316	29.000	2.684	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
3100000	29.000	31.868	2.868	5 - HIGH DEGREE OF USER COMFORT	BST - BITUMINOUS SURFACE TREATMENT
3100000	31.868	35.647	3.778	5 - HIGH DEGREE OF USER COMFORT	BST - BITUMINOUS SURFACE TREATMENT
3100000	35.647	37.025	1.378	5 - HIGH DEGREE OF USER COMFORT	BST - BITUMINOUS SURFACE TREATMENT
3100000	37.025	38.827	1.802	5 - HIGH DEGREE OF USER COMFORT	BST - BITUMINOUS SURFACE TREATMENT
3100030	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100035	0.000	0.887	0.887	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100086	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3100090	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100090	0.600	1.126	0.526	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3100094	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100106	0.000	0.120	0.120	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3100200	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3100237	0.000	0.226	0.226	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100240	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3100245	0.000	0.755	0.755	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3100250	0.000	0.257	0.257	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100270	0.000	0.541	0.541	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100270	0.541	1.897	1.356	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100275	0.000	0.362	0.362	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100287	0.000	0.093	0.093	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100290	0.000	0.543	0.543	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100320	0.000	0.128	0.128	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100330	0.000	2.076	2.076	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100330	2.076	2.237	0.161	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
3100360	0.000	1.800	1.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3100774	0.000	0.109	0.109	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3102000	0.000	1.050	1.050	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3102015	0.000	0.374	0.374	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3109000	0.000	2.800	2.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3109000	2.800	2.805	0.005	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3109010	0.000	0.463	0.463	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3109020	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3109020	0.300	2.199	1.899	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3109025	0.000	0.104	0.104	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3109026	0.000	0.520	0.520	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3113000	0.000	3.099	3.099	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3113000	3.099	3.116	0.017	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3113015	0.000	0.149	0.149	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3113030	0.000	1.579	1.579	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3113040	0.000	0.707	0.707	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3113050	0.000	0.046	0.046	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3116000	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3116000	1.200	2.636	1.436	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3116021	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3116022	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128000	0.000	11.000	11.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3128000	11.000	18.434	7.434	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3128013	0.000	0.274	0.274	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128037	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3128037	1.100	1.660	0.560	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128062	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3128062	0.800	1.017	0.217	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128066	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128070	0.000	2.900	2.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3128070	2.900	3.253	0.353	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128077	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128102	0.000	1.566	1.566	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3128111	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3128128	0.000	1.400	1.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128130	0.000	0.978	0.978	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128132	0.000	0.115	0.115	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128134	0.000	0.712	0.712	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128300	0.000	2.000	2.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3128300	2.000	8.925	6.925	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128302	0.000	1.493	1.493	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128309	0.000	0.861	0.861	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128320	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128340	0.000	2.100	2.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128350	0.000	3.568	3.568	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128356	0.000	0.284	0.284	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128380	0.000	0.569	0.569	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3128390	0.000	1.156	1.156	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3130000	0.000	4.865	4.865	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3130013	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3130014	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3130022	0.000	1.400	1.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3133000	0.000	3.500	3.500	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3133000	3.500	5.200	1.700	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135000	0.000	4.503	4.503	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3135010	0.000	0.066	0.066	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135011	0.000	0.137	0.137	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135030	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
3135030	0.400	2.000	1.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135033	0.000	0.226	0.226	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135035	0.000	0.199	0.199	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135039	0.000	0.408	0.408	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135040	0.000	0.433	0.433	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3135041	0.000	0.281	0.281	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135046	0.000	0.407	0.407	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3135050	0.000	0.748	0.748	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135054	0.000	0.551	0.551	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135060	0.000	0.780	0.780	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135060	0.780	1.653	0.873	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135070	0.000	1.010	1.010	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3135077	0.000	2.000	2.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3145000	0.000	0.220	0.220	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3148000	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3148000	4.200	4.321	0.121	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3148000	4.321	4.400	0.079	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3148010	0.000	3.924	3.924	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3150000	0.000	1.220	1.220	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3150000	1.220	1.372	0.152	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3150000	1.372	3.500	2.128	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3150000	3.500	3.770	0.270	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3200000	0.000	4.430	4.430	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3200000	4.430	10.998	6.568	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3200000	10.998	12.850	1.852	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3200000	12.850	12.902	0.052	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3200000	12.902	13.729	0.827	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3200000	13.729	16.815	3.086	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3200020	0.000	0.108	0.108	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3200030	0.000	0.100	0.100	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3200035	0.000	0.203	0.203	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3200036	0.000	0.111	0.111	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3200045	0.000	0.243	0.243	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3200130	0.000	0.103	0.103	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3200130	0.895	1.303	0.408	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3200130	1.303	1.700	0.397	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3200135	0.891	1.344	0.453	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3217000	0.000	0.369	0.369	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3217000	3.616	3.980	0.364	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3217900	0.000	2.406	2.406	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3700020	0.000	0.085	0.085	3 - SUITABLE FOR PASSENGER CARS	BST - BITUMINOUS SURFACE TREATMENT
3700020	0.085	0.770	0.685	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3700021	0.000	0.109	0.109	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3700022	0.000	0.081	0.081	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3700030	0.000	1.578	1.578	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3700050	0.000	0.412	0.412	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3700051	0.000	0.081	0.081	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3700052	0.000	0.308	0.308	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3700070	0.000	0.229	0.229	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3700080	0.000	0.295	0.295	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3700100	0.000	0.192	0.192	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
3700100	0.192	0.207	0.015	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
3700200	0.000	0.299	0.299	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
3701000	0.000	2.140	2.140	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3715000	0.428	2.684	2.256	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3715030	0.000	0.542	0.542	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3718000	0.000	1.550	1.550	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3718000	1.550	3.400	1.850	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
3718150	0.000	0.366	0.366	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3719000	0.000	4.307	4.307	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3719000	4.307	4.651	0.344	3 - SUITABLE FOR PASSENGER CARS	AC - ASPHALT
3719040	0.000	0.610	0.610	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3719041	0.000	0.562	0.562	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3719080	0.000	1.796	1.796	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3719080	1.796	2.047	0.252	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3725000	0.000	3.800	3.800	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3725000	3.800	5.898	2.098	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3725070	0.000	2.265	2.265	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3725080	0.000	2.900	2.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3725300	0.000	1.600	1.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3727000	0.000	0.070	0.070	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3728000	0.000	1.551	1.551	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3728020	0.000	0.417	0.417	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3728150	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3728150	0.400	0.928	0.528	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3728150	0.928	1.214	0.286	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3728150	1.214	1.325	0.111	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3734000	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3734000	5.244	5.312	0.068	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3738000	0.000	10.546	10.546	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3738090	0.000	2.013	2.013	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3740000	0.000	3.881	3.881	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3740020	0.000	3.328	3.328	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3740025	0.000	1.800	1.800	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3740030	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3740040	0.000	0.118	0.118	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3740050	0.000	2.900	2.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3740059	0.000	0.227	0.227	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3900100	0.000	0.238	0.238	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3900101	0.000	0.091	0.091	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3900102	0.000	0.106	0.106	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3900105	0.000	0.489	0.489	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3900110	0.000	0.571	0.571	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3900120	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3900700	0.000	2.553	2.553	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3900725	0.000	2.400	2.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3900726	0.000	0.340	0.340	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3900900	0.070	3.065	2.995	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3900920	0.000	1.260	1.260	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963000	0.000	0.612	0.612	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3963000	0.612	6.414	5.802	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3963000	6.414	6.460	0.046	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963020	0.000	1.500	1.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3963020	1.500	2.432	0.932	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963030	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3963030	1.000	1.840	0.840	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963032	0.000	0.031	0.031	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3963036	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3963040	0.000	1.078	1.078	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963040	1.078	1.256	0.178	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963050	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3963050	0.500	0.754	0.254	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963060	0.000	1.048	1.048	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963061	0.000	1.212	1.212	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963064	0.000	0.482	0.482	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3963102	0.256	0.630	0.374	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
3963105	0.000	2.700	2.700	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3969000	0.000	3.100	3.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3969000	3.100	6.871	3.771	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3969000	6.871	8.700	1.829	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3969025	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3969025	0.800	1.600	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3969080	0.000	1.300	1.300	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3969110	0.000	1.679	1.679	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3969118	0.000	1.047	1.047	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3971000	0.000	4.706	4.706	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3971040	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3971040	0.600	1.775	1.175	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3971048	0.000	0.334	0.334	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3971060	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3972000	0.000	2.303	2.303	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3972000	2.303	3.100	0.797	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3972000	3.100	3.113	0.013	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3972015	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3972015	0.300	0.311	0.011	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3972020	0.000	2.253	2.253	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3974000	0.000	5.252	5.252	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3974040	0.000	0.072	0.072	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3974040	0.072	0.341	0.269	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3974040	0.341	3.300	2.959	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3974040	3.300	3.484	0.184	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3974100	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3974100	0.100	1.093	0.993	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3974110	0.000	0.099	0.099	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3974120	0.000	0.856	0.856	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3980000	0.000	9.520	9.520	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
3980050	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3980074	0.000	0.164	0.164	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3980080	0.000	2.599	2.599	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3980080	2.599	3.745	1.146	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3980085	0.000	0.918	0.918	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3980085	0.918	2.049	1.131	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3980116	0.000	0.909	0.909	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3980140	0.000	0.795	0.795	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3980150	0.000	0.750	0.750	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3980150	0.750	1.400	0.650	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3980160	0.000	1.203	1.203	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3980180	0.000	0.247	0.247	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3980190	0.000	1.535	1.535	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986000	0.000	5.300	5.300	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986000	5.300	9.031	3.731	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986000	9.031	10.000	0.969	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986000	10.515	10.803	0.288	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986000	10.803	13.701	2.898	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986050	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986050	0.100	0.131	0.031	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3986052	0.000	0.193	0.193	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986070	0.000	0.522	0.522	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986240	0.000	2.000	2.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986243	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986244	0.000	0.944	0.944	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986278	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3986300	0.000	0.937	0.937	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3986500	0.000	2.742	2.742	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
3988000	0.000	5.995	5.995	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3988010	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3988030	0.000	2.800	2.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3988040	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3988070	0.000	0.512	0.512	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3988080	0.000	8.500	8.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3988082	0.000	1.697	1.697	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3988083	0.000	0.750	0.750	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3988084	0.000	0.906	0.906	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3988196	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3988196	0.200	0.666	0.466	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3990000	0.000	4.600	4.600	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
3990080	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3990100	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3990100	0.600	1.900	1.300	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3990100	1.900	2.880	0.980	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3990105	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3990108	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3990310	0.000	1.600	1.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
3990400	0.000	0.671	0.671	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3990420	0.000	1.843	1.843	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
3990430	0.000	0.534	0.534	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000000	0.000	1.410	1.410	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
4000000	1.410	7.896	6.486	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
4000000	7.896	12.440	4.544	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
4000000	12.440	15.668	3.228	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
4000000	15.668	15.895	0.227	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
4000000	15.895	24.219	8.324	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
4000012	0.000	0.126	0.126	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4000020	0.000	3.090	3.090	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000020	3.090	3.300	0.210	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000024	0.000	0.090	0.090	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000026	0.000	0.030	0.030	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
4000040	0.000	0.570	0.570	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000050	0.000	0.030	0.030	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000100	0.000	0.860	0.860	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000102	0.000	0.180	0.180	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000123	0.000	0.050	0.050	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000130	0.000	1.210	1.210	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000130	1.210	1.330	0.120	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000135	0.000	0.070	0.070	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000140	0.000	0.570	0.570	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000150	0.000	0.940	0.940	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000151	0.000	0.220	0.220	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000156	0.000	0.680	0.680	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000160	0.000	3.960	3.960	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000161	0.000	0.980	0.980	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000163	0.000	0.877	0.877	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000180	0.000	1.182	1.182	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000185	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000185	0.100	0.180	0.080	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000196	0.000	0.490	0.490	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000200	0.000	0.491	0.491	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4000201	0.000	0.340	0.340	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000210	0.000	0.980	0.980	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000215	0.000	0.305	0.305	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000220	0.000	0.370	0.370	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000230	0.000	0.090	0.090	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
4000240	0.000	1.215	1.215	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000241	0.000	0.190	0.190	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000242	0.000	0.610	0.610	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000245	0.000	1.120	1.120	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000260	0.000	0.223	0.223	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000277	0.000	0.030	0.030	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000279	0.000	0.090	0.090	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000360	0.000	1.090	1.090	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000360	1.090	3.030	1.940	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000367	0.000	0.840	0.840	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4000370	0.000	0.680	0.680	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000470	0.000	1.870	1.870	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000480	0.000	0.060	0.060	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4000510	0.000	0.150	0.150	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4016000	0.000	3.700	3.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4016000	3.700	5.880	2.180	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
4016010	0.000	0.170	0.170	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4016020	0.000	0.110	0.110	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4018000	0.000	2.654	2.654	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4018000	2.654	3.500	0.846	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4018010	0.000	0.090	0.090	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4018011	0.000	0.220	0.220	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4018020	0.000	0.120	0.120	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4018050	0.000	0.320	0.320	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4018050	0.320	1.190	0.870	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4018055	0.000	0.230	0.230	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4018060	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4018080	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4018082	0.000	0.830	0.830	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4022000	0.000	1.655	1.655	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4022000	1.655	5.930	4.275	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4022015	0.000	0.399	0.399	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4022020	0.000	0.057	0.057	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4022020	0.057	0.847	0.790	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4022020	0.847	0.900	0.053	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4022025	0.000	0.110	0.110	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4022030	0.000	0.810	0.810	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4022031	0.000	0.230	0.230	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4022035	0.000	0.350	0.350	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4022045	0.000	1.420	1.420	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4027000	0.000	3.590	3.590	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4027020	0.000	0.850	0.850	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4027020	0.850	0.940	0.090	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4027025	0.000	0.550	0.550	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4027026	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4027030	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4027040	0.000	0.750	0.750	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4027060	0.000	0.710	0.710	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4027061	0.000	0.590	0.590	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4030000	0.000	0.132	0.132	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4030000	0.132	2.030	1.898	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4030000	2.030	5.647	3.617	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
4030010	0.000	0.080	0.080	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4030020	0.000	0.461	0.461	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4030025	0.000	0.434	0.434	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4030025	0.434	0.940	0.506	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4030040	0.000	0.320	0.320	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4038000	0.000	0.059	0.059	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
4038000	2.633	3.702	1.069	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4039000	0.000	0.122	0.122	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4039000	0.122	3.367	3.245	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4039000	3.367	7.006	3.639	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4039000	7.006	8.761	1.755	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4039072	0.000	0.650	0.650	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4039220	0.000	0.110	0.110	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4039246	0.000	0.180	0.180	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100000	0.000	4.000	4.000	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4100000	4.000	8.976	4.976	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4100000	8.976	12.387	3.411	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4100040	0.000	0.240	0.240	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100090	0.000	1.070	1.070	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4100095	0.000	0.170	0.170	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100096	0.000	0.870	0.870	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4100097	0.000	0.130	0.130	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100099	0.000	0.152	0.152	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100100	0.000	0.940	0.940	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4100111	0.000	0.770	0.770	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100160	0.000	2.050	2.050	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100163	0.000	1.922	1.922	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100310	0.000	0.070	0.070	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100350	0.228	1.249	1.021	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100350	1.249	1.294	0.045	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100350	1.666	1.803	0.137	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4100350	2.122	2.379	0.257	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4200000	0.000	1.942	1.942	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4200000	1.942	6.511	4.569	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4200000	6.511	7.783	1.272	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4200040	0.000	3.040	3.040	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4200042	0.000	0.030	0.030	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4200080	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4200085	0.000	0.420	0.420	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4200090	0.000	2.480	2.480	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4200109	0.000	0.190	0.190	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4200110	0.000	0.330	0.330	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4200125	0.000	0.331	0.331	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4200130	0.000	0.340	0.340	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4200140	0.000	3.210	3.210	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4200160	0.000	0.220	0.220	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4200163	0.000	0.170	0.170	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4200170	0.000	0.860	0.860	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4206000	0.000	4.730	4.730	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4206000	4.730	6.370	1.640	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4206000	6.370	7.902	1.532	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4206092	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4206095	0.000	0.130	0.130	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4206100	0.000	2.800	2.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4206100	2.800	3.850	1.050	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4206101	0.000	2.170	2.170	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4206103	0.000	1.040	1.040	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4206205	0.000	0.820	0.820	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4300000	0.000	0.917	0.917	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4300000	0.917	3.645	2.728	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4300000	3.645	6.808	3.163	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4300000	6.808	7.048	0.240	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4300020	0.000	0.650	0.650	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4300040	0.000	0.270	0.270	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
4300059	0.000	0.260	0.260	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4300062	0.000	0.092	0.092	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4300063	0.000	0.070	0.070	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4300110	0.000	0.670	0.670	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4300111	0.000	0.210	0.210	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4300112	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4300130	0.000	3.290	3.290	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4300131	0.000	0.880	0.880	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4302000	0.000	8.148	8.148	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4302000	8.148	8.544	0.396	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4302000	8.544	9.407	0.863	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4302011	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4302020	0.000	0.410	0.410	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4302030	0.000	0.120	0.120	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4302040	0.000	0.450	0.450	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4304000	0.000	7.012	7.012	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4304020	0.000	0.110	0.110	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4304040	0.000	1.050	1.050	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4304050	2.042	2.210	0.168	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4304052	0.000	0.130	0.130	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4304054	0.000	0.250	0.250	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4304056	0.000	0.160	0.160	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4304060	0.000	1.880	1.880	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4304070	0.000	0.780	0.780	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4304080	0.000	0.120	0.120	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4304088	0.000	0.460	0.460	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4304100	0.000	0.120	0.120	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4304105	0.000	0.310	0.310	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4304170	0.000	0.451	0.451	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4304170	0.451	0.580	0.129	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4305000	0.000	2.170	2.170	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4305000	2.170	3.500	1.330	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
4305020	0.000	0.160	0.160	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4305050	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4305060	0.000	0.640	0.640	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400000	0.000	0.311	0.311	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4400000	0.311	0.845	0.534	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4400000	0.845	3.048	2.203	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4400000	3.048	4.156	1.108	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4400000	4.156	5.069	0.913	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4400000	5.069	5.300	0.231	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4400000	5.300	10.105	4.805	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4400010	0.000	0.075	0.075	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400010	0.075	0.600	0.525	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400020	0.000	0.022	0.022	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4400020	0.022	0.650	0.629	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4400025	0.000	0.090	0.090	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4400080	0.000	0.260	0.260	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400120	0.000	0.180	0.180	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400120	0.180	0.454	0.274	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400120	0.454	3.660	3.206	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400123	0.000	0.087	0.087	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4400134	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4400140	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400180	0.000	1.130	1.130	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400200	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4400220	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4500000	0.000	4.102	4.102	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
4500000	4.102	4.741	0.639	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4500020	0.000	0.426	0.426	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4500030	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4500030	0.200	2.700	2.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4600000	0.000	8.441	8.441	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4600000	8.441	10.760	2.319	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4600000	10.760	13.810	3.050	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4600000	13.810	20.783	6.973	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4600030	0.000	1.410	1.410	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4600035	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4600036	0.000	0.190	0.190	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4600050	0.000	0.390	0.390	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4600052	0.000	0.830	0.830	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4600065	0.000	0.370	0.370	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4600100	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4600152	0.000	0.330	0.330	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4600160	0.000	0.817	0.817	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4600170	0.000	0.150	0.150	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4600300	0.000	5.180	5.180	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
4600301	0.000	1.339	1.339	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
4600420	0.000	0.170	0.170	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4608000	0.000	4.350	4.350	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4608000	4.350	6.380	2.030	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
4608073	0.000	0.270	0.270	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4608080	0.000	0.310	0.310	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4608085	0.000	0.160	0.160	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4608090	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4608100	0.000	0.140	0.140	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4608130	0.000	0.710	0.710	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4608140	0.000	0.560	0.560	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4610000	0.000	2.600	2.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4610000	2.600	4.210	1.610	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4610000	4.210	5.090	0.880	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4610010	0.000	0.060	0.060	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4610025	0.000	0.210	0.210	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4610030	0.000	0.250	0.250	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4610050	0.000	0.450	0.450	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4620000	0.000	3.130	3.130	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4620000	3.130	3.830	0.700	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4620050	0.000	1.210	1.210	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4625000	0.000	4.055	4.055	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4625000	4.055	4.420	0.365	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4625010	0.000	1.980	1.980	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4625015	0.000	0.290	0.290	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4625035	0.000	0.150	0.150	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4625060	0.000	1.840	1.840	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4625080	0.000	1.500	1.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4625100	0.000	0.210	0.210	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4700000	0.000	7.728	7.728	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
4700000	7.728	11.474	3.746	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
4700150	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4700160	0.000	0.150	0.150	3 - SUITABLE FOR PASSENGER CARS	AC - ASPHALT
4700160	0.150	0.490	0.340	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4700165	0.000	0.091	0.091	3 - SUITABLE FOR PASSENGER CARS	AC - ASPHALT
4700180	0.000	0.210	0.210	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4712000	0.000	4.555	4.555	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4712010	0.000	0.050	0.050	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4712025	0.000	0.170	0.170	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
4712030	0.000	0.040	0.040	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
4712040	0.000	0.103	0.103	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4713000	0.000	2.355	2.355	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
4713000	2.355	3.720	1.365	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
4713020	0.000	0.049	0.049	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5184700	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5184710	0.000	0.989	0.989	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5200000	0.000	21.692	21.692	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
5200000	21.692	33.460	11.768	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
5200012	0.000	0.175	0.175	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5200013	0.000	0.254	0.254	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5200014	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5200016	0.000	0.070	0.070	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5200017	0.000	0.070	0.070	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5200018	0.000	0.080	0.080	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5200035	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5200035	1.000	1.240	0.240	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5200088	0.000	0.325	0.325	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5200150	0.000	2.300	2.300	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5200200	0.000	2.650	2.650	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5200260	0.000	1.300	1.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5200260	1.300	1.800	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5200300	0.000	1.009	1.009	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5200340	0.000	0.099	0.099	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5200440	0.000	1.842	1.842	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5200441	0.000	0.365	0.365	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5200500	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5200510	0.000	0.006	0.006	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5200510	0.006	0.035	0.029	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5200510	0.035	0.729	0.694	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5200510	0.729	1.971	1.242	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5200512	0.000	0.615	0.615	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5200528	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5200715	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5200995	0.000	0.379	0.379	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5200996	0.000	0.100	0.100	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5209000	0.000	0.861	0.861	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5209045	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5212000	0.000	4.430	4.430	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5212130	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5212130	0.800	3.652	2.852	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5225000	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5225000	0.900	1.205	0.305	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5225000	1.205	10.000	8.795	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5225020	0.000	0.540	0.540	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5226000	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5226000	1.200	19.114	17.914	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5226000	19.114	19.945	0.831	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5226020	0.000	0.900	0.900	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5226021	0.000	0.060	0.060	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5226022	0.000	0.210	0.210	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5226030	0.000	2.400	2.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5226030	2.400	3.000	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5226040	0.000	2.100	2.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5226060	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5226060	0.900	4.201	3.301	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5226075	0.000	3.107	3.107	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5226300	0.000	1.597	1.597	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
5226305	0.000	0.675	0.675	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5226310	0.000	1.300	1.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5226320	0.000	0.836	0.836	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5226370	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5226371	0.000	0.094	0.094	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5300000	0.000	6.547	6.547	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
5300000	6.547	11.649	5.102	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
5300000	11.649	22.050	10.401	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
5300061	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300080	0.000	1.222	1.222	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5300090	0.000	1.300	1.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300095	0.000	0.268	0.268	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300120	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5300120	0.900	1.500	0.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5300120	1.500	2.438	0.938	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300125	0.000	1.276	1.276	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5300130	0.000	1.484	1.484	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5300140	0.000	1.668	1.668	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5300140	1.668	3.135	1.467	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300141	0.000	0.486	0.486	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5300142	0.000	0.348	0.348	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300144	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5300147	0.000	0.429	0.429	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300150	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5300152	0.000	1.194	1.194	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300155	0.000	0.180	0.180	3 - SUITABLE FOR PASSENGER CARS	BST - BITUMINOUS SURFACE TREATMENT
5300170	0.000	1.470	1.470	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300178	0.000	0.441	0.441	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300180	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300210	0.000	0.190	0.190	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300701	0.000	1.422	1.422	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5300705	0.000	0.380	0.380	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5300720	0.000	1.096	1.096	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300750	0.000	0.032	0.032	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5300750	0.584	2.688	2.104	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305000	0.000	3.421	3.421	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5305021	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305022	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305025	0.000	2.000	2.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305030	0.000	0.320	0.320	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5305032	0.000	0.116	0.116	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305035	0.000	1.301	1.301	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305038	0.000	0.139	0.139	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5305050	0.000	0.898	0.898	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305060	0.000	0.691	0.691	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5305069	0.000	0.650	0.650	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5305075	0.000	0.420	0.420	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305077	0.000	0.351	0.351	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305078	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5305080	0.000	0.745	0.745	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305085	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305086	0.000	0.280	0.280	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305100	0.000	0.328	0.328	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5305102	0.000	0.290	0.290	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305137	0.000	0.443	0.443	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5305228	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5305229	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5308000	0.000	2.811	2.811	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
5308000	2.811	4.448	1.637	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5308020	0.000	2.000	2.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5308030	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5308030	0.300	0.945	0.645	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5308040	0.000	3.130	3.130	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5308054	0.000	0.777	0.777	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5308060	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5308100	0.000	0.945	0.945	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5308140	0.000	0.817	0.817	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5308142	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5308242	0.000	1.918	1.918	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5308300	0.000	1.175	1.175	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5308310	0.000	0.612	0.612	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5309000	0.000	7.000	7.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5309020	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5309020	0.500	0.550	0.050	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5309021	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5309022	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5309030	0.000	2.191	2.191	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5309040	0.000	2.772	2.772	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5309080	0.000	1.450	1.450	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5309082	0.000	0.258	0.258	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5309089	0.000	1.300	1.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5309200	0.000	1.228	1.228	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5309210	0.000	0.535	0.535	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5309220	0.000	0.587	0.587	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5309330	0.000	1.679	1.679	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5309346	0.000	0.312	0.312	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5309350	0.000	0.413	0.413	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5309400	0.000	1.221	1.221	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5309412	0.400	0.721	0.321	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5311000	0.000	2.566	2.566	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5311000	2.566	3.823	1.257	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5311050	0.000	0.380	0.380	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5311055	0.000	0.881	0.881	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5312000	0.000	0.017	0.017	3 - SUITABLE FOR PASSENGER CARS	AC - ASPHALT
5312000	0.017	6.686	6.669	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5312010	0.000	1.252	1.252	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5312014	0.000	0.749	0.749	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5312016	0.000	0.796	0.796	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5312050	0.000	1.264	1.264	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5312051	0.000	0.438	0.438	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5312053	0.226	0.442	0.216	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5312060	0.000	0.649	0.649	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5312090	0.000	0.383	0.383	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5312090	0.383	1.197	0.814	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5312090	1.197	2.519	1.322	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5312110	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5312110	0.500	1.105	0.605	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5312140	0.000	2.034	2.034	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5312208	0.000	2.215	2.215	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5312210	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5312211	0.000	0.832	0.832	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5312216	0.000	1.477	1.477	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5312220	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5312220	0.600	0.966	0.366	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5314000	0.000	2.022	2.022	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5314000	2.022	4.100	2.078	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
5314000	4.100	5.909	1.809	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5314040	0.000	0.034	0.034	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5314040	0.034	1.500	1.466	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5314060	0.000	0.946	0.946	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5314065	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5316000	0.000	0.921	0.921	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5316000	0.921	15.885	14.964	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5316010	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5316010	0.400	1.021	0.621	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316015	0.000	0.322	0.322	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5316025	0.000	0.744	0.744	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316037	0.000	0.915	0.915	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5316060	0.000	0.695	0.695	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5316070	0.000	0.501	0.501	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316125	0.000	0.792	0.792	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316130	0.000	2.631	2.631	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5316132	0.000	0.388	0.388	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316135	0.000	0.763	0.763	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316140	0.000	1.686	1.686	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316150	0.000	1.355	1.355	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5316160	0.000	0.520	0.520	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5316175	0.300	0.840	0.540	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316185	0.000	0.182	0.182	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316190	0.000	0.775	0.775	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5316240	0.000	1.795	1.795	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316332	0.000	0.166	0.166	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316350	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5316360	0.000	0.342	0.342	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316370	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5316370	0.800	0.821	0.021	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5316375	0.000	2.400	2.400	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5318000	0.000	0.094	0.094	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5318000	0.094	2.004	1.910	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5318015	0.000	0.032	0.032	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5318015	0.032	0.446	0.414	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5318020	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5318024	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5318030	0.000	0.781	0.781	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320000	0.000	2.463	2.463	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320000	2.463	2.702	0.239	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320000	2.702	3.781	1.079	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5320000	3.781	5.956	2.175	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320011	0.000	0.464	0.464	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5320020	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320020	0.900	1.525	0.625	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5320023	0.000	1.143	1.143	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5320025	0.000	0.536	0.536	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5320026	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5320030	0.000	1.381	1.381	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320030	1.381	1.390	0.009	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320030	1.390	2.423	1.033	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5320030	2.423	2.430	0.007	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5320030	2.430	4.187	1.757	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5320037	0.000	0.089	0.089	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5320040	0.000	1.236	1.236	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320060	0.000	0.491	0.491	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320080	0.000	0.543	0.543	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320090	0.000	0.666	0.666	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
5320100	0.000	0.904	0.904	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5320105	0.000	0.704	0.704	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320110	0.000	2.001	2.001	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5320120	0.000	0.754	0.754	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5321000	0.000	3.622	3.622	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5321033	0.000	0.950	0.950	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5322000	0.000	1.600	1.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5322030	0.000	1.130	1.130	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5326000	0.000	3.700	3.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5326020	0.000	0.140	0.140	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5326030	0.000	0.410	0.410	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5326030	0.410	2.890	2.480	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5326038	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5326040	0.000	3.660	3.660	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5326044	0.000	0.140	0.140	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5326061	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5326062	0.000	0.290	0.290	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5326063	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5326120	0.000	0.362	0.362	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5326120	0.362	2.099	1.737	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5326388	0.000	0.270	0.270	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327000	0.000	4.020	4.020	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5327000	4.020	7.742	3.722	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5327000	7.742	7.996	0.254	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5327000	7.996	8.556	0.560	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5327000	8.556	9.639	1.083	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327013	0.000	1.699	1.699	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5327015	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327020	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5327025	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327027	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327030	0.000	1.900	1.900	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5327030	1.900	3.593	1.693	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327040	0.000	2.406	2.406	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327045	0.000	0.760	0.760	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327045	0.760	1.689	0.929	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327050	0.000	2.200	2.200	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5327071	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327080	0.000	0.177	0.177	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327085	0.000	1.430	1.430	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327210	0.000	1.265	1.265	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327215	0.000	0.453	0.453	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327223	0.000	0.350	0.350	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327225	0.000	0.733	0.733	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327225	0.733	0.965	0.232	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327230	0.000	0.854	0.854	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327250	0.000	0.480	0.480	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327250	0.480	0.920	0.440	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327280	0.000	0.301	0.301	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327280	0.301	1.602	1.301	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327290	0.000	1.331	1.331	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327292	0.000	0.062	0.062	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327293	0.000	0.027	0.027	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327294	0.000	0.007	0.007	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327295	0.000	0.001	0.001	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327296	0.000	0.066	0.066	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327297	0.000	0.062	0.062	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327298	0.000	0.126	0.126	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
5327300	0.000	0.287	0.287	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5327310	0.000	2.212	2.212	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327310	2.212	2.293	0.082	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327320	0.000	0.934	0.934	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5327330	0.000	0.840	0.840	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5350000	0.000	8.490	8.490	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5400000	0.000	0.033	0.033	2 - HIGH CLEARANCE VEHICLES	AC - ASPHALT
5400000	0.033	14.031	13.998	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5400000	14.031	24.539	10.508	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5400000	24.539	30.324	5.785	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5400000	30.324	32.822	2.498	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5400040	0.000	1.493	1.493	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5400115	0.000	0.448	0.448	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400130	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5400130	0.900	4.400	3.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400155	0.000	1.116	1.116	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400170	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5400170	0.400	3.200	2.800	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5400177	0.000	0.514	0.514	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400180	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5400185	0.000	1.209	1.209	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400190	0.000	0.990	0.990	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5400190	1.740	3.700	1.960	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5400191	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400200	0.000	1.150	1.150	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400200	1.420	1.813	0.393	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400230	0.000	2.815	2.815	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5400260	0.000	1.684	1.684	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400270	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400270	0.500	0.586	0.086	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400275	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400278	0.000	0.793	0.793	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400280	0.000	4.200	4.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5400280	4.200	4.301	0.101	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400310	0.000	0.807	0.807	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400470	0.000	0.318	0.318	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400490	0.000	1.499	1.499	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5400500	0.000	0.538	0.538	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400710	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5400765	0.000	0.693	0.693	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5400780	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5400780	1.000	1.275	0.275	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5411000	0.000	4.394	4.394	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5411000	4.394	6.200	1.806	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5411000	6.200	6.215	0.015	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5411010	0.000	1.006	1.006	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5411015	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5411015	0.300	0.428	0.128	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5411040	0.000	2.500	2.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5411050	0.000	1.702	1.702	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5411060	0.890	1.070	0.180	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5411064	0.000	0.516	0.516	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5411070	0.000	3.440	3.440	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5411090	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5411090	1.100	1.700	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5411095	0.000	0.319	0.319	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5411098	0.000	0.485	0.485	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5411320	0.000	1.400	1.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
5411400	0.000	0.158	0.158	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412000	0.000	6.280	6.280	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5412010	0.000	0.562	0.562	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412012	0.000	0.288	0.288	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5412030	0.000	1.376	1.376	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5412037	0.000	0.597	0.597	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412050	0.000	1.046	1.046	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5412055	0.000	0.176	0.176	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412060	0.000	0.809	0.809	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412070	0.000	1.270	1.270	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412071	0.000	0.160	0.160	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412090	0.000	0.111	0.111	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412100	0.000	0.471	0.471	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5412112	0.000	0.277	0.277	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412114	0.000	0.389	0.389	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412130	0.000	3.527	3.527	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5412132	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5412140	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5412150	0.000	3.200	3.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5415000	0.000	2.340	2.340	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5415020	0.000	0.545	0.545	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5415020	0.545	1.693	1.148	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5415022	0.000	0.231	0.231	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5415025	0.000	0.278	0.278	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5415026	0.000	1.197	1.197	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5415030	0.000	2.000	2.000	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5415050	0.000	1.864	1.864	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5417000	0.000	1.300	1.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5417000	1.300	1.927	0.627	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5417020	0.000	0.525	0.525	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5417020	0.525	1.395	0.870	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5417030	0.000	0.818	0.818	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5417050	0.000	0.803	0.803	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5417050	0.803	0.813	0.010	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5417050	1.082	1.800	0.718	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5420000	0.000	2.013	2.013	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5420124	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425000	0.000	2.200	2.200	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5425000	2.200	4.800	2.600	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5425000	4.800	5.649	0.849	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425013	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5425014	0.000	0.539	0.539	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425040	0.725	3.200	2.475	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425060	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425090	0.000	1.889	1.889	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5425100	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5425100	0.400	1.804	1.404	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425105	0.000	0.653	0.653	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425120	0.000	2.380	2.380	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425120	2.540	3.426	0.886	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425140	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425140	0.600	1.790	1.190	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425149	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5425345	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5427000	0.000	5.849	5.849	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5427000	5.849	11.233	5.383	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5427000	11.233	12.630	1.398	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5427000	12.630	12.757	0.127	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
5427000	12.757	14.100	1.343	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5427020	0.000	0.841	0.841	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5427030	0.000	0.664	0.664	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5427047	0.000	0.245	0.245	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5427050	0.000	0.260	0.260	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5427110	0.000	0.628	0.628	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5427110	0.628	0.811	0.182	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5427110	0.811	1.076	0.265	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5427110	1.076	1.500	0.424	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5427150	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5427160	0.000	0.163	0.163	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5427170	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5427175	0.000	0.527	0.527	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5427240	0.000	1.700	1.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5427270	0.000	0.851	0.851	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5427275	0.000	0.613	0.613	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5427300	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5428000	0.000	3.400	3.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5435000	0.000	2.500	2.500	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5435000	2.500	4.541	2.041	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5435030	0.000	0.336	0.336	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5435040	0.000	1.401	1.401	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5435050	0.000	1.300	1.300	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5440000	0.000	7.500	7.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5440012	0.000	2.225	2.225	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5440020	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5440040	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5440050	0.000	3.076	3.076	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5440810	0.000	1.411	1.411	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5445000	0.000	2.213	2.213	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5445300	0.000	0.595	0.595	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5448000	0.000	4.167	4.167	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5448000	4.167	5.111	0.944	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5448010	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5448010	0.400	2.531	2.131	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5448050	0.000	1.693	1.693	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5448070	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5448550	0.000	0.568	0.568	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5448560	0.000	0.716	0.716	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5448570	0.000	0.053	0.053	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5450000	0.000	3.364	3.364	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5450000	3.794	4.597	0.803	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5450050	0.515	0.800	0.285	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5450050	0.800	1.134	0.334	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5450110	0.000	1.800	1.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5450125	0.000	0.620	0.620	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5450155	0.000	0.729	0.729	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5450185	0.000	0.700	0.700	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5450245	0.000	0.407	0.407	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5450260	0.000	0.923	0.923	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5450350	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5500000	0.000	5.560	5.560	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
5500000	5.560	12.769	7.209	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5500062	0.000	0.130	0.130	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5500065	0.000	0.060	0.060	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5500066	0.000	0.060	0.060	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5505000	0.000	2.261	2.261	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5505000	2.261	14.087	11.826	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
5505050	0.000	0.138	0.138	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5505050	0.138	0.432	0.294	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5505140	0.000	1.148	1.148	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5505170	0.000	2.600	2.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5505200	0.000	0.468	0.468	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5506000	0.000	2.764	2.764	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5506000	2.764	5.800	3.036	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5506000	5.800	7.697	1.897	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5506028	0.000	0.059	0.059	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5506029	0.000	0.037	0.037	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5506030	0.000	0.279	0.279	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5506130	0.000	1.649	1.649	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5506131	0.000	0.030	0.030	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5507000	0.000	3.595	3.595	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5507000	3.595	3.891	0.296	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5507000	3.891	4.037	0.146	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5507000	4.037	9.541	5.504	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5507000	9.541	14.048	4.507	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5507000	14.048	16.789	2.741	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5507030	0.000	3.357	3.357	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5507300	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5507300	0.500	0.794	0.294	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5507305	0.000	1.241	1.241	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5510000	0.000	1.304	1.304	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5510000	1.304	2.663	1.359	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5510000	2.663	2.695	0.031	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5510000	2.695	2.897	0.202	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5510000	2.897	2.917	0.021	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5510000	2.917	3.629	0.712	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5510000	3.629	3.922	0.293	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5510000	3.922	4.500	0.578	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5510000	7.300	8.998	1.698	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5510000	8.998	9.391	0.393	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5730000	0.000	3.806	3.806	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5730000	3.806	4.560	0.754	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5730030	0.000	1.363	1.363	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5730060	0.000	3.084	3.084	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5730070	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5730070	0.800	1.747	0.947	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5900011	0.000	0.300	0.300	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
5900060	0.000	0.240	0.240	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5900065	0.000	0.044	0.044	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5900070	0.000	0.320	0.320	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5900072	0.000	0.030	0.030	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5900210	0.000	0.922	0.922	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5900230	0.000	0.112	0.112	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5900230	0.425	0.838	0.413	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5900230	0.838	2.580	1.742	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5900240	0.000	0.221	0.221	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
5900250	0.000	0.935	0.935	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5900250	0.935	1.211	0.277	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5900325	0.000	0.896	0.896	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5900360	0.000	2.402	2.402	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5900370	0.000	0.294	0.294	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5900370	0.294	0.843	0.550	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916000	0.000	4.000	4.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5916000	4.000	5.261	1.261	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
5916020	0.000	3.215	3.215	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
5916021	0.000	0.501	0.501	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916040	0.000	3.180	3.180	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
5916044	0.000	0.055	0.055	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916045	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916045	0.200	0.600	0.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916045	0.600	1.012	0.412	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916045	1.012	2.249	1.237	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916046	0.000	1.000	1.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916047	0.000	0.532	0.532	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916047	0.532	0.700	0.168	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916048	0.000	0.902	0.902	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916055	0.000	1.600	1.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916056	0.000	0.411	0.411	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916056	0.411	0.535	0.124	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916056	0.535	0.676	0.141	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916057	0.000	0.590	0.590	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916080	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916085	0.000	0.800	0.800	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916086	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916087	0.000	0.738	0.738	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916088	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916089	0.000	0.270	0.270	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916089	0.810	1.727	0.917	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
5916410	0.000	1.377	1.377	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6200000	0.000	10.993	10.993	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6200000	10.993	33.852	22.859	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6200029	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6200090	0.000	1.162	1.162	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6200095	0.000	0.139	0.139	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6200190	0.000	0.252	0.252	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6200270	0.000	0.190	0.190	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6200290	0.000	0.685	0.685	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6200340	0.000	0.585	0.585	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6200380	0.000	0.669	0.669	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6206000	0.000	1.900	1.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6208000	0.000	2.200	2.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6209000	0.000	0.119	0.119	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6209000	0.774	5.092	4.318	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6209200	0.000	2.213	2.213	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6209215	0.000	1.146	1.146	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6212000	0.000	3.146	3.146	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6212041	0.000	0.947	0.947	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6213000	0.000	6.100	6.100	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6213000	6.100	6.300	0.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6214000	0.000	5.000	5.000	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6217000	0.000	2.800	2.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6219000	0.000	2.800	2.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6219000	2.800	4.881	2.081	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6222000	0.000	7.846	7.846	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6222027	0.000	0.169	0.169	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6230000	0.000	0.312	0.312	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6231000	0.000	4.710	4.710	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6231020	0.000	0.886	0.886	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6231070	0.000	0.724	0.724	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6231080	0.000	2.192	2.192	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6232000	0.000	3.200	3.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6234000	0.000	3.238	3.238	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6234000	3.238	4.518	1.280	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
6234020	0.000	1.797	1.797	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6234030	0.000	1.042	1.042	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6234040	0.000	2.100	2.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6234050	0.000	0.900	0.900	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6234050	0.900	0.912	0.012	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6234050	0.912	2.429	1.517	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6234050	2.429	2.760	0.331	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6235000	0.000	1.213	1.213	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6235015	0.000	0.332	0.332	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6235025	0.000	0.100	0.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6236000	0.000	2.500	2.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6300000	0.000	0.149	0.149	5 - HIGH DEGREE OF USER COMFORT	BST - BITUMINOUS SURFACE TREATMENT
6300000	0.149	5.424	5.275	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6300000	5.424	11.931	6.507	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6300000	11.931	12.391	0.460	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6300020	0.000	0.400	0.400	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6300020	0.400	3.500	3.100	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6300140	0.000	1.200	1.200	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6300180	0.000	0.989	0.989	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6300181	0.000	0.462	0.462	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6306000	0.000	5.300	5.300	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6306015	0.000	1.233	1.233	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6306030	0.000	2.259	2.259	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6306040	0.000	0.698	0.698	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6306042	0.000	1.226	1.226	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6306045	0.000	0.177	0.177	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6306050	0.000	1.100	1.100	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6306060	0.000	1.378	1.378	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6306061	0.000	0.493	0.493	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	0.000	2.932	2.932	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
6400000	2.932	3.504	0.572	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
6400000	3.504	3.624	0.120	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	3.624	3.662	0.038	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	3.662	3.792	0.130	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	3.792	4.084	0.292	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	4.084	9.116	5.033	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	9.116	10.177	1.061	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	10.177	10.349	0.172	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	10.349	11.000	0.651	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	11.000	11.001	0.001	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	11.001	12.391	1.390	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	12.391	14.620	2.229	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	14.620	15.087	0.467	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	15.087	16.346	1.259	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400000	16.346	23.614	7.268	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400000	23.614	28.181	4.567	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400000	28.181	36.242	8.061	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400000	36.242	36.524	0.282	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	36.524	39.369	2.845	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6400000	39.369	46.534	7.165	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
6400019	0.000	0.071	0.071	3 - SUITABLE FOR PASSENGER CARS	AC - ASPHALT
6400020	0.000	0.207	0.207	3 - SUITABLE FOR PASSENGER CARS	AC - ASPHALT
6400021	0.000	0.182	0.182	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6400030	0.000	0.025	0.025	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400030	0.025	1.733	1.708	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400100	0.000	0.749	0.749	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6400100	0.749	0.865	0.116	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6400117	0.000	0.500	0.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
6400118	0.000	0.326	0.326	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400140	0.000	0.004	0.004	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400140	0.004	0.590	0.586	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400150	0.000	0.173	0.173	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6400153	0.000	0.581	0.581	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6400230	0.000	1.394	1.394	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400231	0.000	0.903	0.903	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400250	0.000	1.457	1.457	5 - HIGH DEGREE OF USER COMFORT	BST - BITUMINOUS SURFACE TREATMENT
6400300	0.000	0.402	0.402	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6400350	0.000	0.249	0.249	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400352	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400360	0.000	0.200	0.200	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400400	0.000	0.280	0.280	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400410	0.000	0.240	0.240	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400425	0.000	0.260	0.260	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400450	0.000	0.390	0.390	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400475	0.000	0.521	0.521	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400560	0.000	0.140	0.140	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6400650	0.000	0.042	0.042	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
6400650	0.042	0.486	0.444	5 - HIGH DEGREE OF USER COMFORT	AC - ASPHALT
6400650	0.486	0.700	0.214	4 - MODERATE DEGREE OF USER COMFORT	AGG - CRUSHED AGGREGATE OR GRAVEL
6400700	0.000	0.069	0.069	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6401000	0.000	1.475	1.475	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6401000	1.475	3.134	1.659	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6401019	0.000	0.403	0.403	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6401020	0.000	2.035	2.035	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6401050	0.000	1.391	1.391	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6401051	0.000	0.275	0.275	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6401900	0.000	0.396	0.396	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403000	0.000	2.086	2.086	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403000	2.086	2.673	0.587	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403000	2.673	8.944	6.271	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403000	8.944	9.305	0.361	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403000	9.305	10.526	1.221	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403000	10.526	10.633	0.107	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403000	10.633	11.457	0.824	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403080	0.000	0.245	0.245	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403118	0.000	0.105	0.105	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403118	0.105	0.245	0.140	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6403120	0.000	0.299	0.299	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6406000	0.000	3.359	3.359	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6406050	0.000	0.514	0.514	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6413000	0.000	14.471	14.471	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6415000	0.000	3.300	3.300	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6415000	3.300	9.000	5.700	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6415000	9.000	10.681	1.681	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6415000	10.681	11.100	0.419	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6415020	0.000	3.000	3.000	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6415040	0.000	0.080	0.080	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6436000	0.000	1.500	1.500	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6437000	0.000	5.800	5.800	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
6500000	0.000	11.047	11.047	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6500000	11.047	12.990	1.943	3 - SUITABLE FOR PASSENGER CARS	AGG - CRUSHED AGGREGATE OR GRAVEL
6500040	0.000	4.300	4.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
6500050	0.000	0.357	0.357	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6500892	0.000	0.182	0.182	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6511000	0.000	6.750	6.750	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
6511026	0.000	0.635	0.635	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL

Road No.	BMP	EMP	LENGTH	OpML	Surface Type
6512000	0.000	6.562	6.562	2 - HIGH CLEARANCE VEHICLES	IMP - IMPROVED NATIVE MATERIAL
7300580	0.000	0.600	0.600	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
7300590	0.000	0.917	0.917	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
7350000	0.000	4.026	4.026	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
7350020	0.000	1.061	1.061	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
7350022	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
7350030	0.000	0.874	0.874	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
7350032	0.000	0.300	0.300	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
7350050	0.000	1.049	1.049	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
7350050	1.049	2.000	0.951	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
7350050	2.000	2.429	0.429	2 - HIGH CLEARANCE VEHICLES	NAT - NATIVE MATERIAL
7350055	0.000	0.719	0.719	2 - HIGH CLEARANCE VEHICLES	AGG - CRUSHED AGGREGATE OR GRAVEL
	Total Miles >		2403.219		