
Cascades Dissected Glaciated Mountains

Terrain Class: Mountains - No one process responsible for construction of mountains. They can be uplifted, tectonic, subduction of plates, folding, uplift, up and down warping of the mantle, inflation of molten lower crustal (batholiths), etc. Erosion of mountain systems occurs over time. The rate of erosion is dependent on the geomorphic process, the underlying rock structure, and the climate, including both freeze thaw and the amount and intensity of precipitation and runoff. Mountains are further defined and distinguished based on morphology, including the pattern and density of drainages, depth of drainages, overall morphology of the area between the drainages, evidence of a strong imprint of a surficial process such as glaciation, and presence of visible underlying rock structure.

Mountains have simple to very complex forms that have arisen due to inherited rock structure, rock history, and are the net result of local to regional spatial scales of competing rates of upbuilding/uplift and downgrading/erosion. Mountains will have an inherited history from weathering and degradation of the underlying stack of earth materials that forms them. Vegetation, habitat, water interception, collection and transport will share a similar history in the same type of uplift and rock.

Landform Association: Dissected Glaciated Mountains



Dissected Glaciated Mountains are areas shaped by past glaciers and are somewhat masked more recent geomorphic processes. Fluvial erosion has resulted in a high degree of dissection of the landscape. The upper terrain is glacially scoured, with cirque basins and small U-shaped valleys. Since the cessation of glaciation in these areas, however, surface, mass wasting (shallow rapid or deep-seated earthflow, rockfall, etc.) or fluvial erosion processes have dominated and masked much of the glacial signature of the mid to lower slopes. Dissected Glaciated Mountains have V-shaped valley walls, planar in form, that are contiguous from ridge-top to valley bottom. It is no longer evident what the landscape was like previously. Some slope angles are greater than repose and are bare rock or outcroppings. Thickest soils gather in valley bottoms and collect in tributary gullies.

This Landform Association has a limited spatial extent on National Forest System Lands.

Landtype Associations: Landtype Associations are formed by intersecting vegetation series or groups of vegetation series with Landform Associations.

Topography:

The following tables represent the average conditions for the Landform Association. Only lands within and adjacent to National Forest System Lands were mapped by this project. The entire EPA Level III Ecoregion is not covered by this mapping.

The percent of Landform Association (% of LfA) in bold in the table below refers to the percent of the Ecoregion represented by that Landform Association. The (% of LfA) numbers not in bold in the table below refer to the percent of each Landtype Association within the Landform Association.

			Minimum	Maximum			% Southerly Aspect (135°
Landform Association/Landtype Association	% of LfA	Mean % Slope	Elevation (m)	Elevation (m)	Elevation (m)	- 134°)	- 225°)
Dissected Glaciated Mountains	0.9%	51	655	1338	995	84%	16%
Dissected Glaciated Mountains, Pacific Silver Fir	45.1%	49	700	1412	1090	89%	11%
Dissected Glaciated Mountains, Western Hemlock	54.9%	52	600	1248	880	77%	23%

Climate:

	Mean Annual	AET/PET Ratio	
Landtype Assocation	Temperature °C	July, Aug, Sept	
Dissected Glaciated Mountains	8	0.57	
Dissected Glaciated Mountains, Pacific Silver Fir	8	0.57	
Dissected Glaciated Mountains, Western Hemlock	9	0.57	

The ratio of Actual Evapotranspiration to Potential Evapotranspiration (AET/PET) is used as a broad-scale indicator of potential drought stress. We obtained modeled actual and potential evapotranspiration datasets from the Numerical Terradynamic Simulation Group at the University of Montana (http://www.ntsg.umt.edu/project/mod16) for a 30 year climate average. AET/PET ratio in the table above is based on a scale of zero to one. A value closer to 1 means the vegetation is transpiring close to its potential. A value farther from 1 means that the Actual Evapotranspiration is below potential based on this climatic zone (Ringo, et. al. 2016 in draft).