

Uinta-Wasatch-Cache National Forest – Spanish Fork Ranger District

VERNON ALLOTMENT RMU #00840

ANNUAL OPERATING INSTRUCTIONS

2026



PERMITTED USE

Permittee	Permitted Use	Authorized Use
Carl F. Pehrson	41 Cow/Calf Pair May 01 to Nov. 10	41 Cow/Calf Pair June 01 to Nov. 10
Scott R. and Amy M. Pehrson	49 Cow/Calf Pair May 01 to Nov. 10	49 Cow/Calf Pair June 01 to Nov. 10
Bryant E. and Terri Pehrson	62 Cow/Calf Pair May 01 to Nov. 10	62 Cow/Calf Pair June 01 to Nov. 10
Corp. of Presiding Bishopric DBA Nephi Crops	311 Cow/Calf Pair May 01 to Nov. 10	200 Cow/Calf Pair May 01 to Nov. 10
Total	463 Cow/Calf Pair	352 Cow/Calf Pair



GRAZING ROTATION

The Vernon Allotment is managed with a modified rest-rotation system. The grazing rotation for the 2026 season is listed below:

Pasture:	Livestock Numbers:	Dates of Use:	Days:
Diagonal/Electric (Nephi Crops)	200 Cow/Calf Pair	May 01 to June 01	32
Pasture:	Livestock Numbers:	Dates of Use:	Days:
Coyote	352 Cow/Calf Pair	June 02 to June 26	25
Pasture:	Livestock Numbers:	Dates of Use:	Days:
Lower Government	352 Cow/Calf Pair	June 27 to July 26	30
Pasture:	Livestock Numbers:	Dates of Use:	Days:
Upper Government	352 Cow/Calf Pair	July 27 to Sept. 09	45
Pasture:	Livestock Numbers:	Dates of Use:	Days:
Harker West Holding Pasture (Ship Calves)	352 Cow/Calf Pair	Sept. 10 to Oct. 10	31
Pasture:	Livestock Numbers:	Dates of Use:	Days:
Kaiser (Ship Calves)	352 Cow/Calf Pair	Oct. 11 to Nov. 10	31
Pasture:	Livestock Numbers:	Dates of Use:	Days:
North Spring Canyon	REST	REST	0



Total Days:

194

-
- *The above rotation dates are flexible based on utilization standards listed below.*

FOREST PLAN AND ALLOTMENT MANAGEMENT PLAN REQUIREMENTS

The Uinta National Forest Land and Resource Management Plan, which was approved in 2003, and the Allotment Management Plan for the Vernon allotment, which was approved on March 15, 2012, list the following standards, guidelines, and objectives:

Upland Forage Utilization

Standard: Limit grazing to meet the following utilization levels on non-riparian vegetation types based on the annual average of the current year's growth. However, through June 15 at Strawberry Reservoir Management Area and through June 1 at the Vernon Management Area, minimum canopy cover and height requirements for greater sage grouse habitat take precedence over the forage utilization standards in the following table:



Forage Utilization Standards

Vegetation type General Uplands and Winter Range Upland shrublands (sagebrush, snowberry, mountain mahogany species, cliffrose, bitterbrush, saltbrush, and mountain brush)	Forage Utilization Very Early to Early Seral 40%	Forage Utilization Mid to Late Seral 60%
Vegetation type General Uplands and Winter Range Grasslands	Forage Utilization Very Early to Early Seral 45%	Forage Utilization Mid to Late Seral 65%
Vegetation type Forest-wide Sub-alpine shrublands	Forage Utilization Very Early to Early Seral 25%	Forage Utilization Mid to Late Seral 35%
Vegetation type Forest-wide Sub-alpine grasslands	Forage Utilization Very Early to Early Seral 40%	Forage Utilization Mid to Late Seral 45%

It is the permittee’s responsibility to make sure allowable use standards are not exceeded. When utilization standards are met the permittee will be required to remove cattle from the entire pasture or allotment. Use of the rest unit will not be allowed.

In the fall of 2008 the sagebrush in the Electric and Diagonal Pastures was harrowed and seeded with forbs and native grasses. To maintain this improvement, these pastures will be required to have no more than 40% utilization.

Guideline: Manage approximately 80 percent of potential greater sage grouse breeding and winter habitat areas in the Vernon and Strawberry Reservoir Management Areas to support the percentages and heights of canopy cover listed in the table below. Breeding habitat should retain the given height levels of grasses and a diversity of forbs annually through June 1 in the Vernon Management Area and June 15 in the Strawberry Reservoir Management Area. Vegetation should be maintained in a mosaic of openings and shrubs.



Vegetation Requirements in the Vernon Management Area

Greater Sage Grouse Breeding Habitat		
Vegetation type	Minimum % Canopy Cover	Minimum Height Canopy Cover
Sagebrush	15 to 25%	16 to 32 inches
Vegetation type	Minimum % Canopy Cover	Minimum Height Canopy Cover
Grasses	Greater than 15%	Greater than 6 inches
Vegetation type	Minimum % Canopy Cover	Minimum Height Canopy Cover
Forbs	Greater than 10%	Greater than 6 inches
Greater Sage Grouse Winter Habitat		
Vegetation type	Minimum % Canopy Cover	Minimum Height Canopy Cover
Sagebrush	10 to 30% (above snow)	10 to 14 inches (above snow)

- There are no minimum percent canopy cover or minimum height requirements for greater sage grouse winter habitat in grasses or forbs.
- Minimum height is measured as droop height, the highest naturally growing portion of the plant.

Riparian Forage Utilization

Standard: Limit grazing to meet the following utilization levels within Riparian Habitat Conservation Areas (RHCA's) based on the average current year's growth.



Utilization Standards by RHCA Class

RHCA Class	Minimum Percent of Stream Length	Minimum Greenline Stubble Height by Season of Use – Very Early to Early in Early Season	Minimum Greenline Stubble Height by Season of Use – Very Early to Early in Late Season
Riparian Class III	70%	3 inches	4 inches
RHCA Class	Minimum Percent of Stream Length	Forage Utilization Limits by Season of Use – Very Early to Early in Early Season	Forage Utilization Limits by Season of Use – Very Early to Early in Late Season
Riparian Class III	70%	60%	50%
RHCA Class	Minimum Percent of Stream Length	Willow Utilization by Season of Use – Very Early to Early in Early Season	Willow Utilization by Season of Use – Very Early to Early in Late Season
Riparian Class III	70%	Not Applicable	35%

- *Note:* For minimum Greenline Stubble Height the height of key species (palatable, hydrophytic species indicative of mid to late seral riparian plant communities, or as indicated in the site-specific Allotment Management Plan). If acceptable “key species” are absent from a site, only utilization standards shall be used.
- *Note:* For Willow Utilization the percent is for total average annual growth.
- *Note:* There are no willow utilization standards for early season use.

It is the permittee’s responsibility to make sure allowable use standards are not exceeded, especially in riparian areas. Permittees are encouraged to herd cattle away from riparian areas since they are generally the first areas utilized. If use along riparian areas reaches Forest Plan Standards and Guidelines, even if forage remains on the uplands, permittees will be required to remove cattle from the entire unit or allotment. Use of the rest unit will not be allowed.



Riparian Habitat Conservation Areas (RHCA)

Portions of *watersheds* where *riparian*-dependent resources receive primary emphasis and management activities are subject to specific standards and guidelines. RHCAs include traditional *riparian* corridors, *wetlands*, *perennial* and *intermittent* streams, and other areas that help maintain the integrity of aquatic *ecosystems*. There are three RHCA classes of varying widths offering varying levels of protection: class I with widths extending 300 feet from each edge of the waterbody (600 feet total); class II with widths extending 200 feet from each edge of the waterbody (400 feet total); and class III with widths extending 100 feet from each edge of the waterbody (200 feet total).

Additional Forest Plan Standards and Guidelines

Guideline: Maintain adequate ground cover to filter runoff and prevent detrimental erosion in Riparian Habitat Conservation Areas (RHCAs).

Riparian Habitat Conservation Area (RHCA) Ground Cover Requirements

RHCA	Minimum Ground Cover Requirement	Minimum Percent of RHCA to Meet Requirement
Class III	80% of Potential	70%

Standard: Locate livestock salt grounds outside of Riparian Habitat Conservation Areas (RHCAs).

Standard: Locate new livestock troughs, tanks, and holding facilities out of Riparian Habitat Conservation Areas (RHCAs). For existing livestock handling facilities inside RHCAs, assure that facilities do not prevent attainment of aquatic Forest Plan management direction. Modify, relocate, or close existing facilities where aquatic Forest Plan management direction cannot be met.

Guideline: Minimize trailing livestock through Riparian Habitat Conservation Areas (RHCAs). Close or relocate livestock driveways to minimize impacts to RHCAs.

Guideline: Subject to valid existing rights, free-flowing water and associated riparian vegetation communities should be retained at developed spring sites. If possible, existing spring developments should be modified to return water to riparian ecosystems within the source drainage.

Guideline: Avoid equipment operation in stream courses, open water, seeps, or springs. If use of equipment in such areas is required, impacts should be minimized.

Guideline: Limit equipment operation in Riparian Habitat Conservation Areas (RHCAs). If the use of equipment in these areas is required, incorporate additional mitigation to minimize adverse impacts.

Guideline: Implement intensive grazing management that provides periodic rest designed to achieve and maintain desired vegetation community composition and structure.



Guideline: Maintain at least 70 percent of potential effective ground cover to provide nutrient cycling and protect the soil from erosion in excess of soil loss tolerance limits.

Standard: Provide wildlife escape ramps in all developed water sources.

Guideline: Provide for wildlife movement through and/or around structures or project sites such as fences, spring developments, guzzlers, roads, and ditches.

Guideline: Defer livestock grazing in areas disturbed by wildland fire or other natural events until vegetation has reestablished sufficiently, but for no less than two growing seasons.

Standard: Only certified noxious weed-free hay or feed is allowed on National Forest land, including hay or feed for use by recreational livestock. Any materials such as hay, straw, or mulch that are used for rehabilitation and reclamation activities shall be certified weed-free.

OTHER REQUIREMENTS

Actual Use: Please complete the enclosed actual use record form at the close of the grazing season and return to the Spanish Fork Ranger District before December 1.

Salt: Salt will be used as a tool to improve livestock distribution. Place salt where use is light, such as ridge tops and areas away from water. Avoid stock tanks, wet meadows, and creek bottoms. Place salt away from roads and developed trails.

State Livestock Health Laws: All owners of livestock must comply with state livestock health laws.

Dead Livestock: Livestock which die within 100 yards of public roads or live water will be disposed of in a manner approved by the District Ranger or his/her representative.

Off Road Vehicle Use: Off road vehicle use for reconstruction or maintenance of range improvements (when hauling materials only) listed in these operating instructions is hereby authorized. ATV's or trucks can be used to check water. ATV's or trucks can be used to haul salt on system and non-system roads or trails. No new trails or roads can be made. Use of off-road vehicles is limited to periods of time when weather and ground conditions are such that rutting, and soil movement will not occur. Any other off road vehicle use shall be approved in advance (location and time) by the District Ranger or his/her representative. Absent this approval, travel restrictions described in the Forest Supervisors Order of May 27, 2005, and in the Uinta National Forest Summer Travel Map (2007) apply.

Payment of Fees: The permittee will not allow owned or controlled livestock to be on Forest Service-administered lands unless the fees specified in the Bill for Collection are paid.

Turnout: Turnout will not occur prior to range readiness (8 (c) on permit). Range readiness is measured by soil moisture and plant growth. Soils may be damp but should be firm to avoid excessive compaction or hummocking due to livestock.



Inspections/Monitoring: Allotment/pasture inspections will be performed periodically throughout the grazing season by Forest Service personnel. Livestock distribution, correct livestock location, numbers and identification, structural improvement maintenance, and utilization levels will be evaluated during these site visits. If you wish to accompany Forest Service personnel on these inspections, please contact the Rangeland Management Specialist.

Compliance: The permittee is responsible for compliance with the terms and conditions of the grazing permit, allotment management plan, operating instructions, and the directions of the Forest Officer in charge. Failure to meet these terms and conditions is violation of the grazing permit.

SCHEDULED ACTIVITIES

- ✓ Church will repair fence between Kaiser and Harker if not already completed

MAINTENANCE RESPONSIBILITIES

The permittee is responsible for all improvements assigned in the term grazing permits and listed in these operating instructions. Maintenance shall mean the timely repair of management facilities to a condition adequate to perpetuate the life of the facility and to serve the purpose intended. All improvements will be maintained to the standard for which they were constructed. Maintenance includes permittee responsibility for furnishing the materials needed for repairs. Allotment boundary fences must be maintained before cattle enter the allotment. Pasture division fences and water developments must be maintained before cattle can enter each pasture. Improvements will be maintained to the following standards:

Posts, Poles and Bucks

- Replace broken or rotten posts, bucks, braces and poles
- Notch poles and attach to posts or bucks with spikes
- Straighten and re-tamp loose wood brace and line posts
- Straighten or replace bent steel posts

Wire

- Replace broken wire if necessary
- Splice wire with double strand 12-gauge minimum size barbed wire or smooth wire
- Wrap end of broken wires back around itself to form eye
- Place splicing wire through eye and wrap back around itself
- Make at least three wraps in each eye
- Make wraps adjacent to each other.
- Re-space wire where spacing has been altered
- Measure spacing from ground line in inches:
 - 4-wire fence: 16 inches, 24 inches, 32 inches, 42 inches
 - 3-wire fence: 18 inches, 28 inches, 40 inches
- Re-stretch wires tight with consideration for contraction and expansion
- Wire will not be twisted or kinked



Stays

- Replace broken or missing stays
- Straighten bent wire stays

Trees

- Remove all fallen trees from fences
- Do not use logs and/or brush instead of poles or wire
- If wire is attached to trees, nail wood slab to tree and staple wire to slab

Gates

- Stretch wire so gates will not sag, but easily open and close
- Make gate loops with smooth wire

Wire Fasteners

- Replace missing staples and steel post clips
- Drive staples diagonally into bucks, braces and stays
- Drive staples in wood posts, bucks and stays so wire can move
- Drive staples in brace posts so wire cannot move

Water Developments

- Keep troughs clean and free of debris
- Repair leaks in troughs
- Level water troughs
- Replace broken trough braces
- Replace or install small animal escape devices in troughs
- Unplug pipelines if necessary
- Replace trough plugs if missing
- Replace broken pipes
- Waterlines should be buried to protect from livestock
- Clean and repair overflows
- Maintain spring head fence according to above specifications
- Clean spring boxes or debris and secure cover
- Drain water troughs and pipelines at the end of the season
- Maintain overflows from ponds, keep spillways clean and protected from washing out



Maintenance responsibilities are listed below and shown on the attached map:

Map Number	Improvement	Description	Permittee	Infra #
1	Vernon/Benmore Allotment Boundary Fence #1 (West Holding Pasture/ Pasture 3-4)	0.86 miles of wood & steel posts with net and 3 strand barbed wire.	Corp of Presiding Bishopric	840010
2	Vernon/Benmore Allotment Boundary Fence #2 (West Holding Pasture/East Holding Pasture)	0.24 miles of steel & wood posts with 4 strand barbed wire.	Corp of Presiding Bishopric	840019
3	Vernon/Benmore Allotment Boundary Fence #3 (West Holding Pasture/West Dutch Pasture)	0.88 miles of steel & wood posts with net and 3 strand barbed wire.	Corp of Presiding Bishopric	840018
4	Electric/Kaiser Pasture Boundary Fence	1.03 miles of wood posts and 4 strand barbed wire.	Corp of Presiding Bishopric	840020
5	Diagonal/Lower Government Pasture Boundary Fence	0.69 miles of steel & wood posts and 4 strand barbed wire.	Bob Pehrson	840015
6	Diagonal/Coyote Pasture Boundary Fence	1.96 miles of wood posts and 3 strand barbed wire.	Bob Pehrson	840016
7	Diagonal/Electric Pasture Boundary Fence	1.66 miles of steel & wood posts and 5 strand barbed wire.	Bob Pehrson	840013
8	Diagonal/North Spring Canyon Pasture Boundary Fence	0.26 miles of wood posts with 4 strand barbed wire.	Bob Pehrson	840006
9	Coyote/North Spring Canyon Pasture Boundary Fence	2.77 miles of wood posts and 4 strand barbed wire with metal spiral stays.	Bob Pehrson	840023



Map Number	Improvement	Description	Permittee	Infra #
10	Coyote/Lower Government Pasture Boundary Fence	2.33 miles of steel posts and 4 strand barbed wire.	Corp of Presiding Bishopric	840017
11	Lower/Upper Government Pasture Boundary Fence	2.37 miles of steel posts and 4 strand barbed wire with metal spiral stays.	Scott Pehrson	840014
12	Kaiser/West Holding Pasture Boundary Fence	0.24 miles of wood & steel posts with 3 strand barbed wire and net wire.	Corp of Presiding Bishopric	840024
13	Kaiser/Lower Government Pasture Boundary Fence	1.84 miles of wood & steel posts with 4 strand barbed wire.	Bob Pehrson	840031
14	Kaiser/Harker Pasture Boundary Fence	1.94 miles of wood posts with 4 strand barbed wire.	Corp of Presiding Bishopric	840021
15	Harker/Upper Government Pasture Boundary Fence	0.67 miles of steel posts with 4 strand barbed wire.	Bryant Pehrson	840034
16	Harker Canyon Drift Fence	1.5 miles of steel posts with 4 strand barbed wire.	Corp of Presiding Bishopric	840041 840041A
17	Kaiser/Lower Government Pasture Boundary fence Cattle Guard	Yellow cattle guard. 8 foot by 10 foot channel steel.	Forest Service	840CG1
18	Electric/Kaiser Pasture Boundary Fence Cattle Guard	Yellow cattle guard. 8 foot by 12 foot channel steel.	Tooele County	840CG2
19	Coyote/Lower Government Pasture Boundary Fence Cattle Guard	Yellow cattle guard. 8 foot by 14 foot channel steel. Cement supports.	Forest Service	840CG3



Map Number	Improvement	Description	Permittee	Infra #
19A	Kaiser/Lower Government ATV Cattle Guard	Needs Description.	Corp of Presiding Bishopric	840ATVCG 1
20	Harker/Vernon Pipeline Point of Diversion	Two 6 inch diameter, 18 inch long perforated PVC pipes in Harker Creek.	Corp of Presiding Bishopric	840001S
21	Harker/Vernon Pipeline and Extension	5.63 miles of 1.5 inch diameter polyethylene pipe (extension 1.5 miles 1.5 inch diameter polyethylene pipe).	Corp of Presiding Bishopric	840001P1 840001P2
22	Harker/Vernon Pipeline Extension Trough #1 (Harker)	Military steel trough 60 inches by 36 inches by 70 inches.	Corp of Presiding Bishopric	840001T1
23	Harker/Vernon Pipeline Extension Trough #2 (Harker)	14 feet by 7 feet by 2 feet. 1243 gallon fiberglass trough.	Corp of Presiding Bishopric	840001T2
24	Harker/Vernon Pipeline Trough #3 (Kaiser)	700 gallon round steel trough with cement base. 10 feet by 28 inches.	Corp of Presiding Bishopric	840001T3
25	Harker/Vernon Pipeline Trough #4 (Kaiser)	700 gallon round steel trough with cement base. 10 feet by 28 inches.	Corp of Presiding Bishopric	840001T4
26	Harker/Vernon Pipeline Trough #5 (Kaiser/Lower Government)	Tire trough.	Corp of Presiding Bishopric	840001T5
27	Harker/Vernon Pipeline Trough #12 (Electric/Diagonal)	583 gallon Powder River trough. 14 feet by 48 inches by 19 inches.	Corp of Presiding Bishopric	
28	Harker/Vernon Pipeline Trough #6 (Diagonal/Electric)	16 foot diameter round fiberglass trough. 3000 gallons.	Corp of Presiding Bishopric	840001T6



Map Number	Improvement	Description	Permittee	Infra #
29	Harker/Vernon Pipeline Trough #7 (Abandoned) (Electric/Bull Pasture)	Half round trough. 30 inches by 18 inches by 20 feet.	None	8400001T7
30	Harker/Vernon Pipeline Trough #8 (Diagonal/Coyote)	1700 gallon round fiberglass trough 12 feet by 2 feet.	Corp of Presiding Bishopric	840001T8
31	Harker/Vernon Pipeline Trough #9 (Diagonal)	Tire trough.	Corp of Presiding Bishopric	840001T9
32	Harker/Vernon Pipeline Trough #10 (Coyote)	200 gallon Powder River trough. 30 inches by 15 inches by 12 feet.	Corp of Presiding Bishopric	840001T10
33	Harker/Vernon Pipeline Trough #11 (North Spring Canyon)	550 gallon Powder River trough. 48 inches by 20 inches by 12 feet.	Corp of Presiding Bishopric	840001T11
34	Harker/Benmore Pipeline Trough #5 (West Holding Pasture)	495 gallon fiberglass trough. 46 inches by 20 inches by 12 feet.	Corp of Presiding Bishopric	840008T5
35	North Pine Canyon Pipeline Point of Diversion	6 inch diameter, 18 inch long perforated pipe from North Pine Canyon Creek.	Bob and Scott Pehrson	840002S1
36	North Pine Canyon Pipeline Spring	Buried Spring. Enclosed with buck and pole fence. NEED TO GPS FENCE.	Bob and Scott Pehrson	840002S2
37	North Pine Canyon Pipeline	6.70 miles of 1.5 inch diameter polyethylene pipe.	Bob and Scott Pehrson	840002P1
38	Talawag Pipeline	1.87 miles of 1.5 inch diameter polypropylene pipe.	Bob and Scott Pehrson	840002P2



Map Number	Improvement	Description	Permittee	Infra #
39	North Pine Canyon Pipeline Trough #1 (Upper Government)	New 12 foot cement trough NEED TO GPS NEW TROUGH. 250 gallon rectangular concrete trough. 6 feet by 28 inches by 36 inches <i>(working-historic).</i>	Bob and Scott Pehrson	840002T1
40	Talawag Pipeline Trough #2 (Upper Government)	650 gallon rectangular fiberglass trough 14 feet by 4 feet by 20 inches.	Bob and Scott Pehrson	840002T2
41	Talawag Pipeline Trough #3 (Upper Government)	New 12 foot cement trough.	Bob and Scott Pehrson	840002T3
42	North Pine Canyon Pipeline Trough #4 (Upper/Lower Government)	New 12 foot cement trough.	Bob and Scott Pehrson	840002T4
43	North Pine Canyon Pipeline Trough #5 <i>(Abandoned-Historic)</i> (Lower Government)	300 gallon cement trough. 10 feet by 21 inches by 15 inches.	None	840002T5
44	North Pine Canyon Pipeline Trough #6 (Lower Government)	New 12 foot cement trough.	Bob and Scott Pehrson	840002T6
45	North Pine Canyon Pipeline Trough #7 (Lower Government)	650 gallon fiberglass trough. 14 feet by 4 feet by 18 inches.	Bob and Scott Pehrson	840002T7
46	North Pine Canyon Pipeline Trough #8 (Coyote)	650 gallon fiberglass trough. 14 feet by 4 feet by 18 inches.	Bob and Scott Pehrson	840002T8
47	North Pine Canyon Pipeline Trough #9 (Coyote)	12 foot cement trough.	Bob and Scott Pehrson	840002T9



Map Number	Improvement	Description	Permittee	Infra #
48	North Pine Canyon Pipeline Trough #10 (Coyote)	12 foot cement trough.	Bob and Scott Pehrson	840002T10
49	North Pine Canyon Pipeline Trough #11 (North Spring Canyon)	1700 gallon round fiberglass trough. 12 feet by 2 feet.	Bob and Scott Pehrson	840002T11
50	North Pine Canyon Pipeline Trough #12 (North Spring Canyon)	1700 gallon round fiberglass trough. 12 feet by 2 feet.	Bob and Scott Pehrson	840002T12
51	North Pine Canyon Pipeline Trough #13 (Abandoned) (North Spring Canyon)	750 gallon round steel trough. 8 feet by 2 feet.	None	840002T13
52	North Pine Canyon Pipeline Trough #14 (Abandoned) (North Spring Canyon)	1140 gallon round steel trough. 10 feet by 2 feet.	None	840002T14
53	East Government Pipeline Point of Diversion	Buried perforated pipe.	Bob and Scott Pehrson	840004S1
54	East Government Pipeline Headbox (Abandoned-Historic)	Cement head box.	None	840004S2
55	East Government Pipeline	0.57 miles of 1.5 inch diameter polypropylene pipe.	Bob and Scott Pehrson	840004P
56	East Government Pipeline Trough #1 (Abandoned-Historic) (Upper Government)	Cement trough. 6 feet by 42 inches by 28 inches.	None	840004T2 840004F
57	East Government Pipeline Trough #2 (Upper Government)	Steel trough.	Bob and Scott Pehrson	840004T2



Map Number	Improvement	Description	Permittee	Infra #
58	East Government Pipeline Trough #3 (Upper Government)	New 12 foot cement trough.	Bob and Scott Pehrson	840004T3
59	Lion Hill Water Development (Lower Oak Brush Trough)	12 inch diameter, steel casing head box. 111 feet of 1.5 inch diameter polyethylene pipe. 12 foot by 4 foot aluminum trough.	Corp of Presiding Bishopric	840005S 840005P 840005T
60	North Oak Brush Water Development	Point of diversion from creek is perforated PVC pipe. 190 feet of 1.5 inch diameter polyethylene pipe. 583 gallon galvanized Powder River trough. 14 feet by 48 inch by 19 inch steel round bottom trough (removal).	Bob Pehrson	840022S 840022P 840022T1 840022T2 840022T3
61	North Spring Canyon Pond (Abandoned)	Earthen dam. 50 feet.	None	840036
62	Spring Canyon Water Development (Abandoned-Historic)	Cement trough. NEED TO GPS.	None	840035
63	Coyote Spring Water Development (Working-Historic)	Cement trough. NEED TO GPS.	None	840025
64	North Pine Canyon Pond #1 Exclosure	847 feet of post and pole fence encloses water overflow area from livestock pipeline. Underground tank and water pan.	Forest Service Wildlife	8WL8401 8WL8401B
65	North Pine Canyon Pond #2 Exclosure	520 feet of steel posts with 4 strand barbed wire and spiral metal stays encloses water overflow area from livestock pipeline.	Forest Service Wildlife	8WL8402 8WL8402B



Map Number	Improvement	Description	Permittee	Infra #
66	North Pine Canyon Pond #3 Exclosure	346 feet of steel posts with 4 strand barbed wire and spiral metal stays encloses water overflow area from livestock pipeline.	Forest Service Wildlife	8WL3803 8WL3803B
67	North Pine Canyon Pond #4 Exclosure	240 feet of steel posts with 4 strand barbed wire and spiral metal stays encloses water overflow area from livestock pipeline.	Forest Service Wildlife	8WL8404 3WL8404B
68	West Well Exclosure	1297 feet of steel posts with 4 strand barbed wire and spiral metal stays encloses windmill and tank, tree planting and range trend study.	Forest Service Wildlife	8WL8405B

We look forward to working with you this coming grazing season. If you have any questions or concerns please contact Cody Miller at 385-268-2019.



VERNON ALLOTMENT ANNUAL OPERATING INSTRUCTIONS 2026

SIGNATURES:

PERMITTEE

DATE

PERMITTEE

DATE

PERMITTEE

DATE

PERMITTEE

DATE

SPANISH FORK DISTRICT RANGER

DATE

