

REFRIGERATED TRAILER INCIDENT INSPECTION CHECKLIST **Date:** _____ **Time:** _____

INCIDENT NAME: _____ INCIDENT NUMBER: _____ RESOURCE #: E-_____

COMPANY/CONTRACTOR: _____

AGREEMENT NUMBER: _____

EQUIPMENT MAKE: _____ MODEL: _____

VIN/SERIAL #: _____

EQUIPMENT and OPERATOR REQUIREMENTS REFRIGERATED TRAILER

Type 1: Length 43+ ft. Type 2: Length 29 → 42ft. Type 3: Length 20 → 28ft.

Minimum Requirements*Not all inclusive; for additional clarification refer to agreement (SF-1449 section D)***Yes** **No**

1	Agreement (One complete copy)	(D.8)		
2	Completed Check-In Process: (Note: Also includes; Finance, and Plans)	(D.6.5.3)		
3	Equipment VIN/Serial # matches Resource Order (may also have to verify on DPL): Note: This is also a business rule that could affect payment.	(Schedule of Items) (D.6.3.1)		
4	Incident Pre-Use Inspection Completed (OF-296 Vehicle/Heavy Equipment Mechanical Inspection)	(D.17) (D.17.1)		
5	Trailer Measurements: Meets Typing Attribute Length= _____ feet Width= _____ feet Height= _____ feet	(D.2.1)		
6	Trailer: Stable for all types of loading	(D.2.1)		
7	Refrigeration Unit: Equipped with Auto Restart and Noise Control	(D.2.1)		
8	Automatic Low Fuel Shutdown	(D.2.1)		
9	Exterior: Free of defects that compromise cooling, i.e. (dents and openings)	(D.2.1)		
10	Diesel Powered Unit	(D.2.1)		
11	Fuel: Unit delivered to incident with a full tank of diesel	(D.2.1)		
12	Diesel Fuel Tank(s): Minimum 50 gallons	(D.2.1)		
13	Trailer: Interior, arrived at incident clean and sanitary, floor drains open, free of debris and odor	(D.2.1)		
14	Trailer shall be well insulated and a curtain or flap shall be present to prevent the leakage of cool air from the trailer.	(D.2.1)		
15	Gaskets: Openings shall be in good working order and provide proper seal to prevent passage of air into the unit from outside sources to the extent possible.	(D.2.1)		
16	Steps with Platform (landing): All entrances shall have OSHA approved steps; includes appropriate hand rails, steps and platform(s). Platform(s) are level with doorways and are stable. Top landing shall be wide enough to allow for the door to swing open and provide an additional 20" for personnel to be on the landing when the door swings open.	(D.2.1)		
17	Refrigeration Unit: Decibel rating of 68 at 50 feet.	(D.2.1)		
18	Thermometer: Refrigeration and freezer storage units shall be equipped with a thermometer that is equivalent to a "min/max" type or a "continuous graphing" type placed no further than 8 feet from the entrance being used.	(D.2.1)		
19	Thermometer: Refrigeration and freezer storage units containing temperature indicators attached to the outside of the unit must clearly provide a temperature reading of the inside of the unit no further than 8' from the entrance.	(D.2.1)		

MINIMUM REQUIREMENTS CONT...		Yes	No
20	Temperature: Cooling storage area capable of maintaining 41 degrees and Freezer storage area capable of maintaining frozen food at 0° F and provide a movable partition to separate these two areas. (D.2.1)		
21	Temperature: Unit arrived at incident with a temperature 41° F (D.2.1)		
22	Partition: Moveable, separating the freezer and refrigeration areas. (D.2.1)		

Equipment meets agreement specifications Equipment does not meet agreement specifications

Inspector: _____ Date: _____
(Print and sign)

Contractor: _____ Date: _____
(Print and sign)

- Contractor given the opportunity to correct noted deficiencies (*See Remarks*)
- Contractor successfully corrected noted deficiencies

Inspector: _____ Date: _____

REMARKS: