

INTERMOUNTAIN REGION (R4) THREATENED, ENDANGERED, AND SENSITIVE SPECIES

June 2016—March 2026

KNOWN / SUSPECTED DISTRIBUTION BY FOREST

| STATUS | FOREST | | | | | | | | | | | | | | | |
|--|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | ASH | BOI | B-T | CAR | CHA | DIX | FIS | HUM | M-L | PAY | SAL | SAW | TAR | TOI | UIN | W-C |
| ENDANGERED | | | | | | | | | | | | | | | | |
| MAMMALS | | | | | | | | | | | | | | | | |
| Black-footed ferret 3/11/67 <i>Mustela nigripes</i> | | | o | | | | | | | | | | | | | o |
| Sierra Nevada bighorn sheep <i>Ovis canadensis</i> sierra January 3, 2000 | | | | | | | | | | | | | | X | | |
| Sierra Nevada red fox <i>Vulpes vulpes necator</i> | | | | | | | | | | | | | | X | | |
| BIRDS | | | | | | | | | | | | | | | | |
| Southwestern willow flycatcher 2/27/95 <i>Empidonax traillii extimus</i> ED 3/29/95 | | | | | | | | | X | | | | | ? | | |
| Whooping crane 3/11/67 <i>Grus americana</i> | | | X | | | | | | | | | | ? | | | |
| REPTILES AND AMPHIBIANS | | | | | | | | | | | | | | | | |
| Sierra Nevada Yellow-legged Frog 06/30/2014 <i>Rana sierrae</i> | | | | | | | | | | | | | | X | | |
| INSECTS | | | | | | | | | | | | | | | | |
| Mt. Charleston Blue Butterfly 10/21/2013 <i>Icaricia shasta charlestonensis</i> | | | | | | | | | | | | | | X | | |
| FISH | | | | | | | | | | | | | | | | |
| June sucker 3/31/86 <i>Chasmistes liorus</i> | | | | | | | | | | | | | | | o | o |
| Bonytail chub 4/23/80 <i>Gila elegans</i> | o | | o | | | | o | o | | o | | | | | o | o |
| Humpback chub 3/11/67 <i>Gila cypha</i> | o | | o | | | | o | o | | o | | | | | o | o |
| Colorado pike minnow 3/11/67 <i>Ptychocheilus lucius</i> | o | | o | | | | o | o | | o | | | | | o | o |

| | | | | | | | | | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| Kendall Warm Springs dace 10/13/70 <i>Rhinichthys osculus</i> | | | X | | | | | | | | | | | | | | |
| ENDANGERED | ASH | BOI | B-T | CAR | CHA | DIX | FIS | HUM | M-L | PAY | SAL | SAW | TAR | TOI | UIN | W-C | |
| Sockeye salmon, (Snake River) 11/20/91 <i>Oncorhynchus nerka</i> (CH 12/28/98) | | | | | + | | | | | + | + | X | | | | | |
| Razorback sucker 10/23/91 <i>Xyrauchen texanus</i> (ED 11/22/91) | o | | o | | | o | o | | o | | | | | | o | o | |
| Sturgeon, pallid <i>Scaphirhynchus albus</i> | | | o | | | | | | | | | | | | | | |
| PLANTS | | | | | | | | | | | | | | | | | |
| San Rafael cactus <i>Pediocactus despainii</i> | | | | | | | X | | | | | | | | | | |
| Clay phacelia 09/28/78 <i>Phacelia argillacea</i> | | | | | | | | | ? | | | | | | X | | |
| THREATENED | ASH | BOI | B-T | CAR | CHA | DIX | FIS | HUM | M-L | PAY | SAL | SAW | TAR | TOI | UIN | W-C | |
| MAMMALS | | | | | | | | | | | | | | | | | |
| Canada lynx 4/15/00 <i>Lynx canadensis</i> | X | X | X | | | | | | | X | | X | X | | ? | ? | |
| Grizzly bear 9/21/2009 <i>Ursus arctos horribilis</i> | | | X | | | | | | | | | | X | | | | |
| Gray wolf (Wyoming Rocky Mountain DPS 10J Experimental Population) <i>Canis lupus</i> | | | X | X | | | | | | | | | X | | | X | |
| North American wolverine <i>Gulo gulo</i> (luscus) | X | X | X | X | X | | | | | X | X | X | X | X | | X | |
| Utah prairie dog 6/04/73 <i>Cynomys parvidens</i> | | | | | | X | X | | | | | | | | | | |
| Northern Idaho ground squirrel 3/24/00 <i>Spermophilus brunneus</i> | | X | | | | | | | | X | | | | | | | |
| BIRDS | | | | | | | | | | | | | | | | | |
| Mexican spotted owl 3/16/93 <i>Strix occidentalis lucida</i> (ED 4/15/93) | | | | | | X | X | | X | | | | | | | | |
| Yellow-billed cuckoo 11/03/2014 <i>Coccyzus americanus</i> | X | X | X | | ? | ? | ? | X | X | X | ? | X | X | X | X | X | |
| REPTILES AND AMPHIBIANS | | | | | | | | | | | | | | | | | |
| Desert tortoise 8/04/89 <i>Gopherus agassizii</i> | | | | | | | | | | | | | | X | | | |

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

| | | | | | | | | | | | | | | | | | | | | |
|---|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--|---|--|--|
| Yosemite toad 6/30/2014 <i>Anaxyrus canorus</i> | | | | | | | | | | | | | | | | | | X | | |
| FISH | | | | | | | | | | | | | | | | | | | | |
| Steelhead trout (Snake River summer) <i>Oncorhynchus mykiss</i> | | X | | | X | | | | | | X | X | X | | | | | | | |
| THREATENED | ASH | BOI | B-T | CAR | CHA | DIX | FIS | HUM | M-L | PAY | SAL | SAW | TAR | TOI | UIN | W-C | | | | |
| Chinook salmon, Snake River sprg/smr <i>Oncorhynchus tshawytscha</i> 4/22/92 (ED 5/22/92) | | X | | | X | | | | | X | X | X | | | | | | | | |
| Chinook salmon, Snake River fall <i>Oncorhynchus tshawytscha</i> 4/22/92 (ED 5/22/92) | | | | | | | | | | X | | | | | | | | | | |
| Greenback cutthroat trout <i>Oncorhynchus clarki stomia</i> | | | | | | | | | X | | | | | | | | | | | |
| Railroad Valley springfish 3/31/86 <i>Crenichthys nevadae</i> | | | | | | | | | | | | | | | X | | | | | |
| Lahontan cutthroat trout 10/13/70 <i>Oncorhynchus clarki henshawi</i> | | | | | | | | X | | | | | | | X | | | | | |
| Columbia River bull trout 6/10/98 <i>Salvelinus confluentus</i> | | X | | | X | | | X | | X | X | X | | | | | | | | |
| Paiute cutthroat trout 3/11/67 <i>Oncorhynchus clarki seleniris</i> | | | | | | | | | | | | | | | X | | | | | |
| PLANTS | | | | | | | | | | | | | | | | | | | | |
| Deseret milkvetch 10/20/99 <i>Astragalus desereticus</i> | | | | | | | | | ? | | | | | | | ? | | | | |
| Heliotrope milkvetch 11/6/87 <i>Astragalus limnocharis</i> var. <i>montii</i> (<i>A. montii</i>) | | | | | | | | | X | | | | | | | | | | | |
| Slick-spot peppergrass 10/08/09 <i>Lepidium papilliferum</i> | | ? | | | | | | | | | | | | | | | | | | |
| Winkler cactus <i>Pediocactus winkleri</i> | | | | | | | | | ? | | | | | | | | | | | |
| Maguire's primrose 8/21/85 <i>Primula cusickiana</i> var. <i>maguirei</i> (<i>P. maguirei</i>) | | | | | | | | | | | | | | | | X | | | | |
| Last chance townsendia 8/21/85 <i>Townsendia aprica</i> | | | | | | X | X | | | | | | | | | | | | | |
| Ute ladies' tresses orchid 1/17/92 <i>Spiranthes diluvialis</i> (2/18/92) | | ? | | ? | ? | | ? | | | | ? | ? | X | | X | ? | | | | |

| | | | | | | | | | | | | | | | | | | | |
|---|------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|-------------|-------------|------------|------------|---|---|---|
| Webber ivesia 7/3/2014 <i>Ivesia webberi</i> | | | | | | | | | | | | | | | | | X | | |
| Whitebark Pine <i>Pinus albicaulis</i> | | X | X | | X | | | X | | X | X | X | X | X | | | | | |
| SENSITIVE | ASH | BO I | B-T | CA R | CH A | DI X | FI S | HU M | M-L | PA Y | SA L | SA W | TA R | TO I | UIN | W-C | | | |
| MAMMALS | | | | | | | | | | | | | | | | | | | |
| Bighorn Sheep <i>Ovis canadensis</i> - Includes Rocky Mountain bighorn sheep (<i>O. c. canadensis</i>), California bighorn sheep (<i>O. c. californiana</i>), and desert bighorn sheep (<i>O. c. nelsoni</i>) (7/29/2009) | X | X | X | | X | | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Gray wolf (Rocky Mountain DPS) <i>Canis lupus</i> | | X | | X | X | | | | | X | X | X | X | | | | | | X |
| Pygmy rabbit <i>Brachylagus idahoensis</i> | | | | X | X | X | X | X | | | X | X | X | X | | | | | |
| Spotted bat <i>Euderma maculatum</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | ? | X | X | X | X | X |
| Fisher <i>Martes pennanti</i> | | X | X | | X | | | | | X | X | X | ? | | X | | | | |
| Southern Idaho Ground Squirrel <i>Spermophilus brunneus endemicus</i> | | X | | | | | | | | X | | | | | | | | | |
| Townsend's Western Big-Eared Bat <i>Corynorhinus townsendii townsendii</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| BIRDS | | | | | | | | | | | | | | | | | | | |
| Bald eagle <i>Haliaeetus leucocephalus</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Boreal owl <i>Aegolius funereus</i> | X | X | X | X | X | | | | | X | X | X | X | | | | | | X |
| Greater sage-grouse <i>Centrocercus urophasianus</i> | X | X | X | X | X | X | X | X | X | ? | X | X | X | X | X | X | X | X | X |
| Greater sage-grouse Bi-State DPS <i>Centrocercus urophasianus</i> | | | | | | | | | | | | | | | X | | | | |
| Trumpeter swan <i>Cygnus buccinator</i> | | | X | X | | | | | | | | | | X | | | | | |
| Peregrine falcon 3/20/84 <i>Falco peregrinus anatum</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Common loon <i>Gavia immer</i> | | X | X | | + | | | | | ? | + | X | X | | | | | | |
| Harlequin duck <i>Histrionicus histrionicus</i> | | | X | X | ?+ | | | | | X | ?+ | | X | | | | | | |

| | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mountain quail <i>Oreortyx pictus</i> | | X | | | | | | X | | X | | X | | X | | |
| Flammulated owl <i>Otus flammeolus</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| White-headed woodpecker <i>Picoides albolarvatus</i> | | X | | | | | | | | X | | X | | X | | |
| Three-toed woodpecker <i>Picoides tridactylus</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Great gray owl <i>Strix nebulosa</i> | X | X | X | X | X | | | | | X | X | X | X | X | | X |
| California spotted owl <i>Strix occidentalis occidentalis</i> | | | | | | | | | | | | | | X | | |
| Columbian sharp-tailed grouse <i>Tympanuchus phasianellus columbianus</i> | | X | | X | | | | X | | X | | X | X | | | X |
| Northern goshawk <i>Accipiter gentilis</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| REPTILES AND AMPHIBIANS | | | | | | | | | | | | | | | | |
| Columbia spotted frog <i>Rana luteiventris</i> | ? | X | X | X | X | | | X | X | X | X | X | X | X | X | X |
| Boreal Toad <i>Bufo boreas</i> | X | | X | X | | X | X | | X | | | X | X | | X | X |
| FISH | | | | | | | | | | | | | | | | |
| Wood River sculpin <i>Cottus leiopomus</i> | | | | | | | | | | | | X | | | | |
| Westslope cutthroat trout <i>Oncorhynchus clarki lewisi</i> | | X | X | | X | | | | | X | X | X | | | | |
| Colorado River cutthroat trout <i>Oncorhynchus clarki pleuriticus</i> | X | | X | | | X | X | | X | | | | | | X | X |
| Bonneville cutthroat trout <i>Oncorhynchus clarki utah</i> | | | X | X | | X | X | X | X | | | | | | X | X |
| Yellowstone cutthroat trout <i>Oncorhynchus clarki bouvieri</i> | | | X | X | | | | | | | | X | X | | | |
| Northern Leatherside Chub <i>Lepidomeda copei</i> | | | X | X | | | | | | | | X | X | | | X |
| Southern Leatherside Chub <i>Lepidomeda aliciae</i> | | | | | | X | X | | X | | | | | | X | |
| Big Lost River Whitefish <i>Prosopium williamsoni</i> | | | | | X | | | | | | | | | | | |
| INSECTS | | | | | | | | | | | | | | | | |

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

| | | | | | | | | | | | | | | | | | |
|---|---|--|---|--|---|---|---|--|---|--|---|---|---|---|---|---|---|
| Seaside sedge <i>Carex incurviformis</i> | | | X | | X | | | | | | | | | | | | |
| Black and purple sedge <i>Carex luzulina var. atropurpurea</i> | | | X | | | | | | | | | | | | | | |
| Tioga Pass sedge <i>Carex tiogana</i> | | | | | | | | | | | | | | X | | | |
| Aquarius paintbrush <i>Castilleja aquariensis</i> | | | | | | X | | | | | | | | | | | |
| Christ's Indian paintbrush <i>Castilleja christii</i> | | | | | | | | | | | | X | | | | | |
| Tushar paintbrush <i>Castilleja parvula var. parvula</i> | | | | | | X | X | | | | | | | | | | |
| Reveal paintbrush <i>Castilleja parvula var. revealii</i> | | | | | | X | | | | | | | | | | | |
| Centennial rabbitbrush <i>Chrysothamnus parryi ssp. montanus</i> | | | | | | | | | | | | | X | | | | |
| Flexible alpine collomia <i>Collomia debilis var. camporum</i> | | | | | | | | | | | X | | | | | | |
| Wasatch fitweed <i>Corydalis caseana spp. brachycarpa</i> | | | | | | | | | | | | | | | X | X | |
| Creutzfeldt-flower cryptanth <i>Cryptantha creutzfeldtii</i> | | | | | | | | | X | | | | | | | | |
| Yellow-white catseye <i>Cryptantha ochroleuca</i> | | | | | | X | | | | | | | | | | | |
| Bodie Hills draba <i>Cusickiella quadricostata</i> | | | | | | | | | | | | | | X | | | |
| Pinnate spring-parsley <i>Cymopterus beckii</i> | | | | | | X | | | X | | | | | | | | |
| Davis' wavewing <i>Cymopterus davisii</i> | | | | | | | | | | | | X | | | | | |
| Douglas' biscuitroot <i>Cymopterus douglassii</i> | | | | | | X | | | | | X | X | | | | | |
| Goodrich biscuitroot <i>Cymopterus goodrichii</i> | | | | | | | | | | | | | | X | | | |
| Cedar Breaks biscuitroot <i>Cymopterus minimus</i> | | | | | | | X | | | | | | | | | | |
| Brownie lady'slipper <i>Cypripedium fasciculatum</i> | X | | | | | | | | | | | | | | | | X |
| Lesser yellow Lady's slipper | | | | | | | | | | | | | | | | | X |

| | | | | | | | | | | | | | | | | |
|---|---|--|---|--|---|---|---|---|---|--|--|---|--|---|---|---|
| Nevada willowherb <i>Epilobium nevadense</i> | | | | | | | X | | | | | | | X | | |
| Spring Mountain goldenweed <i>Ericameria compacta</i> (=Haplopappus <i>compactus</i>) | | | | | | | | | | | | | | X | | |
| Pine Valley goldenweed <i>Ericameria crispa</i> (=Haplopappus <i>crispus</i>) | | | | | | X | | | | | | | | | | |
| Narrow-leaf goldenweed <i>Ericameria discoidea</i> var. <i>linearis</i> (=Haplopappus <i>macronema</i> var. <i>linearis</i>) | | | X | | | | | | | | | | | | | |
| Abajo daisy <i>Erigeron abajoensis</i> | | | | | | | | | X | | | | | | | |
| Carrington daisy <i>Erigeron carringtonae</i> | | | | | | | | | X | | | | | | | |
| Snake Mountain erigeron <i>Erigeron cavernensis</i> | | | | | | | | X | | | | | | | | |
| Cronquist daisy <i>Erigeron cronquistii</i> | | | | | | | | | | | | | | | | X |
| Garrett's fleabane <i>Erigeron garrettii</i> | | | | | | | | | | | | | | X | X | |
| Kachina daisy <i>Erigeron kachinensis</i> | | | | | | | | | X | | | | | | | |
| Woolly daisy <i>Erigeron lanatus</i> | | | X | | | | | | | | | | | | | |
| Maguire daisy <i>Erigeron maguirei</i> | | | | | | | X | | | | | | | | | |
| LaSal daisy <i>Erigeron mancus</i> | | | | | | | | | X | | | | | | | |
| Untermann daisy <i>Erigeron untermannii</i> | X | | | | | | | | | | | | | | | |
| Widtsoe buckwheat <i>Eriogonum aretioides</i> | | | | | | X | | | | | | | | | | |
| Elsinore buckwheat <i>Eriogonum batemanii</i> var. <i>ostlundii</i> | | | | | | | X | | | | | | | | | |
| Desert buckwheat <i>Eriogonum brevicaulle</i> var. <i>desertorum</i> | | | | | | | | | | | | X | | | | |
| Welsh buckwheat <i>Eriogonum capistratum</i> var. <i>welshii</i> | | | | | X | | | | | | | | | | | |
| Sunflower Flat buckwheat | | | | | | | | X | | | | | | | | |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Zion jamesia <i>Jamesia americana</i> var. <i>zionis</i> | | | | | | X | | | | | | | | | | | |
| Basin jamesia <i>Jamesia tetrapetala</i> | | | | | | | | X | | | | | | | | | |
| Grimes lathyrus <i>Lathyrus grimesii</i> | | | | | | | | X | | | | | | | | | |
| Wasatch pepperwort <i>Lepidium montanum</i> var. <i>alpinum</i> | | | | | | | | | | | | | | | ? | X | |
| Neeses' peppergrass <i>Lepidium montanum</i> var. <i>neeseae</i> | | | | | | X | | | | | | | | | | | |
| Hazel's prickly phlox <i>Leptodactylon pungens</i> ssp. <i>hazeliae</i> | | | | | | | | | | X | | | | | | | |
| Garrett bladderpod <i>Lesquerella garrettii</i> | | | | | | | | | | | | | | | X | X | |
| Hitchcock bladderpod <i>Lesquerella hitchcockii</i> var. <i>hitchcockii</i> | | | | | | | | | | | | | | X | | | |
| Payson bladderpod <i>Lesquerella paysonii</i> | | | X | X | | | | | | | | | X | | | | |
| Maguire lewisia <i>Lewisia maguirei</i> | | | | | | | | X | | | | | | | | | |
| Sacajawea's bitterroot <i>Lewisia sacajaweaana</i> | | X | | | X | | | | | X | X | ? | | | | | |
| Canyonlands lomatium <i>Lomatium latilobum</i> | | | | | | | | | X | | | | | | | | |
| Three-ranked hump-moss <i>Meesia triquetra</i> | | | | | | | | | | | | | | X | | | |
| Goodrich stickleaf <i>Mentzelia goodrichii</i> | X | | | | | | | | | | | | | | | | |
| Bank monkeyflower <i>Mimulus clivicola</i> | | | | | | | | | | X | | | | | | | |
| Fish Lake naiad <i>Najas caespitosa</i> | | | | | | | X | | | | | | | | | | |
| Idaho pennycress <i>Noccaea idahoensis</i> var. <i>aileeniae</i> (= <i>Thlaspi aileeniae</i>) | | | | | X | | | | | | | | X | | | | |
| Shevock rockmoss <i>Orthotrichum shevockii</i> | | | | | | | | | | | | | | X | | | |
| Spjut's brittle-moss <i>Orthotrichum spjutii</i> | | | | | | | | | | | | | | X | | | |

| | | | | | | | | | | | | | | | | | |
|---|---|--|---|---|---|---|---|--|---|--|--|---|---|--|--|--|---|
| Challis crazyweed <i>Oxytropis besseyi</i> var. <i>salmonensis</i> | | | | | X | | | | | | | | | | | | |
| Beaver Mountain groundsel <i>Packera</i> (=Senecio) <i>castoreus</i> | | | | | | | X | | | | | | | | | | |
| Podunk groundsel <i>Packera</i> (=Senecio) <i>malmstenii</i> | | | | | | X | | | | | | | | | | | |
| Arctic poppy <i>Papaver radicatum</i> var. <i>pygmaeum</i> | X | | | | | | | | | | | | | | | | X |
| Naked-stemmed parrya <i>Parrya nudicaulis</i> | | | X | | | | | | | | | | | | | | |
| Paria breadroot <i>Pediomelum pariense</i> | | | | | | X | | | | | | | | | | | |
| Stemless beardtongue <i>Penstemon acaulis</i> var. <i>acaulis</i> | X | | | | | | | | | | | | | | | | |
| Dune penstemon <i>Penstemon arenarius</i> | | | | | | | | | | | | | | | | | ? |
| Red Canyon beardtongue <i>Penstemon bracteatus</i> | | | | | | X | | | | | | | | | | | |
| Cache beardtongue <i>Penstemon compactus</i> | | | | X | | | | | | | | | | | | | X |
| Elegant penstemon <i>Penstemon concinnus</i> | | | | | | | | | | | | | | | | | |
| Idaho penstemon <i>Penstemon idahoensis</i> | | | | | | | | | | | | | X | | | | |
| Charleston beardtongue <i>Penstemon leiophyllus</i> var. <i>keckii</i> | | | | | | | | | | | | | | | | | X |
| Lemhi penstemon <i>Penstemon lemhiensis</i> | | | | | | | | | | | | X | | | | | |
| Mt. Moriah penstemon <i>Penstemon moriahensis</i> | | | | | | | | | X | | | | | | | | |
| Little penstemon <i>Penstemon parvus</i> | | | | | | X | X | | | | | | | | | | |
| Pinyon penstemon <i>Penstemon pinorum</i> | | | | | | X | | | | | | | | | | | |
| Bashful penstemon <i>Penstemon pudicus</i> | | | | | | | | | X | | | | | | | | |
| Rhizome beardtongue <i>Penstemon rhizomatosus</i> | | | | | | | | | X | | | | | | | | |
| Wassuk beardtongue | | | | | | | | | | | | | | | | | X |

| | | | | | | | | | | | | | | | | | |
|--|--|---|---|--|---|---|--|---|---|---|--|---|--|--|---|--|--|
| Greenland primrose <i>Primula egaliksensis</i> | | | X | | | | | | | | | | | | | | |
| Bugleg goldenweed <i>Pyrrocoma (=Haplopappus) insecticuriis</i> | | X | | | | | | | | | | X | | | | | |
| Radiate goldenweed <i>Pyrrocoma radiata (=Haplopappus radiatus)</i> | | | | | | | | | | X | | | | | | | |
| Bartons' blackberry <i>Rubus bartonianus</i> | | | | | | | | | | X | | | | | | | |
| Arizona willow <i>Salix arizonica</i> | | | | | X | X | | X | | | | | | | | | |
| Weber's saussurea <i>Saussurea weberi</i> | | | X | | | | | | | | | | | | | | |
| Tobias' saxifrage <i>Saxifraga bryophora</i> var. <i>tobiasiae</i> | | | | | | | | | | X | | | | | | | |
| Tolmie's saxifrage <i>Saxifraga tolmiei</i> var. <i>ledifolia</i> | | | | | | | | | | X | | | | | | | |
| Musinea groundsel <i>Senecio musiniensis</i> | | | | | | | | | X | | | | | | | | |
| Mono ragwort <i>Senecio pattersonensis</i> | | | | | | | | | | | | | | | X | | |
| Clokey silene <i>Silene clokeyi</i> | | | | | | | | | | | | | | | X | | |
| Nachlinger silene <i>Silene nachlingerae</i> | | | | | | | | X | | | | | | | | | |
| Maguire campion <i>Silene petersonii</i> | | | | | X | ? | | X | | | | | | | | | |
| Railroad Valley globemallow <i>Sphaeralcea caespitosa</i> var. <i>williamsiae</i> | | | | | | | | X | | | | | | | | | |
| Rock-tansy <i>Sphaeromeria capitata</i> | | | | | X | | | | | | | | | | | | |
| Low sphaeromeria <i>Sphaeromeria compacta</i> | | | | | | | | | | | | | | | X | | |
| Masonic Mountain jewelflower <i>Streptanthus oliganthus</i> | | | | | | | | | | | | | | | X | | |
| Soft aster <i>Symphotrichum molle (=Aster mollis)</i> | | | X | | | | | | | | | | | | | | |
| Charleston kittentails <i>Synthyris ranunculina</i> | | | | | | | | | | | | | | | X | | |

| | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|---|---|---|---|--|---|---|--|--|--|---|---|---|
| Caespitose greenthread <i>Thelesperma caespitosum</i> | X | | | | | | | | | | | | | | | | |
| Uinta green thread <i>Thelesperma pubescens</i> | | | | | | | | | | | | | | | | | X |
| Bicknell thelesperma <i>Thelesperma subnudum</i> var. <i>alpinum</i> | | | | | | X | X | | | | | | | | | | |
| Wavy-leaf thelypody <i>Thelypodium repandum</i> | | | | | X | | | | | | | | | | | | |
| Alpine goldenweed <i>Tonestus (=Haplopappus) alpinus</i> | | | | | | | | | | | | | | | X | | |
| Barneby woody aster <i>Tonestus (=Aster) kingii</i> var. <i>barnebyana</i> | | | | | | | X | | | | | | | | | X | |
| Sevier townsendia <i>Townsendia jonesii</i> var. <i>lutea</i> | | | | | | | X | | | | | | | | | | |
| Charleston ground daisy <i>Townsendia jonesii</i> var. <i>tumulosa</i> | | | | | | | | | | | | | | | X | | |
| Short-slyle tofieldia <i>Triantha occidentalis</i> ssp. <i>brevistyla</i> | | | | | | | | | | X | | | | | | | |
| Currant Summit clover <i>Trifolium andinum</i> var. <i>podocephalum</i> | | | | | | | | X | | | | | | | | | |
| Leiberg's clover <i>Trifolium leibergii</i> | | | | | | | | X | | | | | | | | | |
| Rollins clover <i>Trifolium macilentum</i> var. <i>rollinsii</i> | | | | | | | | | | | | | | | X | | |
| Charleston violet <i>Viola charlestonensis</i> | | | | | | | | | | | | | | | X | | |
| Smith violet <i>Viola franksmithii</i> | | | | | | | | | | | | | | | | | X |
| Lithion violet <i>Viola lithion</i> | | | | | | | | X | | | | | | | | | |
| Idaho range lichen <i>Xanthoparmelia idahoensis</i> | | | | | | | | | | | X | | | | | | |

ASH - Ashley
 BOI - Boise
 B-T - Bridger-Teton
 CAR - Caribou

CHA - Challis
 DIX - Dixie
 FIS - Fishlake
 HUM - Humboldt

M-L - Manti-LaSal
 PAY - Payette
 SAL - Salmon
 SAW - Sawtooth

TAR - Targhee
 TOI - Toiyabe
 UIN - Uinta
 W-C - Wasatch-Cache

| | |
|---|---|
| <p>KEY: X = known distribution species and/or habitat ? = suspected or potential habitat * = wild and naturally reproducing stocks + = migration corridors only o = offsite impacts (e.g. downstream) r = reintroduced Central Idaho & Yellowstone populations, covered under ESA Section 10(j), and declared experimental non-essential populations, and thus are treated like "proposed" species ## = no longer meet "sensitive" criteria (personal communication with Forest botanists and Dr. Duane Atwood), but no official list revision yet Dates are dates the Final Rule was published in the <i>Federal Register</i>; ED = Effective dates are about 30 days later if not listed.</p> | <p><i>This list was compiled from the following sources:</i> <i>R-4 Vertebrate Sensitive Species List</i> (August 13, 1990) <i>R-4 Sensitive Plant List</i> (April 29, 1994) <i>Endangered and Threatened Wildlife and Plants</i>, USDA-U.S. Fish & Wildlife Service (August 20, 1994) <i>Northern Goshawk - Listed as a Sensitive Species in R4</i> (October 31, 1991) <i>Miscellaneous Federal Registers</i></p> |
|---|---|